DORSET

LANGTON MATRAVERS

1915

FORM A.
BRITISH RAINFALL.
20 JUN 1916

REGIST 5

ng.

Kept at Langton Matra am.

in the County of Dorset n.

Rain Gauge in.

by Rev J. W. Coult above Ground ft. in.

(per. H „ Sea Level ft.

IMPORTANT NOTE.— easured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·25			·04				·05	·30			1
2	·41	·18	·59	·21		·01		·18	·07	·26		·21	2
3	·42				·20			·07		·29		·41	3
4	·04				·02	·01						·61	4
5	·15	·34		·05				·25		·01		·60	5
6	·92	·08		·50			·43	·05				·50	6
7	·21	·40		·06			·08					·44	7
8	·02	·50						·05			·06	·27	8
9		·14		·08							·42	·11	9
10	·20	·15	·04	·02						·04		·96	10
11	·12	·12	·04	·08							·82	·23	11
12	·13	·32		·14	·65					·01	·35		12
13	·02	·61			1·60				·10		·04		13
14	·05	·01					·17	·02	·10				14
15	·04	·02	·02		·10		·02	·01			·11	·94	15
16		·55			·21		1·24	·01				·20	16
17		·38			·28		·02	·04				·44	17
18		·65	·02		·04		·01					·05	18
19		·01			·17		·04						19
20	·39			·09	·09	·07				·06		·05	20
21		·10					·11			·80		·08	21
22	·31	·25	·37	·16			·98					·29	22
23			·18	·02			·01			·57		·80	23
24				·06			·04			1·68		·48	24
25			·05			·10			·34			·36	25
26	·03	·09				·12	·19		·56			1·15	26
27	·01	·04				·05			·50	·26		·02	27
28		·01				·22			·04	·09	·02	·04	28
29						·14				·25	·27	·07	29
30	·23	×				·03				·35	1·21	·11	30
31	·01	×		×		×		·54	×	·90	×	·30	31
Total	4·06	5·20	1·31	1·47	3·40	·75	3·34	1·22	1·76	5·87	3·30	9·72	YEAR'S TOTAL 41·40
Rain Days.	20	22	9	15	11 10	9	13	10	8	15	9	26	167

W. 8,000. X. 15.

REGIST 5

FORM A.
BRITISH RAINFALL.
20 JUN 1916

Kept at Langton Matravers

in the County of Dorset

by Rev J. W. Coulter
(per. H. H. J. Bassett.)

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·25			·04				·05	·30			1
2	·41	·18	·59	·21		·01		·18	·07	·26		·21	2
3	·42				·20			·07		·29		·41	3
4	·04				·02	·01						·61	4
5	·15	·34		·05				·25		·01		·60	5
6	·92	·08		·50			·43	·05				·50	6
7	·21	·40		·06			·08					·44	7
8	·02	·50						·05			·06	·27	8
9		·14		·08							·42	·11	9
10	·20	·15	·04	·02						·04		·96	10
11	·12	·12	·04	·08							·82	·23	11
12	·13	·32		·14	·65					·01	·35		12
13	·02	·61			1·60				·10		·04		13
14	·05	·01					·17	·02	·10				14
15	·04	·02	·02		·10		·02	·01			·11	·94	15
16		·55			·21		1·24	·01				·20	16
17		·38			·28		·02	·04				·44	17
18		·65	·02		·04		·01					·05	18
19		·01			·17		·04						19
20	·39			·09	·09	·07				·06		·05	20
21		·10					·11			·80		·08	21
22	·31	·25	·37	·16			·98					·29	22
23			·18	·02			·01			·57		·80	23
24				·06			·04			1·68		·48	24
25			·05			·10			·34			·36	25
26	·03	·09				·12	·19		·56			1·15	26
27	·01	·04				·05			·50	·26		·02	27
28		·01				·22			·04	·09	·02	·04	28
29						·14				·25	·27	·07	29
30	·23					·03				·35	1·21	·11	30
31	·01							·54		·90		·30	31
Total	4·06	5·20	1·31	1·47	3·40	·75	3·34	1·22	1·76	5·87	3·30	9·72	YEAR'S TOTAL 41·40
Rain Days.	20	22	9	15	11 ~~10~~	9	13	10	8	15	9	26	167

W. 8,000. X. 15.

from Dorset Fiel

RI

Kept at Leigh Vica

in the County of Dors

by Rev T Leonar

LEIGH VICARAGE

DORSET

1911 —— 1920

FORM A2. BRITISH RAINFALL.

20 FEB 1912

in.

Ground ft. in.

Sea Level ft.

30 am

Name

Distance Direction

IMPORTANT NOT the result entered to the
previous day. If an O versal rule, he is earnestly
requested to add the rea ar in the space provided
for it at the end of thi ent of rain,
the selection and placi tish Rainfall
Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.01	.07	1
2	.08			15	.46			.02		.04	.01	.50	2
3					.23			.14			.29	.17	3
4			.06								.19	.60	4
5	.18		.02					.08		.15	.09	.02	5
6	.44		.13							.07	.04	1.09	6
7	.05										.53	.02	7
8	.05											.92	8
9	.19		.17								.10	.68	9
10		.03	.48		.16						.02	.45	10
11	.10		.02		.06						.75		11
12	.59		.95					.05			.01	.43	12
13									.33			.39	13
14		.06									.37	1.16	14
15		.02	.02								.54	.03	15
16						.34						.66	16
17	.01	.01	.10		.11	.13					.22	.76	17
18		.19	.08	.15		.21				.04	.07	.66	18
19		.04		.07		.21			.27	.12	.22	.71	19
20	.11	.06	.19	.04					.15	.23		.68	20
21	.03	.17	.01			.03		.03	.08	.82		.12	21
22	.22	.05	.08			.05			.05	.39		.43	22
23		.12				.10			.03	.19	.04	.47	23
24	.02	.09				.41		.11		.33		.12	24
25		.03	.02	.07		.09		.10	.11	.18		.17	25
26		.05	.13	.36	.41			.05		.18	.02	19	26
27		.47		.02				.05	.09	.36	.04	.13	27
28		.30		.43				.18			.14		28
29				.57		.13	.10		.12	.30			29
30				.01		.17				.33	21		30
31													31
Total	2.07	1.69	2.46	1.87	1.43	1.87	.10	~~80~~ .81	1.23	3.73	3.91	11.63	TOTAL for year ~~32.69~~ 32.80
No. of Rain Days	13	15	15	10	6	11	1	10	9	15	21	26	152

9,000, IX. '10.

from Dorset Field

RI

FORM A2. BRITISH RAINFALL.

20 FEB 1912

Kept at Leigh Vicarage

in the County of Dorset

by Rev T Leonard Jenkins (H Stilwell)

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9. 30 am

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.01	.07	1
2	.08			15	.46			.02		.04	.01	.50	2
3					.23			.14			.29	.17	3
4			.06								.19	.60	4
5	.18		.02					.08		.15	.09	.02	5
6	.44		.13							.07	.04	1.09	6
7	.05										.53	.02	7
8	.05											.92	8
9	.19		.17								.10	.68	9
10		.03	.48		.16						.02	.45	10
11	.10		.02		.06						.75		11
12	.59		.95					.05			.01	.43	12
13									.33			.39	13
14		.06									.37	1.16	14
15		.02	.02								.54	.03	15
16						.34						.66	16
17	.01	.01	.10		.11	.13					.22	.76	17
18		.19	.08	.15		.21				.04	.07	.66	18
19		.04		.07		.21			.27	.12	.22	.71	19
20	.11	.06	.19	.04					.15	.23		.68	20
21	.03	.17	.01			.03		.03	.08	.82		.12	21
22	.22	.05	.08			.05			.05	.39		.43	22
23		.12				.10			.03	.19	.04	.47	23
24	.02	.09				.41		.11		.33		.12	24
25		.03	.02	.07		.09		.10	.11	.18		.17	25
26		.05	.13	.36	.41			.05		.18	.02	19	26
27		.47		.02				.05	.09	.36	.04	.13	27
28		.30		.43				.18			.14		28
29				.57		.13	.10		.12	.30			29
30				.01		.17				.33	21		30
31													31
Total	2.07	1.69	2.46	1.87	1.43	1.87	.10	~~80~~ .81	1.23	3.73	3.91	11.63	TOTAL for year ~~32.69~~ 32.80
No. of Rain Days	13	15	15	10	6	11	1	10	9	15	21	26	152

9,000, IX. '10.

✓ Copy from A Rept

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 MAR 1913

E4 RR

Kept at Leigh Vicarage
in the County of Dorset
by Rev T Leonard Jenkins

Dorset Field Club

Lat. Long.
Time of Observation 9.30
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.65	.01		.05	.74		.53	1
2			.58	.02		.06	.26	.21		.01	.02		2
3	.01		.24			.53	.02	.68	.02		.02	.08	3
4	.18		1.08			.24		.02			.37		4
5	.64	.26	.18		.01			.76				.31	5
6	.45	.03	.31		.20	.08	.46	.74				.06	6
7	.02	.61	.65		.14	.69	.37	.18				.30	7
8	.43	.29	.13			.05	.03	.04				.05	8
9	.14	.10	.02	.05		.04	.01	.08				.31	9
10	.11	.14					.03	.12			.01	.35	10
11	.03	.10	.18					.47		.02		.54	11
12	.01	.47		.08		.01	.03	.14					12
13							.02	.02			.02	.03	13
14	.21	.01	.41		.05			.05		.06			14
15	.38	.13			.12	.66						.31	15
16	1.13	.01	.59		.09			.29		.08	.03		16
17	.52		.32			.02		1.11				.03	17
18	.05	.03	.23			.04		.33		.01	.02	.03	18
19		.05	.11			.07	.10	.10			.02	.01	19
20	.04	.01	.52		.08		.03	.44		.28			20
21	.01	.20	.42		.36			.16		.22			21
22	.38	.56	.05		.03			.13		.08		.07	22
23	.15	.39	.15			.09		.46		.10	.10	.25	23
24	.08	.03				.50		.07		.12		.32	24
25	.14	.02				.07	.09	.26			.37	.67	25
26		.04						.17		} 1.91	.61	.43	26
27		.02				.24	.60				.02	.35	27
28		.11				.15	.12	.47	.14	.66	.72	.80	28
29		.25	.02			.05	.14	.07	.75	.40		.02	29
30			.05		03	.11	.22		.55	.26			30
31			.43				.26	.02		.03		.12	31
Total	5.11	3.86	6.73	.15	1.11	4.35	2.80	7.59	1.51	4.98	2.33	5.97	YEAR'S TOTAL 46.49
Rain Days.	21	23	22	3	10	20	18	27	5	17	13	23	202

W. 7,500, XI. ·12

Copied from Dorset Field Club

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Ex. My.

Kept at Leigh Vicarage

in the County of Dorset 1

by F. Leonard Jenkins.
R. Stevenson Henshaw

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·35	·27	·01	–	–	·06	–	·90	·02	·58	–	1
2	·07	·16	–	·05	·13	·12	–	–	·22	–	·15	–	2
3	·26	–	–	·06	·27	–	–	–	·03	·03	–	·24	3
4	1·04	–	·03	·02	·36	–	–	–	·12	·10	·11	·15	4
5	·22	·02	·13	–	·07	·18	·08	–	·60	·02	·20	·22	5
6	·11	·13	·20	–	·15	·30	·10	–	–	1·62	·02	·66	6
7	·01	·57	·02	–	·57	·10	·13	–	·38	·46	·27	–	7
8	·01	·14	–	–	·31	–	·01	–	·02	·02	–	·03	8
9	–	·03	–	–	·10	–	–	·50	–	–	·22	–	9
10	·41	–	–	–	·03	–	–	–	–	·23	·27	–	10
11	·92	·02	–	·17	·12	–	–	·02	–	·12	·51	–	11
12	–	·02	–	–	·38	–	–	–	–	–	·27	–	12
13	·12	–	·01	·03	–	–	–	–	·57	–	·04	–	13
14	·32	–	·13	·92	–	–	–	·02	·43	·62	–	–	14
15	·61	·06	·34	·02	–	–	·07	–	–	–	–	–	15
16	·18	–	·38	–	–	–	–	·08	–	–	·02	–	16
17	·62	–	·02	–	–	–	–	–	·02	–	–	–	17
18	·08	–	·48	·11	·02	–	–	–	–	–	·12	–	18
19	1·00	–	·05	–	–	·14	–	–	·50	–	–	–	19
20	·05	–	·12	·20	–	–	–	–	–	·10	·84	–	20
21	–	–	·24	·13	–	–	·03	–	–	·17	1·01	–	21
22	·36	–	·39	·04	–	·05	–	–	·25	·02	–	·13	22
23	·01	–	–	–	–	–	–	·07	–	–	·11	·69	23
24	–	·02	–	·09	–	–	–	–	–	–	–	–	24
25	–	·21	–	·25	–	–	–	–	–	–	–	·64	25
26	·01	–	–	·55	–	–	–	–	–	·01	–	·28	26
27	·05	–	·35	·30	–	·03	–	·30	–	·07	–	·02	27
28	·10	–	·11	·34	–	–	–	–	–	·29	–	–	28
29	·13		·70	·40	·03	–	–	·17	·05	·41	–	–	29
30	·68		–	–	–	–	–	·21	–	·66	–	–	30
31	·14		·01		–	–	·10	–		·15		–	31
Total	6·91	1·73	3·98	3·69	2·54	·92	·58	1·37	4·09	4·52	4·77	2·46	YEAR'S TOTAL 37·56
Rain Days.	25	12	19	18	13	7	8	8	13	19	16	10	168

W.7,000, XI. 13

cor fr auth 22.IV.15 copied from ~~original returned books~~ Dorset 7C

REGISTER OF RAINFALL IN 1914

H L McC

FORM A. BRITISH RAINFALL 20 APR 1915

Kept at Leigh Vicarage

in the County of Dorset

by Rev Y. Leonard Jenkins (Dorset 7.C.)

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station J Yetminster Jetmarsh GWR

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·12	-	-	·02	·26	·28	-	-	·16	·14	1
2	-	-	-	-	·05	-	·04	·17	-	-	·57	·43	2
3	·03	-	·05	·14	·60	-	·56	·02	-	-	·15	·04	3
4	·10	-	·04	·33	·05	-	·07	·62	-	-	·50	·64	4
5	·15	-	·12	·20	·13	-	·13	-	-	-	·07	·05	5
6	·02	·35	·01	·10	·02	-	-	·02	·01	-	·01	·46	6
7	-	1·28	·05	·05	·06	·06	·15	·08	-	-	·03	·74	7
8	·07	·02	·73	·09	·10	-	-	·33	-	-	-	·14	8
9	-	-	·42	·39	·13	1·21	-	·10	·65	-	-		9
10	·07	·91	·52	·07	·05	·02	-	-	·21	-	·01	·05	10
11	-	·39	·09	-	·07	·16	·15	-	-	-	·07	·48	11
12	-	·03	·77	-	-	-	-	-	·25	-	·04	·72	12
13	-	1·06	-	-	-	-	-	-	·14	·23	·17	·11	13
14	-	·70	-	-	-	·62	·04	·63	·02	·21	·39	·02	14
15	·04	-	·19	-	-	-	·47	·31	·45	·12	·30		15
16	-	-	·02	-	-	-	·04	-	-	-	-		16
17	-	·83	·28	-	-	-	-	-	-	-	-	1·22	17
18	-	·03	·30	-	-	-	·21	-	·05	-	-	·46	18
19	-	·05	·18	-	-	-	1·21	-	·07	-	-	·03	19
20	-	·77	·18	-	-	-	-	-	-	-	·11	·24	20
21	-	1·07	·03	-	-	·42	-	-	-	·33	-		21
22	-	·17	-	-	·20	·02	·05	-	-	·34	-		22
23	-	·09	·29	-	·02	-	·02	-	-	·12	-		23
24	-	·05	·08	-	·11	-	-	-	-	·31	·12	·09	24
25	·09	-	·34	-	-	-	·28	·41	-	·38	·09	·30	25
26	-	-	·13	-	-	-	·16	-	-	·05	·48	·80	26
27	·10	-	-	-	-	-	-	·03	-	·07	·18	·30	27
28	·03	·17	·38	-	·02	-	·05	-	-	·04	·37	·85	28
29	·43	-	·35	-	·21	-	-	-	-	·32	1·06	·03	29
30	·01	X	·17	-	-	·02	-	-	-	·27	·65	1·12	30
31	·19	X	-	X	·04	X	·18	-	X	·80	X	·40	31
Total	1·33 1·33	7·97	5·84 ✓	1·37	1·86	2·55	4·07 4·07	3·00	1·85	3·59	5·53 ✓	9·86 9·86	YEAR'S TOTAL 48·82
Rain Days.	13	17	25	8	16	9	18	12	9	14	21	25	187

W. 8,000. X. 14.

5 made
5-V-16
card [illegible] 4.V.16
1689

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Leigh Vicarage
in the County of Dorset
by Rev. T. Leonard Jenkins

Lat. .... Long. ....
Time of Observation 9-30 a. m
Nearest Railway Station Yetminster G W R
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·16	—	—	—	—	·03	·47	·53	·25	·02	·38	1
2	·80	·27	·10	·10	—	·04	—	·54	·03	·11	—	·35	2
3	·07	·20	·14	·11	·17	—	—	·02	—	·06	—	·33	3
4	·07	·02	—	—	·02	—	—	—	—	·01	—	·35	4
5	·03	·90	—	·27	—	—	—	·05	—	—	—	·52	5
6	·66	·13	—	·61	—	—	·15	·02	—	—	—	·17	6
7	·16	·62	—	·06	04	—	·57	—	—	—	—	·22	7
8	·09	·57	—	—	—	—	·22	·09	—	—	·08	·07	8
9	·02	·07	—	·08	—	—	—	—	—	—	·37	·54	9
10	·22	·05	·04	·06	—	—	—	—	—	·04	·91	·15	10
11	·05	·16	—	·06	—	—	—	—	—	—	·49	—	11
12	·15	·80	—	·11	·61	—	—	·05	—	·07	[illegible]	—	12
13	—	·67	—	—	·78	—	—	—	·08	—	·14	·07	13
14	·03	·04	—	—	—	—	—	·18	·08	—	·07	1.35	14
15	·10	—	—	—	·25	—	·20	·03	—	·14	—	·38	15
16	—	1·24	—	—	·31	—	·10	—	·04	—	—	·03	16
17	—	·34	—	—	·19	—	·90	·33	—	—	—	·02	17
18	—	·61	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	·15	—	—	—	—	—	—	—	19
20	·17	—	—	·17	—	·04	11	—	—	—	—	·09	20
21	·12	·13	—	—	—	—	—	—	·05	0.77	—	·30	21
22	·14	·16	·35	—	—	—	12	—	—	—	—	·39	22
23	—	—	·05	—	—	—	71	—	·22	2.18	—	·20	23
24	—	—	—	·09	—	—	·21	—	·52	·66	·05	·71	24
25	—	—	—	·04	—	—	·13	—	—	—	—	·21	25
26	—	·21	—	—	—	·24	·10	—	—	0.62	—	·96	26
27	—	·06	—	—	—	·09	·21	—	—	0·24	—	—	27
28	—	·05	—	—	—	·21	·16	—	·59	—	·03	—	28
29	—		—	—	—	·14	·40	—	·02	·02	·30	·13	29
30	·15	╳	—	—	—	·34	—	—	—	1.11	·39	·46	30
31	—	╳	—	╳	—	╳	08		╳	1.08	╳	·48	31
Total	3.65	7.46	·68	1.79	2.52	1.10	~~3.50~~ 4.40	1.78	2·16	7.36 9.36	2.85	8·86	YEAR'S TOTAL ~~43.60~~ 44·61
Rain Days.	18	~~23~~ 22	5	12	9	7	~~16~~ 17	10	10	15	11	25	161

W. 8,000. X. 14.

P. made

1583

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

17 JAN

Kept at Leigh Vicarage

in the County of Dorset

by The Rev. T. L. Jenkins

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station Yetminster G.W.R.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.33	—	.12	—	.55	.02	—	.14	.02	1
2	—	—	—	.07	—	—	—	.17	—	—	.06	—	2
3	.02	—	—	.03	—	.11	.46	—	—	.02	—	—	3
4	—	—	.33	—	—	—	.01	.01	.02	.18	.26	—	4
5	.16	—	.25	.43	—	—	—	.03	.14	.30	—	—	5
6	—	—	.08	—	—	.07	—	—	—	.07	.19	—	6
7	.23	—	.26	.03	—	—	.22	.38	—	.14	.10	.04	7
8	.18	—	.35	—	—	—	.38	.60	.15	.20	.04	.05	8
9	—	—	.50	.07	—	—	.07	.07	.03	.22	.17	.17	9
10	.12	—	—	snow .17	.07	—	—	.30	—	.08	.10	—	10
11	.04	—	—	.36	—	—	—	—	—	—	—	—	11
12	.06	—	—	—	.30	—	—	—	—	.23	.03	—	12
13	—	—	.10	.03	—	—	—	.61	.04	.21	.02	—	13
14	—	—	—	.07	—	.02	.54	.18	.03	.08	—	.03	14
15	—	—	—	—	—	—	.16	.27	—	.15	—	—	15
16	.02	.19	—	.26	—	—	.11	—	—	.36	—	.40	16
17	—	—	—	—	—	—	.31	.15	—	.83	—	.34	17
18	—	.04	—	—	—	—	.20	—	.89	.20	—	.12	18
19	—	.42	.08	—	—	.01	—	.01	.63	—	—	—	19
20	—	—	.03	—	x .38	.02	—	.07	.12	—	—	—	20
21	—	—	.31	—	—	—	—	—	—	—	—	—	21
22	—	—	.02	—	—	—	—	.13	—	.06	—	—	22
23	—	.13	—	—	—	—	—	.48	—	.04	—	—	23
24	—	.06	.03	—	.13	.07	.07	.07	—	.30	—	.03	24
25	—	.07	—	—	—	—	.02	.07	.07	.12	.07	—	25
26	—	—	—	—	—	.04	—	.97	.10	.11	—	—	26
27	—	—	.07	—	.31	.17	—	1.27	—	.04	—	—	27
28	—	—	.14	—	—	1.20	—	.11	—	—	—	—	28
29	—	—	—	—	.12	.11	.05	—	—	—	—	.07	29
30	—	✕	3	—	—	—	.65	.13	—	.66	—	.10	30
31	—	✕	.30	✕	—	✕	—	—	✕	.02	✕	—	31
Total	.83	.91	2.88	1.85	.31	1.94	3.24 3.25	6.63	2.24	4.62	1.18	1.37	YEAR'S TOTAL 29.00 29.01
Rain Days.	8	6	16	11	6	11	14	22	12	23	11	11	151

W. 8,000, VIII. 16

1.42

REGISTER OF RAINFALL IN 19~~19~~18

FORM A.
BRITISH RAINFALL.
101.19

Kept at Totnel House Leigh
in the County of Dorset
by Mr F. Trott

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Yetminster G W R
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	—	·13	·18	—	—	—	—	02	·10	04	09	59 1
2	—	·10	—	02	04	—	—	·73	—	02	1.09	04	1.04 2
3	—	·25	—	09	—	—	—	·36	01	—	07	·30	108 3
4	05	·10	03	·13	·30	—	—	03	03	09	05	03	83 4 84
5	—	·15	—	03	—	—	—	·40	·19	—	1.65	·34	276 5
6	—	—	·26	03	·25	—	—	·39	·20	·29	—	04	146 6
7	·14	·16	—	·20	—	—	—	04	03	·13	—	·15	85 7
8	—	·19	—	—	·29	—	—	01	·23	—	·49	·22	143 8
9	04	·27	—	—	—	—	06	—	·12	·25	—	04	74 9 76
10	—	02	—	·18	—	·15	·37	—	·66	09	—	·46	193 10
11	05	—	—	·37	—	—	·26	—	·19 39	·46	04	·58	195 11
12	—	—	02	02	—	—	·53	—	·17	·39	05	03	121 12
13	—	07	—	—	·31	—	·21	—	07	01	—	—	67 13
14	·28	03	—	—	·34	—	·36	—	·55	09	—	05	170 14
15	·39	—	—	—	04	08	02	—	·19	06	—	·15	93 15
16	1.49	—	—	·36	02	·33	·27	—	04	02	—	·40	293 16
17	·42	—	04	·28	—	04	02	—	·35	—	—	06	1.21 17
18	·45	—	01	·16	—	—	·25	02	04	—	—	·34	1.11 18 1/27
19	109	—	—	—	—	·68	·10	—	·13	—	—	·12	2.12 19
20	·16	—	03	01	—	—	·11	01	02	03	—	06	43 20
21	05	·16	—	·11	—	02	02	—	·51	09	—	—	96 21
22	09	03	—	—	—	—	—	—	·61	·12	—	·20	1.05 22
23	07	—	—	—	06	—	·73	—	·18	01	—	·10	114 23 115
24	09	—	—	—	·12	—	·57	—	·12	—	·19	04	113 24
25	—	·18	—	—	—	—	·27	—	·15	—	07	02	69 25
26	—	—	—	—	—	—	08	·52	—	—	05	—	65 26
27	—	—	—	—	—	—	·21	—	—	02	07	·45	75 27
28	—	·12	06	—	—	—	08	·10	·12	—	·13	—	61 28
29	—		·35	—	—	—	—	—	—	01	02	03	41 29
30	02	✕	09	—	—	—	—	—	122	—	02	—	1.35 30
31	—	✕	·70	✕	—	✕	—	04	✕	·11	✕	04	89 31
Total	4.91 4.88	1.[illegible]3 1.96	1.72 1.77	2.17 1.99	1.77	1.30 1.80	4.52 4.52	2.65 2.67	6.16 6.24	2.39 2.33	4.03 4.08	4.38 4.32	YEAR'S TOTAL 37·83
Rain Days.	17 16	14 15	11	15 14	10	6	19	12 13	26	20	15	26	191

W. 8,000, IX. 17.

WD

1491

FORM A.
BRITISH RAINFALL.

5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Totnell Leigh

in the County of Dorset

by F. Trott

Lat. Long.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Yetminster 3 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·36

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	09	·12	—	·48	—	—	—	—	·70	1
2	·53	—	08	—	05	—	·22	—	07	·29	02	126	2
3	·18	—	02	—	07	—	—	—	·32	—	03	02	3
4	·40	—	·39	—	09	—	—	—	·20	—	04	·12	4
5	·39	·30	·40	—	—	01	06	03	·90	—	03	08	5
6	·03	·25	·42	—	03	—	03	—	·15	—	07	06	6
7	110	·23	07	—	—	—	—	—	—	—	01	·26	7
8	·28	—	·47	09	—	—	—	—	—	—	—	—	8
9	·43	—	·20	02	—	—	—	—	—	—	—	—	9
10	·16	—	02	·28	08	—	—	—	—	—	·28	—	10
11	·15	—	·65	·01	—	—	—	—	—	05	02	·40	11
12	05	—	·27	·29	·34	—	·27	—	—	[illegible]	—	06	12
13	07	—	02	05	—	07	05	—	—	07	04	04	13
14	·14	05	02	·82	03	—	04	—	—	·11	—	·14	14
15	·86	06	—	·62	06	—	·15	—	—	04	—	·42	15
16	·29	05	—	05	[illegible]	—	—	—	—	·13	—	·48	16
17	06	·76	—	—	~~01~~	—	—	·26	—	—	·15	—	17
18	05	·23	—	—	—	—	—	—	—	—	·10	02	18
19	04	·13	·66	—	—	—	06	08	—	—	08	—	19
20	·72	·25	·65	—	—	03	·87	·35	·23	—	·10	06	20
21	·53	03	·10	—	—	·37	—	·45	—	—	—	05	21
22	07	110	—	—	—	—	·13	—	05	—	—	06	22
23	—	—	—	—	—	—	·23	—	·19	—	—	03	23
24	—	—	02	—	—	—	—	—	—	·50	02	04	24
25	—	01	—	05	—	·11	02	—	—	·79	·32	·24	25
26	·14	04	—	01	—	05	—	·28	—	—	—	07	26
27	07	—	08	03	—	02	—	08	—	—	04	·56	27
28	·16	03	·10	·33	—	—	—	105	—	—	—	03	28
29	—		·30	—	—	—	—	·73	—	—	·46	·30	29
30	03	X	—	·12	—	—	09	·12	—	06	·27	05	30
31	—	X	—	X	—	X	—	·55	X	02	X	·82	31
Total	693	352	·09 ~~494~~ 5·03	·12 ~~286~~ 2·89	~~88~~ ·76	·48 ~~66~~ 1·14	~~290~~ 2·22	398	211	206	·70 ~~208~~ 2·78	·36 ~~639~~ 6·03	YEAR'S TOTAL ~~39·00~~ 39·45
Rain Days.	25	15	~~20~~ 21	15	~~10~~ 9	~~7~~ 8	~~14~~ 13	11	8	10	~~18~~ 19	26	~~179~~ 180

W. 8,000, IX. 17.

cond for pt WD cond for arith.

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Leigh Vicarage

in the County of Dorset

by Rev: T. L. Jenkins.

Lat. 50° 53′ N Long. 2° 32′ W

Time of Observation 9·30 A.M.

Nearest Railway Station Yetminster GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. m

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·06	·01	·32	—	—	·34	—	—	·09	·21	·54	1
2	·03	—	·04	·15	·60	—	·38	·01	·03	·17	—	·21	2
3	·90	—	·02	·14	—	—	·06	·27	·09	·74	—	·04	3
4	·11	·12	—	·05	—	—	·26	—	·03	·21	—	—	4
5	—	·02	·02	·06	—	—	·26	·80	—	·20	—	—	5
6	—	—	·14	·01	·03	—	·36	·20	—	·03	—	—	6
7	—	—	·17	·03	·19	—	·18	—	—	—	D ·01	—	7
8	·04	—	·03	·23	·06	—	·62	—	—	—	—	—	8
9	·10	·14	—	·23	·02	—	·28	—	—	—	—	—	9
10	·35	—	·01	·06	—	·07	·10	—	—	—	—	—	10
11	·78	·08	·15	·12	—	·35	·61	—	—	—	—	—	11
12	·26	—	·11	·93	·18	·02	·15	—	—	—	·09	—	12
13	·20	·14	·02	·07	·03	·30	·04	—	—	·03	—	—	13
14	·28	·03	·60	·06	—	—	—	—	·13	·33	·44	—	14
15	·04	·04	·31	1·15	—	—	·02	—	·04	·21	·07	·10	15
16	—	·11	·04	·43	·07	·04	—	—	·31	·10	—	—	16
17	—	—	·01	·05	—	·01	·16	—	·40	—	—	—	17
18	·02	—	·01	·22	·30	—	·04	—	·18	—	—	·01	18
19	—	—	·06	·05	·06	·15	·35	·35	·01	—	—	—	19
20	·17	—	—	·33	—	·23	—	—	—	—	—	·37	20
21	·01	·14	—	·20	—	·31	—	—	·01	—	—	·08	21
22	—	—	—	—	—	—	·15	—	—	Dew ·02	—	·20	22
23	·02	—	—	·22	—	—	·02	·01	—	—	—	·37	23
24	·02	—	—	—	—	—	·59	·09	—	—	·17	·13	24
25	·05	—	·34	—	—	—	—	—	—	—	—	·01	25
26	·03	·03	·18	·02	·02	—	·61	—	—	—	·13	·23	26
27	·26	—	·24	—	·01	·13	·04	—	—	—	·03	·32	27
28	·82	·02	·08	·22	—	·14	—	—	—	—	—	·17	28
29	·85	—	·16	·03	·09	·02	·09	—	—	—	·34	·35	29
30	·57	×	·22	·06	—	—	—	—	·52	·30	·42	·53	30
31	·14	×	—	×	·08	×	·09	—	×	·85	×	·24	31
TOTAL	~~6·31~~ 6·41	·01 ~~·93~~ ·94	·32 ~~2·97~~ 3·28	~~5·44~~ 5·12	1·74	·34 ~~1·77~~ 2·11	~~5·80~~ 5·46	1·73	1·75	3·28	1·91	3·90 3·89	YEAR'S TOTAL ~~37·72~~ (37·63)
Days with ·01 in. or more	24 18	13 ~~12~~ 8	23 16	~~26~~ 25 21	14 9	13 ~~12~~ 10 ~~9~~	~~24~~ 23 21 ~~22~~	7 5	11 7	13 10	10 8	17 15	(193) 148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LYME REGIS

DORSET

1912 – 1914, 1917 – 1918

FORM A2.
BRITISH RAINFALL.
3. JAN 1913

12

Kept at Lyme

in the County of

by Tom Gar

Co

ds Snowdon

5 in.

ve Ground - ft. 12 in.

Sea Level 55 ft.

. am

Name LymeRegis

Distance 7 furs Direction N.W

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15			·27	·			~~·36~~		·39	1
2			·26			·01	·03	·06	·02	·75			2
3			·20			·23	·06	·83	·01			·04	3
4	·09		·76			·30					·26		4
5	·69	·19	·25			·01		·63			·01	·38	5
6	·65	·10	·14		·25	·12	·46	·36				·02	6
7	·01	·57	·16		·27	·84		·12				·24	7
8	·55	·17	·75			·10						·02	8
9	·03	·05	·16	·09		·22	·06	·11				·54	9
10		·10	·01	·02				·33				·35	10
11	·10	·01					·02	·04			·04	·48	11
12	·03	·31	·19				·05	·32				·01	12
13											·02		13
14	·03		·42		·30			·06				·14	14
15	·31	·37		·01	·23	·50						·16	15
16	·47		·42			·01		·13		·10		·02	16
17	snow ·67		·18			·11		·83				·01	17
18		·03	·24					·29				·01	18
19	·05	·04	·05			·03	·10	·33			·01		19
20	·06	·15	·47		·14			·12		·20	·01		20
21		·39	·18		·54			·21		·14			21
22		·40	·06				·06	·09		·19	·01	19 ·29	22
23	·35	·56	·53			·05		1·10		·08	·16	·18	23
24	·12	·20				·30		·10				·74	24
25	·18					·05		·25		·21	·12		25
26		·02					·07	·25		·32	·36	·39	26
27		·01				·52	·83	·05		·87		·38	27
28		·08				·07	·12	·29		·62	·31	·74	28
29		·13	·01			·13	·06	·09	·02	·38	·01	·01	29
30					·02	·12	·03	·01	·57	·26			30
31			·29				·28		·36	·08		·18	31
Total	4·39	3·88	5·88	0·12	1·75	3·99	2·23	7·00	~~·62~~ ·98	~~4·56~~ 4·20	1·32	5·62	TOTAL [illegible]
No. of Rain Days.	18	20	22	3	7	20	14	25	~~4~~ 5	~~14~~ 13	12	24	183

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 3 JAN 1913

Colway Cottage (to 15-III-12)

Kept at Lyme Regis

in the County of Dorset 3

by Tom Gardner Pulsford

RAIN GAUGE
Pattern Symonds Snowdon
Diameter of top 5 in.
Height of top above Ground - ft. 12 in.
" " " Sea Level 55 ft.

Time of Observation 9. am

Nearest Railway Station
Name Lyme Regis
Distance 7 furs Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15			·27	·			~~·36~~		·39	1
2			·26			·01	·03	·06	·02	·75			2
3			·20			·23	·06	·83	·01			·04	3
4	·09		·76			·30					·26		4
5	·69	·19	·25			·01		·63			·01	·38	5
6	·65	·10	·14		·25	·12	·46	·36				·02	6
7	·01	·57	·16		·27	·84		·12				·24	7
8	·55	·17	·75			·10						·02	8
9	·03	·05	·16	·09		·22	·06	·11				·54	9
10	·	·10	·01	·02				·33				·35	10
11	·10	·01					·02	·04			·04	·48	11
12	·03	·31	·19				·05	·32				·01	12
13											·02		13
14	·03		·42	·	·30			·06				·14	14
15	·31	·37		·01	·23	·50		·12				·16	15
16	·47		·42			·01		·13		·10		·02	16
17	snow ·67		·18			·11		·83				·01	17
18		·03	·24					·29				·01	18
19	·05	·04	·05			·03	·10	·33			·01		19
20	·06	·15	·47		·14			·12		·20	·01		20
21		·39	·18		·54			·21		·14			21
22		·40	·06				·06	·09		·19	·01	·19 ·29	22
23	·35	·56	·53			·05		1·10		·08	·16	·18	23
24	·12	·20				·30		·10				·74	24
25	·18					·05		·25		·21	·12		25
26		·02					·07	·25		·32	·36	·39	26
27		·01				·52	·83	·05		·87		·38	27
28		·08				·07	·12	·29		·62	·31	·74	28
29		·13	·01			·13	·06	·09	·02	·38	·01	·01	29
30					·02	·12	·03	·01	·57	·26			30
31			·29				·28		·36	·08		·18	31
Total	4·39	3·88	5·88	0·12	1·75	3·99	2·23	7·00	~~·62~~ ·98	~~4·56~~ 4·20	1·32	5·62	TOTAL ~~[illegible]~~
No. of Rain Days.	18	20	22	3	7	20	14	25	~~4~~ 5	~~14~~ 13	12	24	183

W. 8,000, X. '11.

Ex Dd

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Lyme Regis

in the County of Dorset 3

by Tom G. Pulsford

Lat. 50° 40" N Long. 2°59 W
Time of Observation 9. AM
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·12	·04	·02				·11	·13	·14		1
2		·04		·04	·08		·02			·15	·16	·02	2
3	·15		·02		·23					·01		·11	3
4	·94		·04		·19				·77	·47	·06	·12	4
5	·16	·06	·02		·20	·02			1·27		·26	·23	5
6	·05	·06			·08	·05	·04			·90		·31	6
7		·33	·04		·50	·09	·05			·63	·32		7
8		·09			·22		·04			·07		·01	8
9	·01	·03			·06	·04	·02	·15			·25	·01	9
10	·45					·04		·02		·11	·11		10
11	·74			·05	·21					·11	·60		11
12					·28				·03		·34		12
13	·25		·03		·04			·13	·36		·20		13
14	·27		·07		·18				·26		·10		14
15	·28		·38	·45					·20				15
16	·06		·46	·04				·04	·12				16
17	·03		·02								·10		17
18	·03		·18	·14	·01								18
19	·44		·07		·01	·04			·65				19
20	·15		·13	·32		·02				·15	·15		20
21			·20	·24	·03	—				·22	·51		21
22	·56		·21	·22		·13	·05		·14			·13	22
23											·14	·63	23
24	·02			·04							·01		24
25		·02		·13									25
26				·45				·14				·10	26
27	·16		·15	·42				·01		·03			27
28	·73		·01	·36						·33		·04	28
29	·21		·44	·20						·17		·02	29
30	·46							·35	·04	·52			30
31	·20		·04					·73		·21			31
Total	6·35	·90	2·63	3·14	2·34	·43	·22	1·57	3·95	4·21	3·45	1·73	YEAR'S TOTAL 30·92
Rain Days.	22	8	19	15	16	8	6	8	11	16	16	12	157

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Langmoor Gardens, Lyme Regis
in the County of Dorset 3
by J. W. Jones. Borough Observer

Lat. 50°-43' N. Long. 2°56' W
Time of Observation 9·0 a.m.
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~1~~ ft. 12 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·05	·02		·20	·34			·20	·09	1
2				·02	·03		·54	·05			·90	·37	2
3	·01	—	·09	·17	·48	·03					·08		3
4	·05		·03	·26	·08		·19	·60			·63	·40	4
5	·09		·08	·15	·08		·09						5
6		·15		·09	·21							·19	6
7	·02	·70	·15	·16	·04	·02	·22	·10	·03			·37	7
8	·04		·75	·03	·04	·09		·15				·09	8
9	·01	·01	·48	·28	·08	·75		·15	1·25				9
10	·06	·15		·09	·08	·01			·40				10
11		·18	·73		·03	·08	·50		·10		·07	·29	11
12		·13	·20							·05			12
13		·32	·28							·25	·37	1·04	13
14		·20	·25			·85	·08	1·35	·30	·40	·40	·15	14
15			·09				·11	·25	·10	·39	·15		15
16	·01												16
17		·65	·18									·06	17
18		·04	·05				·38		·40			·20	18
19		·14	·73				2·15				·05		19
20		·51	·16						·26			·30	20
21		·55	·01			·01				·15			21
22		·02	·02		·12	·04		·05		·35			22
23		·06	·26		·01					·80			23
24		·11	·01		·02					·45	·12		24
25	·06		·28				·06	·30		·15			25
26	·02		·10							·08	·15		26
27	·11	·02					·03				·08		27
28		·14	·30		·22							1·95	28
29	·15		·13				·10				·52	·08	29
30	·01	X	·06	·02	·02	·02				·45	·33	·33	30
31	·08	X		X		X	·50		X	·30	X	·05	31
Total	·72	4·08	5·45	1·32	1·56	1·90	5·15	3·34	2·78	3·82	4·05	5·96	YEAR'S TOTAL 40·13
Rain Days.	14	18	25	11	16	10	14	10	8	12	14	16	168

W. 8,000. X. 14.

1619

REGISTER OF RAINFALL IN 1917

FOR A. BRITISH RAINFALL.
2 JAN 1918

Kept at Lyme Regis

in the County of Dorset

by Everard T. Stoward
Borough Surveyor

Lat. Long.

Time of Observation 9. A. M

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·08	·22	—	·16	—	·42	·01	—	·05	·01	1
2	—	—	·01	·07	—	·16	—	·01	—	·01	·03	—	2
3	·05	—	—	·02	—	—	·65	·03	—	·10	·39	—	3
4	—	—	·40	—	—	—	·01	—	—	·25	—	·01	4
5	·08	·11	·20	·27	—	·08	—	·04	·16	·12	—	—	5
6	—	—	·09	—	—	—	—	—	—	·03	·07	—	6
7	·46	—	—	—	—	—	·20	·28	—	·29	·03	—	7
8	·15	—	·13	·10	—	—	·23	·55	·12	·41	·13	·20	8
9	—	—	·19	·05	—	—	·08	·38	·03	·13	·09	—	9
10	·26	—	·30	·16	—	—	—	·23	·02	·01	—	—	10
11	·08	—	·72	·10	·03	—	—	·01	—	·25	·11	—	11
12	·10	—	·02	—	·38	—	—	—	—	·33	·03	—	12
13	—	—	·22	·01	—	·04	—	·23	·02	~~·005~~	—	—	13
14	—	—	—	·15	·05	—	·15	·32	·02	·01	—	—	14
15	·01	—	—	·01	—	—	·06	·18	·02	·18	—	·60	15
16	—	·18	—	·05	—	—	—	—	·02	·39	—	·35	16
17	—	·02	—	·05	—	—	·25	·09	·73	·14	—	—	17
18	—	·12	—	—	·03	—	·15	·03	·67	·01	—	—	18
19	—	·84	·02	—	—	·08	—	—	·14	—	—	—	19
20	—	·02	—	—	·52	·02	—	·08	·04	—	—	—	20
21	—	—	·27	—	·05	—	—	·03	—	·09	—	—	21
22	—	—	—	—	·05	—	—	·06	—	·07	—	—	22
23	—	·22	—	—	·02	—	—	·11	—	·10	—	·02	23
24	—	·01	·02	—	—	·01	·29	·07	—	·22	·02	—	24
25	—	·02	·03	—	—	—	·06	·03	·04	·01	—	—	25
26	—	—	—	—	·68	·03	—	·39	·16	·02	·02	—	26
27	—	—	—	—	·35	·45	—	·78	—	—	—	—	27
28	—	·03	·09	—	·19	·49	—	·16	—	—	—	·03	28
29	—		·04	—	·02	·15	·03	—	—	·21	—	·15	29
30	—	X	·23	—	—	·01	·23	·14	—	·02	—	·01	30
31	—	X	·04	X	—	X	·01	—	X	·26	X	·03	31
Total	1·21	1·57	3·10	1·26	2·37	1·68	2·40	4·65	2·20	3·66	·97	1·41	YEAR'S TOTAL 26·48
Rain Days.	9	10	19	13	12	12	14	24	15	25	11	10	174

73

B. made

Cor. for arith.

? 37

FORM A.
BRITISH RAINFALL
1 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Lyme Regis

in the County of Dorset

by E. T. Steward

Lat. Long.

Time of Observation 9, A.M.

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·32	—	·03	·06	—	—	—	—	·02	·58	·02	1
2	—	·21	—	·03	—	—	—	·68	—	·01	·03	·12	2
3	—	·05	—	·20	·16	—	—	·11	·02	·02	·10	·06	3
4	—	·02	·01	—	—	—	—	·01	·42	—	·63	·23	4
5	—	—	·18	·03	·41	—	—	·11	·42	·16	—	·08	5
6	·22	·16	—	·18	—	—	—	·58	·05	·16	—	·19	6
7	—	·15	—	·01	·12	—	—	·01	·28	·03	·43	·04	7
8	—	·38	—	—	—	—	·01	—	·10	·36	—	·02	8
9	·21	—	—	·09	—	·08	·28	—	·40	·02	·01	·52	9
10	·04	—	—	·30	—	—	·17	—	·12	·13	·03	·39	10
11	·01	·01	·26	·03	—	—	·70	—	·17	·26	·03	·05	11
12	—	·06	·15	—	·43	—	·17	—	·20	·07	—	·01	12
13	·06	—	—	—	·15	—	·38	—	·86	·11	—	—	13
14	·23	—	·01	—	·04	·25	·03	—	·26	·20	—	·11	14
15	1·57	—	—	·30	·04	—	·34	—	·02	·02	—	·12	15
16	·45	—	—	·10	—	·01	·04	—	·43 ·43	·01	—	·07	16
17	·18	—	·01	·12	—	—	·37	—	·05	—	—	·24	17
18	·75	—	—	—	—	·55	·08	—	·20	—	—	·18	18
19	·10	—	·19	·01	—	—	·18	—	·10	—	—	·07	19
20	·04	·13	—	·12	—	·02	·07	—	·13	·02	—	—	20
21	·03	·06	·02	—	—	·03	·03	—	·43	·12	—	·37	21
22	·06	·01	—	—	·10	—	·85	—	·14	·07	—	·17	22
23	·15	·01	—	—	·12	—	·30	—	·15	—	·02	·10	23
24	·01	·26	—	—	—	—	·10	—	·10	—	·16	·07	24
25	·03	—	—	·19	·22	—	·18	·46	—	—	·11	·04	25
26	·01	·02	—	—	—	—	·29	—	·06	·02	·13	·20	26
27	—	·07	—	—	—	·01	·20	·10	·23	·03	·10	·01	27
28	—	·12	·18	—	—	—	—	—	·07	·04	—	·02	28
29	—	·	·19	—	—	—	—	—	1·36	·07	·01	·02	29
30	—	X	·68	—	—	—	—	—	·12	·02	·16	·05	30
31	—	X	·05	X	—	X	—	—	X	·08	X	—	31
Total	4·09	2·04	1·93	1·74	1·85	·95	4·77	2·06	6·89	2·05	2·53	~~3·46~~ 3·57	YEAR'S TOTAL ~~34·36~~
Rain Days	18	17	12	15	11	7	20	8	27	24	15	28	~~192~~ 202

34·47

W. 6,500, VII. 18. W W C

DORSET.

LYME REGIS.

"BOAT CLOSE"

1914 –1920

cor for arith 2

REGISTER

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Boat Close, Lyme

54 W

in the County of Dorset

Regis

5 in.

by Henry Ellis

round 1 ft. 6 in.

Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			08				09	45			05	08	1
2						06	60	06			91	52	2
3			T	07	65			08			06	03	3
4			13	10	09		32	47			58	48	4
5					09		08				01	01	5
6			13		24			01				30	6
7		21		10	06	04	28	13	06		01	37	7
8					07	15		14				09	8
9		66	1·36		06	85		07	1·06		02		9
10				1 07	09	02			61			01	10
11	31	28		11	04	10	30		01	03	02	54	11
12		20	83					02	63	03		73	12
13		15	21				05		19	23	29	40	13
14		34	38			75	05	1·00		25	35	12	14
15		26	22				07	10	02	11	27	04	15
16			12				04		42				16
17			01						03			49	17
18		66	21				58		15			28	18
19			09				2·20		03		05	08	19
20		23	35			01						27	20
21		62	12							19			21
22		58	(·09)		14	06		04		17			22
23		07	11		02					91			23
24			24		08					26	08		24
25		16	16				03	55	01	48	03	64	25
26			25					02		06	19	46	26
27	17										06	32	27
28		20			03					07	36	84	28
29					21		07			23	42	04	29
30	23	╳	51			04				15	47	61	30
31	11	╳		╳	02	╳	65		╳	57	╳	10	31
Total	·82	4·62	5·66 5·66	1·45	1·89	2·08	5·41	3·14	3·22	3·74	4·23	7·85	YEAR'S TOTAL 44·06 44·05
Rain Days.	~~4~~	14	~~19~~	5	15	10	15	14	12	15	19	25	

W. 8,000. X. 14. Jan, Feb & March totals are correct, are not certain of daily entries H.E. the day after a blank may be for both cord for arith 2

REGISTER

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Boat Close, Lyme Regis
in the County of Dorset
by Henry Ellis

Lat. 50·44 Long. 2·54 W
Time of Observation 9 am
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			08				09	45			05	08	1
2						06	60	06			91	52	2
3			T	07	65			08			06	03	3
4			13	10	09		32	47			58	48	4
5					09		08				01	01	5
6			13		24			01				30	6
7		21		10	06	04	28	13	06		01	37	7
8					07	15		14				09	8
9		66	1·36		06	85		07	1·06		02		9
10				1 07	09	02			61			01	10
11	31	28		11	04	10	30		01	03	02	54	11
12		20	83					02	63	03		73	12
13		15	21				05		19	23	29	40	13
14		34	38			75	05	1·00		25	35	12	14
15		26	22				07	10	02	11	27	04	15
16			12				04		42				16
17			01						03			49	17
18		66	21				58		15			28	18
19			09				2·20		03		05	08	19
20		23	35			01						27	20
21		62	12							19			21
22		58	(·09)		14	06		04		17			22
23		07	11		02					91			23
24			24		08					26	08		24
25		16	16				03	55	01	48	03	64	25
26			25					02		06	19	46	26
27	17										06	32	27
28		20			03					07	36	84	28
29					21		07			23	42	04	29
30	23	×	51			04				15	47	61	30
31	11	×		×	02	×	65		×	57	×	10	31
Total	·82	4·62	5·60 5·66	1·45	1·89	2·08	5·41	3·14	3·22	3·74	4·23	7·85	YEAR'S TOTAL 44·05 44·05
Rain Days.	~~4~~	14	~~19~~	5	15	10	15	14	12	15	19	25	

W. 8,000. X. 14. Jan, Feb & March totals are correct, am not certain of daily entries H.E. the day after a blank may be for both

~~W~~ DL endly mm stats 4.v.16

1723

FORM A. BRITISH RAINFALL.

- JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Boat Close Lyme Regis

in the County of Dorset

3

by Henry Ellis

Lat. 50.43.28 Long. 2.57.5 W

Time of Observation 9 AM

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 498 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	39	30			02			21	51	43	06	27	1
2	45	16	22	05		09		20	07	38		48	2
3	05	06	14	02	30					17		49	3
4	01	10			08							38	4
5	09	35		06	01			52				47	5
6	1 07	14		38			75	04				15	6
7	31	55		05			25				01	27	7
8	09	49		07				09			05	09	8
9	02	04		06							26	1 06	9
10	26	11	05	05						10		09	10
11	08	27	04	04			01	08			1 12	03	11
12	23	41		08	61			14		01	45	01	12
13		40			44				07		07		13
14	01						28	09	11	(02)	03	1 24	14
15	13				24		18		01	04		09	15
16		91			14		1 18					18	16
17		33						18		01		02	17
18		27						07					18
19					32		12						19
20	13			08		24				22		07	20
21	20	30					19		04	67		03	21
22	08	02	46	01		04	82		01	01		30	22
23		02	10				20		21	2 34		53	23
24				02			30		21	18		55	24
25	01			03		39						32	25
26		21					25					94	26
27		03				27	03			18			27
28		06				16		01	45	51		06	28
29						15	06			12	17	10	29
30	20	X				05				45	74	35	30
31		X		X		X	10		X	1 17	X	15	31
Total	3·81	5·53	1·01	1·00	2·16	1·39	4·72	1·63	1·69	7·01	2·96	8·72	YEAR'S TOTAL 41·63
Rain Days.	19	22	6	14	9	8	15	11	10	18	10	27	169

W. 8,000. X. 15.

~~W~~ FW

1691

FORM A.
BRITISH RAINFALL.
10 JAN

REGISTER OF RAINFALL IN 1916

Kept at Boat Close, Lyme Regis

in the County of Dorset

by Henry Ellis

Lat. 50·43·28 N Long. 2·57·05 W

Time of Observation 9 A M G.M.T

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·03	·11		52				34	40	59		1
2	15	08			02				01	40	16		2
3	01	1·20			26	01			09	77	24		3
4	11	25			09	31			04	02	62		4
5	03	05	03		11	07				04	15		5
6	01	09			12	02	74			29	73		6
7	02	12	33		07	01				09	89	19	7
8		05	33		26						16	28	8
9		07			07	24	01			07	10	22	9
10		79		05	05	07				01	11	15	10
11			01	06							01	01	11
12	08	06	18	03	21		15	12		02			12
13		28	21	05	01			28			01		13
14	01	49			05			39		04			14
15		11	11	08				15		01		06	15
16	16	(·08) 23		33			02	29		03			16
17	21	07		08				13	24	65	60		17
18	05	04	16						17	03	01	07	18
19	10	58	55	03							10	09	19
20	07	20	11								13	1 66	20
21			10									36	21
22					06	10		03		33	03	57	22
23				05		06		26		08	08	02	23
24				04	62			05		44	10	36	24
25		54	17			01		63	03		20	01	25
26		22				59		56	67	72	16		26
27		03	83			85		14	34	30			27
28		20						09	26	36		55	28
29		27				43		1·98	17	10		34	29
30		✕							01	94			30
31		✕		✕		✕		1·07	✕	53	✕		31
Total	1·27 ✓	6·13 ✓	3·23 ✓	·80 ✓	2·52 ✓	2·77 ✓	·92 ✓	$\overset{6}{5}$·17	2·37 ✓	6·67 ✓	5·18 ✓	4·94	YEAR'S TOTAL 41·97 ✓
Rain Days.	14 ✓	25 ✓	14 ✓	10 ✓	15 ✓	13 ✓	4 ✓	15 ✓	12 ✓	14 ✓	21 ✓	16	17$\overset{2}{5}$ ✓

W. 8,000, VIII. 16

d.

1020

FORM A.
BRITISH RAINFALL

2 JA 18

REGISTER OF RAINFALL IN 1917

[illegible] 40

Kept at Boat Close Lyme Regis

in the County of Dorset

by Henry Ellis

N Lat. 50·43·28 Long. 2·57·05 W

Time of Observation 9 A.M. GMT

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		09	28	~~18~~	18		43		02	05		1
2			02	08		16		01			04		2
3	·06						66	03		11	52		3
4		08	36						01	26			4
5	·08		21	31		07		02	15	12	07		5
6			06							05	06	01	6
7	52						25	36		29	02	01	7
8	08		09	09			27	66	10	42	14	21	8
9			21	01			09	44	04	13	09		9
10	30		33					24	04				10
11	06		66	14	02				01	29	12		11
12	09		02	09	32					37	02		12
13			23	01		05		20	03	01			13
14				17	01		47	57	04	01			14
15							03	23	36	19		58	15
16		18		04				01	01	45		23	16
17		02		05	01		29	12	89	17			17
18		13			03		13	05	78				18
19		87	02			10			14				19
20		02			49	06		05	03				20
21			20		01			06		09			21
22	04							08		07			22
23		28			03			11		15			23
24							34	06		22	02		24
25		02	03			01	08	09	08	01	01		25
26					85	03		41	19	02			26
27					37	37		89					27
28		04	10		12	58		15				01	28
29			04		01	12	03			29		12	29
30		X	28				20	16		02	02		30
31		X	05	X		X		01	X	28	X	02	31
Total	1·24	1·64	3·00	1·27	2·27	1·73	2·84	5·44	2·90	4·04	1·18	1·19	YEAR'S TOTAL 28·74
Rain Days.	9	9	18	11	12	11	12	25	16	24	13	8	168

27 55

W. 8,000, IX. 17.

Exe DL

38

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept ~~at~~ Boat Close, Lyme Regis

in the County of Dorset

by Henry Ellis

Lat. 50·43·28 N Long. 2·57·05 W

Time of Observation 9 A M G M T

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. four in.

" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		~~31~~											
1	~~48~~	31	-	04	06			77	-	01	66	02	1
2	~~20~~	25	-	05	-			02	-	-	01	10	2
3	~~29~~	07	01	16	13			03	03	03	10	08	3
4	~~08~~	04	01	-	-			16	52	-	84	26	4
5	—	01	16	09	35			62	47	22	-	10	5
6	22 ~~20~~	21	-	13	-				04	11	-	22	6
7	~~26~~	17	-	-	13	01			36	02	42	05	7
8	11 ~~36~~	41	-	-	-	-	02		05	44	-	04	8
9	06	-	-	08	-	11	31		45	04	01	61	9
10	03	-	-	31	-		16		12	18	03	42	10
11	01	01	27	02	-		69		11	27	04	05	11
12	—	08	16	-	55		14		23	11		01	12
13	12	-	-	-	15		40		1·08	12		01	13
14	20	-	-	-	05	26	-		29	32		13	14
15	1·76	-	-	33	04	-	43		·03	05		13	15
16	40	-	01	09		01	06		52	01		05	16
17	18	-	01	-		-	38		01	-		28	17
18	90	-	01	-		67	17		25	-		16	18
19	11	-	18	-		-	24		05	-		06	19
20	03	16	-	11		01	06	01	16	02		—	20
21	02	06	02	-		02	06	[illegible]	42	10		39	21
22	09	-		-	16		1·09	-	13	09		17	22
23	12	01		-	07		20	01	10	-	04	09	23
24	01	27		-	-		13	[illegible]	10	-	20	06	24
25	06	-		26	18		18	64	-	-	12	06	25
26	01	02					28	[illegible]	06	02	12	26	26
27	—	08	02				21	11	25	05	11	—	27
28	-	10	19					[illegible]	05	07	-	03	28
29	-		24					-	1·39	13	01	01	29
30	—		65					01	04	03	16	04	30
31	01		05					02		08		—	31
Total	4·45	2·26	1·99	1·67	1·87	1·09	5·21	2·40	7·31	2·52	2·87	3·89	YEAR'S TOTAL 37·53
Rain Days.	20	17	15	12	11	7	19	11	27	23	15	28	205

W. 6,500, VII. 18. W W C

C X M L

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at [illegible] Close Lyme Regis

in the County of Dorset

by Henry Ellis

Lat. 50·43·28 Long. 2·57·05 W

Time of Observation 9 AM

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ....ft....in.

" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	74	–	·14	–	11	–	57	–	–	·10	01	1·12	1
2	09	–	–	–	02	–	–	–	23	–	01	09	2
3	68	–	37	–	09	–	–	–	18	–	08	12	3
4	70	38	51	–	–	02	–	03	45	–	02	02	4
5	02	36	49	–	–	–	–	–	35	–	11	13	5
6	39	43	10	–	–	–	–	–	–	–	–	32	6
7	21	–	33	23	–	–	–	–	–	–	–	08	7
8	18	–	37	–	–	–	–	–	–	–	–	–	8
9	08	–	–	29	12	–	–	–	–	–	10	–	9
10	19	–	38	–	04	–	–	–	–	02	–	14	10
11	01	–	13	18	27	02	16	–	–	01	–	10	11
12	20	–	03	07	–	02	01	–	–	01	05	03	12
13	06	06	10	52	–	–	–	–	–	–	–	11	13
14	46	08	–	43	38	–	02	–	03	–	–	15	14
15	11	11	–	07	–	–	–	–	–	07	–	13	15
16	04	1 17	–	–	05	–	–	–	–	–	05	–	16
17	–	24	–	–	–	–	–	–	–	–	25	–	17
18	07	25	1·11	–	–	–	49	06	–	–	23	–	18
19	84	41	61	–	–	09	74	27	15	–	11	03	19
20	42	05	03	–	–	28	–	23	04	–	–	02	20
21	–	91	–	–	–	–	08	01	06	–	–	09	21
22	–	02	–	–	–	–	06	–	15	–	–	07	22
23	–	–	01	–	–	–	–	01	–	82	05	01	23
24	–	–	–	03	–	13	–	12	–	99	20	22	24
25	15	–	–	06	–	07	–	36	–	–	02	08	25
26	13	01	10	09	–	–	–	01	–	–	02	46	26
27	16	–	05	28	–	–	21	1·60	–	–	–	05	27
28	–	–	44	–	–	–	–	14	–	–	38	72	28
29	–		–	10	–	–	–	18	–	03	–	04	29
30	–		–	06	–	08	–	45	–	–	62	65	30
31	–		–		–		–	–		–		46	31
TOTAL	5·93	4·48	5·30	2·41	1·08	·71	2·34	3·47	1·64	2·05	2·31	5·44	YEAR'S TOTAL 37·16
Days with ·01 in. or more	22	14	18	13	8	8	9	13	9	8	17	26	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1438

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

7 JAN 1921

Kept at Boat Close Lyme Regis

in the County of Dorset

by Henry Ellis

Lat. 50·43 Long. 2·57·05 W

Time of Observation 9 AM

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 495 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08		01	12 ~~35~~	35		29	02	07	15	13	91	1
2	33			23			02	22	05	10		15	2
3	07	04								25		13	3
4			01				51	68		27			4
5			14	24 ~~15~~	15		46	14		26			5
6			23	09 ~~32~~	32		23			04			6
7			03	35 ~~01~~	01		75					01	7
8	05	04		40 ~~05~~	05		38			01		19	8
9	91	01		05	~~26~~	26	06						9
10	74	07	45	01	~~23~~	23	48						10
11	27		20	50 ~~30~~	30 ~~01~~	01	17						11
12	20	05	03	12	~~06~~	06	03				06	01	12
13	19	01	49	08						08			13
14	09	-02	28	70			04		25	20	44		14
15	04	06	06	28 ~~08~~	08				01	32	06		15
16			05	03 ~~02~~	02 ~~35~~	35	47		05	12			16
17	01		01	36 ~~29~~	29	24	02		25			01	17
18	09		01	09 ~~02~~	02 ~~21~~	21	12	40	12				18
19	03			16	~~25~~	25	02		28				19
20	02	11		14	~~55~~	55						31	20
21				07			08			26		10	21
22	06			19			01			01		45	22
23	02						44	07				65	23
24	01		24					01			17	12	24
25		16	12	~~14~~	14		82		01		01		25
26	18		16		~~01~~	01	01				12	09	26
27	56	03	10	07	~~19~~	19	08				07	32	27
28	57	03	14	03	~~01~~	01	20					15	28
29	33	06	38	05							14	36	29
30	20	X		01 ~~02~~	02 ~~25~~	25	08		70		37	32	30
31	07	X	41	X		X			X	23	X	16	31
TOTAL	5·12 ~~5·57~~	·69	3·55	4·37	~~2·62~~ 1·75	2·62	5·77	1·48	1·79	2·30	1·57	4·44	YEAR'S TOTAL 35·45 ✓
Days with ·01 in. or more	24	13	21	24	12	13	24	7	10	14	10	18	190 ✓
Days with ·04 in. or more	19	8	15	20	~~9~~ 8	10	18	4	8	12	9	15	146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Entd 10·xi·13

Cor. for WD 10·XI·13

FORM A.
BRITISH RAINFALL.

26 MAY 1913

REGISTE ... 2

DORSET

LYME REGIS

"HIGHCLIFF"

1912–1920

Kept at Highcliff, Lyme ... am.
in the County of Dorset ... Lyme Regis
... in.
... ve Ground ... ft. ... in.
by G. Lister ... Sea Level 300 ft.

IMPORTANT NOTE.—Ra ... the result entered to the previous day. If an Observer ... versal rule, he is earnestly requested to add the reading at ... on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·720)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18	·28			·11			·65	·04		1
2			·11			·28		·3		·33		·39	2
3			·28			·03	·09	·01	·15	·73			3
4			·26			·22	·06	·99				·03	4
5	·15		·7			·3					·26		5
6	×	·3	·24					·56				·45	6
7	1·15×		·15		·45	·12	·46	·49					7
8	·02	·58	·19		·12	·84						·27	8
9	·45	·14	·7		·01	·19							9
10	·04	·05	·08	·1		·17	·09	·11				·57	10
11	·11	·11		·02		·01	·02	·33				·33	11
12	×	·04						·04				·44	12
13	×	·3	·15				·05	·33					13
14			·02								·07	·01	14
15	×	·05	·4		·29			·12		·01			15
16	·32×	·36	·02	·01	·245	·5				·11		·33	16
17	·45		·4			·01		·14			·04	·01	17
18	×		·25		·01			·83					18
19	·42×	·03	·17			·11		·37				·02	19
20		·1	·06			·03	·13	·27			·02		20
21		·15	·32		·15					·20			21
22		·41	·26		·63			·49		·12			22
23	·53	·1	·13		·02		·06	·09		·26		·21	23
24	·36	·43	·34			·05		1·01		·11	·18	·185	24
25	·10	·17				·3		·2				·23	25
26	·16	·01	·01			·07		·28			·28	·46	26
27		·025					·11	·25			·32	·37	27
28		·02				·56	·82	·01				·38	28
29		·07				·06	·11	·3	·24	·54	·31	·705	29
30						·22	·07	·08		·4		·02	30
31					·03		·02	·01		·29			31
	–	·18	·28	–		·11			·65	·04	–	(·20)	YEAR'S TOTAL
Total	~~4·26~~ 4.26	~~3·385~~ 3.565	~~5·42~~ 5.52	~~·41~~ ·13	~~1·955~~ 1.955	~~4·07~~ 4.18	~~2·20~~ 2.09	~~6·52~~ 7.52	~~·39~~ 1.04	~~3·75~~ 3.14	~~1·52~~ 1.48	~~5·41~~ 5.61	~~39·265~~ 40.495
Rain Days.	18	20	23	4	10	19	14	24	2	12	9	19	174

W. 7,500, XI. ·12

Entd 10.XI.13

Cor. for WD. 10.XI.13

FORM A.
BRITISH RAINFALL.

26 MAY 1913

REGISTE 2

Kept at Highcliff, Lyme Regis
in the County of Dorset
by G. Lister

Time of Observation 9 AM.
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
Sea Level 300 ft.

Measurement entered on "day after"

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·20)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·18	·28			·11			·65	·04		1
2			·11			·28		·3		·33		·39	2
3			·28			·03	·09	·01	·15	·73			3
4			·26			·22	·06	·99				·03	4
5	·15		·7			·3					·26		5
6	×	·3	·24					·56				·45	6
7	1·15×		·15		·45	·12	·46	·49					7
8	·02	·58	·19		·12	·84						·27	8
9	·45	·14	·7		·01	·19							9
10	·04	·05	·08	·1		·17	·09	·11				·57	10
11	·11	·11		·02		·01	·02	·33				·33	11
12	×	·04						·04				·44	12
13	×	·3	·15				·05	·33					13
14			·02								·07	·01	14
15	×	·05	·4		·29			·12		·01			15
16	·32×	·36	·02	·01	·245	·5				·11		·33	16
17	·45		·4			·01		·14			·04	·01	17
18	×		·25		·01			·83					18
19	·42×	·03	·17			·11		·37				·02	19
20		·1	·06			·03	·13	·27			·02		20
21		·15	·32		·15					·20			21
22		·41	·26		·63			·49		·12			22
23	·53	·1	·13		·02		·06	·09		·26		·21	23
24	·36	·43	·34			·05		1·01		·11	·18	·185	24
25	·10	·17				·3		·2				·23	25
26	·16	·01	·01			·07		·28			·28	·46	26
27		·025					·11	·25			·32	·37	27
28		·02				·56	·82	·01				·38	28
29		·07				·06	·11	·3	·24	·54	·31	·705	29
30						·22	·07	·08		·4		·02	30
31	–	·18	·28	–	·03	·11	·02	·01	·65	·29 ·04	–	(·20)	31
Total	~~4·26~~ 4·26	~~3·385~~ 3·565	~~5·42~~ 5·52	~~·41~~ ·13	~~1·955~~ 1·955	~~4·07~~ 4·18	~~2·20~~ 2·09	~~6·52~~ 7·52	~~·39~~ 1·04	~~3·75~~ 3·14	~~1·52~~ 1·48	~~5·41~~ 5·61	YEAR'S TOTAL ~~39·265~~ 40·495
Rain Days.	18	20	23	4	10	19	14	24	2	12	9	19	174

W. 7,500, XI. 12

Written 28.4.14

Cordly mm. Watts 27.IV.14 Ex DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8- JAN 1914

Kept at Highcliff, Lyme Regis
in the County of Dorset
by Miss G. Lister & Mr. H. Cox

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1ft ft. 3 in.
" " " " Sea Level ~~300~~ 330 ft.
Cor. by obsr. 11.I.14.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]	·27	·11	·07	·04				·12	·07	·12 ·15		1
2	·01	·065		·04	·08		·02		·08	·09	·15 ·52	·05	2
3	·2		·045		·25							·1	3
4	·86		·05		·18				2·02	·48	·08 ·1	·12	4
5	·16	·075	·04		·17	·03					·25 ·12	·25	5
6	·05	·08			·08	·06	·06			·91	·15	·33	6
7	·03	·34	·04		·51	·07	·07			·57	·31		7
8		·1			·13		·04	·16		·07	·08	·02	8
9	[illegible]				·04	·03	·04	·03			·28 ·25	·01	9
10	·54									·1	·10		10
11	·755				·23	·03				·1	·48 ·31		11
12				·08	·37	·01		·14	·03		·39		12
13	·23	·02	·03		·02				·4		·18 ·28		13
14	·27		·09		·19				·07		·10 ·1		14
15	·29		·42	·43					·3		·48		15
16	·08		·49	·045				·1	·17		·39		16
17	·05										·18		17
18	·06		·21	·19		·09					·1		18
19	·56		·1		·05								19
20	·185		·13	·37		·13			·63	·18		·13	20
21			·21	·23	·04					·25	·69		21
22	·58		·25	·21		·04							22
23									·16		·15	·63	23
24	·03			·06							·01		24
25				·25								·01	25
26				·4				·15		·02		·11	26
27	·33		·19	·27						·03			27
28	·65		·04	·37						·41 02		·105	28
29	·20		·44	·23				·03		·15			29
30	·47				·04			·6	·05	·52 ·03			30
31	·21		·045					·76		·10 41			31
Total	6·80	·95	2·93	3·245	2·42	·49	·23	1·97	4·03	~~3·28~~ 4·05	~~4·06~~ 3·29	1·865	YEAR'S TOTAL 32·27
Rain Days.	23	~~6~~ 7	18	15	16	9	5	8	11	~~13~~ 16	~~17~~ 14	12	~~153~~ 154

W.7,000, XI. 13

H(MEC [illegible] 23.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Highcliff, Lyme Regis
in the County of Dorset 3
by G. Lister and H. Cox

Lat. Long.
Time of Observation 9 am. entered to previous day
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. • If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·04	·03	·36				·08	1
2		·01		·03	·035	·03	·12	·05			·91	·49	2
3	·02		·14	·19	·54		·58	·11			·06	·01	3
4	·075		·035	·26	·08			·39			·59	·45	4
5	·09		·08	·165	·08		·33				·01		5
6		·17	·01	·12	·23		·07					·29	6
7	·01	·66	·14	·165	·05	·04		·12				·38	7
8	·06	·01	·66	·03	·075	·13	·27		·07			·08	8
9	·005		·56	·30	·07	·88					·01		9
10	·07	·29		·11	·07	·02			1·30			·01	10
11		·19	·74		·03	·09			·47			·65	11
12	·015		·20				·55					·71	12
13		·335	·32						·58	·08	·33	·38	13
14		·205	·21			·85	·05		·20	·15	·31		14
15			·10				·04	1·02		·23	·28		15
16	·015		·01					·09		·11			16
17		·62	·19				·07		·45			·46	17
18		·035	·09				·31					·26	18
19		·17	·70				2·15		·13		·03	·07	19
20		·48	·13						·04	·18		·28	20
21		·61	·01							·15			21
22		·05	·08		·15	·02				1·12			22
23		·03	·25		·01	·03							23
24		·11	·02		·06						·08		24
25	·07		·31							·45	·03	·44	25
26			·11					·52		·04	·15	·51	26
27	·13	·04			·02		·08			·01	·05	·20	27
28		·17	·32		·21						·37	·95	28
29	·16		·13				·06			·26	·38		29
30	·01	╳	·08	·02						·13	·43	·62	30
31	·085	╳		╳		╳	·59		╳	·64	╳	·07	31
Total	·815 ✓	4·185	5·625	1·45	1·71	2·13	5·30	2·66	3·24	3·55	4·02	7·39 ✓	YEAR'S TOTAL 42·075 ✓
Rain Days.	14	18	26	11	15	10	15	8	8	13	16	21	175

W. 8,000. X. 14.

cnd pr auth & by new stats 4.V.16 ~~H~~ LW

1724

FORM A.
BRITISH RAINFALL.
6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Highcliff, Lyme Regis

in the County of Dorset

by S. Cox pr Miss G. Lister

3

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Lyme Regis

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4	·26						·23	·5			·16	1
2	·38	·14	·2	(·04)		·07		·21	·06	·4		·51	2
3	4	·04	·1		·37					·35		·54	3
4		·09			·08					·14		·27	4
5	8	·30						·49				·48	5
6	1·04	·12		·39			·76	·02				·12	6
7	·32	·50		·05			·25					·26	7
8	·11	·42		·07				·09					8
9	·02	·03		·04							·31	1·09	9
10	·28	·15	·05	·03								·08	10
11	·09	·29	·02	·02				·05		·07	1·08	·02	11
12	·21	·50		·08	·59			·12			·46		12
13		·38			·42				·09	·09	·05		13
14							·29	·1	·1			1·	14
15	·12				·25		·16			·01	·02	·1	15
16		·85			·14		1·04			·02		·29	16
17		·3			·07			·24				·01	17
18		·26						·05					18
19					·35		·13						19
20	·13	·		(·04)		·28						05	20
21	·25	·33					·13		·05	·19		·03	21
22		·08	·47			·06	·79			·6		·23	22
23			·09				·17		·21	·01		·50	23
24							·33		·22	2·16		·5	24
25	·06			·03		·38	·			·17		·28	25
26		·16			·06	·01	·24		·02			·77	26
27		·03				·22	·03			·62			27
28		·05				·14			·43	·06		·05	28
29						·14	·05			·12	·16		29
30	·18	X				·03				·57	·7	·41	30
31		X		X		X	·1		X	1·21	X	·15	31
Total	3·71	5·28	·93	·79 ✓	2·33	1·33	4·47	1·60	1·68	6·39 6·79	2·78	7·90	YEAR'S TOTAL 39·59 39·59
Rain Days.	16	21	6	18	9	9	14	10	9	17	7	24	152

W. 8,000. X. 15.

1692

FORM A.
BRITISH RAINFALL.

9 ... 1917

REGISTER OF RAINFALL IN 1919

Kept at Highcliff, Lyme Regis
in the County of Dorset
by H. Cox for Miss G. Lister

Lat. .... Long. ....
Time of Observation 9 AM (authorised
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·01	·33			·01			·32	·35	·38		1
2	·11	·05							·02	·32	·16		2
3	·01	1·06							·06	·70	·52		3
4	·09	·10				·23			·08		·11		4
5	·02	·02	·04							·04	·68		5
6		·07			·11		·64			·24	·62		6
7	·02	·17	·16		·08	·02				·10	·12	·18	7
8		·08	·22		·26	·02						·28	8
9		·06	·27	·05	·07					·05	·09	·28	9
10		·73		·03	·04	·23	·03				·06	·10	10
11				·03		·02							11
12	·07	·06	·12	·04	·22		·11	·10		·03			12
13		·25	·21		·02			·27					13
14		·47		·07	·06			·41					14
15		·12	·11					·10					15
16	·15	·09		·32	·01			·27		·06	·66		16
17	·16	·19		·08				·15	·21	·56			17
18	·03	·07							·13	·02	·08		18
19	·08	·03	·57								·12	·17	19
20	·05	·60	·07								·02	1·33	20
21		·27	·05		·05							·43	21
22				·03						·33	·02	·54	22
23				·03		·10		·26		·08	·06		23
24				·02	·88	·05		·04		·42	·08	·28	24
25		·26	·04					·60	·04		·23		25
26		·05	·01					·47	·62	·59	1·14		26
27		·36	·89			·49		·13	·38	·29		·33	27
28	·01	·21				·82		·07	·26	·36		·43	28
29		·12						1·47	·13	·09		·25	29
30		X				·34			·02	1·00			30
31		X		X		X		8	X	57	X		31
Total	1·02	5·50	3·09	·70	1·80	2·33	·78	4·42	2·27	6·20	5·15	4·60	YEAR'S TOTAL 37·86
Rain Days.	13	25	14	10	11	11	3	14	12	20	18	12	163

W. 8,000, VIII. 16

1621

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Highcliff, Lyme Regis
in the County of Dorset
by H. Cox for Miss G. Lister

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·25		·16		·43			·05		1
2	·02			·07		·17					·03		2
3	·05			·01						·10	·41		3
4			·45				·16	·03	·01	·21			4
5	·07		·18	·28					·15	·12	·04		5
6			·07			·05				·03	·04	·04	6
7	·44						·07	·24		·31	·03		7
8							·18	·63	·11	·40	·12	·21	8
9			·34	·14			·23	·40	·03	·10	·08		9
10	·40		·28	·10			·09	·21	·03				10
11	·06		·58		·03					·26	·13		11
12			·04		·37					·33			12
13			·20			·03		·21	·03				13
14				·15	·02			·37	·03				14
15							·36	·18	·04	·20		·57	15
16		·20		·05			·02			·05		·41	16
17				·03				·11	·73	·12			17
18		·30			·03		·21		·61				18
19		·84					·14		·13				19
20					·45	·09		·12	·02				20
21					·03	·03		·04		·08			21
22			·29					·05		·05			22
23		·25			·02			·12		·11		·01	23
24								·05		·21			24
25		·01	·03			·01	·33	·03	·22	·02	·03		25
26					·83			·41					26
27			·01		·50			·81					27
28		·03	·08		·17	·41		·14					28
29			·25		·02	·43				·24		·10	29
30		✕	·04			·14	·03	·15		·01			30
31		✕		✕		✕	·16		✕	·28	✕		31
Total	1·04	1·63	2·62	1·08	2·47	1·52	1·98	4·73	2·74	3·23	·96	1·34	YEAR'S TOTAL 25·06 ~~24·67~~
Rain Days.	6	6	15	9	11	10	12	20	13	20	10	6	13~~7~~8

W. 8,000, IX. 17.

31.III.19

39

FORM A. BRITISH RAINFALL.

29 1 19

REGISTER OF RAINFALL IN 1918

Kept at Highcliff, Lyme Regis
in the County of Dorset
by H. Cox for G. Lister

Lat. Long.
Time of Observation 9 am (including summer time)
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

January record mislaid

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31		·03	·04			·65		·02	·59	·02	1
2		·19		·02				·12		·01	·02	·13	2
3		·06		·15	·12			·02		·02	·12	·06	3
4		·02						·13	·34		·63	·24	4
5			·14	·03	·36			·58	·49	·15		·09	5
6		·14		·15					·13	·12		·20	6
7		·13		·01	·11				·24	·02	·39	·04	7
8		·47					·02		·13	·31		·02	8
9				·08		·10	·28		·39	·03	·02	·47	9
10				·30			·18		·11	·14	·03	·42	10
11		·01	·26	·02			·68		·11	·28	·02	·04	11
12		·06	·16		·48		·17		·19	·04		·01	12
13					·18		·39		·81	·13			13
14					·03	·25	·02		·27	·21		·11	14
15				·16	·04		·37		·02	·03		·13	15
16			·01	·13		·02	·05		·43	~~2~~		·05	16
17				·08			·46					·20	17
18			·01			·60	·08		·21			·14	18
19			·17				·19		·05			·05	19
20		·14	·01	·10		·02	·06		·13				20
21		·06	·01			·02	·04		·37	·08		·49	21
22					·08		·82		·10	·06		·16	22
23		·01			·13		·31	·01	·10		·03	·10	23
24		·23					·12		·08		·18	·06	24
25				·16	·20		·16	·54			·11	·04	25
26		·01					·27		·05	·04	·11	·20	26
27		·08					·19	·10	·25		·07		27
28		·09	·18						·05	·04		·02	28
29			·18						1·30	·11		·02	29
30		X	·66					·01	·03	·02	·14	·04	30
31		X	·03	X		X		·02	X	·09	X		31
Total	(4·00)	2·01	1·82	1·42	1·77	1·01	4·86	2·18	6·38	1·95	2·46	3·46	YEAR'S TOTAL 33·32 29·32
Rain Days	(20)	16	12	14	11	6	20	10	25	21	14	24	(196)

W. 6,500, VII. 18. W W C

Ex My

Jan est?

39

871. High Rd ~~Dorset~~ 39
Leytonstone E 10

Ap. 3. 19

Q Hatch A

I am much obliged for your note. The rain record for Jan. 1918 at Lyme has not turned up, & I shall be glad if you will insert 4 in., as being the probable amount.

With thanks for your courteous information
Yours sincerely
G. Lister

FORM A.
BRITISH RAINFALL.

23 1 19

L IN 1918

Long.

e of Observation 9 am (including summertime)

arest Railway Station Lyme Regis

meter of Funnel of Rain Gauge 5 in.

ight of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 330 ft.

laily at 9 a.m. and the result entered to the to this almost universal rule, he is earnestly of the following year in the space provided

Jan. 1, following.

s for the measurement of rain, ars as to the British Rainfall " sent post-free on application to n Square, London, N.W. 1.

January record missing.

								Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31		·03	·04			·65		·02	·59	·02	1
2		·19		·02				·12		·01	·02	·13	2
3		·06		·15	·12			·02		·02	·12	·06	3
4		·02						·13	·34		·63	·24	4
5			·14	·03	·36			·58	·49	·15		·09	5
6		·14		·15					·13	·12		·20	6
7		·13		·01	·11				·24	·02	·39	·04	7
8		·47					·02		·13	·31		·02	8
9				·08		·10	·28		·39	·03	·02	·47	9
10				·30			·18		·11	·14	·03	·42	10
11		·01	·26	·02			·68		·11	·28	·02	·04	11
12		·06	·16		·48		·17		·19	·04		·01	12
13					·18		·39		·81	·13			13
14					·03	·25	·02		·27	·21		·11	14
15				·16	·04		·37		·02	·03		·13	15
16			·01	·13		·02	·05		·43	~~2~~		·05	16
17				·08			·46					·20	17
18			·01			·60	·08		·21			·14	18
19			·17				·19		·05			·05	19
20		·14	·01	·10		·02	·06		·13				20
21		·06	·01			·02	·04		·37	·08		·49	21
22					·08		·82		·10	·06		·16	22
23		·01			·13		·31	·01	·10		·03	·10	23
24		·23					·12		·08		·18	·06	24
25				·16	·20		·16	·54			·11	·04	25
26		·01					·27		·05	·04	·11	·20	26
27		·08					·19	·10	·25		·07		27
28		·09	·18						·05	·04		·02	28
29			·18						1·30	·11		·02	29
30		✕	·66					·01	·03	·02	·14	·04	30
31		✕	·03	✕		✕		·02	✕	·09	✕		31
Total	(4·00)	2·01	1·82	1·42	1·77	1·01	4·86	2·18	6·38	1·95	2·46	3·46	YEAR'S TOTAL (33·32) 29·32
Rain Days	(20)	16	12	14	11	6	20	10	25	21	14	21	(196)

less Jan. ...

W. 6,000, VII. 18. W W C

POST CARD

5 —
3 APR 19

1 ONE PENNY 1

C. Salter Esq.
62. Camden Square
N.W.1.

~~W~~ 918 1525

corrd for MWD.

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Highcliff, Lyme Regis

in the County of Dorset

by H. Cox for G. Lister

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·71		·17		·10	x	·08			·12		·48	1
2	·09				·03		·02				(·03)	·90	2
3	·67		·34		·09		·02		·20		·01	·08	3
4	·75	·42	·46						·14		·08	·11	4
5	·01	·35	·42			·02		·02	·36				5
6	·40	·38	·10						·34		·12	·16	6
7	·25		·31	·22								·39	7
8	·45		·35	·01								·04	8
9	·10			·37	·10								9
10	·14		·23	·01	·05						·10		10
11	·02		·11	·18	·23		·17			·03		·11	11
12	·20		·02	·07								·08	12
13	·05	·05	·10	·45		·02	·03			·02	·05	·03	13
14	·31	·07		·50	·45							·09	14
15	·10	·09		·07	·02				·02			·13	15
16	·03	1·06		·01	·03					·04		·13	16
17		·23									·09		17
18	·08	·10	1·05								·20		18
19	·69	·40	·57				·49	·03			·19		19
20	·40	·04	·02			·05	·82	·20	·12		·07	·04	20
21		·80				·31		·25	·04			·02	21
22							·08	·01	·05			·09	22
23			·02				·08		·14			·05	23
24				·03				·02		·75	·04		24
25	·18					·05				·88	·20	·27	25
26	·12		·08	·04		·08		·41			·02	·10	26
27	·13		·04	·34		·09		·02			·01	·30	27
28			·42	·01			·33	1·20				·05	28
29				·09				·40			·39	·60	29
30		✗		·05				·18				·03	30
31		✗		✗		✗		·49	✗		✗	·61	31
TOTAL	5·68	3·99	4·81	2·45	1·10	~~·57~~ ·58 ·65	~~2·12~~ 2·04	3·23	~~1·41~~ 1·12 1.53	~~1·84~~ 1·72	~~1·60~~ 1·48 2·08	~~4·89~~ 4·58 4·94	
Days with ·01 in. or more	22	12	18	16	9	~~6~~ 7	~~10~~ 9	12	~~9~~ 10	~~6~~ 5	~~15~~ 16	24	

YEAR'S TOTAL ~~33·59~~ 34·12

~~159~~ 160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1440

5 JAN 1921

FORM ~~A.~~ 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Highcliff, Lyme Regis
in the County of Dorset
by H. Cox for Miss G. Lister

Lat. Long.
Time of Observation 9 am official time
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·11	·27		·22	·02	·06	·14	·13	·83	1
2	·26			·34			·02	·19	·07	·08		·11	2
3	·06	·03		·01						·20		·15	3
4			·02				·46	·60		·29			4
5			·13	·24	·06		·40	·12		·17			5
6			·20	·06	·29		·20			·12			6
7			·04	·28	·04		·58					·02	7
8	·04	·05		·40	·07		·43					·20	8
9	·81			·07		·25							9
10	·65	·06	·35	·01		·21	·43						10
11	·22		·21	·48	·25		·15						11
12	·19	·02	·06	·11	·01	·05	·03				·04		12
13	·23	·01	·41	·07						·10	·01		13
14	·07		·30	·56			·04		·20	·14	·35	·02	14
15	·04	·05	·10	·24	·08				·02	·28	·04		15
16			·04	·03	·03	(·40)	·37		·04	·13			16
17			·01	·32	·25	·23	·03		·21				17
18	·09			·10	·02	·21	·10	·40	·12				18
19	·02			·11		·22	·02		·35				19
20	·03	·09		·17		·55						·29	20
21				·04			·08			·22		·11	21
22	·05			·19			·02			·01		·42	22
23	·01						·39	·01				·49	23
24	·01		·23								·13	·07	24
25		·13	·08				·71				·02		25
26	·16		·16		·13						·09	·07	26
27	·39	·02	·07	·07		·17	·04				·03	·34	27
28	·60	·03	·15	·05			·21					·16	28
29	·22	·02	·36	·04							·08	·31	29
30	·17	X				·21	·07		·66		·29	·25	30
31	·06	X	·38	X		X			X	·17	X	·08	31
TOTAL	4·43	·51	3·30	4·10	1·50	~~1·89~~ 2·50	5·00	1·34	1·73	2·05	1·21	3·92	YEAR'S TOTAL ~~30·98~~ 31·59
Days with ·01 in. or more	23	11	19	24	12	10 ~~8~~	22	6	9	13	11	17	~~175~~ 177
Days with ·04 in. or more	19	5	17	21	9	10 ~~8~~	17	4	8	12	8	15	~~143~~ 145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

POST CARD

LEYTONSTONE E.11
5.15 PM
24 JAN 21

1 ONE PENNY POSTAGE 1

To the Superintendent
of the British Rainfall
Organization
62. Camden Square
N.W.1

1440

HIGH ROAD,
LEYTONSTONE,
E.

25 JAN 1921

24.1.21

Miss G- Lister regrets to say that in sending in the rain record for 1920 for Highcliff, Lyme Regis the rain for June 9 = ·25 in } was
- 10 = ·21 in }
omitted; ~~making~~ the record for June was 2·50 & for the whole year 32·49 in.

31·59

1440

17 MAR 20

1028

BRITISH RAINFALL ORGANIZATION
Recd.................Ansd ....
A. C. S. M.
Emp. File.......... Recd File..........

81. High Rd.
Leytonstone
E. 11
Mar. 16. 20

Dear Sir

I am very sorry that our gardener at Highcliff, Lyme Regis, has put you to inconvenience by registering the rainfall for the day on which the reading was taken. I had explained to him the reason for entering it for the preceding day, but he forgot, I suppose. I have begged him to conform with the method you adopt, for the future, that is from Mar. 8, when he will have received my letter.

Yours truly
G. Lister

C. Salter Esq.

REGIS 11

DORSET.

LYME REGIS

"HOLME CLEVE"

1911 - 1915

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

Kept at Holme Cleve Ly

in the County of Dorset

by Mrs. L. Cave

5 in.

ove Ground – ft. 11 in.

,, Sea Level 230 ft.

n { Name Lyme Regis
Distance 0·4 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.01	0.12	-	-	-	0.03	-	-	-	-	1
2	0.01	-	-	0.08	0.37	-	-	0.08	-	0.10	0.33	0.16	2
3	-	-	-	-	0.14	-	-	-	-	-	0.06	0.14	3
4	-	-	0.06	-	-	-	-	-	-	-	0.12	0.18	4
5	0.11	-	0.06	-	-	-	-	0.06	-	0.04	0.18	[illegible]	5
6	0.25	-	0.18	-	-	-	-	-	-	-	0.15	0.68	6
7	0.03	-	-	0.01	-	-	-	-	-	-	0.48	0.03	7
8	0.04	-	0.31	-	-	-	-	-	-	-	0.07	0.62	8
9	0.16	-	0.01	-	-	-	-	-	-	-	0.41	0.40	9
10	0.30	0.07	0.47	-	0.09	-	-	-	-	-	-	0.18	10
11	-	-	0.01	-	-	-	-	-	-	-	0.83	0.02	11
12	-	-	1.07	-	-	-	-	-	-	-	0.02	0.18	12
13	-	-	0.02	-	-	-	-	-	0.28	0.06	0.06	0.37	13
14	-	0.10	-	-	-	-	-	-	-	0.01	-	0.78	14
15	-	0.02	-	-	-	-	-	-	-	-	0.26	0.03	15
16	-	-	-	-	-	0.48	-	-	-	-	0.54	0.42	16
17	-	-	0.07	-	-	0.06	-	-	-	0.03	0.25	0.37	17
18	-	0.19	0.02	0.18	-	0.03	-	-	-	0.04	0.02	0.20	18
19	-	0.03	-	0.04	-	0.21	-	-	0.22	0.15	-	0.44	19
20	0.01	0.03	0.28	0.09	-	-	-	-	0.21	0.08	-	0.43	20
21	-	0.18	-	-	-	-	-	-	0.03	0.59	-	0.08	21
22	0.24	0.03	-	-	-	0.04	-	-	0.04	0.27	-	0.53	22
23	0.02	0.17	0.02	0.03	-	0.28	-	-	0.10	0.16	0.12	0.29	23
24	-	0.23	-	-	-	0.47	-	0.05	0.01	0.23	-	0.22	24
25	-	0.05	-	0.20	0.02	-	-	-	0.06	0.02	-	0.10	25
26	-	0.15	-	0.36	-	-	-	0.01	-	0.18	-	0.17	26
27	-	0.39	0.12	-	0.05	-	-	0.03	0.07	1.09	0.08	0.15	27
28	-	0.32	-	0.40	-	-	-	0.14	-	-	0.02	-	28
29	-		-	0.61	-	0.27	0.17	-	0.14	0.07	0.01	-	29
30	-		-	-	-	0.04	-	-	0.01	0.52	0.10	0.04	30
31	-		-		-		-	-		0.01		-	31
Total	1.14	1.96 1.96	2.71	2.12	0.67	1.88	0.17	0.40	1.17	3.65	4.11	7.21	27.22 for Year 27.24
No. of Rain Days.	10	14	15	11	5	9	1	7	11	18	20	26	147

W. 8,000, X. '11.

REGIS 11

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

Kept at ~~Holme Cleve~~ Lyme Regis

in the County of Dorset 3

by W. L. Cave

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
„ „ „ Sea Level 230 ft.

Time of Observation

Nearest Railway Station
Name Lyme Regis
Distance 0·4 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.01	0.12	-	-	-	0.03	-	-	-	-	1
2	0.01	-	-	0.08	0.37	-	-	0.08	-	0.10	0.33	0.16	2
3	-	-	-	-	0.14	-	-	-	-	-	0.06	0.14	3
4	-	-	0.06	-	-	-	-	-	-	-	0.12	0.18	4
5	0.11	-	0.06	-	-	-	-	0.06	-	0.04	0.18	~~[illegible]~~	5
6	0.25	-	0.18	-	-	-	-	-	-	-	0.15	0.68	6
7	0.03	-	-	0.01	-	-	-	-	-	-	0.48	0.03	7
8	0.04	-	0.31	-	-	-	-	-	-	-	0.07	0.62	8
9	0.16	-	0.01	-	-	-	-	-	-	-	0.41	0.40	9
10	0.30	0.07	0.47	-	0.09	-	-	-	-	-	-	0.18	10
11	-	-	0.01	-	-	-	-	-	-	-	0.83	0.02	11
12	-	-	1.07	-	-	-	-	-	-	-	0.02	0.18	12
13	-	-	0.02	-	-	-	-	-	0.28	0.06	0.06	0.37	13
14	-	0.10	-	-	-	-	-	-	-	0.01	-	0.78	14
15	-	0.02	-	-	-	-	-	-	-	-	0.26	0.03	15
16	-	-	-	-	-	0.48	-	-	-	-	0.54	0.42	16
17	-	-	0.07	-	-	0.06	-	-	-	0.03	0.25	0.37	17
18	-	0.19	0.02	0.18	-	0.03	-	-	-	0.04	0.02	0.20	18
19	-	0.03	-	0.04	-	0.21	-	-	0.22	0.15	-	0.44	19
20	0.01	0.03	0.28	0.09	-	-	-	-	0.21	0.08	-	0.43	20
21	-	0.18	-	-	-	-	-	-	0.03	0.59	-	0.08	21
22	0.24	0.03	-	-	-	0.04	-	-	0.04	0.27	-	0.53	22
23	0.02	0.17	0.02	0.03	-	0.28	-	-	0.10	0.16	0.12	0.29	23
24	-	0.23	-	-	-	0.47	-	0.05	0.01	0.23	-	0.22	24
25	-	0.05	-	0.20	0.02	-	-	-	0.06	0.02	-	0.10	25
26	-	0.15	-	0.36	-	-	-	0.01	-	0.18	-	0.17	26
27	-	0.39	0.12	-	0.05	-	-	0.03	0.07	1.09	0.08	0.15	27
28	-	0.32	-	0.40	-	-	-	0.14	-	-	0.02	-	28
29	-		-	0.61	-	0.27	0.17	-	0.14	0.07	0.01	-	29
30	-		-	-	-	0.04	-	-	0.01	0.52	0.10	0.04	30
31	-		-		-		-	-	[illegible]	0.01		-	31
Total	1.14	1.96 1.96	2.71	2.12	0.67	1.88	0.17	0.40	1.17	3.65	4.11	7.21	Total for year 27.22
No. of Rain Days.	10	14	15	11	5	9	1	7	11	18	20	26	147

W. 8,000, X. '11.

corrd for auth 22.III.13 from original (pkt reg.)

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

5 APR 1913

Kept at Holme Cleve, Lyme Regis

in the County of Dorset 3

by Mrs L. Cave

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·24	·01		·06	·74		·39	1
2			·30			·01	·07						2
3			·16			·20	·05	·90	·02			·05	3
4	·16		·70			·30			·02		·26		4
5	·62	·24	·25			·01		·55				·42	5
6	·50	·02			·36	·09		·37				·02	6
7	·02	·48	·29		·12	·86	·50	·08				·25	7
8	·45	·13	·65			·16	·01					·01	8
9	·04	·14	·07	·10		·15	·07	·20				·64	9
10	·02	·03		·03		·01	·01	·21				·25	10
11	·08	·04						·05			·05	·44	11
12	·03	·24	·15				·07	·32					12
13	·01		·01								·05	·12	13
14	·03		·39					·09					14
15	·37	·26	·01		·50	·49		·12				·19	15
16	·46	·03	·40	·01	·04					·10	·03		16
17	·16		·20			·10		·75				·03	17
18	·50	·22	·18					·30					18
19	·01	·09	·05			·02	·11	·30					19
20	·06	·11	·30					·15		·19	·06		20
21		·25	·27					·20		·12			21
22	·54	·34	·14		·66			·12		·25	·02		22
23	·34	·42	·34			·04	·01	1·17		·05	·06	·38	23
24	·10	·11	·01			·26		·05				·36	24
25	·17					·04		·28		·35	·26	·32	25
26		·02					·03	·22		·20	·36	·32	26
27		·01				·47	·83	·06		·90		·43	27
28		·07				·06	·10	·26	·18	·55	·30	·64	28
29		·14				·17	·04	·06	·58	·36		·02	29
30					·02	·09			·36	·27			30
31			·28				·30			·05		·19	31
Total	4·67	3·39	5·21	·14	1·70	3·77	2·21 ~~1·32~~	6·81 6·84	1·22	4·13	1·45	5·47	YEAR'S TOTAL 40·17
Rain Days.	21	21	22	3	6	20	15	23	6	13	10	20	180

W. 7,500, XI. ·12

cor for arith 16.III.14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
13 JAN 1914

Kept at Holme Cleve, Lyme Regis

in the County of Dorset

by Mrs L. Cave

3

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Lyme Regis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.22	0.09	0.05	0.04	0.00	0.00	0.00	0.12	0.09	0.12	0.03	1
2	0.00	0.05	0.00	0.05	0.02	0.00	0.03	0.00	0.00	0.08	0.14	0.03	2
3	0.10	0.00	0.03	0.00	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.10	3
4	0.84	0.00	0.04	0.00	0.17	0.00	0.00	0.00	0.67	0.45	0.06	0.13	4
5	0.18	0.08	0.03	0.00	0.08	0.00	0.00	0.00	1.25	0.01	0.24	0.24	5
6	0.04	0.07	0.09	0.00	0.07	0.08	0.04	0.00	0.00	0.87	0.00	0.33	6
7	0.00	0.31	0.04	0.00	0.38	0.08	0.07	0.00	0.00	0.55	0.38	0.00	7
8	0.03	0.09	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.05	0.00	0.02	8
9	0.00	0.03	0.00	0.00	0.04	0.00	0.06	0.16	0.00	0.00	0.23	0.01	9
10	0.44	0.00	0.00	0.00	0.00	0.07	0.00	0.02	0.00	0.07	0.09	0.00	10
11	0.74	0.00	0.00	0.06	0.25	0.00	0.00	0.00	0.00	0.10	0.46	0.02	11
12	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.02	0.00	0.30	0.00	12
13	0.21	0.00	0.00	0.00	0.03	0.00	0.00	0.13	0.37	0.00	0.00	0.00	13
14	0.25	0.00	0.11	0.00	0.18	0.00	0.00	0.00	0.15	0.00	0.10	0.01	14
15	0.29	0.00	0.40	0.38	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	15
16	0.08	0.00	0.49	0.05	0.00	0.01	0.00	0.08	0.15	0.00	0.00	0.00	16
17	0.04	0.00	0.01	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.02	0.00	0.18	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	18
19	0.43	0.00	0.11	0.00	0.04	0.10	0.00	0.00	0.59	0.00	0.00	0.00	19
20	0.18	0.00	0.05	0.30	0.00	0.00	0.00	0.00	0.00	0.15	0.12	0.00	20
21	0.00	0.00	0.27	0.22	0.04	0.00	0.00	0.00	0.00	0.21	0.52	0.00	21
22	0.53	0.00	0.27	0.15	0.00	0.12	0.02	0.00	0.13	0.01	0.00	0.05	22
23	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.14	0.72	23
24	0.04	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.02	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25
26	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.12	26
27	0.18	0.00	0.15	0.28	0.00	0.00	0.00	0.01	0.00	0.02	0.00	0.00	27
28	0.70	0.00	0.02	0.35	0.00	0.00	0.00	0.00	0.00	0.35	0.00	0.10	28
29	0.21		0.89	0.20	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	29
30	0.45		0.00	0.00	0.01	0.00	0.00	0.57	0.06	0.48	0.00	0.00	30
31	0.27		0.03		0.00		0.00	0.68		0.11		0.00	31
Total	6.25 6.25	0.87	2.80	2.93	1.99	0.47	0.22	1.77	3.66	3.76	3.00	1.91	TOTAL for year 29.62 29.62
No. of Rain Days	22	8	19	16	16	7	5	8	11	17	14	14	157

9,000, IX: '10.

cnd [illegible] anth 23.III.15

FORM A.
BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Holme Cleve, Lyme Regis

in the County of Dorset 3

by Mrs L. Cave

Lat. 50° 43′ N Long. 2° 56′ W.
Time of Observation 9 a.m.
Nearest Railway Station Lyme Regis
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.03	0.07	0.00	0.00	0.10	0.32	0.00	0.00	0.03	0.08	1
2	0.00	0.00	0.00	0.02	0.03	0.04	0.55	0.03	0.00	0.00	0.88	0.48	2
3	0.01	0.00	0.11	0.15	0.47	0.00	0.00	0.03	0.00	0.00	0.06	0.02	3
4	0.06	0.00	0.04	0.24	0.08	0.00	0.27	0.40	0.00	0.00	0.58	0.44	4
5	0.10	0.00	0.08	0.17	0.07	0.00	0.08	0.00	0.00	0.00	0.03	0.00	5
6	0.00	0.15	0.01	0.12	0.19	0.00	0.00	0.01	0.00	0.00	0.00	0.26	6
7	0.01	0.66	0.16	0.17	0.05	0.03	0.26	0.11	0.04	0.00	0.00	0.44	7
8	0.06	0.00	0.69	0.02	0.07	0.12	0.00	0.08	0.00	0.00	0.00	0.10	8
9	0.00	0.02	0.65	0.26	0.07	0.75	0.00	0.05	1.10	0.00	0.02	0.00	9
10	0.06	0.23	0.00	0.10	0.05	0.02	0.00	0.00	0.45	0.00	0.00	0.00	10
11	0.00	0.15	0.68	0.00	0.03	0.08	0.54	0.00	0.01	0.01	0.03	0.53	11
12	0.00	0.10	0.19	0.00	0.00	0.00	0.00	0.00	0.54	0.05	0.00	0.74	12
13	0.00	0.31	0.27	0.00	0.00	0.00	0.02	0.00	0.20	0.14	0.31	0.45	13
14	0.00	0.18	0.21	0.00	0.00	0.90	0.04	1.01	0.00	0.23	0.50	0.13	14
15	0.01	0.00	0.10	0.00	0.00	0.00	0.08	0.08	0.04	0.11	0.07	0.03	15
16	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.38	0.00	0.00	0.00	16
17	0.00	0.60	0.19	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.45	17
18	0.00	0.03	0.05	0.00	0.00	0.00	0.45	0.00	0.12	0.00	0.00	0.24	18
19	0.00	0.13	0.60	0.00	0.00	0.00	2.05	0.00	0.04	0.00	0.00	0.03	19
20	0.00	0.48	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	20
21	0.00	0.52	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.18	0.00	0.00	21
22	0.00	0.05	0.08	0.00	0.13	0.04	0.00	0.02	0.00	0.13	0.00	0.00	22
23	0.00	0.03	0.22	0.00	0.00	0.00	0.01	0.00	0.00	0.77	0.00	0.00	23
24	0.00	0.11	0.02	0.00	0.04	0.00	0.00	0.00	0.00	0.31	0.13	0.00	24
25	0.07	0.00	0.29	0.00	0.00	0.00	0.00	0.40	0.00	0.39	0.02	0.35	25
26	0.06	0.00	0.10	0.00	0.00	0.00	0.04	0.01	0.00	0.04	0.17	0.62	26
27	0.07	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.12	27
28	0.01	0.12	0.29	0.00	0.02	0.00	0.00	0.00	0.00	0.05	0.37	0.85	28
29	0.14		0.10	0.00	0.20	0.00	0.07	0.00	0.00	0.21	0.34	0.00	29
30	0.00		0.07	0.02	0.00	0.02	0.00	0.00	0.00	0.13	0.40	0.50	30
31	0.08		0.00		0.02		0.52	0.00		0.54		0.11	31
Total	0.74	3.89	5.37	1.34	1.52	2.01	5.12	2.55	2.93	3.29	3.99	7.28	YEAR'S TOTAL 40.05 40.03
Rain Days.	13	18	25	11	1.52 15	10	16	13	11	3.29 15	17	22	186

W.7,000, XI. 13

1722

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Holme Cleve, Lyme Regis
in the County of Dorset 3
by Mrs Laurence Cave

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Lyme Regis
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 11 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·34	0·25	0·00	0·00	0·02	0·00	0·00	0·25	0·47	0·38	0·04	0·18	1
2	0·34	0·17	0·18	0·04	0·00	0·06	0·00	0·15	0·05	0·32	0·00	0·51	2
3	0·04	0·03	0·10	0·00	0·33	0·00	0·00	0·00	0·00	0·07	0·00	0·45	3
4	0·00	0·08	0·00	0·00	0·08	0·00	0·00	0·00	0·00	0·00	0·00	0·32	4
5	0·08	0·30	0·00	0·05	0·00	0·00	0·00	0·45	0·00	0·00	0·00	0·46	5
6	1·04	0·06	0·00	0·32	0·00	0·00	0·72	0·03	0·00	0·00	0·00	0·34	6
7	0·33	0·48	0·00	0·05	0·00	0·00	0·18	0·00	0·00	0·00	0·00	0·27	7
8	0·09	0·37	0·00	0·06	0·00	0·00	0·01	0·08	0·00	0·00	0·00	0·08	8
9	0·02	0·03	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·94	9
10	0·25	0·14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·01	0·08	10
11	0·09	0·28	0·06	0·06	0·00	0·00	0·00	0·04	0·00	0·00	1·04	0·00	11
12	0·19	0·46	0·00	0·09	0·60	0·00	0·00	0·11	0·00	0·07	0·46	0·02	12
13	0·01	0·35	0·00	0·00	0·39	0·00	0·00	0·00	0·06	0·01	0·07	0·00	13
14	0·14	0·00	0·00	0·00	0·00	0·00	0·26	0·00	0·09	0·01	0·02	1·00	14
15	0·01	0·00	0·00	0·00	0·22	0·00	0·15	0·09	0·02	0·03	0·02	0·08	15
16	0·00	0·81	0·00	0·00	0·12	0·00	0·95	0·00	0·00	0·00	0·00	0·25	16
17	0·00	0·30	0·00	0·00	0·06	0·00	0·00	0·15	0·00	0·00	0·00	0·00	17
18	0·00	0·26	0·00	0·00	0·01	0·00	0·00	0·05	0·00	0·00	0·00	0·00	18
19	0·00	0·00	0·00	0·00	0·32	0·00	0·12	0·00	0·00	0·00	0·00	0·00	19
20	0·14	0·00	0·00	0·07	0·00	0·23	0·00	0·00	0·00	0·13	0·00	0·07	20
21	0·20	0·32	0·00	0·00	0·00	0·02	0·10	0·00	0·01	0·66	0·00	0·03	21
22	0·17	0·08	0·45	0·01	0·00	0·04	0·72	0·00	0·00	0·00	0·00	0·24	22
23	0·00	0·00	0·07	0·00	0·00	0·00	0·14	0·00	0·21	2·14	0·00	0·53	23
24	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·00	0·20	0·16	0·00	0·62	24
25	0·00	0·00	0·00	0·04	0·00	0·38	0·00	0·00	0·00	0·01	0·00	0·20	25
26	0·07	0·15	0·00	0·00	0·04	0·00	0·21	0·00	0·03	0·00	0·00	0·84	26
27	0·00	0·09	0·00	0·00	0·00	0·25	0·03	0·00	0·00	0·55	0·00	0·00	27
28	0·00	0·00	0·00	0·00	0·00	0·15	0·00	0·00	0·41	0·08	0·00	0·05	28
29	0·00		0·00	0·00	0·00	0·13	0·03	0·00	0·00	0·13	0·15	0·00	29
30	0·19	✕	0·00	0·00	0·00	0·04	0·00	0·00	0·00	0·55	1·24	0·40	30
31	0·00	✕	0·00	✕	0·00	✕	0·10	0·00	✕	1·19	✕	0·11	31
Total	3·74	5·01	0·86	0·85	2·19	1·30	3·99	1·40	1·55	6·55	3·32	8·07	YEAR'S TOTAL 38·83
Rain Days.	19	20	5	11	11	9	15	10	10	18	10	24	162

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

R

LYME REGIS

DORSET

1911

Kept at Lyme R

in the County of D

by James

5 in.

e Ground — ft. 12 in.

Sea Level 250 ft.

a m

Name Lyme Regis

Distance 100 yds Direction N

IMPORTANT NO … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the re … year in the space provided for it at the end of th … ement of rain, the selection and plac … British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·12	—	—	—	·02	—	—	—	—	1
2	·01	—	—	·10	·41	—	—	·10	—	·10	·38	·19	2
3	—	—	—	—	·17	—	—	—	—	—	·05	·13	3
4	—	—	·07	—	—	—	—	—	—	—	·07	·20	4
5	·10	—	·07	—	—	—	—	·06	—	·04	·19	—	5
6	·30	—	·22	—	—	—	—	—	—	·03	·12	·89	6
7	·01	—	—	·01	—	—	—	—	—	—	·52	·01	7
8	—	—	·32	—	—	—	—	—	—	—	·05	·70	8
9	·02	—	—	—	—	—	—	—	—	—	·36	·56	9
10	·15	·06	·58	—	Thunder ·18 Storm	—	—	—	—	—	—	·17	10
11	·33	—	—	—	—	—	—	—	—	—	1·01	·08	11
12	—	—	1·15	—	—	—	—	—	—	—	—	·13	12
13	—	—	·02	—	—	—	—	—	·29	·03	·07	·31	13
14	—	·07	—	—	—	—	—	—	—	·01	—	·84	14
15	—	·01	—	—	—	·01	—	—	—	—	·25	·03	15
16	—	—	—	—	—	·51	—	—	—	—	·62	·44	16
17	—	—	·06	—	—	·06	—	—	—	·02	·24	·35	17
18	—	·14	·02	·21	—	·01	—	—	—	·06	·08	·32	18
19	—	·03	—	·02	—	·20	—	—	·28	·14	·01	·50	19
20	·01	·02	·26	·09	—	—	—	—	·19	·07	—	·54	20
21	—	·18	—	·03	—	—	—	—	—	·72	—	·10	21
22	·23	·01	—	·02	—	·04	—	—	·06	·25	—	·68	22
23	—	·13	·01	—	—	·24	—	—	·16	·13	·11	·44	23
24	·01	·27	—	—	—	·49	—	·05	—	·27	—	·23	24
25	—	·02	—	·18	—	·03	—	—	·08	·04	—	·04	25
26	—	·17	—	·39	·05	—	—	·04	—	·20	·01	·30	26
27	—	·42	·10	—	—	—	—	·02	·08	1·10	·02	·18	27
28	—	·43	—	·41	—	—	—	·15	—	—	·06	—	28
29	—		—	·60	—	·25	·18	—	·13	·47	—	—	29
30	—		—	—	·03	·03	—	—	·02	·15	·15	·04	30
31	—		—		—		—	—		—		—	31
Total	1·17	1·96	2·88	2·18	·84	1·87	·18	·44	1·29	3·83	4·37	8·40	TOTAL for year 29·41
No. of Rain Days.	10	14	12	12	5	11	1	7	9	18	20	26	145

W. 8,000, X. '11.

✓

R

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Lyme Regis

in the County of Dorset 3

by James Spurr

Rain Gauge	Pattern
	Diameter of top 5 in.
	Height of top above Ground — ft. 12 in.
	" " " Sea Level 250 ft.

Time of Observation 9 am

Nearest Railway Station: Name Lyme Regis; Distance 100 yds; Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·12	—	—	—	·02	—	—	—	—	1
2	·01	—	—	·10	·41	—	—	·10	—	·10	·38	·19	2
3	—	—	—	—	·17	—	—	—	—	—	·05	·13	3
4	—	—	·07	—	—	—	—	—	—	—	·07	·20	4
5	·10	—	·07	—	—	—	—	·06	—	·04	·19	—	5
6	·30	—	·22	—	—	—	—	—	—	·03	·12	·89	6
7	·01	—	—	·01	—	—	—	—	—	—	·52	·01	7
8	—	—	·32	—	—	—	—	—	—	—	·05	·70	8
9	·02	—	—	—	—	—	—	—	—	—	·36	·56	9
10	·15	·06	·58	—	Thunder ·18 Storm	—	—	—	—	—	—	·17	10
11	·33	—	—	—	—	—	—	—	—	—	1·01	·08	11
12	—	—	1·15	—	—	—	—	—	—	—	—	·13	12
13	—	—	·02	—	—	—	—	—	·29	·03	·07	·31	13
14	—	·07	—	—	—	—	—	—	—	·01	—	·84	14
15	—	·01	—	—	—	·01	—	—	—	—	·25	·03	15
16	—	—	—	—	—	·51	—	—	—	—	·62	·44	16
17	—	—	·06	—	—	·06	—	—	—	·02	·24	·35	17
18	—	·14	·02	·21	—	·01	—	—	—	·06	·08	·32	18
19	—	·03	—	·02	—	·20	—	—	·28	·14	·01	·50	19
20	·01	·02	·26	·09	—	—	—	—	·19	·07	—	·54	20
21	—	·18	—	·03	—	—	—	—	—	·72	—	·10	21
22	·23	·01	—	·02	—	·04	—	—	·06	·25	—	·68	22
23	—	·13	·01	—	—	·24	—	—	·16	·13	·11	·44	23
24	·01	·27	—	—	—	·49	—	·05	—	·27	—	·23	24
25	—	·02	—	·18	—	·03	—	—	·08	·04	—	·04	25
26	—	·17	—	·39	·05	—	—	·04	—	·20	·01	·30	26
27	—	·42	·10	—	—	—	—	·02	·08	1·10	·02	·18	27
28	—	·43	—	·41	—	—	—	·15	—	—	·06	—	28
29	—		—	·60	—	·25	·18	—	·13	·47	—	—	29
30	—		—	—	·03	·03	—	—	·02	·15	·15	·04	30
31	—		—		—		—	—		—		—	31
Total	1·17	1·96	2·88	2·18	·84	1·87	·18	·44	1·29	3·83	4·37	8·40	TOTAL for year 29·41 ✓
No. of Rain Days.	10	14	12	12	5	11	1	7	9	18	20	26	145 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

911.

MAIDEN NEWTON
WYNFORD HOUSE
DORSET.
1911, 1918 — 1920

Kept at

in the County of

by

top .... in.
above Ground .... ft. .... in.
" Sea Level .... ft.

tion { Name
Distance .... Direction

IMPORTAN and the result entered to the previous day. I universal rule, he is earnestly requested to add g year in the space provided for it at the en surement of rain, the selection an e British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	0	0	0	0	0	0	0	0	0	0	05	1
2	04	0	0	22	0	0	0	10	0	08	36	47	2
3	0	0	0	0	70	0	0	0	0	0	16	15	3
4	0	0	10	0	10	0	0	05	0	0	25	50	4
5	05	0	05	0	0	0	0	0	0	08	15	0	5
6	75	0	15	0	0	0	0	0	0	21	20	100	6
7	15.	0	0	05	0	0	0		0	0	10	0	7
8	02	0	43	0	0	0	0		0	0	25	84	8
9	10	0	0	0	15	0	0	17	0	0	12	50	9
10	10	07	67	0	10	0	0		0		0	66	10
11	70	0	0		0	0	0		0	0	1,00	05	11
12	03	0	1·23		0	0	0	0	0	0	36	36	12
13	0	0	0	0	0	0		0	38	0	0	48	13
14	0	0	0	0	0				0	0	0	100	14
15	0	0	0	0	0	0		0	0	0	45	0	15
16	0	12	05	0	0	50	0		0	0	68	45	16
17	0	0	05	0	0	30	0	0	0	0	16	40	17
18	0	15	10	14	15	12		0	0	07	0	50	18
19	0	0	0	0		05	0	0	35	0	0	90	19
20	0	05	20	05	0	10	0	20	12	15	0	70	20
21	0	25	0	03	0	11	0	0	07	100	0	12	21
22	28	10	05	0	0	10	0	0	22	41	0	80	22
23	0	20	0	0	0	20	0	0	20	24	0	58	23
24	0	25	05	0	0	30		30	05	50	05	15	24
25	06	05	0	0	0	25	0		13	12	0	05	25
26	0	10	0	37	30	0	0	07	0	40	0	63	26
27	0	50	12	65	0	0	0	0	28	65	0	20	27
28	0	60	0	80	0	05	0	20		10	30	0	28
29	0	X	0	10	05	15		0	25	60	0	0	29
30	0	X	0	0	0	10	22	0	0	18	0	0	30
31	0	X	0	X	0	X	50	0	X	50	X	0	31
Total	2·35	2·44	3·25	2·41	1·55	2·33	·72	1·09	2·05	5·29	4·59	11.54 11.54	TOTAL for year 39·61
No. of Rain Days	12	12	13	9	7	13	2	7	10	16	15	21	140

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Wynford House
in the County of Dorset 3
by [illegible]

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	0	0	0	0	0	0	0	0	0	0	05	1
2	04	0	0	22	0	0	0	10	0	08	36	47	2
3	0	0	0	0	70	0	0	0	0	0	16	15	3
4	0	0	10	0	10	0	0	05	0	0	25	50	4
5	05	0	05	0	0	0	0	0	0	08	15	0	5
6	75	0	15	0	0	0	0	0	0	21	20	100	6
7	15	0	0	05	0	0	0		0	0	10	0	7
8	02	0	43	0	0	0	0	0	0	0	25	84	8
9	10	0	0	0	15	0	0	17	0	0	12	150	9
10	10	07	67	0	10	0	0		0	0	0	66	10
11	70	0	0		0	0	0		0	0	1,00	05	11
12	03	0	1·23		0	0	0	0	0	0	36	36	12
13	0	0	0	0	0	0		0	38	0	0	48	13
14	0	0	0	0	0	0			0	0	0	100	14
15	0	0	0	0	0	0	0		0	0	45	0	15
16	0	12	05	0	0	50	0		0	0	68	45	16
17	0	0	05	0	0	30			0	0	16	40	17
18	0	15	10	14	15	12		0	0	07	0	150	18
19	0	0	0	0		05	0	0	35	0	0	90	19
20	0	05	20	05		10	0	20	12	15	0	70	20
21	0	25	0	083		11	0	0	07	100	0	12	21
22	28	10	05	0		10	0	0	22	41	0	80	22
23	0	20	0	0	0	20	0	0	20	24	0	58	23
24	0	25	05	0	0	30		30	05	150	05	15	24
25	06	05	0	0	0	25	0		13	12	0	05	25
26	0	10	0	37	30	0	0	07	0	40	0	63	26
27	0	50	12	65	0	0		0	28	65	0	20	27
28	0	60	0	80		05		20		10	30	0	28
29	0	X	0	10	05	15		0	25	60	0	0	29
30	0	X	0	0	0	10	22	0	0	18	0	0	30
31	0	X	0	X		X	50	0	X	50	X	0	31
Total	2·35	2·44	3·25	2·41	1·55	2·33	·72	1·09	2·05	5·29	4·59	11.54 11. 5 4	TOTAL for year 39.61
No. of Rain Days	12	12	13	9	7	13	2	7	10	16	15	24	140

9,000, IX. '10.

Exd MS

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Wynford House Maiden Newton
in the County of Dorset.
by Lord Wynford's Gardener

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Maiden Newton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 410. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01	13		04	05			59			111	06	1
2		46		03				13		03	06	23	2
3		14	03	17	22				05	10	10	05	3
4		03	01	02				13	25		103	42	4
5		01	29	04	55			63	26	30		10	5
6	25	20		24				07	05	20		22	6
7		27			14			05	37	01	43	20	7
8		18							17	33	02	04	8
9	05			09		17	112		86	16	02	80	9
10	03			19			41		08	61	04	55	10
11			02	02			08		16	04	07	06	11
12		13	03		56		60		11			01	12
13					08		35		95	12		01	13
14	36				10	22	35		46	46		14	14
15	190			57	02	03	35		02	04		36	15
16	31		02	17		09	02	06	59			05	16
17	34		01	15		97	31		04			28	17
18	95						05	03	17			22	18
19	20	03	15				27		09			06	19
20	08	35		15		02	15		57	07			20
21	04	08					03		76	09		30	21
22	28	01			14		102		33	01		14	22
23		01			15		25		10		20	03	433 23
24	06	32				02	02		28		15	06	24
25							26	75		01	09		25
26		01					30		07	06	14	39	26
27		18	02				01	13	40	04	23		27
28		10	22			04				09	01	02	28
29			33						176			06	29
30			65						08	06	16	02	30
31			18							05			31
Total	486	264	196	188	201	156	595	257	903	288	386	488	YEAR'S TOTAL 4408
Rain Days.	14	18	13	13	10	8	19	10	26	21	16	27	195

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL

Kept at WYNFORD HOUSE, MAIDEN NEWTON, DORCHESTER.
in the County of Dorset.
by The Gardener

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Maiden Newton G.W.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·77	–	·23		·08		·50		·06	·18	·10	1·09	1
2	·16	–			·05		·10		·43		·05	·08	2
3	·56	–	·44		·11			·04	·27		·06	·18	3
4	·22	·44	·70						·84		·05	·07	4
5	·05	·28	·47				·01		·20		·11	·13	5
6	·82	·18	·16								·03	·31	6
7	·64	–	·55	·19									7
8	·35	–	·34										8
9	·15	–	·02	·50	·12						·50		9
10	·23	–	·47	·01						·02	·01	·31	10
11	·08		·11	·32	·44		·23					·08	11
12	·21	–	·64	·03	·01					·19	·01	·02	12
13	·12	·08	·05	·62			·02		·06	·08		·13	13
14	·96	·12		·54	·17		·13			·01		·29	14
15	·39	·27		·09	·05					·18		·48	15
16	·10	·93			·06			·01			·16		16
17	·01	·16						·01			·20	·14	17
18	·02	·25	·71				·26	·09			·21	·01	18
19	1·31	·59	·81			·03	·83	·33	·17		·16	·04	19
20	·69	·02	·15			·47		·29				·08	20
21	–	1·12					·21	·01	·13		·01	·10	21
22	–	·03					·17		·44			·09	22
23						·01				·50	·07	·02	23
24	–					·10	·04	·33		1·04	·15	·22	24
25	·20			·08		·04		·03				·09	25
26	·14	·06	·09	·05		·01					·04	·68	26
27	·18	·02	·02	·38			·12	1·87				·03	27
28	–		·47					·29			·75	·68	28
29	–	×	·01	·11				·17		·08		·04	29
30	–	×	·02	·13		·17		·53			·67	·95	30
31	–	×	·01	×		×			×		×	·39	31
Total	8·36	4·55	5·87	3·05	1·09	·83	2·62	4·00	2·60	2·28	3·34	6·73	YEAR'S TOTAL 45·32
Rain Days	23	15	21	13	9	7	12	13	9	9	19	27	177

~~W~~ AWB ~~300~~ 1451

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

3 JAN 1921

Kept at WYNFORD HOUSE, MAIDEN NEWTON, DORCHESTER.
in the County of Dorset
by ~~The Gardener~~ Lt. Col. The Lord Wynford

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Maiden Newton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·07	·12	·53		·40	·05	·09	·08	·35	·85	1
2	·73		·01	·14			·12	·23	·13	·06		·20	2
3	·15	·12		·02	·03		·14	·01	·07	·43		·03	3
4		·02	·03	·06			·92	1·05		·25			4
5			·18	·21	·12		·71	·18		·20		·01	5
6			·13	·02	·38		·32	·01		·16			6
7	·02		·01	·46	·03		·61					·01	7
8	·06	·07		·37	·10		·37	·04				·02	8
9	·67	·01	·01	·04		·10	·03						9
10	·80	·17	·50	·08		·46	1·31						10
11	·27	·01	·19	·72	·27	·02	·26						11
12	·32	·10	·05	·32	·05	·18	·04				·12	·20 → Snow	12
13	·26	·02	·69	·03							·01	·05	13
14	·09	·05	·45	1·14			·07		·42	·35	·69	·01	14
15	·08	·09	·16	·26	·10	·71			·12	·47	·09		15
16			·05	·03	·02	·04	·17		·23	·07	·02		16
17	·02		·02	·15	·30	~~71~~	·08		·43				17
18	·13	·01	·03	·05	·03	·26	·05	·55	·09				18
19	·05			·32		·26			·22				19
20	·03	·04		·21		·73						·39	20
21							·14		·02	·04		·11	21
22	·07			·37			·02					·42	22
23	·05						·38	·03				·80	23
24	·02		·27								·65	·26	24
25		·06	·12	·01	·15		·93					·01	25
26	·16		·34				·02				·23	·13	26
27	·56	·02	·06	·13		·30					·02	·42	27
28	·89	·02	·18	·01	·04	·03	·48					·18	28
29	·29	·01	·31	·04		·01					·30	·46	29
30	·28	✕			·02	·38	·10		·74		·56	·48	30
31	·07	✕	·28	✕		✕			✕	·53	✕	·26	31
TOTAL	6·11	·82	4·14	5·31	2·17	3·48	7·67	2·15	2·56	2·64	3·04	5·30	YEAR'S TOTAL 45·39
Days with ·01 in. or more	~~25~~	~~16~~	~~23~~	~~25~~	~~15~~	~~13~~	~~23~~	~~9~~	~~11~~	~~11~~	~~11~~	~~21~~	~~203~~
	21	8	17	19	10	10	21	6	10	11	8	15	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

—

MILTON ABBAS

MILTON ABBEY

DORSET

1911 — 1915

19

FORM A2.
BRITISH RAINFALL.
18 - JAN 1912

Kept at The G

in the County of

by C. H.

top 5 in.

p above Ground ft. 9½ in.

" Sea Level 333 ft.

9 a.m

tion { Name Blandford
Distance 7 miles Direction N.E

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add … ng year in the space provided for it at the end … asurement of rain, the selection and … he British Rainfall Organization are g … e on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	—	—	—	—	—	.02	—	—	.03	.11	1
2	.02	—	—	.13	.45	—	—	.13	—	.06	.42	.57	2
3	—	—	—	—	.23	—	—	.01	—	—	.21	.11	3
4	.02	—	.07	.02	—	—	—	—	—	.03	.41	.58	4
5	.14	—	.01	—	—	—	—	.11	—	.15	.09	—	5
6	.52	—	.25	—	—	—	—	—	—	.05	.04	1.26	6
7	.04	—	—	.01	—	—	—	—	—	—	.60	.01	7
8	.03	.03	.23	—	—	—	—	—	—	—	.24	.80	8
9	.15	.04	.05	.01	—	—	—	—	—	—	.11	.47	9
10	.11	.06	.46	—	.28	—	—	—	—	—	.01	.48	10
11	.68	.02	.01	—	.18	—	—	—	—	—	1.21	—	11
12	—	—	1' —	—	.02	—	—	.02	.01	—	.18	.28	12
13	—	—	.01	—	—	—	—	—	.35	—	—	.71	13
14	—	.12	—	—	—	—	—	—	—	.01	—	.67	14
15	—	.03	.05	—	—	—	—	—	—	—	.38	.09	15
16	—	.01	—	—	—	.51	—	—	—	—	.71	.64	16
17	.01	—	.09	—	.23	.23	—	—	—	—	.36	.63	17
18	—	.19	.11	—	—	.40	—	—	—	.09	.05	.68	18
19	—	.09	—	.01	—	.34	—	—	.24	.25	.13	.44	19
20	.06	.05	.22	.02	—	—	—	—	.05	.13	—	.89	20
21	.04	.27	.07	.02	—	.02	—	—	.08	.75	—	.19	21
22	.17	.03	.02	.02	—	.19	—	—	.06	.34	—	.50	22
23	.01	.22	—	—	—	.12	—	—	.18	.20	.09	.53	23
24	—	.12	—	—	—	.37	—	.22	—	.62	—	.26	24
25	.02	.05	.01	.11	—	.03	—	.01	.15	.09	—	.20	25
26	—	.06	—	.33	.16	—	—	.06	—	.31	—	.36	26
27	—	.70	.11	.11	—	—	—	—	.09	.53	.06	.20	27
28	—	.32	—	.42	—	—	—	.20	.20	—	.21	—	28
29	—		—	.36	—	.21	.20	—	—	.47	.01	—	29
30	—		—	—	—	.04	—	—	—	.25	.11	.02	30
31	—		—		—		—	—		—		—	31
Total	2.08	2.41	2.77	1.57	1.55	2.46	.20	.78	1.41	4.33	5.66	11.68	TOTAL for year 36.90
No. of Rain Days.	16	18	17	13	7	11	1	9	10	17	22	26	167

W. 8,000, X. '11.

19 11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at The Gardens Milton Abbey

in the County of Dorsetshire

3

by C. H. Perkins

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9½ in.
" " " Sea Level 333 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Blandford
Distance 7 miles Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	—	—	—	—	—	—	.02	—	—	.03	.11	1
2	.02	—	—	.13	.45	—	—	.13	—	.06	.42	.57	2
3	—	—	—	—	.23	—	—	.01	—	—	.21	.11	3
4	.02	—	.07	.02	—	—	—	—	—	.03	.41	.58	4
5	.14	—	.01	—	—	—	—	.11	—	.15	.09	—	5
6	.52	—	.25	—	—	—	—	—	—	.05	.04	1.26	6
7	.04	—	—	.01	—	—	—	—	—	—	.60	.01	7
8	.03	.03	.23	—	—	—	—	—	—	—	.24	.80	8
9	.15	.04	.05	.01	—	—	—	—	—	—	.11	.47	9
10	.11	.06	.46	—	.28	—	—	—	—	—	.01	.48	10
11	.68	.02	.01	—	.18	—	—	—	—	—	1.21	—	11
12	—	—	1' —	—	.02	—	—	.02	.01	—	.18	.28	12
13	—	—	.01	—	—	—	—	—	.35	—	—	.71	13
14	—	.12	—	—	—	—	—	—	—	.01	—	.67	14
15	—	.03	.05	—	—	—	—	—	—	—	.38	.09	15
16	—	.01	—	—	—	.51	—	—	—	—	.71	.64	16
17	.01	—	.09	—	.23	.23	—	—	—	—	.36	.63	17
18	—	.19	.11	—	—	.40	—	—	—	.09	.05	.68	18
19	—	.09	—	.01	—	.34	—	—	.24	.25	.13	.44	19
20	.06	.05	.22	.02	—	—	—	—	.05	.13	—	.89	20
21	.04	.27	.07	.02	—	.02	—	—	.08	.75	—	.19	21
22	.17	.03	.02	.02	—	.19	—	—	.06	.34	—	.50	22
23	.01	.22	—	—	—	.12	—	—	.18	.20	.09	.53	23
24	—	.12	—	—	—	.37	—	.22	—	.62	—	.26	24
25	.02	.05	.01	.11	—	.03	—	.01	.15	.09	—	.20	25
26	—	.06	—	.33	.16	—	—	.06	—	.31	—	.36	26
27	—	.70	.11	.11	—	—	—	—	.09	.53	.06	.20	27
28	—	.32	—	.42	—	—	—	.20	.20	—	.21	—	28
29	—		—	.36	—	.21	.20	—	—	.47	.01	—	29
30	—		—	—	—	.04	—	—	—	.25	.11	.02	30
31	—		—		—		—	—		—		—	31
Total	2.08	2.41	2.77	1.57	1.55	2.46	.20	.78	1.41	4.33	5.66	11.68	TOTAL for year 36.90
No. of Rain Days.	16	18	17	13	7	11	1	9	10	17	22	26	167

W. 8,000, X. '11.

~~Smalls~~ 2 4 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at The gardens Milton Abbey
in the County of Dorset 3
by C. H. Perkins

Lat. 50°49 Long. 2°17
Time of Observation 9-a.m
Nearest Railway Station Blandford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9½ in.
" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	-12	—	-02	-31	—	—	.03	.94	.01	.34	1
2	—	—	-38	-03	—	.02	.30	.01	—	.01	—	—	2
3	—	—	-19	—	—	.47	.02	.76	.04	—	.02	.08	3
4	17	-01	1-	—	—	.56	—	.07	.04	—	.36	—	4
5	59	-19	-33	—	.01	—	—	1-28	—	—	.02	.37	5
6	80	-05	-02	—	-23	.03	.74	.55	—	—	—	.08	6
7	04	-54	-21	—	-18	.66	.31	.17	—	—	—	.33	7
8	53	-32	-47	—	—	.02	.01	.04	.01	—	—	.07	8
9	08	-05	-22	.05	—	.04	.01	.14	—	—	—	.34	9
10	01	-15	-01	—	—	—	.03	.19	—	—	.03	.35	10
11	07	-17	.01	—	—	.01	—	.21	—	—	.02	.57	11
12	03	-45	-14	-04	.24	—	.05	.39	—	—	.04	—	12
13	—	.05	-02	—	—	—	—	.01	—	.03	.04	.03	13
14	-21	—	-39	—	.01	—	—	.13	—	—	—	.35	14
15	-32	-32	-01	.01	.04	.53	—	.05	—	.02	—	—	15
16	1-22	-03	-59	—	.10	.06	—	.24	—	.12	.07	—	16
17	1-40	—	-30	—	—	.01	—	1-22	—	—	—	.11	17
18	-19	—	-25	—	—	—	—	.18	—	.03	.01	.06	18
19	-07	.12	-12	—	—	—	.10	.38	—	—	.04	.01	19
20	-04	.05	-61	—	-17	.03	.12	.03	—	.40	.02	—	20
21	-03	-29	-33	—	-74	[illegible]	.21	.22	—	.13	.01	—	21
22	.34	-64	-11	—	.05	.32	—	.20	—	.09	.01	.18	22
23	-22	-33	-23	—	—	.03	.01	.67	—	.13	.18	.21	23
24	-15	-06	-02	—	—	.38	—	.34	—	—	.01	.31	24
25	-30	-03	—	—	—	.34	—	.18	—	.13	.42	.79	25
26	-01	.06	-01	—	—	.28	.33	.18	—	.61	.31	.36	26
27	—	-04	—	—	—	.04	.90	.02	—	.98	—	.43	27
28	—	-09	—	—	—	.07	.21	.74	.09	.85	.74	.74	28
29	—	-23	—	—	—	—	.28	.18	1-54	.70	.02	.03	29
30	—	x	-09	—	.08	.11	.13	.01	.69	.34	—	—	30
31	—	x	-62	X	—	X	.41	.04	X	.05	X	.17	31
Total	6.82	4-27	6.80	-13	1.87	4.39	4-17	8.83	2-44	5.56	2.58	6-31	YEAR'S TOTAL 54-17
Rain Days.	22	23	27	4	12	21	18	30	7	17	20	23	224

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Gardens Milton Abbey
in the County of Blandford Dorsetshire
by C. H. Perkins

Lat. 50 49 Long. 2° 17
Time of Observation 9-a.m
Nearest Railway Station Blandford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9½ in.
" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.36	.22	.17	—	—	—	—	.20	.02	.49	.01	1
2	.09	.14	—	.08	.09	—	—	—	.04	—	.18	.01	2
3	.19	—	.05	.07	.46	—	—	—	.11	—	—	.15	3
4	1-02	—	.17	.01	.39	—	—	—	.45	.27	.13	.11	4
5	.31	.07	—	—	.08	.05	.07	—	.99	.04	.22	.12	5
6	.11	.11	.08	—	.10	.32	.42	—	.01	1.72	.02	.64	6
7	.07	.56	.04	—	.51	.13	.26	—	—	.55	.36	.02	7
8	.02	.28	—	—	.32	.01	.01	—	—	.04	—	.05	8
9	—	.05	—	—	.02	—	.05	.86	—	—	.28	.02	9
10	.36	.01	.01	—	—	.01	.01	.02	—	.11	.40	.02	10
11	.97	—	—	.26	.27	—	—	—	.05	.12	.52	.05	11
12	—	.03	—	—	.61	—	—	—	.02	.01	.55	—	12
13	.10	.01	.04	—	—	—	—	—	.51	—	.28	—	13
14	.35	—	.17	.04	—	—	.01	—	.24	—	.05	—	14
15	.27	.04	.32	.88	—	—	.36	.04	.46	—	.03	—	15
16	.24	—	.44	.05	—	—	.01	—	.04	—	.01	—	16
17	.04	—	—	.08	—	—	—	—	.01	—	.03	—	17
18	.06	—	.40	.09	—	—	—	—	—	—	.12	—	18
19	1.29	—	.04	—	.03	.37	—	—	.47	.02	—	—	19
20	.08	—	.21	.19	—	.01	—	—	—	.57	.43	—	20
21	—	—	.24	.53	—	—	.13	—	—	.04	.59	—	21
22	.54	—	.34	.02	—	—	.02	.15	.33	.01	—	.08	22
23	—	—	.05	—	—	.08	—	—	—	.01	.11	.80	23
24	.06	.04	—	.08	—	—	—	—	—	.01	.01	—	24
25	.01	.16	—	.19	—	—	—	—	—	.02	—	.04	25
26	—	—	.27	.48	—	—	—	.36	—	.04	.01	—	26
27	.05	—	.08	.26	—	—	—	.01	—	.22	—	.01	27
28	.26	—	.53	.18	—	—	—	—	—	.30	—	.04	28
29	.16		—	.58	.08	—	—	.19	—	—	—	.02	29
30	.85		.02	—	—	—	—	—	—	.43	—	—	30
31	.07				—		—	1-32		.04	—	—	31
Total	7.57	1-86	3.72	4-24	2.96	.98	1.35	2.95	3.93	4-59	4-82	2-19	YEAR'S TOTAL 41-16
Rain Days.	25	13	20	19	12	8	11	8	15	21	21	17	199

W. 7,500, XI. ·12

Card for auth [illegible] stats 22.10.15 Copied from ~~H returned to obs~~ Dorset FC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
20 APR 1915

Kept at Milton Abbey Gardens WLHC

in the County of Dorset 3

by C. H. Perkins Dorset FC

Lat. 50° 49' N Long. 2° 17' W
Time of Observation 9 am.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9½ in.
" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·06	-	-	-	-	·70	-	-	·55	·15	1
2	-	-	·02	-	-	·01	·92	-	-	-	1·80	·32	2
3	-	-	·04	·13	·57	-	·04	-	-	-	·02	·08	3
4	·12	-	·05	·33	·14	-	·35	·99	-	-	·31	·51	4
5	·05	-	·10	·28	·13	-	·58	·09	-	-	·51	-	5
6	-	·32	·01	·14	·09	-	·08	·05	-	-	·01	-	6
7	·03	·90	·11	·23	·03	·03	·23	·05	·01	-	·01	·30	7
8	·08	·15	·66	·07	·10	·13	·01	·46	-	-	·01	·18	8
9	·02	·02	·35	·34	·08	·10	-	·08	1·15	-	·11	-	9
10	·05	·77	·01	·10	·12	·03	-	-	·30	-	-	·03	10
11	-	·24	·58	-	·08	·03	·34	-	·01	-	·03	·74	11
12	-	·10	·13	-	-	-	-	-	·35	·05	·25	·54	12
13	-	·91	·43	-	-	-	·38	-	·16	·14	-	·69	13
14	-	·47	·33	-	-	·63	·53	·57	-	·38	·65	·22	14
15	·06	·01	·27	-	-	-	·09	·38	-	·10	·28	·01	15
16	-	-	·02	-	-	-	·01	·01	·48	-	-		16
17	-	·72	·21	-	-	-	·19	-	·03	-	·03	1·27	17
18	-	·05	·13	-	-	-	1·53	-	·02	-	·93	·79	18
19	-	·87	·51	-	-	-	-	-	·04	-	-	·18	19
20	-	·75	·23	-	-	·08	-	-	-	-	-	·54	20
21	-	-	·05	-	-	·02	-	-	-	·32	-		21
22	-	·21	-	-	·39	·03	·04	·04	-	·27	-		22
23	-	·15	·38	-	·01	·03	·02	-	-	·22	-		23
24	-	·06	·03	-	·03	·01	[illegible]	-	·01	·14	-		24
25	·08	·01	·30	-	-	-	·28	·36	-	·44	·03	·39	25
26	-	·02	·08	-	-	-	·14	·10	-	·08	·67	·85	26
27	·10	·01	-	-	-	-	·01	-	-	-	·15	·40	27
28	·02	·24	·33	-	·01	-	·06	-	-	·01	·11	·93	28
29	·41		·38	-	·15	-	-	-	-	·32	·81	·02	29
30	·05	✕	·19	-	·01	-	-	-	-	·15	1·19	·86	30
31	·21	✕	-	✕	·06	✕	·30	-	✕	1·00	✕	·14	31
Total	1·28	6·98	5·99	1·62	2·00	1·13	6·13 6·13	3·88	2·56 2·56	3·62	7·56 ✓	10·14	YEAR'S TOTAL 52·89 ✓
Rain Days.	13	21	28	8	16	12	21	13	11	14	21	23	201 ✓

W. 8,000. X. 14.

Exd FW. 1745

FORM A. BRITISH RAINFALL.
2[illegible] JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Milton Abbey Gardens,
in the County of Dorset
by C. H. Perkins (per. H. H. T. Bassett)

Lat. 5°49 Long. 2°17
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9½ in.
" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·11			·03			·03	·33	·21	·01	·38	1
2	·54	·32	·21	·05				·52		·39		·48	2
3	·23	·07	·17	·10	·12	·05				·06		·51	3
4	·03	·01			·01							·24	4
5	·07	·76		·05				·21				·64	5
6	·77	·23		·68			·71	·03				·21	6
7	·50	·77		·06			·24			·01		·38	7
8	·05	·62		·18				·06			·04	·06	8
9		·09									·46	·19	9
10	·39	·05	·03							·62		·98	10
11		·10	·03	·01				·10			1·24	·05	11
12	·16	·60		·27	·51					·07	·35		12
13	·01	·36			1·06				·10			·01	13
14	·08	·07			·20		·68	·07	·07			1·68	14
15	·15						·15	·10		·14	·19	·37	15
16		1·45			·17		1·47		·03			·20	16
17		·60			·20			·27					17
18		·29											18
19	·02	·01			·32		·09						19
20	·29			·15		·03						·05	20
21	·12	·47				·05	·19		·03	·72		·20	21
22	·12	·19	·42	·05			1·14		·02	·02		·41	22
23		·02	·02				·09		·30	1·20		·34	23
24				·08			·31		·60	1·08		·71	24
25				·03		·40				·02		·18	25
26	·02	·22				·05	·21					1·06	26
27						·15	·01			·61		·	27
28		·13				·13			·71	·09	·01	·03	28
29						·31				·02	·38	·09	29
30	·23									·73	·56	·49	30
31	·01						·02	·10		1·33		·50	31
													YEAR'S TOTAL
Total	4·17	7·54	·88	1·71	2·62	1·17	5·31	1·49	2·19	6·72	3·24	10·44	47·48
Rain Days.	20	23	6	12	9	8	13	10	9	17	9	26	162

W. 8,000. X. 15.

#ML [illegible] 17.V.15

DORSET.
MORETON
OAKERSWOOD.

1914 – 1920

REGISTER

FORM A.
BRITISH RAINFALL
7 - APR 1915

Kept at Oakers Wood 2°16'W
in the County of Dorset A.M. Moreton
by Teresa Fetherst 5 in.
Ground 1 ft. 0 in.
Sea Level abt 150 ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·69
1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·39	·23	00	00	·01	00	·44	00		·32	·08	1
2		00	·02	·04	00		·58	00			1·18	·25	2
3			00	·11	·57		·11	·09			00	·01	3
4			·04	·21	·08		·25	·94			·30	·48	4
5			·11	·21	00		·49	·09			·30	00	5
6	~~·39~~	·39	·01	·17	00		·07	·03				·50	6
7		~~00~~	·15	·06	·04		·20	00				·29	7
8	~~·65~~	·65	·65	·07	·05	·11		·29				·09	8
9	~~·20~~	·20	·51	·07	·05	·07		00	·53		·01	·08	9
10	~~·01~~	·01	·04	·06	·10	·01		00	·28		00	·20	10
11	~~·5~~	05	·62	00	·02	·04		00	00		·03	·69	11
12	~~·58~~	·58	·14	00	00	·00	·30	00	·52	·08	00	·37	12
13	~~·28~~	·38	·42			00	00	00	·11	·08	·15	·75	13
14	~~·1~~	01	·30			·63	·25	·70	·46	·35	·45	·30	14
15	~~·62~~	(02) (·02)	·22			00	00	·46	·03	·16	·37	00	15
16	~~1·25~~	1·25	00			·01	00	00	~~00~~		·07	·01	16
17	~~·22~~	·22	·20			00	·06				00	1·03	17
18	~~·04~~	·04	·11			00	·14				00	·50	18
19		~~00~~	·66			00	1·18				·06	·09	19
20		·72	·20			·08	00		·02			00	20
21		·87	·01			00	00			·27		00	21
22		·09	·02	~~·36~~	·36	·06	·20			·07		00	22
23		·09	·43			·02	·04	·03		·28		·05	23
24		·06	·01				·02	00		·21	·11	·52	24
25		·01	·19				·06	·41		·47	·06	·59	25
26		00	00				·06	·03		·07	·28	·32	26
27		00	·12				~~·06~~			00	·31	00	27
28		00	~~00~~				·49			·06	·20	1·01	28
29			·38				00			·28	·48	00	29
30		X	·10				00			·24	·75	·63	30
31		X	·10	X		X	·12		X	·69	X	·19	31
Total	(1·20)	6·03 ~~6·28~~	5·99 ~~5·84~~	1·00 1 in	1·27	1·04 ~~1·25~~	4·62	3·51 3·50	1·95	3·31	5·43	9·03	YEAR'S TOTAL (44·38) ~~44·92~~
Rain Days.	~~17~~	18	27	9	8	10	18	14	7	14	18	23 24	~~177~~

W. 8,000. X. 14.

#M

cnd pr onth h. 17.v.11

FORM A. BRITISH RAINFALL
7 - APR 1915

REGISTER

Kept at Oakers Wood
in the County of Dorset
by Teresa Fetherstonhaugh

Long. 2° 16' W
Time of Observation 9 A.M.
Nearest Railway Station Moreton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level a160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·69
1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·39	·23	00	00	·01	00	·44	00		·32	·08	1
2		00	·02	·04	00		·58	00			1·18	·25	2
3			00	·11	·57		·11	·09			00	·01	3
4			·04	·21	·08		·25	·94			·30	·48	4
5			·11	·21	00		·49	·09			·30	00	5
6	~~·39~~	·39	·01	·17	00		·07	·03				·50	6
7		~~00~~	·15	·06	·04		·20	00				·29	7
8	~~·65~~	·65	·65	·07	·05	·11		·29				·09	8
9	~~·20~~	·20	·51	·07	·05	·07		00	·53		·01	·08	9
10	~~·01~~	·01	·04	·06	·10	·01		00	·28		00	·20	10
11	~~·5~~	05	·62	00	·02	·04		00	00		·03	·69	11
12	~~·58~~	·58	·14	00	00	·00	·30	00	·52	·08	00	·37	12
13	~~·28~~	·38	·42			00	00	00	·11	·08	·15	·75	13
14	~~·1~~	·01	·30			·63	·25	·70	·46	·35	·45	·30	14
15	~~·62~~	(02) (·02)	·22			00	00	·46	·03	·16	·37	00	15
16	~~1·25~~	1·25	00			·01	00	00	~~00~~		·07	·01	16
17	~~·22~~	·22	·20			00	·06	—			00	1·03	17
18	~~·04~~	·04	·11			00	·14				00	·50	18
19		~~00~~	·66			00	1·18				·06	·09	19
20	—	·72	·20	—		·08	00		·02			00	20
21		·87	·01			00	00			·27		00	21
22		·09	·02	~~·36~~	·36	·06	·20			·07		00	22
23		·09	·43			·02	·04	·03		·28		·05	23
24		·06	·01				·02	00		·21	·11	·52	24
25		·01	·19				·06	·41		·47	·06	·59	25
26		00	00				·06	·03		·07	·28	·32	26
27		00	·12				~~·06~~			00	·31	00	27
28		00	~~00~~				·49			·06	·20	1·01	28
29			·38				00			·28	·48	00	29
30		✕	·10				00			·24	·75	·63	30
31		✕	·10	✕		✕	·12		✕	·69	✕	·19	31
Total	(1·20)	6·03 ~~6·20~~	5·99 ~~5·84~~	1·00 1ha	1·27	1·04 ~~1·25~~	4·62	3·51 3·50	1·95	3·31	5·43	9·03	YEAR'S TOTAL (44·38) ~~44·92~~
Rain Days.	~~17~~	18	27	9	8	10	18	14	7	14	18	2~~3~~4	~~171~~

W. 8,000. X. 14.

1730

cmd fr auth. 26.VI.16

FORM A.
BRITISH RAINFALL.

16 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Oakers Wood
in the County of Dorset
by Teresa Fetherstonhaugh

Lat. 56° 43ʰ Long. 2° 16-W
Time of Observation 9 A.m.
Nearest Railway Station Moreton 2 1/2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	00	00	00	·02	00	00	·09	00	00	00	·19	1
2	·77	00	·15	·07		·03	00	·23	·20	·23	00	·50	2
3	·19	·22	·17	·10	·16	00	00	·05	·30	·24	00	·55	3
4	·02	00	00	00	00	00	00	·01	00	·23	00	·33	4
5	·18	·56	00	·02	00	00	00	·17	00	00	00	·53	5
6	·83	·13	00	·40	00	00	·10	·01	00	00	00	·33	6
7	·13	·64	00	·03	00	00	·15	00	00	·01	00	·32	7
8	·06	·55	00		00	00	00	·04	00	00	·07	·09	8
9	00	·09	00	·04	00	00	00	00	00	00	00	·86	9
10	·27	·01	·04	·03	00	00	00	00	00	·02	·41	00	10
11	·07	·12	00	·10	00	00	·02	00	00	00	1·28	00	11
12	·14	·51	00	·07	·54	00	00	00	00	·04	·27	00	12
13	·01	·32	00	·05	·96	00	00	00	·08	00	·06	00	13
14	·05	·02	00	00	·18	00	·36	00	00	00	·03	1·60	14
15	·10	00	00	00	00	00	·37	·03	00	00	·09	·26	15
16	00	1·39	00	00	·20	00	1·95	00	00	00	00	·19	16
17	00	·55	00	00	·10	00	00	00	00	00	00	00	17
18	00	·29	00	00	00	00	·11	00	00	00	00	00	18
19	00	00	00	00	·20	00	00	00	00	00	00	00	19
20	·27	00	00	·06	00	·02	00	00	00	·05	00	00	20
21	·07	·87	00		00	00	·26	00	·11	·47	00	·08	21
22	·10	·15	·44	·05	00	·04	·43	00	00	00	00	·31	22
23	00	·01	·02	00	00	00	·02	00	·37	1·03	00	·65	23
24	00	00	00	·06	00	00	·01	00	·66	1·07	00	[illegible]	−? 24
25	00	00	00	00	00	·53	00	00	00	00	00	[illegible]	·48? 25
26	00	·10	00	00	00	00	·24	00	00	00	00	1·06	26
27	·05	·02	00	00	00	00	00	00	00	·51	00	00	27
28	00	·01	00	00	00	·17	00	00	54	·07	00	·06	28
29	00		00	00	00	·04	·01	00	·01	·04	·21	·15	29
30	00	✕	00	00	00	·03	00	00	·33	·52	·83	00	30
31	·16	✕	00	✕	00	✕	·02		✕	1·15	✕	·30	31
Total	3·65 3·58	6·56 6·57	·82	1·08	2·36 2·36	·86	4·05	·63	2·60	5·68	3·25	~~6·12~~ 8·84	YEAR'S TOTAL ~~39·61~~ 40·38
Rain Days.	19	20	5	13	8	7	14	8	9	15	9	20	(47)

W. 8,000. X. 15.

~~W~~ end month

1697

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
16. JAN 191

Kept at Oakers Wood Dorchester

in the County of Dorset

by Teresa Fetherstonhaugh

Lat. 56°43 Long. 2°16 W

Time of Observation 9 A.M.

Nearest Railway Station Moreton L. S. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·04	·10	00	00	00	00	00	·57	·22	·35	00	1
2	·26	·15	00	00	·54	00	00	00	00	·20	00	00	2
3	·04	·85	00	00	·03	00	00	00	00	·78	·63	00	3
4	00	·21	00	00	00	·43	00	00	·06	·03	·69	00	4
5	·04	·05	·02	00	·28	·11	00	00	00	·09	·47	00	5
6	00	·10	·06	00	·17	·11	·86	00	00	·07	1·01	00	6
7	·02	00	·40	00	·03	·61	00	00	00	00	·88	·15	7
8	00	·16	·40	00	·34	00	00	00	00	00	00	·37	8
9	00	·13	00	00	·02	·01	·02	00	00	00	00	1·5	9
10	00	·63	00	·03	00	00	·04	00	00	00	·10	·50	10
11	00	00	·06	·07	·06	00	00	00	00	00	00	·02	11
12	·07	·05	·31	·02	00	00	00	00	00	·05	00	00	12
13	00	·05	·25	·01	·05	00	·01	·05	00	00	00	00	13
14	00	·58	·03	·00	·09	00	00	00	00	00	00	00	14
15	00	·25	·11	·00	00	00	00	·02	00	00	00	00	15
16	·13	·08	00	·19	00	00	·02	·35	00	·07	00	·26	16
17	·20	·08	00	·12	00	00	00	·10	·24	·71	·62	00	17
18	·05	·08	·15	00	00	00	00	·45	·18	00	·14	·15	18
19	·16	00	·67	·05	00	00	00	00	·00	00	·11	·38	19
20	00	·36	00	00	00	00	00	00	00	00	·27	2·16	20
21	·01	·23	·34	00	·08	00	00	00	00	00	00	·34	21
22	00	00	00	00	00	·04	00	00	00	·47	·01	·11	22
23	00	·02	00	00	00	·09	00	·13	00	·03	·27	·55	23
24	00	·09	00	·02	·22	00	00	·12	00	·50	·14	·44	24
25	00	·61	·09	00	00	00	00	·47	00	·05	00	·01	25
26	00	·18	·01	00	00	·08	00	·02	1·19	·66	00	00	26
27	00	·04	1·14	00	00	00	00	·01	·61	·45	00	00	27
28	·01	·25	00	00	00	00	00	·09	·35	·26	·02	·41	28
29	00	·52	·01	00	00	·56	00	2·13	·50	·25	·02	·44	29
30	00	×	00	00	00	00	00	·13	00	·50	00	00	30
31	00	×	00	×	00	×	00	·09	×	·53	×	·02	31
Total	1·18	5·79 5·78	4·15	·51	1·91	1·44 1·44	·95	4·16	3·70	5·92 5·92	5·13	6·46	YEAR'S TOTAL 41·30 ~~40·78~~
Rain Days.	12	25	17	8	12	9	5	14	8	19	16	16 17	162

W. 8,000, VIII. 16

1626

FORM A.
BRITISH RAINFALL.

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Oakers Wood

in the County of Dorset

by Teresa Fetherstonhaugh

Lat. 50° 43½. Long. 2° 16 – W

Time of Observation 9 30 A.m.

Nearest Railway Station Moreton L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·08	·24	·00	·00	·00	·58	·00	·00	·05	·00	1
2	·00	·00	00	·34	·00	·08	·00	·08	·00	·00	·00	·00	2
3	·00	·00	00	·03	·00	·00	·37	·00	·00	·00	·47	·00	3
4	·04	·00	·30	·05	·00	·00	·00	·01	·01	·22	·00	·00	4
5	·11	·08	·11	·00	·00	·19	·00	·08	·00	·13	·11	·00	5
6	00	·00	·00	·00	00	·00	·00	·00	·15	·16	·05	·00	6
7	·45	·00	00	·00	·00	·00	·27	·21	·00	·11	·10	·15	7
8	00	·00	·11	·00	·00	·00	·26	1 inch	·00	·45	·26	·20	8
9	·50	·00	·01	·00	·09	·00	·00	·00	·02	·05	·12	·00	9
10	·15	·00	·39	·30	·00	·00	·27	·15	·00	·00	·00	·00	10
11	·04	·00	·45	·13	·13	·00	·15	·00	·00	·44	·00	·00	11
12	·05	·00	·03	·00	·22	·00	·00	·00	·00	·22	·02	·00	12
13	·00	·00	·15	·00	·00	·00	·00	·17	·03	·00	·00	·00	13
14	·00	·00	00	·09	·00	·00	·00	·04	·00	·00	·00	·00	14
15	·00	·00	00	·13	·00	·00	·00	·18	·02	·36	·00	·38	15
16	·00	·00	00	·13	·00	·00	·00	·25	·02	1·26	·00	·46	16
17	·00	·00	·00	·14	·02	·00	·00	·00	·81	·15	·00	·00	17
18	·00	·02	00	·00	·00	·33	·23	·00	·55	·00	·00	·00	18
19	·00	·12	·07	·00	·00	·03	·00	·00	·33	·00	·00	·00	19
20	·00	·38	·07	·00	·00	·00	·00	·00	·07	·00	·00	·00	20
21	·00	·02	·39	·00	·00	·00	·00	·00	·00	·05	·00	·00	21
22	·00	00	·02	·00	·13	·12	·00	·00	·00	·10	·00	·00	22
23	·00	·16	00	·00	·00	·00	·00	·06	·00	·10	·00	·00	23
24	·00	·18	00	·00	·00	·00	·13	·16	·00	·00	·00	·00	24
25	·00	·63	·03	·00	·28	·00	·91	·06	·04	·26	·00	·00	25
26	·00		·04	·00	·26	·00	·00	·56	·11	·05	·00	·00	26
27	·00		·00	·00	·76	·00	·00	1·12	·00	·00	·00	·00	27
28	·00		·06	·00	·09	·20	·00	·28	·00	·00	·00	·09	28
29	·00		·06	·00	·02	·46	·09	·00	·00	·67	·00	·17	29
30	·00	✕	·03	·00	·00	·11	·46	·00	·00	·03	·02	·00	30
31	·00	✕	·03	✕		✕	·06	·03	✕	·14	✕	·02	31
Total	1·34	·91	~~2·64~~ 2·63	1·58	2 ins ·00	1·52	3.20	~~5·04~~ 5·02	~~2·10~~ 2·16	4·95	1·20	~~1·14~~ 1·41	YEAR'S TOTAL 27·79 27·95
Rain Days.	7	7	19	10	10	8	11	18	12	19	9	7	131

W. 8 000, IX. 17.

1·18

~~At Gde~~ Jan 18 estd (obs. away) & corr. for arith.

Jan 16 3·75 5.IV.19

44

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14.1.19

Kept at Oakers Wood
in the County of Dorset
by Teresa Fetherstonhaugh

Lat. 50°43½. Long. 2°16-W
Time of Observation 9. am
Nearest Railway Station Moreton L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·04	·00	·00	·05	·00	·00	·80	·00	·00	·79	·03	1
2	·00	·30	·00	·00	·00	·00	·00	·12	·00	·00	·15	·28	2
3	·00	·09	·00	·09	·17	·00	·00	·00	·03	·06	·10	·00	3
4	·00	·05	·41	·33	·00	·00	·00	·08	·21	·00	1·07	·14	4
5	·00	·07	·00	·02	·51	·00	·00	·29	·12	·30	·00	·00	5
6	·20	·18	·00	·33	·00	·00	·00	·09	·02	·00	·00	·07	6
7	·00	·24	·00	·00	·27	·00	·00	·00	·37	·17	·00	·08	7
8	·00	·10	·00	·20	·00	·00	·00	·00	·09	·20	·27	·02	8
9	·00	·00	·00	·15	·00	·08	·26	·00	·70	·18	·00	·44	9
10	·00	·00	·00	·00	·00	·00	·78	·00	·40	·42	·00	·39	10
11	·00	·00	00 ~~·60~~	·00	·00	·00	·09	·00	·05	·00	·00	·03	11
12	·00	·12	·00	·00	·00	·00	·07	·00	·55	·00	·00	·00	12
13	·12	·00	·00	·00	·41	·00	·67	·00	·05	·05	·00	·07	13
14	·23	·00	·00	·00	·02	·06	·00	·00	·35	·00	·00	·05	14
15	1·59	·00	·00	·34	·00	·05	·27	·00	·30	·00	·00	·19	15
16	·46	·00	·03	·06	·00	·00	·00	·00	·35	·00	·00	·01	16
17	·21	·00	·00	·19	·00	·00	·64	·01	·45	·00	·00	·37	17
18	(·75) ~~·06~~	·00	·00	·00	·00	76 ~~·96~~	·00	·00	·04	·00	·00	·00	18
19	·00	·00	·24	·33	·00	·00	·33	·00	·49	·03	·00	·19	19
20	·00	·25	·00	·14	·00	·00	·00	·01	·86	·11	·00	·00	20
21	·17	·00	·00	·07	·00	·00	·00	·00	·11	·13	·00	·26	21
22	·03	·04	·00	·00	·07	·00	·86	·00	·15	·00	·00	·11	22
23	·03	·04	·00	·00	·00	·00	·26	·00	·00	·00	·07	·02	23
24	·00	·22	·00	·00	·09	·00	·00	·00	·00	·00	·10	·00	24
25	·00	·00	·00	·00	·18	·00	·03	·54	·00	·00	·07	·00	25
26	·00	·00	·00	·00	·00	·00	·20	·00	·11	·02	·08	·37	26
27	·00	·10	·03	·00	·00	·00	·00	·00	·06	·02	·15	·00	27
28	·12	·00	·28	·00	·00	·00	·00	·00	·32	·00	·00	·00	28
29	·00	·00	·18	·00	·00	·00	·00	·00	1·75	·07	·07	·08	29
30	·00	✕	·43	·00	·00	·00	·00	·00		·00	·09	·00	30
31	·00	✕	·11	✕	·00	✕	·00	·07	✕	·06	✕	·00	31
Total	(3.91) ~~3·06~~	1.84 ~~1·34~~	1·71	2·25	1·67	·95	4·46	2·01 ~~7·71~~	7·93	1·82	3·01	3·20 ~~2·30~~	(34·76) YEAR'S TOTAL ~~32·21~~
Rain Days.	~~10~~ 11	14	8	~~11~~ 12	9	4	12	9	24	14	12	20	149

4·46

14

W. 8,000, IX. 17.

(153)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Oakers Wood

in the County of Dorset

by Teresa Fetherstonhaugh

Lat. 50 43" Long. 2° 16 W

Time of Observation About 9 a.m.

Nearest Railway Station Moreton 2½ S.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	·00	·07	·08	·20	·00	·19	·00	·04	·00	·00	·91	1
2	·22	·00	·03	·00	·00	·00	·03	·00	·29	·22	·00	·07	2
3	·93	·07	·70	·00	·10	·00	·00	·00	·30	·00	·03	·07	3
4	·48	·21	·48	·00	·00	·00	·00	·00	·00	·00	·07	·06	4
5	·03	·40	·35	·00	(05) ·05	·00	·00	·00	·00	·00	·00	·07	5
6	·58	·20	·14	·04	·00	·00	·00	·00	·00	·00	·04	·00	6
7	·25	·00	·48	·10	·00	·00	·00	·00	·00	·00	·00	·00	7
8	(23) ·32	·00	·22	·22	·00	·00	·00	·00	·00	·00	·05	·00	8
9	·02	·00	·01	·00	·00	·00	·00	·00	·00	·06	·37	·00	9
10	·15	·00	·32	·01	·02	·00	·00	·00	·00	·00	·06	·26	10
11	·15	·00	·04	·00	·22	·00	·17	·00	·00	·03	·00	·10	11
12	·25	·00	·00	·01	·00	·00	·03	·00	·00	·00	·00	·00	12
13	·11	·00	·10	·55	·00	·00	·01	·00	·00	·10	·00	·12	13
14	·69	·09	·00	·45	·00	·00	·14	·00	·00	·06	·00	·13	14
15	·45	·15	·00	·00	·42	·00	·00	·00	·00	·03	·00	·47	15
16	·02	1·04	·00	·00	·00	·00	·00	·00	·00	·00	·12	·00	16
17	·03	·27	·00	·04	·03	·00	·00	·00	·00	·00	·11	·04	17
18	·03	·15	·70	·00	·00	·00	·09	·05	·00	·00	·00	·00	18
19	1·04	·37	·48	·00	·00	·13	1·15	·25	·00	·00	·10	·05	19
20	·41	·00	·09	·00	·00	·53	·00	·21	·00	·00	·01	·03	20
21	·00	·88	·00	·00	·00	·00	·09	·00	·11	·00	·00	·00	21
22	·00	·00	·00	·00	·00	·00	·11	·00	·07	·00	·04	·04	22
23	·00	·00	·00	·00	·00	·00	·00	·00	·00	·37	·00	·03	23
24	·00	·00	·00	·00	·00	·13	·14	·01	·00	1·01	·07	·19	24
25	·08	·00	·00	·11	·00	·02	·00	·27	·00	·00	·11	·15	25
26	·04	·00	·12	·05	·00	·00	·00	·00	·00	·00	·16	·80	26
27	·12	·10	·07	·34	·00	·00	·70	1·52	·00	·00	·00	·03	27
28	·00	·00	·45	·00	·00	·00	·00	·07	·00	·00	·77	·58	28
29	·00	·00	·00	·00	·00	·10	·00	·07	·00	·00	·00	·10	29
30	·00	✗	·04	·10	·00	·02	·00	·48	·00	·00	·66	·88	30
31	·00	✗	(·09)	✗		✗	·00	·00	✗	·00	✗	·58	31
TOTAL	6·91	3·93	4·91	2·10	·84	·93	2·85	2·93	·81	1·82	2·79	5·76	36·56 YEAR'S TOTAL 36·46
Days with ·01 in. or more	23	12	20	13	6	6	12	9	5	7	16	23	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1445

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Oakers Wood
in the County of Dorset
by Teresa Fetherstonhaugh

Lat. 50°43' Long. 2°16' W
Time of Observation 9 A.M.
Nearest Railway Station Moreton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·41

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·00	·08	·00	·88	·00	·55	·00	·04	·49	·26	·75	1
2	·03	·00	·00	·00	·38	·00	·19	·33	·07	·14	·00	·15	2
3	·00	·09	·00	·03	·00	·00	·88	·75	·03	·00	·00	·02	3
4	·00	·04	·08	·04	·00	·00	·25	·00	·00	·28	·00	·00	4
5	·00	·00	·22	·17	·00	·00	·46	·16	·00	·22	·00	·00	5
6	·00	·00	·10	·60	·33	·00	·38	·00	·00	·00	·00	·00	6
7	·03	·00	·08	·28	·02	·00	·35	·00	·00	·00	·00	·00	7
8	·10	·00	·00	·15	·00	·00	·17	·06	·00	·00	·00	·02	8
9	·51	·05	·00	·05	·06	·07	·02	·00	·00	·00	·00	·00	9
10	·88	·00	·11	·15	·03	·48	·75	·00	·00	·00	·00	·00	10
11	·28	·09	·00	·50	·21	·02	·23	·00	·00	·00	·00	·00	11
12	·20	·08	·00	·26	·02	·00	·03	·00	·00	·00	·08	·06	12
13	·20	·02	·54	·03	·00	·38	·00	·00	·00	·00	·00	·05	13
14	·04	·00	·44	·29	·02	·00	·00	·00	·00	·31	·58	·00	14
15	·03	·04	·05	·19	·09	·05	·00	·00	·39	·92	·00	·00	15
16	·00	·00	·03	·05	·00	·02	·14	·00	·06	·02	·00	·00	16
17	·01	·00	·00	·12	·00	·00	·00	·00	·16	·00	·00	·00	17
18	·14	·00	·04	·03	·02	·18	·04	·44	·29	·15	·00	·00	18
19	·04	·00	·00	·28	·00	·23	·00	·00	·06	·00	·00	·00	19
20	·00	·11	·00	·12	·00	·45	·00	·00	·37	·00	·00	·25	20
21	·00	·00	·00	·00	·00	·00	·31	·00	·06	·00	·00	·00	21
22	·08	·00	·00	·19	·00	·00	·03	·00	·00	·00	·00	·12	22
23	·01	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·46	23
24	·04	·03	·00	·00	·00	·00	·00	·00	·00	·00	·12	·18	24
25	·01	·00	·29	·00	·00	·00	·00	·00	·00	·00	·09	·00	25
26	·18	·00	·38	·00	·08	·00	·73	·00	·00	·00	·01	·27	26
27	·53	·00	·05	·06	·00	·00	·01	·00	·00	·00	·04	·00	27
28	·69	·01	·08	·00	·00	·08	·00	·00	·00	·00	·00	·08	28
29	·90	·00	·35	·19	·00	·01	·17	·00	·00	·00	·22	·14	29
30	·15	X	·00	·00	·00	·12	·00	·00	·39	·00	·37	·60	30
31	·07	X	·21	X	·00	X	·00	·00	X	·46	X	·24	31
TOTAL	5·24 ~~5·34~~	·56	3.13	3·19 ~~3·29~~	1·26	2·09 ~~2·02~~	5·69	1·94	1·92	2·99 ~~2·29~~	1·77	3·39 ~~3·69~~	YEAR'S TOTAL 32·97 ~~32·80~~
Days with ·01 in. or more	24	10	17	20	11	12	19	5	11	9	9	15	162
Days with ·04 in. or more	18	7	16	17	6	9	15	5	10	[illegible]	8	13	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET

NETHERBURY

1912, 14, 15

FORM A2. RAINFALL.

6 - JAN 191

REGIST 12

Kept at Netherbury

in the County of Dorset

by B. J. T. Stott

owden 6

5 in.

Ground 1 ft. in.

Sea Level 143.4 ft.

9. m

Name Bridport (G-W-R)

Distance 5 mls Direction S

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·17	0·44	0·00	0·00	0·12	0·325 ~~00~~	0·00	0·50	0·03	0·00	1
2	0·00	0·00	0·10	0·00	0·00	0·46	0·00	0·00	0·05	0·88	0·00	0·39	2
3	0·00	0·00	0·65	0·01	0·00	0·01 ~~0·00~~	0·13	0·00	0·00	0·03	0·00	0·00	3
4	0·00	0·00	0·27	0·00	0·00	0·35	0·02	0·91	0·02	0·00	0·00	0·07	4
5	0·00	0·00	1·10	0·00	0·01	0·22	0·00	0·07	0·00	0·00	0·35	0·00	5
6	1·05	0·27	0·37	0·00	0·00	0·00	0·00	0·80	0·00	0·00	0·00	0·28	6
7	0·60	0·28	0·00	0·00	0·32	0·03	0·22	0·48	0·00	0·00	0·00	0·00	7
8	0·00	0·65	0·38	0·00	0·15	0·90	0·00	0·11	0·00	0·00	0·01	0·29	8
9	0·65	0·33	0·65	0·00	0·00	0·05	0·00	0·05	0·00	0·00	0·00	0·00	9
10	0·05	1·10	0·25	0·00	0·00	0·10 ~~0·00~~	0·07	0·11	0·00	0·00	0·00	0·51	10
11	0·[illegible]2	0·13	0·00	0·08	0·00	0·00	0·04	0·13	0·00	0·00	0·00	0·41	11
12	0·13	0·08	0·00	0·00	0·00	0·03	0·01	0·01	0·00	0·00	0·06	0·45	12
13	0·02	0·40	0·20	0·04	0·00	0·00	0·05	0·31	0·00	0·00	0·00	0·03	13
14	0·00	0·00	0·01	0·00	0·00	0·01	0·00	0·00	0·00	0·02	0·00	0·12	14
15	0·16	0·00	0·50	0·00	0·15	0·00	0·00	0·01	0·00	0·03	0·00	0·08	15
16	0·37	0·34	0·00	0·02	0·20	0·55	0·00	0·00	0·00	0·00	0·00	0·23	16
17	0·78	0·00	0·65	0·00	0·10	0·02	0·00	0·30	0·00	0·19	0·10	0·00	17
18	0·41	0·05	0·13	0·00	0·03	0·13	0·00	1·33	0·00	0·00	0·00	0·03	18
19	0·00	0·22	0·00	0·00	0·00	0·00	0·00	0·31	0·00	0·02	0·00	0·00	19
20	0·11	0·07	0·26	0·00	0·00	0·05	0·10	0·18	0·00	0·00	0·00	0·03	20
21	0·00	0·21	0·38	0·00	0·10	0·02	0·01	0·22	0·00	0·35	0·02	0·00	21
22	0·00	0·31	0·31	0·00	0·52	0·00	0·00	0·18	0·00	0·15	0·00	0·00	22
23	0·51	~~0·55~~	0·19	0·00	0·02	0·03	(·10) 0·00	0·08	0·00	0·09	0·03	0·17	23
24	0·26	0·46	0·30	0·00	0·00	0·08	0·00	(·56) 0·56	0·00	0·14	0·07	0·30	24
25	0·11	0·07	0·01	0·00	0·00	0·40	[illegible]·00	0·25	0·00	0·00	0·00	0·42	25
26	0·12	0·00	0·00	0·00	0·00	0·22	0·00	0·37	0·00	0·00	0·29	0·53	26
27	0·00	0·04	0·00	0·00	0·00	0·00	0·05	0·17	0·00	0·80	0·00	0·32	27
28	0·00	0·05	0·04	0·00	0·00	0·50	0·80	0·00	0·00	1·06	0·00	0·45	28
29	0·00	0·11	0·00	0·00	0·00	0·24	0·04	0·36	0·18	0·80	0·55	0·65	29
30	0·00	—	0·00	0·00	0·00	0·02	0·10	0·03	0·75	0·50	0·05	0·00	30
31	0·00	—	0·00	—	0·05	—	0·08	0·00	—	0·35	—	0·00	31
Total	~~5·33~~	·17 ~~5·72~~	·44 ~~6·92~~	~~0·59~~	~~1·65~~	·12 ~~4·42~~	·32 ~~1·94~~	~~7·65~~	·50 ~~1·00~~	·03 ~~5·91~~	~~1·66~~	·32 ~~5·78~~	TOTAL for year ~~45·5~~
No. of Rain Days.	5·33 15	5·89 ~~20~~ 21	7·19 21	·15 ~~5~~ 4	1·65 11	4·54 ~~22~~ 23	2·14 16	7·33 ~~23~~ 24	1·50 ~~4~~ 5	5·44 16	1·63 ~~11~~ 10	6·10 ~~20~~ 21	48·89 ~~186~~ ~~187~~

W. 8,000, X. '11.

FORM A2.
RAINFALL.

REGIST[redacted]2

[redacted]owden

6 - JAN 1913

wrote to ... Nov 27
cord for ... by Beaminster 28 II 13

Kept at Netherbury Beaminster 3 Dorset

in the County of Dorset

by B. J. T. Stott

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	143·4 ft. bench mark

Time of Observation 9 a.m.

Nearest Railway Station, Name Bridport (G.W.R.)
Distance 5 miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0·32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·17	0·44	0·00	0·00	0·12	0·~~00~~ ·325	0·00	0·50	0·03	0·00	1
2	0·00	0·00	0·10	0·00	0·00	0·46	0·00	0·00	0·05	0·88	0·00	0·39	2
3	0·00	0·00	0·65	0·01	0·00	0·01 ~~0·50~~	0·13	0·00	0·00	0·03	0·00	0·00	3
4	0·00	0·00	0·27	0·00	0·00	0·35	0·02	0·91	0·02	0·00	0·00	0·07	4
5	0·00	0·00	1·10	0·00	0·01	0·22	0·00	0·07	0·00	0·00	0·35	0·00	5
6	1·05	0·27	0·37	0·00	0·00	0·00	0·00	0·80	0·00	0·00	0·00	0·28	6
7	0·60	0·28	0·00	0·00	0·32	0·03	0·22	0·48	0·00	0·00	0·00	0·00	7
8	0·00	0·65	0·38	0·00	0·15	0·90	0·00	0·11	0·00	0·00	0·01	0·29	8
9	0·65	0·33	0·65	0·00	0·00	0·05	0·00	0·05	0·00	0·00	0·00	0·00	9
10	0·05	1·10	0·25	0·00	0·00	0·10 ~~0·50~~	0·07	0·11	0·00	0·00	0·00	0·51	10
11	0·[illegible]	0·13	0·00	0·08	0·00	0·00	0·04	0·13	0·00	0·00	0·00	0·41	11
12	0·13	0·08	0·00	0·00	0·00	0·03	0·01	0·01	0·00	0·00	0·06	0·45	12
13	0·02	0·40	0·20	0·04	0·00	0·00	0·05	0·31	0·00	0·00	0·00	0·03	13
14	0·00	0·00	0·01	0·00	0·00	0·01	0·00	0·00	0·00	0·02	0·00	0·12	14
15	0·16	0·00	0·50	0·00	0·15	0·00	0·00	0·01	0·00	0·03	0·00	0·08	15
16	0·37	0·34	0·00	0·02	0·20	0·55	0·00	0·00	0·00	0·00	0·00	0·23	16
17	0·78	0·00	0·65	0·00	0·10	0·02	0·00	0·30	0·00	0·19	0·10	0·00	17
18	0·41	0·05	0·13	0·00	0·03	0·13	0·00	1·33	0·00	0·00	0·00	0·03	18
19	0·00	0·22	0·00	0·00	0·00	0·00	0·00	0·31	0·00	0·02	0·00	0·00	19
20	0·11	0·07	0·26	0·00	0·00	0·05	0·10	0·18	0·00	0·00	0·00	0·03	20
21	0·00	0·21	0·38	0·00	0·10	0·02	0·01	0·22	0·00	0·35	0·02	0·00	21
22	0·00	0·31	0·31	0·00	0·52	0·00	0·00	0·18	0·00	0·15	0·00	0·00	22
23	0·51	0·55	0·19	0·00	0·02	0·03	(·10) 0·~~0~~0	0·08	0·00	0·09	0·03	0·17	23
24	0·26	0·46	0·30	0·00	0·00	0·08	0·00	(·56) 0·56	0·00	0·14	0·07	0·30	24
25	0·11	0·07	0·01	0·00	0·00	0·40	·02	0·25	0·00	0·00	0·00	0·42	25
26	0·12	0·00	0·00	0·00	0·00	0·22	0·00	0·37	0·00	0·00	0·29	0·53	26
27	0·00	0·04	0·00	0·00	0·00	0·00	0·05	0·17	0·00	0·80	0·00	0·32	27
28	0·00	0·05	0·04	0·00	0·00	0·50	0·80	0·00	0·00	1·06	0·00	0·45	28
29	0·00	0·11	0·00	0·00	0·00	0·24	0·04	0·36	0·78	0·80	0·55	0·65	29
30	0·00	—	0·00	0·00	0·00	0·02	0·10	0·03	0·75	0·50	0·05	0·00	30
31	0·00	—	0·00	—	0·05	—	0·08	0·00	—	0·35	—	0·00	31
Total	~~5·33~~ 5·33	·17 ~~5·72~~ 5·89	·44 ~~6·92~~ 7·19	~~0·59~~ ·15	~~1·65~~ 1·65	·12 ~~4·42~~ 4·54	·32 ~~1·94~~ 2·14	~~7·65~~ 7·33	·50 ~~1·00~~ 1·50	·03 ~~5·91~~ 5·44	~~1·66~~ 1·63	·32 ~~5·78~~ 6·10	TOTAL for year ~~48·57~~ 48·89
No. of Rain Days.	15	~~20~~ 21	21	~~5~~ 4	11	~~22~~ 23	16 ✓	~~23~~ 24	~~4~~ 5	16	~~11~~ 10	~~20~~ 21	~~186~~ 187

W. 8,000, X. '11.

W D X

REGISTER OF RAINFALL IN 1914

FORM R2. BRITISH RAINFALL. 1 JAN 1915

Kept at Netherbury

in the County of Dorset 3

by B. J. T. Scott

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 143 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bridport
Distance 5 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·03	0·01	0·00	0·03	0·10	0·49	0·00	0·00	0·15	0·08	1
2	0·50	0·00	0·00	0·00	0·07	0·02	0·43	0·03	0·00	0·00	1·42	0·42	2
3	0·00	0·00	0·00	0·14	0·58	0·01	0·00	0·11	0·00	0·00	0·22	0·05	3
4	0·08	0·00	0·04	0·41	0·08	0·00	0·26	0·56	0·00	0·00	0·60	0·51	4
5	0·06	0·00	0·11	0·17	0·32	0·00	0·12	0·03	0·00	0·00	0·14	0·00	5
6	0·00	0·35	0·02	0·07	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·36	6
7	0·00	0·77	0·08	0·12	0·07	0·02	0·23	0·06	0·03	0·00	0·00	0·60	7
8	0·14	0·00	0·55	0·03	0·06	0·15	0·00	0·09	0·02	0·00	0·00	0·14	8
9	0·02	0·02	0·34	0·28	0·04	1·65	0·00	0·07	0·68	0·00	0·00	0·00	9
10	0·08	0·34	0·03	0·09	0·09	0·00	0·00	0·00	0·38	0·00	0·00	0·02	10
11	0·00	0·17	0·73	0·00	0·08	0·17	0·18	0·00	0·00	0·00	0·00	0·37	11
12	0·00	0·10	0·18	0·00	0·00	0·06	0·00	0·00	0·33	0·03	0·00	0·61	12
13	0·00	0·57	0·34	0·00	0·00	0·00	0·00	0·00	0·10	0·21	0·33	0·61	13
14	0·00	0·35	0·40	0·00	0·00	0·33	0·20	0·61	0·00	0·30	0·41	0·11	14
15	0·03	0·00	0·22	0·00	0·00	0·00	0·10	0·20	0·02	0·00	0·20	0·02	15
16	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·72	0·00	0·30	0·00	16
17	0·01	0·91	0·02	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·77	17
18	0·00	0·04	0·12	0·00	0·00	0·10	0·64	0·00	0·08	0·00	0·00	0·35	18
19	0·00	0·09	0·48	0·00	0·00	0·00	1·97	0·00	0·07	0·00	0·10	0·10	19
20	0·00	0·50	0·43	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·56	20
21	0·00	0·76	0·02	0·00	0·00	0·10	0·00	0·00	0·00	0·30	0·00	0·00	21
22	0·00	0·05	0·10	0·00	·27 0·27	0·03	0·00	0·03	0·00	0·24	0·00	0·00	22
23	0·00	0·07	0·37	0·00	0·01	0·00	0·05	0·00	0·00	·60 0·60	0·00	0·10	23
24	0·00	0·03	0·05	0·00	0·00	0·00	0·01	0·00	0·00	·10 0·70	0·06	0·07	24
25	0·06	0·00	0·43	0·00	0·00	0·00	0·06	0·75	0·00	·72 0·14	0·05	0·66	25
26	0·00	0·01	0·17	0·00	0·00	0·00	0·09	0·02	0·00	0·07	0·23	0·51	26
27	0·20	1·01	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·00	0·11	0·39	27
28	0·02	0·42	0·50	0·00	0·03	0·00	0·02	0·00	0·00	0·03	0·15	0·2[illegible]	28
29	0·38	—	0·23	0·00	0·05	0·00	0·03	0·00	0·00	0·21	0·50	0·04	29
30	0·02	—	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·31	0·45	0·69	30
31	0·10	—	0·00	—	0·01	—	0·45	0·00	—	0·57		0·28	31
otal	1·10	5·56	6·22	1·32	2·19	2·54	5·01	3·15	2·46	3·78	5·73	9·52	Total for year 48·58
	13	19	28	9	16	11	18	13	11	13	16	25	192

X. '11.

1738

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

cud fr auth (Bomp map a) 5.V.16

Kept Netherbury W St

in the County of Dorset 3

by B. J. J. Stott

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Bridport

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 143 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65	·24	—	—	—	—	—	·29	·28	[illegible]	·05	·35	1
2	·59	·18	—	·07	—	·04	—	·20	·06	·09	hfr —	·30	2
3	·02	·15	—	·03	·25	—	—	—	—	·60	—	·74	3
4	·04	·04	—	—	·01	·01	—	—	—	hfr	—	·21	4
5	·09	·33	·38	·39	—	—	—	·30	—	—	—	·55	5
6	·80	·45	—	·28	—	—	·60	·02	—	hfr	—	·27	6
7	·31	·35	—	·07	—	—	·20	—	—	—	—	·30	7
8	·11	·30	—	—	—	—	—	·10	—	—	·02	·06	8
9	·02	·05	—	·05	—	—	—	—	—	—	hfr ·33	·86	9
10	·22	·13	·07	·06	—	—	—	—	—	·06	—	·13	10
11	—	·14	—	·14	—	—	—	—	—	—	1·05	·08	11
12	·45	·45	—	·10	·40	—	—	·10	—	[illegible]	·43	—	12
13	·02	·34	—	—	·50	—	—	—	·10	·01	·08	·03	13
14	·03	—	—	—	—	—	·23	·07	·15	—	hfr —	1·92	14
15	·15	—	—	—	·22	—	·09	—	·03	[illegible]	hfr —	·13	15
16	—	1·60	—	—	·27	—	1·53	—	—	—	hfr —	·15	16
17	—	·31	—	—	·07	—	—	·10	—	—	hfr —	·02	17
18	—	·30	—	—	—	—	—	—	—	—	—	—	18
19	·02	—	—	—	·31	—	·13	—	—	—	—	hfr —	19
20	·17	—	—	·13	—	·06	—	—	—	·16	—	·06	20
21	·16	·47	—	—	—	—	·10	—	·02	·96	—	·09	21
22	·13	·06	·33	·04	—	·05	·88	—	—	·01 ·04	—	·31	22
23	—	—	·17	—	—	—	·10	—	·42	[illegible]	—	·63	23
24	—	—	—	·06	—	—	·06	—	·48	[illegible]	hfr —	·55	24
25	—	—	·02	·12	—	·45	—	—	·02	—	hfr —	·41	25
26	—	·29	—	—	—	·16	·15	—	·22	—	H.F.R. —	1·02	26
27	—	—	—	—	—	·26	·03	—	·03	·15 ·15	—	·01	27
28	—	—	—	—	—	·16	—	—	·45	·05	·05	·04	28
29	—	—	—	—	—	·12	·04	·01	—	·04	·38	·23	29
30	·20	X	—	—	—	·04	—	—	—	·82	·70	·24	30
31	—	X	—	X	—	X	·19	—	X	1·10	X	·35	31
Total	4·18	6·18	·97	1·54	2·03	1·35	4·42	1·19	2·21	7·51 7·54	3·09	9·84	44·51 YEAR'S TOTAL 44·57
Rain Days.	19	19	5	13	8	10	14	9	12	11	9	28	163

W. 8,000. X. 14.

and for WPK.

REGIST

DORSET.

NETHER COMPTON REC.

1916 - 1919.

FORM A. BRITISH RAINFALL.

9. FEB 191

Kept at Nether Compton

9.a.m.

in the County of Dorse

Sherborne

by Canon E.W. G

Rain Gauge 5 in.

above Ground — ft. 7½ in.

„ Sea Level 160 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14		.63						.04		50		1
2	.09				.63	.03	.01		.39	.27	36		2
3	.17	.04			.04					.21	24		3
4	.03	1.05			.13	.05		.29	.10	.48	15		4
5	.21	.29		.02	.03	.07			.16	04	71		5
6	08		.03		.16	.15				.02	35		6
7		.14			.07	.08	.27			.11	71		7
8	.05	.04	.25		.06	~~.07~~	.60			04	70	.16	8
9		.11	.03		.11	.22	.12				25	13	9
10	.04	07			.13	.10				.15	06	24	10
11		.58		.05	.07	.01	04					14	11
12	.02		.02	.14		05			03	.09			12
13	.04	.03	.03	.03	.06		02						13
14		.20	.14	.05			08						14
15	.03	42	.05	.05	05			.18		.04			15
16		.07	.13	.06				.20	02	.02			16
17	.05	.12		.15	.10		05	.74		.11			17
18	.09	.23		.10				.14	.31	.86	.46		18
19		.04	.14	.02					.30	.15	.21	12	19
20	.12		.59	.13							19	09	20
21	.04	.36	.35	.03							04	1.49	21
22	.04	.09	.10		.06		04				03	.28	22
23	.01			.07		02				.45		54	23
24		.05		.02		.17		21		.10	.13	.08	24
25		.15		02	.67	.03				1.09	05	29	25
26		.77	.09		.02			.39	.01		.41	04	26
27		.09	.07			.31		18	.94	.77	03		27
28		.09	1.18			.02		45	34	.34		.10	28
29		.35	.02	.20	.04			08	.48	.77			29
30		×	.06			.18		2.32	41	.25		16	30
31		×	.04	×		×			×	.42	×	06	31
Total	~~1.25~~ 1.11	.63 ~~5.38~~ 6.01	~~3.95~~ 3.32	1.14	2.43	1.56	1.23	.04 ~~5.18~~ 5.22	~~3.53~~ 3.49	.50 ~~6.78~~ 7.28	~~5.53~~ 5.03	3.92	YEAR'S TOTAL ~~41.88~~ 41.74
Rain Days.	~~17~~ 16	~~23~~ 24	~~19~~ 18	16	17	16	9	~~11~~ 12	~~13~~ 12	~~22~~ 23	~~19~~ 18	15	~~197~~ 196

W. 8,000, VIII. 16

and for WP

REGIST

FORM A.
BRITISH RAINFALL.
9. FEB 191

Kept at Nether Compton Rectory

in the County of Dorset

by Canon E. W. Goodden

Time of Observation 9. a. m.

Nearest Railway Station Sherborne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7½ in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14		.63						.04		50		1
2	.09				.03	.03	.01		.39	.27	36		2
3	.17	.04			.04					.21	24		3
4	.03	1.05			.13	.05		.29	.10	.48	15		4
5	.21	.29		.02	.03	.07			.16	04	71		5
6	08		.03		.16	.15				.02	35		6
7		.14			.07	.08	.27			.17	71		7
8	.05	.04	.25		.06	~~.07~~	.60			04	70	.16	8
9		.11	.03		.11	.22	.12				25	13	9
10	.04	07			.13	.10				.15	06	24	10
11		.58		.05	.07	.01	04					14	11
12	.02		.02	.14		05			03	.09			12
13	.04	.03	.03	.03	.06		02						13
14		.20	.14	.05			08						14
15	.03	42	.05	.05	05			.18		.04			15
16		.07	.13	.06				.20	02	.02			16
17	.05	.12		.15	.10		05	.74		.11			17
18	.09	.23		.10				.14	.31	.86	.46		18
19		.04	.14	.02					.30	.15	.21	12	19
20	.12		.59	.13							19	09	20
21	.04	.36	.35	.03							04	1.49	21
22	.04	.09	.10		.06		04				03	.28	22
23	.01			.07		02				.45		54	23
24		.05		.02		.17		21		.10	.13	.08	24
25		.15		02	.67	.03				1.09	05	29	25
26		.77	.09		.02			.39	.01		.41	04	26
27		.09	.07			.31		18	.94	.77	03		27
28		.09	1.18			.02		45	34	.34		.10	28
29		.35	.02	.20	.04			08	.48	.77			29
30		X	.06			.18		2.32	41	.25		16	30
31		X	.04	X		X			X	.42	X	06	31
Total	~~1.25~~	.63 ~~5.38~~	3.95	1.14	2.43	1.56	1.23	.04 ~~5.18~~	~~3.53~~	.50 ~~6.78~~	~~5.53~~	3.92	YEAR'S TOTAL ~~41.88~~
Rain Days.	1.11 ~~17~~ 16	6.01 ~~23~~ 24	3.32 ~~19~~ 18	16	17	16	9	5.22 ~~11~~ 12	3.49 ~~13~~ 12	7.28 ~~22~~ 23	5.03 ~~19~~ 18	15	41.74 ~~197~~ 196

W. 8,000, VIII. 16

1586

FORM A.
BRITISH RAINFALL.

2 [illegible] 19[illegible]

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Nether Compton Rectory
in the County of Dorset
by Revd Canon E. W. Goodden

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Sherborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 7 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.06							17		1
2			.12	.31		13		71	03		07		2
3				.16		.01		14					3
4	.02			.11			.65			08	12		4
5		.15	.25				.01	02	02	30			5
6	.15		.23	.20		.05		25	11	11	03		6
7			.12			03				03	17		7
8	.18						.16	40		19	05	02	8
9	.12		.12	.07			.30	72	10	22	13	13	9
10			.11	.03			.04	23		12	11		10
11			.26	20				21	25				11
12	.16		.48	.35	.05	.04		05		11	03		12
13					.41					16	01		13
14			.12	.09				.61	01	09			14
15	.05		.18	.08				05					15
16							.35	22		07		40	16
17		.19		.06				02		26		13	17
18	.02			.25	.06		.35	.10	52	21			18
19							.12		30				19
20		43	.12			.09			13				20
21		.05	.03		.25	.15		08	11				21
22			.30					12					22
23			.03							03			23
24		21			.08			20		25			24
25		.06	.02			.04	07	04		09	09		25
26		.11	.04					05	00	01			26
27					.36	06		60	11		01		27
28			.04		.76	.20		73		03			28
29					.08	1.57		09				9	29
30		✕	.09			04	06	8		66		10	30
31		✕	.21	✕		✕	.35	05	✕		✕		31
Total	70	.03 ~~1.20~~ 1.23	.06 ~~2.90~~ 2.93	~~1.97~~ 1.91	2.05	2.41	2.46	5.69	~~1.35~~ 1.15	.17 ~~3.02~~ 3.19	~~.99~~ .82	(-) ~~.86~~ .86	YEAR'S TOTAL ~~25.80~~ 26.00
Rain Days.	7	8	20	12	8	12	11	23	12	20	17	7 6	150

W. 8 000, IX. 17.

6

FORM A.
BRITISH RAINFALL.

2.1.19

comp with the WD

REGISTER OF RAINFALL IN 1918

Kept at Nether Compton Rectory

in the County of Dorset

by Revd. Canon E. W. Goodden

Lat. Long.

Time of Observation 9. 30 a.m.

Nearest Railway Station Sherborne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17	.01					01	.08	.02	·12	1
2				.05	·09	~~09~~		.55		.01	·72	·01	2
3		.12		.07				.31			.05	.05	3
4		.06		.06	.19			.14		·07	.06	·02	4
5			02	.02				.09	.31		.64	·13	5
6		.02	.15		.06			·19	.52	·12	.06	.03	6
7	.19	.04		.16				·15	.11	05	·32	.09	7
8	02	.09		.01	.35	.04		01	·19	.01		.06	8
9	.02	·19							.16	.26		.04	9
10				.26		.14	.49		.36	05		.26	10
11	.04			.23			.23		.07	.25	·03	·44	11
12		.04					.50		.22	·37	·07	·06	12
13			.09		~~27~~		.12		08				13
14	.30	·01			.42		.45		.35	·12			14
15	06				03	·27	·01		.15	13		.20	15
16	1.19			.36	05	.08	.29		.01	02		.10	16
17	.54		·02	.19		01	02		.24			.08	17
18	.29		.01	.18			.30			.01		·09	18
19	.74					.29	·12		·23	.02		.05	19
20	.09			·01			.10		.03	.01		.11	20
21	05	.07		.22			.12		.16	.05			21
22	.03					.01	01		.33	·07		·12	22
23	.04				.10		.52		.34	·63		.14	23
24	03		04		·17		.75	.01	·11		·04	·07	24
25		·19					02		·14		.08		25
26					.01		·16	·57			·03	·02	26
27				·02			·41		02	·01	09	·21	27
28		·9	·02				·05	·09	08	01	·13		28
29			.10	03							·02	05	29
30		X	.05						1.12		·02	.02	30
31		X	.36	X		X		02	X	06	X	·02	31
Total	~~3.63~~ 3·63	·17 ~~.92~~ 1·09	·01 ~~1.03~~ ·87	~~1.58~~ 1·87	~~1.44~~ 1·47	~~.84~~ ·84	~~4.72~~ 4·67	·01 ~~2.13~~ 2·14	·08 ~~5.34~~ 5·41	·02 ~~1.81~~ 1·75	·12 ~~2.38~~ ~~2·48~~	(·12) ~~2.62~~ ~~2·50~~	YEAR'S TOTAL ~~29.22~~ ~~28·72~~
Rain Days.	15	~~17~~ 12	11	~~14~~ 15	10	7	19	~~10~~ 12	24	22	16	~~26~~ 25	188 189

W. 8,000, IX. 17.

189

WD

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Nether Compton Rectory
in the County of Dorset
by the Revd Canon Grodden

Lat. Long.
Time of Observation 9. 30 am
Nearest Railway Station Sherborne L.S.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·29

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.02	.14		.24	.01				.48	1
2	.34		.05	.03	.02		.60		.02	.29		1.12	2
3	.15		.01				.10		.13		.05	.08	3
4	.98		.35		.10				.18		.06	.15	4
5	.24	.21	.61			.04		03	.35		.02	.14	5
6	.06	.31	.57		01		.05		.23			.18	6
7	.57	.20	.11							.01	05	.23	7
8	.20		.25	.10									8
9	.24		.20	.01									9
10	.02			.11	.02						.20		10
11	.17		.10							.06		.20	11
12	01		.16	.14	.11		.25				09	.07	12
13	.10		.02			.02	.05					06	13
14	.04	.02	.02	.56			04			.24		.19	14
15	.31	.07		.53	.16		.15		02	.11		.20	15
16	.17	.01		.02	01					07		.22	16
17	.12	.52						.23			.20		17
18	.09	.21									.12		18
19	.05		.64				.21				07		19
20	.43	.18	.70			.02	.91	.32	.30		09	10	20
21	.28	.05	.08			.34	(.01)	.31					21
22	.19	.52							03			06	22
23		01					.35		.39			08	23
24						(.0~~7~~4)				.46		.05	24
25	.13			.07		.11	.02	.32		.99	.09	.36	25
26		05		.02		.03					.02	.15	26
27	.05		.07	.08		02		.10	.07			.17	27
28	.14		.06	.28			.01	.85				03	28
29			.29					.35			.48	.31	29
30		✕		(.07)				(.73)		.07		03	30
31	03	✕	.02	✕		✕		.81	✕	.02	✕	43	31
	–	–	.02	.14	–	.24	.01	–	–	–	.48	.29	YEAR'S TOTAL
TOTAL	5.11	2.30	~~4.31~~ 4.33	~~2.04~~ 2.16	~~0.54~~ .43	~~0.62~~ .86	~~2.99~~ 2.76	~~3.46~~ 3.45	1.72	2.32	~~1.54~~ 2.02	~~5.02~~ 4.88	~~32.81~~ 32.40
Days with ·01 in. or more	25	13	~~19~~ 20	14	~~8~~ 7	~~8~~ 9	14	~~11~~ 12	10	10	~~13~~ 14	24	~~169~~ 170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DORSET.

PARKSTONE.

"BEN-HUR"

1911 – 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST 11

Kept at "Ben Hur" Pa

in the County of Dorse

by William H.

5 in.

ve Ground 1 ft. 3 in.

Sea Level 160 ft.

. a m.

Name Branksome

Distance ½ Mile Direction East.

IMPORTANT NOTE.—Ra d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·2			·1							·2	·14	1
2	·1			·23	·29					·10	·16	·24	2
3					·18			·3			·10	·13	3
4	·1		·8						·13	·2	·34	·45	4
5				·4				·5		·43	·8		5
6	·47		·7							·11	·8	·80	6
7	·4										·70	·2	7
8			·17								·29	·58	8
9	·8										·6	·27	9
10	·1	·5	·35		·1							·80	10
11	·47	·3	·11								1·24		11
12		·1	·95		·2			·7			·3	·18	12
13			·1						·24			·32	13
14		·7										·30	14
15		·2	·2			·2					·20	·1	15
16						·28					·40	·24	16
17			·17			·11					·61	·45	17
18		·17	·12	·7		·22				·7	·22	·52	18
19		·3				·19			·34	·10		·9	19
20	·2	·1	·15					·20	·9	·4		·86	20
21	·3	·28	·7	·1					·3	·50		·21	21
22	·23	·4	·5			·20				·31		·61	22
23		·13				·17			·15	·23	·14	·28	23
24	·3	·14				·34		12		·66		·29	24
25		·1		·6		·7			·4			·11	25
26				·31						·35		·28	26
27		·27	·7	·3					·8	1·06	·13	·16	27
28		·32		·48				·19			·8		28
29				·40	·6	·17	·34		·9	·29			29
30						·1		·53		·32		·1	30
31													31
Total	1·42	1·58	2·39	1·64	·56	1·78	·34	1·19	1·19	4·59	4·88	8·35	TOTAL for year 29·91
No. of Rain Days.	12	15	14	10	5	11	1	7	9	15	18	26	143

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST[redacted]11

Kept at "Ben Hur" Parkstone.

in the County of Dorset. 3

by William H. Symes.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 160 ft.

Time of Observation 8. a m.

Nearest Railway Station
Name Branksome
Distance ½ mile Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·2			·1							·2	·14	1
2	·1			·23	·29					·10	·16	·24	2
3					·18			·3			·10	·13	3
4	·1		·8						·13	·2	·34	·45	4
5				·4				·5		·43	·8		5
6	·47		·7							·11	·8	·80	6
7	·4										·70	·2	7
8			·17								·29	·58	8
9	·8										·6	·27	9
10	·1	·5	·35		·1							·80	10
11	·47	·3	·11								1·24		11
12		·1	·95		·2			·7			·3	·18	12
13			·1						·24			·32	13
14		·7										·30	14
15		·2	·2			·2					·20	·1	15
16						·28					·40	·24	16
17			·17			·11					·61	·45	17
18		·17	·12	·7		·22				·7	·22	·52	18
19		·3				·19			·34	·10		·9	19
20	·2	·1	·15					·20	·9	·4		·86	20
21	·3	·28	·7	·1					·3	·50		·21	21
22	·23	·4	·5			·20				·31		·61	22
23		·13				·17			·15	·23	·14	·28	23
24	·3	·14				·34		·12		·66		·29	24
25		·1		·6		·7			·4			·11	25
26				·31						·35		·28	26
27		·27	·7	·3					·8	1·06	·13	·16	27
28		·32		·48				·19			·8		28
29				·40	·6	·17	·34		·9	·29			29
30						·1		·53		·32		·1	30
31													31
Total	1·42	1·58	2·39	1·64	·56	1·78	·34	1·19	1·19	4·59	4·88	8·35	TOTAL for year 29·91
No. of Rain Days.	12	15	14	10	5	11	1	7	9	15	18	26	143

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
21 JAN 1913

REGISTER OF RAINFALL IN 1912.

Exd KB

Kept at Parkstone

in the County of Dorset. 3

by William H. Symes.

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Branksome.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·3			·37	·16	·8		·88		·28	1
2			·14			·2	·34	·1					2
3			·6			·22		·71			·2	·1	3
4	·16	·2	·62			·90	·3	·2			·27		4
5	·32	·10	·21					·57			·2	·7	5
6	·94	·2			·13	·2		·37				·8	6
7	·2	·35	·12		·30	·53		·17				·5	7
8	·36	·20	·29			·4		·9					8
9	·3	·4	·18	·5		·6		·19				·25	9
10		·7				·4		·15	·1		·1	·42	10
11	·20	·13				·16		·36				·43	11
12	·7	·29	·8		·53	·80	·6	·20		·1			12
13		·2	·2				·1	·1		·2	·1	·7	13
14	·11		·11					·23					14
15	·19	·21	·6		·2	·60		·6				·32	15
16	1·04	·1	·32		·13	·1		·25		·7	·26		16
17	·92		·11		·1	·3		·64				·13	17
18	·4		·32					·18		·1		·4	18
19	·1	·4	·24				·6	·21			·1		19
20	·1	·4	·38		·1		·3	·42		·39	·3		20
21		·15	·27		·30			·11		·16			21
22	·21	·41	·5				·31	·13				·5	22
23	·34	·18	·27				·4	·52		·18	·10	·20	23
24	·24	·8					·3	·23				·22	24
25	·12					·45		·28		·11	·38	·67	25
26		·6					·41	·20		·47	·74	·57	26
27		·3				·10	·14			·71		·48	27
28		·11				·12	·19	·39	·6	·66	·47	·30	28
29		·15					·46	·13	2·38	·23	·2	·2	29
30						·4	·2		·76	·14			30
31			·46		·2		·29	·3		·2		·3	31
Total	5·33	2·71	4·34	·5	1·45	4·51	2·58	6·94	3·21	4·06	2·34	4·69	YEAR'S TOTAL 42·21
Rain Days.	19	22	21	1	9	18	16	29	4	15	13	21	188

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
21 JAN 1914

✓

REGISTER OF RAINFALL IN 1913

Eng 8d

Kept at Parkstone.
in the County of Dorset. 3
by William H. Symes.

Lat. Long.
Time of Observation 8 a. m.
Nearest Railway Station Branksome
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·40	·19	·24		·3			·57		·27		1
2	·6	·11		·1					·1	·8	·7	·2	2
3	·11		·3	·7	·35					·5		·9	3
4	·66		·11	·1	·33		·2		·47	·60	·3		4
5	·33	·19	·2			·7	·5		·70	·3	·23	·14	5
6	·4	·10	·4		·8	·18	·5			·78	·3	·52	6
7		·39	·2		·20	·6				·61	·22		7
8	1	·16			·25	·1						·5	8
9		·12					·10	·67	·8		·15		9
10	·9	·1			·6		·35			·3	·49		10
11	1·09			·20	·13					·6	·33	·1	11
12		·1			·60						·39		12
13	·12		·3						·19		·10		13
14	·32	·1	·16	·2	·4				·4	·1	4		14
15	·14	·9	·34	·61			·87	·2	·28				15
16	·20		·46	·18		·1			·11				16
17	·8		·1	·19							·1		17
18			·26	·11			·2				·4		18
19	·71		·3		·2	·43			·25	·13			19
20	·9		·36	·17		·2				·41	·7		20
21			·25	·36		·1	·2			·16	·64		21
22	·48		·18				·1	·14	·23	·1		·4	22
23	·1		2			·10		·3			·3	·76	23
24	·4			·16									24
25		·12		·19						·1			25
26		·4		·35				·22		·12		·16	26
27	·4		·19	·5						·1		·1	27
28	·23		·5	·15				·1		·33			28
29	·15		·20	·76	·34			·3		·30			29
30	·63									·44			30
31	·5		·3		·8			·74		·6			31
Total	5·68	1·75	2·98	3·83	2·48	·92	1·49	1·86	2·93	4·23	3·14	1·79	YEAR'S TOTAL 33·08
Rain Days.	23	13	21	18	12	10	9	8	11	20	17	10	172

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Ben Hur' Parkstone.
in the County of Dorset. 3
by William Henry Symes.

Lat.
Long.
Time of Observation 8 a.m.
Nearest Railway Station Branksome.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·6	·50			·27	·9	1
2					·1	·4	·10	·1			·53	·42	2
3			·2	·9	·41		·4	·10			·10	·4	3
4			·1	·25	·4		·9	·23			·35	·38	4
5	·8		·4	·18	·6	·1	·55	·15			·42	·1	5
6		·15		·26	·4		·4	·2			·13	·52	6
7	·4	·55	·8	·15			·17		·1			·28	7
8	·3	·35	·56	·14	·5	·3		·22			·1	·11	8
9			·64	·17				·1	·47			1·26	9
10	·5	·30		·8	·11				·23			·1	10
11		·29	·47		·2		·36		·8		·7	·63	11
12		·9	·15			·1			·37	·22		·54	12
13		·49	·31						·9	·4	·16	·49	13
14		·40	·24			1·00	·20	·42		·28	·50	·47	14
15		·1	·15				·31	·29	·1	·36	·41		15
16							·11		·22				16
17		·54	·30						·4			·60	17
18			·24				·10		·1			·68	18
19		·7	·55				·99				·10	·17	19
20		·66	·29			·3						·21	20
21		·58	·1					·3		·24			21
22		·6			·22	·6	·12	·2		·14			22
23		·15	·33			·11	·2			·9			23
24		·7	·1							·4	·9		24
25	·2		·22				·9	·34		·30	·5	·18	25
26			·8				·14	·9		·11	·18	·52	26
27	·3										·5	·38	27
28	·1	·6	·24		·4		·1			·10	·29	·48	28
29	·17		·17	·2	·11			·1		·25	·24	·2	29
30	·3	X	·11							·24	·85	·74	30
31	·4	X		X		X	·6		X	·62	X	·3	31
Total	·50	4·82	5·22	1·34	1·11	1·29	3·56	2·44	1·53	3·03	4·80	9·26	YEAR'S TOTAL 38·90
Rain Days.	10	17	23	9	11	8	19	15	10	14	19	25	180

W. 8,000. X. 14.

ex 179

717

FORM A.
BRITISH RAINFALL.
28 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Parkstone.

in the County of Dorset

by William H. Symes.

Lat. .... Long. ....

Time of Observation 8

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level about 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·19	–	–	·2	–	–	–	·60	·34	–	·18	1
2	·54	·21	·18	·1	–	·2	–	·26	·2	·24	–	·34	2
3	·51	–	·11	·7	·10	–	–	–	–	·46	–	·50	3
4	·1	–	–	·2	·2	–	–	–	–	–	–	·57	4
5	·7	·66	–	·1	–	–	–	·33	–	–	–	·54	5
6	·75	·12	–	·42	–	–	·45	·3	–	–	–	·31	6
7	·17	·60	–	·2	–	–	·19	–	–	–	–	·40	7
8	·3	·53	–	–	–	–	·4	·3	–	–	·4	·7	8
9	–	·5	–	·13	–	–	–	–	–	–	·48	·91	9
10	·22	·1	·1	·1	–	–	–	–	–	–	–	·20	10
11	·4	·2	·5	·10	–	–	–	–	–	·1	1·01	–	11
12	·15	·30	–	·15	·50	–	–	·20	–	·5	·77	–	12
13	·2	·58	–	–	1·22	–	–	–	·11	–	·7	–	13
14	·4	–	–	–	–	–	·17	–	·5	–	–	·98	14
15	·6	·4	–	–	·11	–	·45	·2	–	–	·7	·25	15
16	–	1·01	–	–	·26	–	1·13	–	–	–	–	·40	16
17	–	·42	–	–	·28	–	–	·4	–	–	–	·1	17
18	–	·24	–	–	·5	–	–	–	–	–	–	–	18
19	–	·2	–	–	·12	–	·6	–	–	–	–	–	19
20	·22	–	–	·16	·8	–	–	–	–	–	–	·7	20
21	·1	·39	–	–	–	–	·7	–	·2	·68	–	·14	21
22	·25	·27	·25	·3	–	–	·82	–	·2	·4	–	·29	22
23	–	·1	·21	·2	–	–	·1	–	·29	·54	–	·82	23
24	–	–	·1	·4	–	–	·19	–	·70	1·93	–	·30	24
25	–	–	–	·4	–	·2	–	–	–	–	–	·45	25
26	·1	·10	–	–	–	·2	·15	–	–	–	–	·91	26
27	–	·2	–	–	–	·3	–	–	–	·34	–	·5	27
28	–	·6	–	–	–	·21	·3	–	·60	·5	·2	·3	28
29	–	–	–	–	–	·53	–	·3	–	·13	·29	·2	29
30	·17	✕	–	–	–	·26	–	–	–	·43	·81	·19	30
31	·1	✕	–	✕	–	✕	·1	·16	✕	1·24	✕	·34	31
Total	3·60	5·85	·82	1·23	2·76	1·09	3·77	1·10	2·41	6·48	3·56	9·27	YEAR'S TOTAL 41·94
Rain Days.	20	22	7	15	11	7	14	9	9	14	9	26	163

W. 8,000. X. 15.

1686

Exe D P

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

24. JAN 1917

Kept at 'Ben Hur' Bournemouth Rd. Parkstone.

in the County of Dorset.

by William H. Symes.

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·4	·14	–	·71	·2	–	–	·47	·18	·49	–	1
2	·32	·18	·4	–	·9	–	–	–	–	·23	·12	–	2
3	·5	1·10	·1	–	–	–	–	–	–	·75	·26	–	3
4	·26	·9	–	–	·4	·34	–	–	·19	·2	·45	–	4
5	·6	·7	·2	–	·15	·7	–	–	–	·8	·67	–	5
6	–	·6	·4	–	·2	·44	·57	–	–	·5	·80	–	6
7	·1	–	·51	–	·7	·7	–	–	–	·4	·68	·12	7
8	–	·2	·6	–	·26	–	–	–	–	–	·3	·33	8
9	–	–	–	–	·3	·5	–	–	–	–	·1	·16	9
10	–	·64	–	·4	·3	–	·5	–	–	–	·1	·25	10
11	–	·2	·2	·6	–	·10	·	–	–	–	–	·9	11
12	·4	·7	·6	·7	·8	·2	·7	·2	–	·2	–	–	12
13	–	·23	·14	·1	–	–	–	–	–	·2	·1	–	13
14	–	·57	–	·2	·5	–	–	–	–	·2	–	–	14
15	·2	·28	·9	–	–	–	–	·2	–	·1	–	–	15
16	·8	·11	·1	·12	–	–	–1	·36	–	·2	·2	·9	16
17	·17	·13	–	·4	–	–	–	·3	·20	·54	·57	–	17
18	·5	·5	·11	·2	–	–	–	·40	·16	·4	·18	·17	18
19	·23	–	·47	·3	–	–	–	–	·1	–	·17	·1	19
20	·16	·19	·26	·1	–	–	–	–	–	–	·8	1·20	20
21	·1	·39	·42	·2	–	–	·14	–	–	–	·2	·53	21
22	–	–	–	–	·2	–	–	–	–	·9	·1	·73	22
23	·3	·11	–	–	–	9	–	·4	–	·7	·28	·1	23
24	–	·2	–	·1	·16	–	–	·9	–	·30	·8	·41	24
25	–	·65	·14	–	–	–	–	·60	·1	·8	·7	–	25
26	·4	·17	–	–	–	·10	–	·3	·19	·50	–	·1	26
27	–	·2	·87	–	–	·38	–	·6	·59	·34	–	–	27
28	–	·31	·2	·22	–	–	–	·6	·6	·20	–	·27	28
29	–	·63	·2	–	–	·36	–	2·51	·73	·34	–	·41	29
30	–	✕	·2	–	·2	–	–	–	–	·68	–	–	30
31	–	✕	–	✕	–	✕	–	·5	✕	·35	✕	·2	31
Total	1·71	6·15	3·47	·67	1·73	2·04	·84	4·27	2·61	4·97	5·01	4·81	YEAR'S TOTAL 38·28
Rain Days.	16	25	21	13	14	12	5	13	10	24	21	17	191

W. 8,000, VIII. 16

ex'd P 79

1014

FORM A.
BRITISH RAINFALL.

17. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Parkstone.

in the County of Dorset.

by William Henry Symes.

Lat. Long.

Time of Observation 8 a m

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·9		·8		1·09	·2	·1	·6		1
2			·2	·62				·7	·2	·2			2
3	·9			·3			·31	·5		·11	·27		3
4			·40							·23			4
5	·8		·6	·16		·4		·5	·20	·15	·13		5
6			·25							·4	·11	·3	6
7	·39						·12	·3		·26		·12	7
8	·39		·18	·4			·90	·74		·44	·18	·18	8
9			·11	·3	·12				·4	·3	·3		9
10	·14		·35	·27	·2			·18					10
11	·5		·35	·18					·8	·26			11
12	·4		·5		·17			·3		·12	·2		12
13			·25					·17	·1	·7			13
14				·3						·3			14
15								·99		·17		·6	15
16		·26		·9	·1				·1	1·57		·63	16
17		·1		·13	·2	·16	·31	·17	·37	·16			17
18		·4			·2	·19	·11	·9	·43	·3			18
19		·24	·9			·7			·33				19
20		·9	·9		·35				·2				20
21	·9		·20			·5				·6			21
22			·9					·5		·14			22
23		·16			·4			·17		·2		·3	23
24		·23				·12	·19			·24	·2		24
25		·12	·5				·10		·1	·1			25
26			·1		·56			·43	·7	·2	·1		26
27					1·14	·16		1·00					27
28			·9		·44	·63		·15				·2	28
29			·5		·7	·27	·12	·3		·59		·7	29
30		X	·27			·1	·69	·27					30
31		X	·4	X		X	·8	·11	X	·25	X	·2	31
Total	1·27	1·15	3·10	1·67	2·96	1·78	2·93	5·87	1·61	5·03	·83	1·16	YEAR'S TOTAL 29·36
Rain Days.	8	8	21	11	12	11	10	20	13	25	9	9	157

W. 8,000, IX. 17.

2.10

Ex Dt

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

1.2.19

Kept at Parkstone

in the County of Dorset.

by William H. Symes.

Lat. .... Long. ....

Time of Observation 8 a.m.

Nearest Railway Station Branksome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level about 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·5			·3			·88		·1	·38	·5	1
2	·2	·12						·32			·27	·19	2
3		·8		·20	·31			·3			·18	·3	3
4		·10	·2	·5				·5	·6		·86	·7	4
5		·10	·19		·29			·18	·13	·23		·3	5
6	·16	·7		·22				·23	·4	·9		·9	6
7		·19		·1	·30	·2		·1	·30	·10	·22	·9	7
8		·5							·12	·10		·3	8
9				·22		·6	·12		·45	·24	·3	·34	9
10	·4			·8		·1	·41		·15	·21		·32	10
11				·1			·46		·5	·11	·4	·4	11
12		·12			·26		·2		·3			·4	12
13	·17	·1			·8		·41		·28			·2	13
14	·17					·4	·4		·51	·27		·9	14
15	1·47			·44	·1	·9	·21			·1		·9	15
16	·44		·2	·4		·1	·1		·39			·1	16
17	·19		·1	·19			·71		·3			·26	17
18	·67					·61	·3		·45			·13	18
19	·7		·14				·42			·2		·6	19
20	·3	·17		·23			·3		·45	·7			20
21	·19	·4							·56	·5		·20	21
22	·9	·1			·4		·52		·25			·17	22
23	·14				·6		·46	·1	·4		·19	·1	23
24	·	·28							·15		·15		24
25							·13	·38			·2		25
26	·1						·38		·2	·4	·12	·29	26
27		·11	·3				·2	·6	·44	·2	·14		27
28			·23	·3						·2	·4		28
29			·4	·3					1·21	·	·1	·4	29
30	·1	X	·57							·3	·6		30
31	·1	X	·12	X		X		·6	X	·17	X		31
Total	3·88	1·50	1·37	1·75	1·38	·84	4·38	2·21	6·11	1·79	2·71	2·69	YEAR'S TOTAL 30·61
Rain Days.	17	15	10	13	9	7	17	11	22	18	15	24	178

23 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 'Ben Hur' Parkstone

in the County of Dorset

by William Henry Symes.

Lat. Long.
Time of Observation 8 a m
Nearest Railway Station Branksome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42		·6		·1		·13			·6	·2	1·27	1
2	·41		·2		·3		·1		·46			·7	2
3	·88		·67		·8		·17		·44		·2	·12	3
4	·72	·12	·41			·5		·4	·9		·8	·8	4
5	·11	·54	·38		·4						·9	·16	5
6	·30	·18	·10	·2	·10						·2	·9	6
7	·34		·49	3								·1	7
8	·23		·19	·19									8
9	·32		·10	·11	·3				·2		·30		9
10	·30		·19	·11	·1					·7		·27	10
11	·10		·8	·21	·7							·2	11
12	·12				·1		·23			·9	·2		12
13	·5	·2	·7	·28			·2					·8	13
14	·63	·10		·23			·4			·6		·9	14
15	·21	·8		·5								·56	15
16	·2	·87						·2			·14		16
17	·11	·21			·1						·12	·3	17
18		·6	·53					·5			·11	·1	18
19	·54	·36	·60			·10	1·34	·17	·6		·5	·3	19
20	·36	·3	·6			·48		·31	·4		·4	·2	20
21	·2	·70	·9				·3		·1		·1	·5	21
22							·9		·29			·9	22
23		·2								·10	·4	·2	23
24		·5		·3		·31	·22	·4		·72	·7	·25	24
25	·5					·7		·42				·15	25
26		·20	·4	·3				·9	·11		·15	·51	26
27	·15		·6	·30			·1	·80			·2	·3	27
28		·1	·51					·81			·42	·47	28
29								·16		·4		·9	29
30		×		·9		·9		1·02			·71	·90	30
31		×	·2	×		×			×		×	·31	31
TOTAL	6·39	3·55	4·67	1·68	·39	1·10	2·29	3·93	1·52	1·14	2·43	5·78	YEAR'S TOTAL 34·87
Days with ·01 in. or more	22	16	20	13	10	6	11	12	9	7	19	27	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex^d Ch^d

1433

29 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Parkstone.
in the County of Dorset.
by William Henry Symes.

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Branksome.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	· ·	·3	·16	·17	· ·	·42	·3	·3	·27	·31	·50	1
2	·13	· ·	·2	·12	·2	· ·	·18	·30	·13	·11	· ·	·26	2
3	·2	·2	· ·	·13	· ·	· ·	·88	· ·	·2	·35	· ·	·5	3
4	· ·	·7	·6	· ·	· ·	· ·	·8	·39	· ·	·19	· ·	· ·	4
5	· ·	· ·	·19	·3	· ·	· ·	·34	·10	· ·	·26	· ·	· ·	5
6	· ·	· ·	·12	· ·	·22	· ·	·36	· ·	· ·	·10	· ·	· ·	6
7	·3	· ·	· ·	·16	·7	· ·	·16	· ·	· ·	·4	· ·	· ·	7
8	·3	·8	· ·	·9	·4	· ·	·64	·2	· ·	·1	· ·	· ·	8
9	·24	·1	·6	·6	·9	·4	·1	· ·	· ·	· ·	· ·	· ·	9
10	·82	·4	·6	·4	· ·	·41	·38	· ·	· ·	· ·	· ·	· ·	10
11	·33	· ·	·9	·39	·17	·3	·34	· ·	· ·	· ·	· ·	·3	11
12	·14	·4	· ·	·14	· ·	·67	· ·	· ·	· ·	· ·	·4	·12	12
13	·22	·2	·43	· ·	· ·	· ·	· ·	· ·	·5	· ·	·6	· ·	13
14	·4	·3	·39	·54	· ·	· ·	· ·	· ·	· ·	·18	·47	· ·	14
15	·5	·5	·3	·14	·8	·39	· ·	· ·	·15	·83	·7	· ·	15
16	·1	·2	·1	·3	· ·	·2	·1	· ·	·40	·2	· ·	· ·	16
17	·2	· ·	· ·	·20	·36	· ·	·6	· ·	·31	· ·	· ·	· ·	17
18	·9	· ·	·1	·2	·9	·8	·1	·45	·5	· ·	· ·	· ·	18
19	·4	· ·	· ·	·19	· ·	·3	· ·	· ·	·4	· ·	· ·	·3	19
20	·2	·10	· ·	·19	· ·	·89	· ·	· ·	· ·	· ·	· ·	·2	20
21	· ·	· ·	· ·	· ·	· ·	· ·	·61	· ·	·2	· ·	· ·	·19	21
22	·9	· ·	· ·	·20	· ·	· ·	·1	· ·	·3	· ·	· ·	·35	22
23	· ·	· ·	· ·	· ·	· ·	· ·	·27	· ·	· ·	· ·	· ·	·39	23
24	·5	· ·	·18	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·8	·18	24
25	· ·	·3	·6	· ·	·9	· ·	·39	· ·	· ·	· ·	· ·	·1	25
26	·5	· ·	·39	· ·	· ·	·9	·5	· ·	· ·	· ·	·6	·12	26
27	·50	· ·	· ·	·3	·1	·5	· ·	· ·	· ·	· ·	·2	·24	27
28	·56	·1	·1	·7	· ·	·1	·10	· ·	· ·	· ·	· ·	·5	28
29	·60	·1	·16	·22	· ·	·3	· ·	· ·	· ·	· ·	·22	·39	29
30	·8	✕	· ·	· ·	· ·	·12	·5	· ·	·24	· ·	·35	·40	30
31	·3	✕	·11	✕	· ·	✕	· ·	· ·	✕	·35	✕	·33	31
Total	4·36	·53	2·41	3·15	1·41	2·86	5·35	1·29	1·47	2·71	1·68	3·66	Year's Total 30·88
Days with ·01 in. or more	25	14	19	21	12	14	21	6	12	12	10	18	184
Days with ·04 in. or more	18	6	13	17	10	9	17	4	8	10	9	14	135

REGIST

DORSET.

PARKSTONE.

"FIRGROVE"

1916.—1920

16

FORM A.
BRITISH RAINFALL.

9. FEB 191

Kept at Wimborne, Fern
Firgrove, Castle

in the County of Dorset

by Edward N. M. Wad

ng.
9am
n Parkstone
Rain Gauge in.
above Ground 1 ft. in.
„ Sea Level ft.

IMPORTANT NOTE.— nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·05	·08	·00	·58	·01	·07	·00	·49	·20	·28	·00	1
2	·26	·16	·05	·00	·03	·00	·00	·00	·00	·23	·12	·00	2
3	·01	1·11	·02	·00	·00	·00	·00	·00	·01	·66	·26	·00	3
4	·28	·10	·00	·00	·00	·18	·00	·00	·26	·03	·25	·00	4
5	·02	·03	·07	·00	·44	·15	·00	·00	·00	·08	·35	·00	5
6	·01	·05	·04	·00	·07	·01	·58	·00	·00	·03	·41	·00	6
7	·01	·01	·42	·00	·05	·00	·00	·00	·00	·00	·62	·10	7
8	·00	·30	·05	·00	·39	·00	·00	·00	·00	·00	·03	·36	8
9	·00	·00	·00	·00	·07	·41	·00	·00	·00	·00	·01	·15	9
10	·00	·64	·02	·05	·04	·10	·09	·00	·00	·00	·02	·28	10
11	·00	·02	·02	·09	·07	·04	·00	·00	·00	·00	·07	·07	11
12	·01	·06	·01	·06	·04	·01	·09	·02	·00	·00	·01	·00	12
13	·00	·19	·10	·02	·00	·00	·01	·00	·00	·00	·00	·00	13
14	·01	·56	·02	·00	·03	·00	·00	·00	·00	·00	·00	·00	14
15	·01	·12	·05	·00	·00	·00	·00	·00	·00	·02	·63	·00	15
16	·00	·06	·05	·15	·00	·00	·02	·00	·00	·07	·18	·11	16
17	·14	·18	·01	·06	·00	·00	·00	·31	·29	·57	·63	·00	17
18	·10	·64	·10	·05	·00	·00	·00	·19	·00	·04	·18	·15	18
19	·14	·00	·50	·04	·00	·00	·00	·00	·00	·00	·17	·02	19
20	·13	·10	·52	·09	·00	·00	·00	·00	·00	·00	·09	1·46	20
21	·01	·21	·28	·02	·03	·00	·05	·00	·00	·00	·00	·30	21
22	·00	·00	·00	·00	·01	·00	·00	·00	·00	·11	·00	·74	22
23	·03	·08	·00	·01	·00	·09	·00	·10	—	·05	·26	·00	23
24	·00	·00	·00	·00	·30	·00	·00	·66	— #	·39	·07	·45	24
25	·00	·68	·14	·00	·00	·00	·00	·58 #	—	·00	·66	·00	25
26	·07	·28	·02	·00	·00	·11	·00	·09	—	·13	·00	·02	26
27	·00	·05	·87	·00	·00	1·14	·00	·02	—	·16	·00	·00	27
28	·00	·29	·02	·05	·00	·00	·00	·12	—	·28	·00	·26	28
29	·00	·62	·03	·00	·00	·47	·00	2·22	—	·20	·00	·40	29
30	·00		·00	·00	·00	·03	·00	·14	—	·49	·00	·01	30
31	·00		·00		·00		·00	·05		·53		·00	31
Total	1·30	5·99	3·43	·69	1·97	~~2·66~~ 2·75	·85	3·90	[illegible]	4·26	~~3·81~~ 4·64	4·88	~~YEAR'S TOTAL~~ 11 months ~~33·78~~
Rain Days.	17	25	24	12	14	13	7	12	[illegible]	19	~~18~~ 21	16	~~177~~

W. 8,000, VIII. 16

✓✓

REGIST 16

FORM A. BRITISH RAINFALL.

9 FEB 1917

Wimborne, Ferndown

Kept at Firgrove, Castle Hill, Parkstone

in the County of Dorset

by Edward N. M. Wadman

Long.

Time of Observation 9 am

Nearest Railway Station Parkstone

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·05	·08	·00	·58	·01	·07	·00	·49	·20	·28	·00	1
2	·26	·16	·05	·00	·03	·00	·00	·00	·00	·23	·12	·00	2
3	·01	1·11	·02	·00	·00	·00	·00	·00	·01	·66	·26	·00	3
4	·28	·10	·00	·00	·00	·18	·00	·00	·26	·03	·25	·00	4
5	·02	·03	·07	·00	·44	·15	·00	·00	·00	·08	·35	·00	5
6	·01	·05	·04	·00	·07	·01	·58	·00	·00	·03	·41	·00	6
7	·01	·01	·42	·00	·05	·00	·00	·00	·00	·00	·62	·10	7
8	·00	·30	·05	·00	·39	·00	·00	·00	·00	·00	·03	·36	8
9	·00	·00	·00	·00	·07	·41	·00	·00	·00	·00	·01	·15	9
10	·00	·64	·02	·05	·04	·10	·09	·00	·00	·00	·02	·28	10
11	·00	·02	·02	·09	·07	·04	·00	·00	·00	·00	·07	·07	11
12	·01	·06	·01	·06	·04	·01	·09	·02	·00	·00	·01	·00	12
13	·00	·19	·10	·02	·00	·00	·01	·00	·00	·00	·00	·00	13
14	·01	·56	·02	·00	·03	·00	·00	·00	·00	·00	·00	·00	14
15	·01	·12	·05	·00	·00	·00	·00	·00	·00	·02	·63	·00	15
16	·00	·06	·05	·15	·00	·00	·02	·00	·00	·07	·18	·11	16
17	·14	·18	·01	·66	·00	·00	·00	·31	·29	·57	·63	·00	17
18	·10	·64	·10	·05	·00	·00	·00	·19	·00	·04	·18	·15	18
19	·14	·00	·50	·04	·00	·00	·00	·00	·00	·00	·17	·02	19
20	·13	·10	·52	·09	·00	·00	·00	·00	·00	·00	·09	1·46	20
21	·01	·21	·28	·02	·03	·00	·05	·00	·00	·00	·00	·30	21
22	·00	·00	·00	·00	·01	·00	·00	·00	·00	·11	·00	·74	22
23	·03	·08	·00	·01	·00	·09	·00	·10	—	·05	·26	·00	23
24	·00	·00	·00	·00	·30	·00	·00	·66	— #	·39	·07	·45	24
25	·00	·68	·14	·00	·00	·00	·00	·58 #	—	·00	·66	·00	25
26	·07	·28	·02	·00	·00	·11	·00	·09	—	·13	·00	·02	26
27	·00	·05	·87	·00	·00	1·14	·00	·02	—	·16	·00	·00	27
28	·00	·29	·02	·05	·00	·00	·00	·12	—	·28	·00	·26	28
29	·00	·62	·03	·00	·00	·47	·00	2·22	—	·20	·00	·40	29
30	·00	X	·00	·00	·00	·03	·00	·14	—	·49	·00	·01	30
31	·00	X	·00	X	·00	X	·00	·05	X	·53	X	·00	31
Total	1·30	5·99	3·43	·69	1·97	~~2·66~~ 2·75	·85	3·90	~~[illegible]~~	4·26	~~3·81~~ 4·64	4·88	11 months ~~YEAR'S TOTAL~~ ~~33·78~~
Rain Days.	17	25	24	12	14	13	7	12	~~[illegible]~~	19	~~18~~ 21	16	~~177~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

19. JAN 1918

Kept at "Firgrove", Parkstone

in the County of Dorset

by Edward N. M. Wadman

Lat. 50° 43′ Long. 1° 57′

Time of Observation 9am

Nearest Railway Station Parkstone ¼ mile S.

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	Nil	·08	·06	Nil	·06	Nil	1·05	Nil	Nil	·03	Nil	1
2	Nil	Nil	·03	·73	Nil	Nil	Nil	·05	·02	·02	Nil	Nil	2
3	Nil	Nil	Nil	·02	Nil	Nil	·32	·04	Nil	·08	Nil	Nil	3
4	Nil	Nil	·37	Nil	Nil	Nil	·01	·01	·01	·15	·27	·01	4
5	Nil	Nil	·05	·15	Nil	·05	Nil	·02	·19	·14	·08	Nil	5
6	Nil	Nil	·23	Nil	Nil	Nil	Nil	Nil	Nil	·08	·08	·02	6
7	·46	Nil	Nil	Nil	Nil	Nil	·19	·08	Nil	·20	·01	·08	7
8	·36	Nil	·14	·01	Nil	Nil	1·02	·75	·03	·30	·14	·12	8
9	Nil	Nil	·11	·01	·02	Nil	·01	·03	·01	·02	·03	Nil	9
10	·14	Nil	·31	·27	Nil	Nil	Nil	·15	Nil	Nil	Nil	Nil	10
11	·04	Nil	·36	·16	·01	Nil	Nil	·01	·05	·23	Nil	Nil	11
12	·05	Nil	·04	Nil	·23	Nil	Nil	·02	Nil	·13	Nil	·02	12
13	Nil	Nil	·23	Nil	Nil	·01	Nil	·19	·01	·01	Nil	Nil	13
14	Nil	Nil	·02	·02	Nil	Nil	Nil	·01	Nil	·02	Nil	Nil	14
15	·10	Nil	Nil	Nil	Nil	Nil	Nil	1·14	Nil	·17	Nil	Nil	15
16	·04	·23	Nil	·08	·02	Nil	Nil	Nil	Nil	1·29	Nil	·59	16
17	Nil	·01	Nil	·13	Nil	·25	·27	·20	·30	·15	Nil	Nil	17
18	Nil	·05	Nil	Nil	·01	·20	·10	Nil	·38	·15	Nil	Nil	18
19	Nil	·28	·04	Nil	Nil	Nil	Nil	Nil	·25	Nil	Nil	Nil	19
20	·01	·04	·08	Nil	·34	·18	Nil	Nil	Nil	Nil	Nil	Nil	20
21	·02	·02	·22	Nil	Nil	·04	Nil	Nil	Nil	·03	Nil	Nil	21
22	·06	Nil	·10	Nil	Nil	Nil	Nil	·02	Nil	·12	·01	Nil	22
23	Nil	·13	Nil	Nil	·05	·01	Nil	·13	Nil	Nil	Nil	Nil	23
24	Nil	·29	·01	Nil	Nil	·10	Nil	Nil	Nil	·20	Nil	Nil	24
25	Nil	·04	·04	Nil	Nil	Nil	Nil	·02	Nil	·01	Nil	Nil	25
26	Nil	·01	·04	Nil	·73	·01	Nil	·54	·08	·03	·02	Nil	26
27	Nil	Nil	·01	Nil	1·42	·13	Nil	·87	Nil	·01	Nil	Nil	27
28	Nil	·01	·05	Nil	·25	·75	Nil	·13	Nil	Nil	Nil	Nil	28
29	Nil	X	·04	Nil	Nil	·14	·09	·03	Nil	·42	Nil	·02	29
30	Nil	X	·25	Nil	·10	Nil	·79	·19	Nil	Nil	Nil	Nil	30
31	Nil	X	·04	X	Nil	X	·19	·08	X	·23	X	·07	31
Total	1·29	1·11	2·89	1·64	3·18	1·93	2·99	5·76	1·33	4·19	·67	·93	YEAR'S TOTAL 27·91
Rain Days.	11	11	24	11	11	13	10	24	11	24	9	8	167

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
23. 1. 19

Kept at FIRCROVE, PARKSTONE,
in the County of DORSET.
by E. N. M. Wladman

Lat. 50° 43′ Long. 1° 57′
Time of Observation 9am.
Nearest Railway Station Parkstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*	
		·01 ↓												
1		·04 ↓		·01				1·05			·33	·04	1	5
2	·01	·10 ↓		·01				·18			·34	·15	2	6
3		·08 ↓		·20	·32			·02			·10	·02	3	6
4		·07 ↓	·01	·02				·03	·04		·63	·04	4	7
5		·03 ↓	·25	·01	·32			·30	·19	·11		·02	5	8
6	·04	·13 ↓	·01	·18				·05	·05	·05		·08	6	8
7		·04 ↓		·01	·26	·01		·01	·21	·05	·22	·02	7	9
8									·09	·05		·27	8	4
9		·03		·01		·06	·15		·42	·24		·31	9	[illegible]
10	·20	·08		·08			·52		·14	·26	·10	·29	10	8
11				·02			·10		·03	·05	·03	·07	11	[illegible]
12					·30				·03			·01	12	3
13	·12						·11		·30			·02	13	4
14	·05					·03	·53		·32	·22		·08	14	6
15	1·49			·01		·08	·03					·06	15	5
16	·46			·05			·01		·30			·01	16	5
17	·16		·01	·20			·78		·05			·21	17	6
18	·54		·01			·58	·07		·45	·03		·12	18	7
19	·08		·15	·21			·38					·06	19	5
20	·03						·03		·35				20	3
21		·03				·01			·50	·07		·18	21	5
22	·01				·01		·58		·21	·09		·01	22	6
23	·05				·04		·28		·12				23	4
24		·30							·05		·16		24	3
25							·04	·46			·03		25	3
26			·02				·39		·05	·04	·07	·27	26	6
27			·17				·05	·03	·40		·16	·01	27	6
28				·23					·01		·03	·01	28	4
29		X	·02	·08					1·25	·03	·02	·04	29	6
30		X	·45						·01		·06	·01	30	4
31		X	·07	X		X		·05	X	·15	X	·02	31	4
Total	3·24	·94	1·17	1·33	1·25	·77	4·05	2·18	5·57	1·44	2·28	2·43	YEAR'S TOTAL 26·65	
Rain Days.	13	12	11	16	6	6	16	10	24	14	14	27	169	

W, 6,500, VII. 18. w w c *Formery 12 ft. moved to an higher site.

1578

12 JAN 30

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at "Firgrove," Parkstone

in the County of Dorset

by E. N. M. Wladman

Lat. 50°45' Long. 1°57' W.

Time of Observation 9am

Nearest Railway Station Parkstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·05	·05	Nil	·01	Nil	·01	Nil	Nil	·12	·01	1·45	1
2	·35	Nil	·01	Nil	·03	Nil	Nil	Nil	·75	Nil	·01	Nil	2
3	·92	Nil	·71	Nil	·05	Nil	·12	Nil	·19	Nil	·01	·08	3
4	·88	·19	·35	·02	Nil	Nil	Nil	·01	·06	Nil	·12	·06	4
5	·02	·46	·40	Nil	·09	·04	Nil	Nil	·01	Nil	·01	·15	5
6	·33	·19	·07	·07	·03	Nil	Nil	Nil	Nil	Nil	·01	·08	6
7	·13	Nil	·36	·02	Nil	Nil	Nil	Nil	Nil	Nil	·02	·01	7
8	·20	Nil	·26	·08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	8
9	·35	Nil	·02	Nil	·03	Nil	Nil	Nil	Nil	Nil	·42	Nil	9
10	·18	Nil	·17	·02	·01	Nil	Nil	Nil	Nil	·06	·01	·23	10
11	·08	Nil	·02	·17	Nil	Nil	Nil	Nil	Nil	·01	Nil	·01	11
12	·14	Nil	·02	Nil	Nil	Nil	·19	Nil	Nil	·08	Nil	Nil	12
13	·04	·01	·01	·35	Nil	Nil	·02	Nil	Nil	Nil	Nil	·06	13
14	·47	·07	Nil	·17	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·06	14
15	·02	·16	Nil	·01	Nil	Nil	Nil	·01	Nil	Nil	Nil	·51	15
16	·07	·90	Nil	·01	Nil	Nil	Nil	Nil	Nil	Nil	·15	·08	16
17	·01	·22	Nil	Nil	Nil	Nil	Nil	·02	Nil	Nil	Nil	·07	17
18	Nil	·16	·21	Nil	Nil	Nil	Nil	·19	Nil	Nil	·06	·01	18
19	·54	·05	·75	Nil	Nil	·13	1·27	·19	·07	Nil	·08	·02	19
20	·24	·03	·23	Nil	Nil	·44	·01	Nil	Nil	Nil	·01	·07	20
21	·08	·66	·01	Nil	Nil	Nil	·08	Nil	·02	Nil	Nil	·02	21
22	Nil	Nil	·01	Nil	Nil	Nil	Nil	Nil	·23	Nil	·03	·04	22
23	Nil	Nil	·02	Nil	Nil	Nil	·32	·03	Nil	·12	·06	·06	23
24	Nil	·03	Nil	Nil	Nil	·33	Nil	·38	Nil	·75	·02	·28	24
25	·04	·05	Nil	·01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·36	25
26	Nil	·21	·06	·02	Nil	Nil	Nil	Nil	Nil	Nil	·18	·08	26
27	Nil	·02	·01	·21	Nil	Nil	·02	1·52	Nil	·01	·01	·07	27
28	Nil	·03	·51	Nil	Nil	Nil	Nil	·14	Nil	Nil	·42	·01	28
29	Nil		Nil	Nil	Nil	·01	Nil	·16	Nil	Nil	Nil	·43	29
30	Nil		·01	·08	Nil	·25	Nil	·68	Nil	Nil	·73	·08	30
31	·05		Nil		Nil		Nil	Nil		Nil		·80	31
TOTAL	5·50	3·49	4·27	1·24	·25	1·20	2·04	3·33	1·33	1·15	2·37	5·18	YEAR'S TOTAL 31·35
Days with ·01 in. or more	22	18	23	14	7	6	9	11	7	7	20	27	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1432

[illegible] 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Firgrove, Parkstone
in the County of Dorset
by E. H. M. Wadman

Lat. 50° 45' N. Long. 1° 57' W
Time of Observation 9am
Nearest Railway Station Parkstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

* Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	~~March~~ April	~~April~~ March	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01	·15	·02	·36		·34	·04	·06	·15	·27	·47	1
2	·02	-	·15	·03			·21	·02	·12	·05		·14	2
3	·01	-	·08				1·01	·04	·02	·36		·02	3
4	-	-	·08	·05			·09	·34		·16			4
5	-	·01	·03	·26			·49	·10		·33			5
6	-	·09	-	·06	·19		·18			·03			6
7	-	-	·11	·02	·04		·56			·05			7
8	·02	·07	·17	·03	·07		·32	·02		·02			8
9	·02	·02	·07	·05	·01	·03	·21						9
10	·76	·04	·05	·02		·38	·15						10
11	·20	·01	·42	·01	·18	·18	·28				·04		11
12	·14	·03	·13	·02	·01	·56	·01				·05		12
13	·20	·04	-	·39		·07							13
14	·04	·01	·50	·36		·01			·12	·23	·34	·01	14
15	·04	·04	·12	·09		·47			·08	·70			15
16	·02	·02	·07	·03	·01		·02		·31	·04			16
17	·13	-	·19	·02	·04	·02	·04		·31				17
18	·09	·01	·02	-		·07	·03	·48	·06				18
19	·01	-	·20	·02		·20	·02		·04				19
20	·01	-	·14	-		·74			·03			·15	20
21	-	-	-	-			·59		·02			·05	21
22	·06	-	·16	-								·36	22
23	·01	-	-	·02								·35	23
24	·01	-		·17							·06	·13	24
25	·01	·02	-	·33			·35						25
26	·38	-	-	·05			·05				·07	·11	26
27	·53	·01	·01	·02		·08	·03					·23	27
28	·43	-	·07	·01		·04	·08				·01	·05	28
29	·13	·01	·06	·09		·02					·18	·30	29
30	·07	X	·08	·01		·16	·04		·29		·32	·45	30
31	·09	X		X ·10		X			X	·34	X	·20	31
TOTAL	3·51	·44	3·06	2·28	·91	3·03	5·10	1·24	1·46	2·46	1·34	3·02	YEAR'S TOTAL 27·85
Days with ·01 in. or more	26	16	23	26	9	15	22	7	12	12	9	15	192
Days with ·04 in. or more	16	5	20	12	6	11	17	6	9	10	8	13	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

PIDDLETRENTHIDE.

1914

FORM A.
BRITISH RAINFALL.

7-JAN 1915

corr for auth

REGIS ... 1914

Kept at Piddletrent ... Long.

in the County of Dorset ... 8 AM

... tion Dorchester 8 miles

by J F Horne ... uge 5 in.

... ge above Ground 2 ft. - in.

" Sea Level ... ft.

IMPORTANT NOTE.- ... measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·13
Jan 1st 1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·22	.	-	.	·03	.	·15	-	.	·80	·31	1
2	-	.	·11	-	-	.	·11	·65	-	.	·27	·07	2
3	-	.	.	.	·02	.	·70	.	-	-	1·32	·21	3
4	.	.	·06	·12	·63	.	·07	.	.	.	·05	·02	4
5	·13	.	·06	·45	·16	.	·37	·92	.	.	·29	·50	5
6	·07	.	·13	·31	·18	.	·58	·10	.	.	·47	-	6
7	.	·33	.	·15	·06	·03	·05	·06	-	.	·03	·73	7
8	.	1·02	·14	·19	·06	.	·21	·02	.	.	-	·43	8
9	·13	·07	·76	·06	·09	·12	·02	·39	-	.	.	·06	9
10	.	·01	·35	·27	·14	·12	.	·04	·41	.	-	.	10
11	·08	·55	.	·12	·12	.	.	·07	·31	-	-	·71	11
12	.	·36	·58	.	·06	·08	·31	-	.	.	·07	·10	12
13	.	·11	·14	.	.	.	.	.	·35	.	.	·55	13
14	.	·98	·50	-	-	·68	.	.	·18	·19	·26	·53	14
15	.	·53	·37	-	-	.	·18	·61	.	·42	·64	·20	15
16	.	.	·32	-	-	.	·06	·59	-	·13	·37	·04	16
17	.	.	·01	-	.	.	·06	-	·50	.	-	-	17
18	.	·80	·25	-	.	.	.	.	·11	.	-	1·15	18
19	.	.	·17	.	-	.	·16	-	·05	.	-	·70	19
20	.	·17	·63	.	.	.	1·23	-	·05	.	·15	·17	20
21	.	·37	·32		.	·02	.	-	.	.	.	·30	21
22	.	·80	.	-	.	·03	.	-	.	·31	-	-	22
23	.	·22	·01	.	·46	·04	.	·04	.	·25	-	-	23
24	.	·10	·37	.	.	.	·05	.	.	·23	-	-	24
25	.	·09	·04	.	·05	.	.	.	.	·16	·10	-	25
26	·10	.	·30	.	.	-	·18	·41	-	·55	·08	·40	26
27	.	.	·13	.	.	-	·11	·15	.	·06	·55	1·02	27
28	·10	·26	.	.	.	.	·02	.	.	.	·23	·41	28
29	·02		·45	.	·01	.	.	.	-	·04	·30	1·04	29
30	·70	╳	·32	.	·28	-	.	.	.	·30	1·53	.	30
31	·02	╳	·18	╳	.	╳	.	-	╳	·32	╳	·93	31
	·22	—	—	—	·03	—	·15	—	—	·80	·31	·13	YEAR'S TOTAL
Total	~~1·35~~ 1·57	~~6·99~~ 6·77	6·70 ✓	1·67 ✓	~~2·32~~ 2·35	~~1·15~~ 1·12	~~4·47~~ 4·62	~~4·20~~ 4·05	1·96 ✓	~~2·96~~ 3·76	~~7·51~~ 7·02	~~10·58~~ 10·40	~~51·86~~ 51·99
Rain Days.	~~9~~ 10	~~18~~ 17	25	8	~~14~~ 15	~~9~~ 8	~~18~~ 19	~~14~~ 13	8	~~12~~ 13	18	20	~~176~~ 177

W. 8,000. X. 14.

corrn auth

REGIS 14

FORM A.
BRITISH RAINFALL.

7 JAN 1915

Kept at Piddletrenthide

in the County of Dorset.

by J P Homer

Lat. Long.
Time of Observation 8 AM
Nearest Railway Station Dorchester 8 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·13
Jan 1st 1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·22	-	-	-	·03	-	·15	-	-	·80	·31	1
2	-	-	·11	-	-	-	·11	·65	-	-	·27	·07	2
3	-	-	-	-	·02	-	·70	-	-	-	1·32	·21	3
4	-	-	·06	·12	·63	-	·07	-	-	-	·05	·02	4
5	·13	-	·06	·45	·16	-	·37	·92	-	-	·29	·50	5
6	·07	-	·13	·31	·18	-	·58	·10	-	-	·47	-	6
7	-	·33	-	·15	·06	·03	·05	·06	-	-	·03	·73	7
8	-	1·02	·14	·19	·06	-	·21	·02	-	-	-	·43	8
9	·13	·07	·76	·06	·09	·12	·02	·39	-	-	-	·06	9
10	-	·01	·35	·27	·14	·12	-	·04	·41	-	-	-	10
11	·08	·55	-	·12	·12	-	-	·07	·31	-	-	·71	11
12	-	·36	·58	-	·06	·08	·31	-	-	-	·07	·10	12
13	-	·11	·14	-	-	-	-	-	·35	-	-	·55	13
14	-	·98	·50	-	-	·68	-	-	·18	·19	·26	·53	14
15	-	·53	·37	-	-	-	·18	·61	-	·42	·64	·20	15
16	-	-	·32	-	-	-	·06	·59	-	·13	·37	·04	16
17	-	-	·01	-	-	-	·06	-	·50	-	-	-	17
18	-	·80	·25	-	-	-	-	-	·11	-	-	1·15	18
19	-	-	·17	-	-	-	·16	-	·05	-	-	·70	19
20	-	·17	·63	-	-	-	1·23	-	·05	-	·15	·17	20
21	-	·37	·32		-	·02	-	-	-	-	-	·30	21
22	-	·80	-	-	-	·03	-	-	-	·31	-	-	22
23	-	·22	·01	-	·46	·04	-	·04	-	·25	-	-	23
24	-	·10	·37	-	-	-	·05	-	-	·23	-	-	24
25	-	·09	·04	-	·05	-	-	-	-	·16	·10	-	25
26	·10	-	·30	-	-	-	·18	·41	-	·55	·08	·40	26
27	-	-	·13	-	-	-	·11	·15	-	·06	·55	1·02	27
28	·10	·26	-	-	-	-	·02	-	-	-	·23	·41	28
29	·02		·45	-	·01	-	-	-	-	·04	·30	1·04	29
30	·70	✕	·32	-	·28	-	-	-	-	·30	1·53	-	30
31	·02	✕	·18	✕	-	✕	-	-	✕	·32	✕	·93	31
	·22	—		—	·03	—	·15	—	—	·80	·31	·13	YEAR'S TOTAL
Total	~~1·35~~	~~6·99~~	6·70	1·67	~~2·32~~	~~1·15~~	~~4·47~~	~~4·20~~	1·96	~~2·96~~	~~7·51~~	~~10·58~~	~~51·86~~
Rain Days.	1·57 ~~9~~ 10	6·77 ~~18~~ 17	25	8	2·35 ~~14~~ 15	1·12 ~~9~~ 8	4·62 ~~18~~ 19	4·05 ~~14~~ 13	8	3·76 ~~12~~ 13	7·02 18	10·40 20	51·99 ~~178~~ 177

W. 8,000. X. 14.

PORTLAND

H.M. BREAKWATER.

DORSET

1911 —— 1920

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

11

Kept at H. M. Brea

in the County of Do

by the Officer in

shers Rain Gauge

8 in.

ve Ground 1 ft. 5 in.

Mean Sea Level 23. ft.

9 a.m

Name Portland.

Distance 1mile Direction W.

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of t … rement of rain, the selection and pla … British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	-	-	-	-	-	·02	-	-	·04	·01	1
2	·02	-	-	·26	·31	-	-	·03	-	·17	·09	}·28	2
3	-	-	-	-	·16	-	-	-	·02	-	·12		3
4	-	-	·12	-	-	-	-	-	·03	·01	}·31	·46	4
5	·06	-	-	·01	-	-	-	·08	-	·31		-	5
6	}·51	-	·21	-	-	-	-	-	-	·28	·12	·84	6
7		-	-	-	-	-	-	-	-	-	·43	·01	7
8		-	·11	-	-	-	-	-	-	-	·06	·68	8
9	-	-	-	-	-	-	-	-	-	-	·18	}·74	9
10	·12	·13	·60	-	-	-	-	-	-	-	-		10
11	·28	-	-	-	-	-	-	-	-	-	}1·20	·03	11
12	-	-	1·09	-	-	-	-	-	-	-		·24	12
13	-	-	-	-	-	-	-	-	·10	-	-	·56	13
14	-	·07	-	-	-	-	-	-	-	·02	-	·48	14
15	-	·02	·03	-	-	·03	-	-	-	-	·25	·02	15
16	-	-	-	-	-	·49	-	-	-	-	·53	}·58	16
17	·01	-	·28	-	·35	}·43	-	-	-	·02	·59		17
18	-	}·18	·05	·07	·05		-	-	-	·05	-	·32	18
19	-		-	-	·03	·13	-	-	·22	·04	·05	·70	19
20	-	·02	·17	·03	-	-	-	·04	·05	·12	-	·59	20
21	-	·20	·05	·01	-	}·12	-	-	·08	}·62	-	·12	21
22	·18	·03	·03	·02	-		-	·04	·07		-	·86	22
23	-	·08	·10	-	-	·22	-	-	·17	·37	·05	}·63	23
24	·04	·11	-	-	-	}·21	-	·20	-	·36	-		24
25	-	-	-	·11	-		-	-	·03	·16	-		25
26	-	·08	·02	·35	-	-	-	}·01	-	·28	-	·26	26
27	-	·48	·06	·04	-	-	-		·13	1·05	·15	·08	27
28	-	·31	-	·51	-	-	-	·20	-	-	·11	·01	28
29	-	-	-	·40	·17	·27	·12	-	·12	·44	·01	-	29
30	-	-	-	-	·02	·01	-	-	-	·24	·10	·04	30
31	-	-	·07	-	-	-	-	-	-	-	-	-	31
Total	1·25	1·71	2·99	1·81	1·09	1·91	·12	·62	1·02	4·54	4·39	8·54	TOTAL for year 29·99
No. of Rain Days.	11	13	15.	11.	7	12	1	89	11	18	20	28	155

156

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at H. M. Breakwater – Portland

in the County of Dorset. 3

by the Officer in Charge of Works.

RAIN GAUGE
Pattern Glaishers Rain Gauge
Diameter of top 8 in.
Height of top above Ground 1 ft. 5 in.
" " " mean Sea Level 23. ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Portland.
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	-	-	-	-	-	·02	-	-	·04	·01	1
2	·02	-	-	·26	·31	-	-	·03	-	·17	·09	} ·28	2
3	-	-	-	-	·16	-	-	-	·02	-	·12		3
4	-	-	·12	-	-	-	-	-	·03	·01	} ·31	·46	4
5	·06	-	-	·01	-	-	-	·08	-	·31		-	5
6	} ·51	-	·21	-	-	-	-	-	-	·28	·12	·84	6
7		-	-	-	-	-	-	-	-	-	·43	·01	7
8		-	·11	-	-	-	-	-	-	-	·06	·68	8
9	-	-	-	-	-	-	-	-	-	-	·18	} ·74	9
10	·12	·13	·60	-	-	-	-	-	-	-	-		10
11	·28	-	-	-	-	-	-	-	-	-	} 1·20	·03	11
12	-	-	1·09	-	-	-	-	-	-	-		·24	12
13	-	-	-	-	-	-	-	-	·10	-	-	·56	13
14	-	·07	-	-	-	-	-	-	-	·02	-	·48	14
15	-	·02	·03	-	-	·03	-	-	-	-	·25	·02	15
16	-	-	-	-	-	·49	-	-	-	-	·53	} ·58	16
17	·01	-	·28	-	·35	} ·43	-	-	-	·02	·59		17
18	-	} ·18	·05	·07	·05		-	-	-	·05	-	·32	18
19	-		-	-	·03	·13	-	-	·22	·04	·05	·70	19
20	-	·02	·17	·03	-	-	-	·04	·05	·12	-	·59	20
21	-	·20	·05	·01	-	} ·12	-	-	·08	} ·62	-	·12	21
22	·18	·03	·03	·02	-		-	·04	·07		-	·86	22
23	-	·08	·10	-	-	·22	-	-	·17	·37	·05	} ·63	23
24	·04	·11	-	-	-	} ·21	-	·20	-	·36	-		24
25	-	-	-	·11	-		-	-	·03	·16	-		25
26	-	·08	·02	·35	-	-	-	} ·01	-	·28	-	·26	26
27	-	·48	·06	·04	-	-	-		·13	1·05	·15	·08	27
28	-	·31	-	·51	-	-	-	·20	-	-	·11	·01	28
29	-	-	-	·40	·17	·27	·12	-	·12	·44	·01	-	29
30	-	-	-	-	·02	·01	-	-	-	·24	·10	·04	30
31	-	-	·07	-	-	-	-	-	-	-	-	-	31
Total	1·25	1·71	2·99	1·81	1·09	1·91	·12	·62	1·02	4·54	4·39	8·54	TOTAL for year ~~29·99~~
No. of Rain Days.	11	13	15.	11.	7	12	1	~~8~~9	11	18	20	28	~~155~~

156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
13 JAN 1913

Kept at H. M. Naval Depot - Portland
in the County of Dorset. 3
by the Officer in Charge of Works.

Lat. 50° 34′ Long. 2° 25′ 46″
Time of Observation 9 a.m.
Nearest Railway Station Portland.
Diameter of Rain Gauge 8 in. (Glaishers)
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " mean Sea Level 23. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	-	·01	·14	-	·02	-	1·12	-	·39	1
2	-	-	·32	·02	-		·19	-	-	·02	-	-	2
3	-	-		-	-	·57	-	·83	·03	-	·02	-	3
4	·19	·04	·38	-	·04	·22	-		-	-	·49	-	4
5	·61	·23	·15	-		-	-		-	-	·01	·17	5
6	·52	-	·01	-	·35	·18	-	·44	-	-	-	·03	6
7		·46	·13	-	·26	·73	-	·07	-	-	-	·13	7
8	·65	·15	·20	-	·01	-	-	-	-	-	-		8
9	-	·01	·22	·02	-	·06	·03	·27	-	-	-	·39	9
10	-	-		·02	-	·12	·02	·15	-	-	·09	·44	10
11	·08	·09	-	-	-	-	-		-	-	·02	·45	11
12	·03	·28	·16	-	1·08	-	·03	·24	-	-	·02	-	12
13	-	-	·02	-	-	-	-	-	-	·03	-	·07	13
14	·05	-	·29	-	·09	-	-	·12	-	·02	-	·34	14
15	·25	·16	·01	-	·04	·75	-	-	-	-	·01		15
16	1·22	·03	·67	-	·09	-	-	·23	-	·08	·11	-	16
17	·84	-		-	·04	·10	-	·93	-	-	-	·09	17
18	·06	·01	·14	-	-	-	-		-	-	-	·02	18
19	·01	·02	·32	-	-	·03	·04	·28	-	-	-	-	19
20	·01	·06	·56	-	·08	-	-	·13	-	·46	·02	-	20
21	-	·32	·34	-	·60	-	-	·23	-	·11	-	-	21
22	·34	·43	·14	-	-	·01	·43	·19	-	·08	-	·04	22
23	·23	·19	·23	-	-	-	-	·75	-	·35	·15	·19	23
24	·21	-	-	-	-	·19	-	·36	-	·13		·97	24
25	·17	·06	-	-	-	·12	-		-	·28	·37		25
26	-	·04	-	-	-	-	·20	·07	-	·74	·39	·43	26
27	-	·04	·01	-	-	·17	·74	·04	-		-	·93	27
28	-	·09	-	-	-	·07		·48	1·35	·77	·33		28
29	-	·10	-	-	-	·15	·29	·03		·37	-	-	29
30	-	-	·60	-	·06		·03	·06	·83	·37	-	-	30
31	-	-		-	-	-	·17	·03	-	·05	-	·12	31
Total	5·47	2·81	4·92	·06	2·75	3·61	2·17	5·95	2·21	4·98	2·03	5·20	YEAR'S TOTAL 42·16
Rain Days.	18	20	25	3	14	18	12	27	4	17	14	21	193

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

6-JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at H. M. Naval depot - Portland

in the County of Dorset. 3

by the Officer in Charge of Works.

Lat. 50° 34' Long. 2° 25' 46"

Time of Observation 9 a.m.

Nearest Railway Station Portland

Diameter of Rain Gauge 8 in. (Glaisher's)

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " mean Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	} ·43	} ·18	·04	-	-	-	-	·23	·07	} ·36	-	1
2	-			·06	·10	-	-	-	-	·16		·03	2
3	·06	-	·06	·02	} ·36	-	-	-	-	-	-	·11	3
4	} 1·01	-	·15	·03		-	-	-	·64	} ·44	·05	·05	4
5		·18	·02	-	·11	·12	-	-	·63		·43	·24	5
6	·02	·10	·03	-	·03	·13	L	-	-	1·26	·08	·63	6
7	·02	·36	·12	-	·39	-	·27	-	-	·26	·19	-	7
8	·02	} ·29	-	-	·19	·03	·05	-	-	-	-	·17	8
9	-		-	-	·04	-	·02	·08	-	-	·08	·02	9
10	·24	·01	-	-	-	-	-	-	-	·10	·37	-	10
11	} ·83	·02	-	·08	·33	-	-	-	·01	·08	·44	·03	11
12		-	-	-	·28	-	-	-	-	-	·75	-	12
13	·14	-	·03	·01	-	·02	-	·04	} ·68	-	·17	-	13
14	·27	-	·07	·02	·24	-	-	-		·01	·03	·01	14
15	·33	·03	} ·89	·41	·02	-	·19	·04	·45	-	-	-	15
16	·12	-		·02	-	·02	-	-	·02	-	·01	-	16
17	·11	·02	·01	·03	-	-	-	-	-	-	·03	-	17
18	-	-	·17	·06	-	-	-	-	-	-	·08	-	18
19	·85	-	·04	-	·04	·02	·03	-	·33	-	-	-	19
20	·11	-	} ·71	·18	-	·04	-	-	-	·37	·04	-	20
21	-	-		·38	-	·01	-	-	-	·13	·53	-	21
22	·27	-		-	-	-	-	·13	·12	·07	-	·12	22
23	·02	-	-	-	-	·04	-	-	-	-	·08	·55	23
24	·05	-	-	·06	-	-	-	-	-	-	·02	-	24
25	-	·18	-	·28	-	-	-	-	-	-	-	-	25
26	-	-	-	} ·21	-	-	-	·29	-	-	-	·22	26
27	·06	-	·17		-	-	-	-	-	·03	-	-	27
28	·16	-	·09	·33	-	-	-	-	-	·22	-	-	28
29	·19	×	·29	·25	·12	-	-	·11	-	·36	-	-	29
30	·43	×	-	-	-	-	-	} ·72.	-	·20	-	-	30
31	·06	×	-	×	-	×	-		×	·02	×	-	31
Total	5·39	1·62	3·03	2·47	2·25	·43	·56	1·41	3·11	3·78	3·74	2·18	YEAR'S TOTAL 29·97
Rain Days.	25	12	20	19	14.	9.	5.	8.	10.	17	19	12	170

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at H M Breakwater, Portland

in the County of Dorset 3

by Officer-in-charge of Works

Lat. 50° 34′ Long. 2° 25′ 46″

Time of Observation 9 o'clock A.M

Nearest Railway Station Portland

Diameter of Rain Gauge Glaishers 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " mean Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	–	.63	–	–	.55	.08	1
2	–	–	–	.01	–	.02	.43		–	–	.96	.25	2
3	–	–	.05	.26	.40	–	.03		–	–	.01	.06	3
4	.05	–	–	.36	.03	–	.86	1.17	–	–	.70	.50	4
5	.11	–	.06		.07	–		–	–	–	.39	–	5
6	.01	.21	.02	.15	.07	–	.06	–	–	–	–	.37	6
7	.02	.79	.63	.11	–	.03	.28	.06	.02	–	.02	.22	7
8	.05			.04	.05	.05	–	.10	–	–		.13	8
9	.02	–	.58	.18	– .16	–	–		.55	–	–	.13	9
10	.08	.33	–			–	–	–	.32	–	.02	–	10
11	–	.15	.61	–	.06	.02	.44	–	–	–	.03	.49	11
12	–	.07	.30	–	–	–	–	–	.41	.03	.03	1.05	12
13	–	.50	.37	–	–	–	–	–		.06	.19		13
14	–	.29	.32	–	–	.28	.42	.90	.01	.19	1.0	.36	14
15	–	–		–	–	–	.05	.25	–	.18		.02	15
16	–	–	–	–	–	–	.03		.26	–	–	–	16
17	–	.81	.16	–	–	–	–	–	.01	–	–	.65	17
18	–	.03	.15	–	–	–	– .04	–	.08	–	–	.48	18
19	–	.10	.74	–	–	–		–	.01	–	.07	.53	19
20	–	.41	.14	–	–	– .04	–	–	–	–	–		20
21	–	.59	.21	–	–		–	–	–	.29	–	–	21
22	–			–	.30	–	.14	.04	–	.04	–	–	22
23	–	.76	.37	–	–	–	.01		–	.15	–	–	23
24	–	.49	–	–	.05	–	–	–	–	.45	.12	1.35	24
25	–	–	.20	–	.03	–	–	.48	–		.03		25
26	.04	.01	.12	–	–	–	.06	–	–	.14	.26		26
27	.04	–	–	–	–	–	–	–	–	.01	.13		27
28	.03	.08	.43	–	.11	–	–	–	–	.07	.52	.52	28
29	.37			.05	.12	–	.01	–	–	.15		.04	29
30	–		.08	.03	–	.02	–	–	–	.18	.68	.57	30
31	.05		–		.02		.05	–		–		.12	31
Total	.87	5.62	5.54	1.19	1.47	.46	3.71	3.63	1.67	1.94	5.71	7.92	YEAR'S TOTAL 39.73
Rain Days.	12	18	23	11	14	9	17	11	10	14	20	25	(184)

W. 8,000. X. 14.

Exd L.V

1695

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at H. M. Naval Depot, Portland

in the County of Dorset 3

by The Officer-in-Charge of Works

Lat. 50° 34' Long. 2° 25' 46"

Time of Observation 9 a.m.

Nearest Railway Station Portland

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " mean Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·34	—	—	·01	—	—	·40	—	·23	·01	·05	1
2	1·23	·19	·11	·35	—	·05	—		·02	·26	—	·40	2
3		·05	·12		·21	·01	—	—	—		—	·05	3
4	·01	—	—		—	—	—	—	—	—	—	1·40	4
5	·04	·47	—		—	—	—	·43	—	—	—		5
6	·90	·62	—	·35	—	—	·58	·04	—	—	—	·14	6
7	·19		—	·02	—	·04	·07	—	—	—	·01	·22	7
8	·04	·61	—	—	—	—	·01	·02	—	—	·03	·17	8
9	·15	·14	—	·02	—	—	—	—	—	—	·33	·79	9
10		·05	·05	—	—	—	—	—	—	—	—	·30	10
11	·02	·18	·02	·05		—	—	—	—	·10	·75	—	11
12	·16	·45	—	·07	·66	—	—	·02	—	—	·21	—	12
13	·02	·37	—	—	·88	—	—	—	·04	—	—	—	13
14	·03		—	—	—	—	·24	—	·06	—	·02	1·00	14
15	·07	—	—	—	·40	—	·10	—	·02	—	·03	·16	15
16	·01	·95	—	—		—	1·10	·07	—	—	—	·35	16
17	—	·42	—	—	·08	—	—	—	—	—	—	—	17
18	—	·28	—	—	·01	—	·02	—	—	—	—	—	18
19	—	·01	—	—	·17	—	·01	—	—	—	—	—	19
20	·29	—	—	·01	—	·06	—	—	—	—	—	·07	20
21	·22	·11	—	—	—	—	·02	—	·15	—	—	·04	21
22	·10	·08	·56	·08	—	·07	·84	—	·05	—	—	·22	22
23	·01	—	·16	—	—	—	·02	—	·38	1·90	—	·83	23
24		—	·01	·08	—	—	—	—	·61		—	1·93	24
25	·05	—	—		—	·28	—	—	—	—	—		25
26	·04	·16	—	—	—		·13	—	—	—	—		26
27	—	·09	—	—	—		—	—	·10	·49	—		27
28	—		—	—	—	·11	—	—	·48	·03	—	·05	28
29	—	X	—	—	—	·33	—	—	—	·03	·25	·09	29
30	—	X	—	—	—	—	—	—	—	1·54	·74	·48	30
31	·26	X		X		X	—	·23	X		X	·27	31
Total	4·11	5·57	1·03	1·03	2·42	·95	3·14	1·21	1·91	4·58	2·38	9·01	YEAR'S TOTAL 37·34
Rain Days.	23	21	7	13	9	9	12	8	10	11	10	25	(158)

W. 8,000. X. 15.

Ex DL

1664

FORM A.
BRITISH R.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at H. M. Naval Depot. Portland

in the County of Dorset.

by The Officer in Charge of Works.

Lat. 50° 34'. Long. 2° 25' 46".
Time of Observation 9 a.m. Portland.
Nearest Railway Station London South Western Ry. & G.W.R.
Diameter of Funnel of Rain Gauge Glaishers 8 ins
Height of top of Gauge above Ground 1. ft. 5. ins
" " " mean " Sea Level 23. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	} ·26.	–	·11.	–	·39.	·02.	–	–	·48.	·69.	·44.	–	1
2		·18.	–	–	–	–	–	–	–	·37.	·10.	–	2
3	·02.	·68.	–	–	–	–	–	–	·12	·52.	·11.	–	3
4	·10.	·19.	–	–	·02.	·19.	–	–	·02.	·05.	–	–	4
5	·01.	–	–	–	·03	·04.	–	–	–	·10.	·90	–	5
6	–	·12.	·03.	–	·13.	·03.	·54.	–	–	·03.	·93.	–	6
7	–	·07.	·47.	–	–	–	–	–	–	–	·74.	–	7
8	–	·01.	·23.	–	·24.	–	–	–	–	·03.	·05.	·13.	8
9	–	–	–	–	·27.	–	·02.	–	–	–	·03.	·35.	9
10	–	·78.	–	–	·03.	–	·01.	–	–	·10.	·02.	–	10
11	–	–	–	·01.	·03.	·06.	–	·	–	–	–	·24.	11
12	–	–	·02.	·08.	–	–	·11.	–	–	·05.	·02.	·18.	12
13	–	·30.	·35.	·02.	·06.	–	–	·03.	–	·01.	·01.	–	13
14	–	·54.	–	–	–	–	–	·01.	·	–	–	–	14
15	–	·28.	·11.	–	·07.	–	–	·05.	–	·03.	–	–	15
16	·02.	·01.	–	·20.	–	–	·05.	·20.	–	·05.	–	·33	16
17	·25.	·11.	–	·11.	–	–	–	·24.	·32.	·44.	·81.	·84.	17
18	·02.	·18.	–	·08.	–	–	–	–	·10.	·01.	–	·17.	18
19	·05.	} ·48.	·67.	–	–	–	–	–	·01.	–	·24.	·23.	19
20	·08.		·22.	–	–	–	–	–	–	·14.	·10.	1·72.	20
21	·01.	·20.	·06.	–	·04.	–	·02.	–	–	–	·02.	·31.	21
22	–	·01.	–	–	·01.	·08.	–	–	–	·14.	–	·69	22
23	·02.	·03.	–	–	–	·02.	–	·13.	–	–	·11.	–	23
24	–	·01.	–	–	·25.	–	–	·05.	–	·25.	·12.	–	24
25	–	·50.	·02.	–	–	–	–	·27.	–	·14.	–	·36.	25
26	·05.	} ·22.	–	–	–	·03.	–	–	·67.	·60	–	·06.	26
27	–		1·18.	–	–	·12.	–	–	·54.	·47.	·09.	–	27
28	–	·22.	·02.	–	–	–	–	·13.	·13.	–	–	·33.	28
29	–	·33.	–	–	–	·37.	–	3·15.	·16.	·35.	·03.	·44.	29
30	–	✕	–	–	–	–	–	·02.	–	·57.	–	–	30
31	–	✕	–	✕	–	✕	·	·07.	✕	·37.	✕	·01.	31
Total	·89.	5·45.	3·49.	·50.	1·57.	·96.	·75.	4·35.	2·55.	5·51.	4·87.	6·39.	YEAR'S TOTAL 37·28.
Rain Days.	13.	23. ✓	13.	6.	13.	10.	6.	12.	10.	23.	19.	16	164.

W. 8,000, VIII. 16

1589

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
24 JAN 1918

Kept at H M Naval Depôt Portland
in the County of Dorset
by The Officer in Charge of Works

Lat. 50° 34 N Long. 2° 26' W
Time of Observation 9. am
Nearest Railway Station Portland
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·05	·18	–	·04	–	·70	–	–	·03	–	1
2	–	–	–	·19	–	–	–	·01	–	–	·02	–	2
3	·02	–	–	·06	–	–	·38	·02	–	–	·85	–	3
4	–	·17	·35	–	–	–	·02	–	·02	·02	·02	·04	4
5	·08	–	·05	–	–	·20	–	–	·20	·26	·05	·03	5
6	–	–	·02	–	–	·03	–	·37	–	·15	·16	·30	6
7	·35	–	–	–	–	–	·09	·90	–	·18	·02	–	7
8	·26	–	·28	·08	–	–	·24	[illegible]	–	·28	·15	–	8
9	–	–	·10	·01	·06	–	·02	·10	·25	·04	·02	–	9
10	·20	–	·34	·24	·23	–	–	–	–	–	–	–	10
11	·03	–	·37	·10	·07	–	–	–	–	·35	·04	–	11
12	·03	–	·05	·12	–	–	–	·02	–	·03	–	–	12
13	–	–	·22	–	·23	–	–	·01	·03	–	–	–	13
14	–	–	·05	–	–	–	–	·01	–	·04	–	–	14
15	–	–	–	·08	–	–	·01	·02	–	·20	–	–	15
16	–	·23	–	·02	–	–	–	·01	·02	1·59	–	·62	16
17	–	–	–	·20	·03	·25	·31	·28	·52	·15	–	–	17
18	–	·11	–	–	·01	·14	·05	–	·38	–	–	–	18
19	–	·41	·10	–	–	·04	–	–	·25	–	–	–	19
20	–	·02	·05	–	·24	·03	–	–	–	–	–	·03	20
21	·05	–	·36	–	·01	·02	–	–	–	·18	–	–	21
22	·01	–	·06	–	·01	–	–	·05	–	·10	–	–	22
23	–	·22	–	–	·11	–	–	·17	–	·04	–	–	23
24	–	–	–	–	–	·04	·68	·02	–	·24	–	–	24
25	–	·10	–	–	–	–	–	–	·01	–	–	–	25
26	–	–	·03	–	–	·02	–	·27	·18	–	·02	–	26
27	–	–	–	–	1·00	·34	–	·85	–	–	–	–	27
28	–	·02	·07	–	·17	·38	–	·16	–	–	–	·05	28
29	–	–	·02	–	·18	·07	·28	·01	–	·46	–	–	29
30	–	×	·30	–	–	–	·30	·24	–	–	–	–	30
31	–	×	–	×	–	×	·03	·03	×	·48	×	–	31
Total	1·05	1·28	2·87	1·28	2·35	1·63	2·51	4·25	1·86	4·79	1·38	1·07	YEAR'S TOTAL 26·32
Rain Days.	10	8	19	11	13	13	12	21	10	18	11	6	152

W. 8,000, IX. 17.

1·34

Ex DL indx pt WD

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

1 . 1 . 19

Kept at H. M. Naval Depot (Portland Breakwater) Portland

in the County of Dorset.

by Officer in Charge of Works.

Lat. 50·34 N. Long. 2°·26' W.

Time of Observation 9 a.m.

Nearest Railway Station Portland

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6. in.

" " " " Sea Level 25. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02				·02						·44	·13	1
2		·11			·04			·52			·09	·02	2
3		·16		·20							·10	·09	3
4		·07		·28	·17			·60			·74	·03	4
5		·02							·45			·12	5
6	·42	·08	·12		·52				·08	·17		·04	6
7		·07		·10				·05	·17	·10		·13	7
8	·01	·20			·12				·07	·27			8
9		·02							·50	·02		·04	9
10	·01			·15		·04	·18		·33	·18		·40	10
11	·03			·17			·14		·18	·09		·50	11
12	·03			·05			·17		·17			·07	12
13		·10			·50		·13		·40	·04			13
14	·05				·04		·72		·58	·23		·02	14
15	·21					·06	·02					·04	15
16	·84			·32			·18		·28			·05	16
17	·56		·04	·04								·02	17
18	·18						·46		·37			·11	18
19	·70					·53			·08			·17	19
20	·05		·17				·34	·02	·31	·04			20
21	·03	·07		·17		·01	·08	·01	·46				21
22	·06	·03							·26	·01		·22	22
23	·08				·04		·38		·04			·17	23
24	·14				·03		·27		·24		·42		24
25		·13						·37			·07		25
26							·02				·10		26
27					·19		·09	·04		·04	·18	·33	27
28		·12	·01							·02			28
29			·22	·09					1·60	·03	·02	·04	29
30			·49						·06	·05		·02	30
31			·23							·06		·08	31
Total	~~3·37~~ 3·35	1·18	1·28	·02 ~~1·57~~ 1·59	~~1·67~~ 1·65	·64	3·18	1·61	6·58	1·35	·13 ~~2·16~~ 2·29	(–) ~~2·84~~ 2·71	YEAR'S TOTAL ~~24·43~~ 24·41
Rain Days.	~~17~~ 16	14	7	~~11~~ 12	~~11~~ 10	4	14	9	20	15	~~10~~ 11	~~24~~ 23	~~156~~ 155

W, 6,500, VII. 18. W W C

W DL

9

25.1.19

REGISTER OF RAINFALL IN 1918.

Kept at H. M. Naval Depot. (Portland Breakwater)
in the County of Dorset. Portland
by Officer in Charge of Works.

Lat 50 : 34 Long 2° : 26' W.
Time of Observation 9 a.m.
Nearest Railway Station Portland
Diameter of Funnel of Rain Gauge 8. in
Height of Top of Gauge above Ground 1'·6" ft. in
Height of Top of Gauge above Sea Level ·25. ft

Date	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Date
1	·02				·02						·44	·13	1
2		·11			·04			}·52			·09	·02	2
3		·16		20							·10	·09	3
4		·07		·28	·17			·60}			·74	·03	4
5		·02					—		}·45			·12	5
6	·42	·08	·12		·52				·08	·17		·04	6
7		·07		·10				·05	·17	·10		·13	7
8	·01	·20			·12				·07	·27		·04}	8
9		·02							·50	·02			9
10	·01			·15		·04	·18		·33	·18		·40	10
11	·03			·17			·14		·18	·09		·60	11
12	·03			·05			·17		·17			·07	12
13		·10			·50		·13		·40	·04			13
14	·05				·04		·72		·58	·23		·02	14
15	·21					·06	·02					·04	15
16	·84			·32			·18		·23			·05	16
17	·56		·04	·04								·02	17
18	·18						·46		·37			·11	18
19	·70					·53			·08			·17	19
20	·05		·17	·17}			·34	·02	·31	·04			20
21	·03	·07				·01	·08	·01	·46				21
22	·06	·03							·26	·01		·22	22
23	·03				·04		·38		·04		·42}	·17	23
24	·14	13}			·03		·27		·24				24
25								·37			·07		25
26					·19}		·02				·10		26
27							·09	·04		·04	·18	33	27
28		·12	·01							·02			28
29			·22	·09					1·60	·03	·02	·04	29
30		—	·49						·06	·05		·02	30
31		—	·23	—		—			—	·06	—	·08	31
	–	–	–	·02	–	–					13	(–)	Years Total.
Total	~~2·37~~ 3·35	1·18	1·28	~~1·57~~ 1·59	~~1·67~~ 1·65	·64	3·18	1·61	6·58	1·35	~~2·16~~ 2·29	~~2·84~~ 2·71	~~27·43~~ 27·41
Rain Days	16	14	7	~~11~~ 12	~~11~~ 10	4	14	9	20	15	~~10~~ 11	~~24~~ 23	156

WD E+R 1498

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1910.

Kept at H. M. Naval Depot, Portland

in the County of Dorset

by Superintending Civil Engineer.

Lat 50° 34 N Long 2° 26 W.
Time of Observation 9 a.m.
Nearest Railway Station Portland
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain ~~should~~ be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48 ~~[illegible]~~

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	-	-	·11	-	·08	-	-	-		·38	1
2	·56	-	-	-	-	-	·33	-	-	-		1·19	2
3	·23	-	·11	-	·03	-	·10	-	·20	·02		·02	3
4	·83	-	·64	-	·13	-	-	-	·38	·03		·05	4
5	·95	·28	·38	-		-	-	·17	·27	-	·10	·02	5
6		·48	·55	-	·09	-	-	-	·03	-	·05	·04	6
7	·35	·42	·28	-	·02	-	-	-	-	-		·18	7
8	·24	-	·38	·10	-	-	-	-	-	-			8
9	·28	-	·32	-	-	-	-	-	-	-	·94	-	9
10	·31	-		·13	·10	-	-	-	-	-		-	10
11	·16	-	-	-	·20	-	-	-	-	-		·12	11
12	·53	-	·15	·23		-	·11	-	-	-		·60	12
13		-	·03	-	-	-	-	-	-	-	·10		13
14	·23	·10	·15	·33	-	-	·02	-	-	-			14
15	·45	·08	-	·14	·22	-	·12	-	-	·02			15
16	·37	·04	-	-	-	-	-	·01	-	·04			16
17	·05	1·00	-	·03	·06	-	-	-	-	-	·14	-	17
18	·02	·36	-	-	-	-	-	-	-	-		-	18
19	·73	·28	·75	-	-	-	·75	·05	-	-	·16	-	19
20		·20	·41	-	-	·12	35	·14	·05	-	·06	·08	20
21	·15	·02	·08	-	-	·46		·28	-	-	·01	-	21
22	-	·69	-	-	-	-	·02	-	·03	-	·02	·03	22
23	-	-	-	-	-	-	·04	-	~~·14~~	-	·03	·03	23
24	-	-	·03	-	-	-	-	·05	-	~~[illegible]~~		·04	24
25	-	·02	-	-	-	·17	-		-	·95	·14	1·35	25
26	-	·03	-	·01	-	·03	-	·84	-	-			26
27	·18	·13	·08	·24	-	-	-	-	-	-	·02		27
28	·07	-	-		-	-	·10	1·27	-	-	·13		28
29	-	-	·42	-	-	-	-	·28	-	-	·49		29
30	-	×	-	-	-	-	-	·07	·07	·04	·37	·06	30
31	-	×	-	-	-	×	-	·17	×	-	×	·71	31
TOTAL	6·69	4·13	4·76	·11 ~~1·21~~ 1·32	- ~~·96~~ ·85	·08 ~~·78~~ ·86	- ~~2·02~~ 1·94	3·33	1·17	1·54	·38 ~~2·76~~ 3·14	·48 ~~4·90~~ 5·00	YEAR'S TOTAL ~~34·25~~ 34·73
Days with ·01 in. or more	22	15.	17.	10 ~~9.~~	10 ~~11.~~	5 ~~11.~~	11 ~~12~~	12	8	7	18 ~~14~~	25	~~159~~ 160

5.50

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at H. M. Naval Depot Portland.
in the County of Dorset
by Superintending Civil Engineer.

Lat. 50°34' N. Long. 2° 26' W.
Time of Observation 9 a.m.
Nearest Railway Station Portland
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·02	–	·28	·30	–	·46	–	–	·23	·25	1·05	1
2	·24	–	–			–	·17	·35	·09	·25	–	–	2
3	·05	·06	–		–	–	·41	–	·02		–	–	3
4	–	·07	·04		–	–		·45	–	·09	–	–	4
5	–	–	·15	·07	·03	–	·39	·27	–	·14	–	–	5
6	–	–	–	·08	·32	–	·23	–	–	·07	–	–	6
7	·54	–	·08	·10	·05	–	·29	–	–	·01	–	·14	7
8	·03	·06	–	·12	·02	–	·03	·02	–	–	–	–	8
9	·63	·08	·05	·04	–	·19	–	–	–	–	–	–	9
10	1·10	·07	·10	·68	–	·47	·76	–	–	–	·09	–	10
11		·03	·17		·26	·03		–	–	–		·33	11
12	·24	·04	–	·32	–	·10	·01	–	–	–	·05		12
13	·22	·02	·86	·09	–		·02	–	–	–	–	·06	13
14	·08	–		·47	–	–	·01	–	·29	·10	·26	·02	14
15	·13	·08	·06	·08	–	·02	·01	–	·02	·50	·04	–	15
16	·02	·01	·02	–	–	–	·08	–	·21	·04	–	–	16
17	·16	–	–	·14	·29	–	·02	–	·40	–	–	–	17
18		·02	–		·10	·23		·54	·12	–	–	–	18
19	·03	–	–	·10	–	·96	–	–		–	–	–	19
20	·01	–	–	·08	–		·09	–	–	–	–	·14	20
21	–	–	–	·06	–	–	·10	–	–	–	–	·37	21
22	·05	–	–	·24	–	–	·03	–	–	–	–	·40	22
23	·02	–	–	–	–	–	·28	·04	–	–	–	·41	23
24	–	–	·14	–	–	–	–	–	–	–	·36	–	24
25	–	·03	·05	–	·19	–	·38	–	–	–	–	–	25
26	·10	·02	·36	–	–	·14	–	–	–	–	·07	·49	26
27	·41	–	·15	–	·02		–	–	–	–	–		27
28	·75	·04		–	·07	–	·12	–	–	–	–	·07	28
29	·66	–	·34	–	–	·08	–	–	–	–	·16	·32	29
30	·10	×	–	–	–	·17	·05	–	·43	–	·43	·39	30
31	–	×	·18	×	–	×	–	–	×	·49	×	·22	31
TOTAL	5·80	·65.	2·75	2·95	1·65	2·39	3·94	1·67	1·58	1·92	1·71	4·41.	YEAR'S TOTAL 31·42
Days with ·01 in. or more	24	15	17	21	12	13	24.	6	9	11.	9.	16	(177.)
Days with ·04 in. or more	19	8	16.	21	9.	12.	16.	5	7.	10	9.	15	(147.)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PORTLAND
EASTON
DORSET
1911 - 1914

11 JAN 1912

Dorset Nat

Club.

Kept at "Sunnyside," "E

AW C.E.

Rain gauge diameter

2°. 25'. 55." W.

Capacity of receiver Am

265.10 ft O.D.

Hour of observation

18 in.

Date.	Jan.	Feb.	Mar.								.	Dec.	Date.
	In.	In.	In.									In.	
1	.04	–	.0								5	.01	1
2	.01	–	* –	.28	.32	–	–	.02	–	.14	.05	.20	2
3	–	–	–	* –	.16	–	–	–	.02	–	.13	.07	3
4	–	–	.08	–	–	–	–	–	–	* –	.18	.32	4
5	.05	–	–	* –	–	–	–	.05	–	.26	.06	–	5
6	.45	–	.22	–	–	–	–	–	–	.05	.11	.87	6
7	.03	–	* –	–	–	–	–	–	–	.01	.37	* –	7
8	.01	–	.11	–	–	–	–,	–	–	–	.10	.58	8
9	.02	–	–	–	–	–	–	–	–	–	.11	.36	9
10	.09	.09	.53	–	–	–	–	–	–	–	* –	.24	10
11	.25	–	.01	–	–	–	–	–	–	–	1.13	.02	11
12	–	–	1.05	–	–	–	–,	–	–	–	.05	.18	12
13	–	–	–	–	–	–	–	–	.98	–	–	.56	13
14	–	.07	–	–	–	–	–	–	–	.01	–	.39	14
15	–	.01	* –	–	–	.02	–	–	–	–	.24	.02	15
16	–	* –	–	–	* –	.43	–	–	–	–	.63	.24	16
17	–	–	.23	–	.26	.06	–	–	–	.02	.52	.28	17
18	–	.13	.03	.04	.09	} .51	–	–	–	.04	.03	.29	18
19	–	.01	–	–	–		–	–	.11	.03	–	.53	19
20 20	–	·01 ~~.17~~	·13 ~~.05~~	.01	–	– ~~.02~~	–	·03	·02 ~~.03~~	·12 ~~.30~~	–	·65 ~~.10~~	20.
21 21	* –	·17 ~~.01~~	·05 ~~.13~~	.01	–	·02	–	– ~~.03~~	·03 ~~.02~~	·30 ~~.12~~	–	·10 ~~.03~~	21.
22	.18	.03	–	* –	–	.13	–	.28	.03	.35	–	.70	22
23	.01	.09	.13	–	–	.19	–	–	.16	.41	.02	.25	23
24	.02	.10	–	–	–	.17	–	.16	–	.38	–	.31	24
25	* –	.01	.01	.09	–	.01	–	–	.02	.55	–	.02	25
26	* –	.03	.01	.34	–	–	–	–	–	.19	–	.23	26
27	–	.50	.04	.02	–	–	–	* –	.21	.88	.11	.08	27
28	–	.30	* –	.44	–	–	–	.19	–	* –	.11	.01	28
29	–	×	–	.32	.02	.25	.11	–	.10	.43	.01	.01	29
30	–	×	* –	.01	.09	* –	* –	–	* –	.29	.07	.07	30
31	–	×	.05	×	–	×	–	–	×	–	×	.01	31
Monthly Totals.	1.16	1.55	2.69	1.56	.94	1.79	.11	.74	.78	4.46	4.08	7.60	Total number of rain days.
Totals from Jan. 1.		2.71	5.40	6.96	7.90	9.69	9.80	10.54	11.32	15.78	19.86	27.46	
No. of rain days in each month	12.	14.	16.	10.	6	11	1	7	10	18	20	29.	154.

27.46.

INSTRUCTIONS

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash —. If the gauge contains less than one-hundredth (·01) of an inch but more than half that amount, it should be entered as ·01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to H. Stilwell, Esq., Steepleton Manor, Dorchester.

N.B. 21 days less than ·005

11 JAN 1912

Dorset Natural History and Antiquarian Field Club.

REGISTER OF RAINFALL IN 1911.

Kept at "Sunnyside," Easton, Portland. 3 *by* R. STEVENSON HENSHAW C.E.
Rain gauge diameter 5" *in.* *Latitude* 50°.32'.35" *Longitude* 2°.25'.55" W.
Capacity of receiver Ample. *Height of top of gauge above sea level* 265.10 *ft* O.D.
Hour of observation 9.a.m. " " *ground* 18 *in.*

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	.04	—	.01	—	—	—	—	.01	—	—	.05	.01	1
2	.01	—	* —	.28	.32	—	—	.02	—	.14	.05	.20	2
3	—	—	—	* —	.16	—	—	—	.02	—	.13	.07	3
4	—	—	.08	—	—	—	—	—	—	* —	.18	.32	4
5	.05	—	—	* —	—	—	—	.05	—	.26	.06	—	5
6	.45	—	.22	—	—	—	—	—	—	.05	.11	.87	6
7	.03	—	* —	—	—	—	—	—	—	.01	.37	* —	7
8	.01	—	.11	—	—	—	—	—	—	—	.10	.58	8
9	.02	—	—	—	—	—	—	—	—	—	.11	.36	9
10	.09	.09	.53	—	—	—	—	—	—	—	* —	.24	10
11	.25	—	.01	—	—	—	—	—	—	—	1.13	.02	11
12	—	—	1.05	—	—	—	—	—	—	—	.05	.18	12
13	—	—	—	—	—	—	—	—	.08	—	—	.56	13
14	—	.07	—	—	—	—	—	—	—	.01	—	.39	14
15	—	.01	* —	—	—	.02	—	—	—	—	.24	.02	15
16	—	* —	—	—	* —	.43	—	—	—	—	.63	.24	16
17	—	—	.23	—	.26	.06	—	—	—	.02	.52	.28	17
18	—	.13	.03	.04	.09	} .51	—	—	—	.04	.03	.29	18
19	—	.01	—	—	—		—	P	.11	.03	—	.53	19
20 20	—	.01 ~~.17~~	.13 ~~.06~~	.01	—	— ~~.02~~	—	.03	.02 ~~.05~~	.12 ~~.30~~	—	.65 ~~.10~~	20.
21 21	* —	.17 ~~.01~~	.05 ~~.13~~	.01	—	.02	—	— ~~.05~~	.03 ~~.02~~	.30 ~~.12~~	—	.10 ~~.65~~	21.
22	.18	.03	—	* —	—	.13	—	.28	.03	.35	—	.70	22
23	.01	.09	.13	—	—	.19	—	—	.16	.41	.02	.25	23
24	.02	.10	—	—	—	.17	—	.16	—	.38	—	.31	24
25	* —	.01	.01	.09	—	.01	—	—	.02	.55	—	.02	25
26	* —	.03	.01	.34	—	—	—	—	—	.19	—	.23	26
27	—	.50	.04	.02	—	—	—	* —	.21	.88	.11	.08	27
28	—	.30	* —	.44	—	—	—	.19	—	* —	.11	.01	28
29	—	×	—	.32	.02	.25	.11	—	.10	.43	.01	.01	29
30	—	×	* —	.01	.09	* —	* —	—	* —	.29	.07	.07	30
31	—	×	.05	×	—	×	—	—	×	—	×	.01	31
Monthly Totals.	1.16	1.55	2.69	1.56	.94	1.79	.11	.74	.78	4.46	4.08	7.60	Total number of rain days.
Totals from Jan. 1.		2.71	5.40	6.96	7.90	9.69	9.80	10.54	11.32	1578	1986	27.46	
No. of rain days in each month	12.	14.	16.	10.	6	11	1	7	10	18	20	29.	154.

27.46.

INSTRUCTIONS

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash —. If the gauge contains less than one-hundredth (·01) of an inch but more than half that amount, it should be entered as ·01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to H. Stilwell, Esq., Steepleton Manor, Dorchester.

N.B. 21 Days less than ·005

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN, 1912

Kept at "Sunnyside" Easton. Portland
in the County of Dorset. 3
by R. Stevenson Henshaw. C.E.

Lat. 50° 32' 35" Long. 2° 25' 55" W.
Time of Observation 9. a. m.
Nearest Railway Station Easton.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 265.10 ft.

JAN 1913

Portland Urban District Council.

Enc.

R. STEVENSON HENSHAW, C.E.
WATERWORKS ENGINEER
AND SURVEYOR.
TELEPHONE Nº 10.
TELEGRAMS,
"HENSHAW, PORTLAND."

New Road.
Portland. Dorset.

12 JAN 1914

4/112A

Ans 13 I 14

10th January /1419

Dr H.R. Mill,
London,

Dear Sir,/

I have received the general table of rainfall in 1912 for which please accept my thanks.

I notice, on page 253, that you have printed the number of wet days, namely 200, as recorded by myself at Easton in italics, and I am just wondering why this is, because no one can possibly be more careful than myself.

If it is because of my absence on annual leave during the month of May, I might say that I had the wet days recorded in my absence and the quantity that fell kept until my return; moreover to make sure I compared the wet days with the neighbouring records.

Yours faithfully,

R. Stevenson Henshaw

Engineer & Surveyor,

30	–		·02	–	·05	·04	·01	·01	[illegible]	[illegible]			
31	–		·58		–		·15	·01		·01		·11	31
Total	5·06	2·59	4·66	–	2·14	3·53	2·04	5·14	2·33	4·88	1·84	4·94	YEAR'S TOTAL 39·15.
Rain Days.	19.	22	24	–	13	17.	14	(29)	5	19	14	24	(200)

W. 7,500, XI. 12

29 days. less than ·005.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	* –	* –	·14	–	·04	·04	1·20	–	·31	1
2	–	–	·32	* –	–	–	·24	–	–	·01	–	·01	2
3	–	–	·05	–	–	·43	·01	↑	·02	–	·02	·01	3
4	·18	snow ·03	Thunder ·38	–	·02	·19	–		–	–	·46	* –	4
5	·56	part snow ·23	·15	–	·08	* –	–		–	–	·01	·12	5
6	·53	* –	* –	–	·36	·21	–		–	–	–	·01	6
7	Thunder ·01	·42	·13	–	·27	·79	–		–	–	–	·13	7
8	·57	·15	·19	* –	·01	* –	–	–	–	–	–	·01	8
9	·01	·01	·19	* –	–	·07	·02		–	–	–	·38	9
10	* –	·01	·01	–	–	·07	·01		–	–	–	·44	10
11	·06	·04	–	–	* –	* –	–		–	* –	·01	·41	11
12	·02	·22	·13	* –	Thunder ·53	–	·02		–	Dew ·01	·01	* –	12
13	* –	* –	·02	–	* –	–	–		–	·01	·01	·05	13
14	·04	–	·29	–	·09	–	–		–	·01	–	·01	14
15	·24	·14	·01	–	·06	·76	–		–	–	–	·31	15
16	1·21	·02	·36	–	·08	* –	–	(away on holiday) 4·59	–	·03	·13	·01	16
17	little snow. ·75	* –	·31	–	·02	·11	–		–	–	·01	·06	17
18	·06	·01	·13	–	–	* –	–		–	·01	–	* –	18
19	·01	·01	·27	–	–	·03	·05		–	–	–	–	19
20	·01	·04	·45	–	·06	–	·01		–	·61	·01	–	20
21	* Fog –	·35	·33	–	·56	–	–		–	·05	–	–	21
22	Fog ·23	·39	·10	–	–	Thunder ·06	·13		–	·07	–	·02	22
23	·22	·22	·21	–	–	–	–		–	·29	·13	·22	23
24	·21	·05	·01	–	–	·16	–		–	·10	–	·38	24
25	·14	·01	* –	–	–	·14	–		–	·33	·33	·47	25
26	* –	·03	* –	–	–	–	·19	↓	–	·23	·35	Thunder ·53	26
27	–	·03	–	–	–	·23	67	·04	* –	·46	·01	·42	27
28	–	·09	–	–	–	·06	·20	·42	·04	·83	·35	·51	28
29	–	·09	–	–	–	·04	·33	·03	1·31	·24	* –	·01	29
30	–		·02	–	·05	·04	·01	·01	·92	·38	–	–	30
31	–		·58		–		·15	·01		·01		·11	31
Total	5·06	2·59	4·66	–	2·14	3·53	2·04	5·14	2·33	4·88	1·84	4·94	YEAR'S TOTAL 39·15.
Rain Days.	19.	22	24	–	13	17.	14	(29)	5	19	14	24	(200)

W. 7,500, XI. ·12

29 days. less than ·005.

Ex DL Dorset 3

7 JAN 1914

Dorset Natural History and Antiquarian Field Club

REGISTER OF RAINFALL IN 1913.

Kept at "Sunnyside" Easton, Portland *by* R. STEVENSON HENSHAW C.E.

Rain gauge diameter 5 *in.* *Latitude* 50° 32' 35" *Longitude* 2° 35' 55 West

Capacity of receiver *in.* *Height of top of gauge above sea level* 265.10 O.D. *ft.*

Hour of observation 9 a.m. „ „ *ground* 18 *in.*

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	.01	.35	.17	.20	–	–	–	–	.25	.04	.16	–	1
2	–	.11	–	.05	.06	–	.01	–	–	.18	.11	.04	2
3	.05	* –	.07	.01	12	–	–	–	–	.07	–	.09	3
4	.51	–	.16	.02	.12	.01	–	–	.69	.38	.05	.03	4
5	.34	.24	.01	–	.06	.08	–	–	.54	.11	.22	.33	5
6	.01	.07	.03	–	.02	.11	* –	–	–	1.33	.08	.66	6
7	.01	.41	.12	–	.37	.06	.12	–	–	.20	.14	.01	7
8	.02	.29	–	–	.18	.01	.10	–	–	* –	–	.17	8
9	* –	.03	–	–	.02	–	.02	.08	–	–	.06	* –	9
10	.26	.01	–	–	–	–	–	–	–	.08	.39	–	10
11	.78	.01	–	.06	.30	.01	–	–	–	.08	.34	.02	11
12	.01	* –	–	–	.26	.02	–	–	–	.01	.48	–	12
13	.05	–	.03	–	–	–	–	.03	.39	–	.17	–	13
14	.22	.01	.08	.01	.22	––	–	–	.32	–	.03	.01	14
15	.35	.02	.28	.45	–	–	.19	.04	.32	–	–	–	15
16	.10	–	.42	.03	–	.02	–	–	.09	–	* –	–	16
17	.16	.02	* –	.03	–	–	–	–	* –	–	.01	* –	17
18	* –	–	.18	.05	–	.01	–	–	–	* –	.06	–	18
19	.88	–	.02	–	.04	* –	.01	–	.29	–	–	–	19
20	.12	–	.23	.13	–	.04	–	–	–	.34	.05	–	20
21	.01	–	.16	.28	–	.01	–	–	–	.07	.49	–	21
22	.23	–	.11	–	–	–	–	.15	.14	.07	.01	.14	22
23	.02	–	–	–	–	.03	–	–	–	–	.07	.59	23
24	.06	–	–	.06	–	–	–	–	–	–	.01	* –	24
25	* –	.16	–	.28	–	–	–	–	–	.01	.01	–	25
26	–	* –	–	.15	–	–	–	.31	–	* –	–	.17	26
27	.05	–	.16	.05	–	–	–	–	–	.01	–	–	27
28	.15	–	.09	.33	–	–	–	–	–	.19	* –	–	28
29	.20		.27	.25	.15	–	–	.05	–	.16	–	* snow. –	29
30	.46	×	–	.01	–	–	–	–	.01	.18	–	–	30
31	.05	×	–	×	–	×	–	.80	×	.01	×	–	31
Monthly Totals.	5.11	1.73	2.59	2.45	1.92	.41	.45	1.46	3.04	3.52	2.94	2.26	Total number of rain days.
Totals from Jan 1.		6.84	9.43	11.88	13.80	14.21	14.66	16.12	19.16	22.68	25.62	27.98	
No. of rain days in each month	26	13	18	19	13	12	6	7	10	19	20	12	175

Total 27.88.

Days

INSTRUCTIONS.

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash—. If the gauge contains less than one-hundredth ('01) of an inch but more than half that amount, it should be entered as '01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to R. Stevenson Henshaw, Esq., C.E., New Road, Portland, Weymouth.

* 19 days less than ·005.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at "Sunnyside" Easton Portland
in the County of Dorset 3
by R. Stevenson Henshaw C.E.

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Easton.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 265·10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	* —	* —	* —	—	—	—	·53	—	—	·13	·07	1
2	—	* —	—	·01	* —	·02	·46	·12	—	—	·84	·24	2
3	—	·01	·05	·19	·41	—	·02	·03	—	—	·01	·01	3
4	·09	—	·01	·28	·02	—	·23	1·09	—	—	·64	·05	4
5	·10	·01	·04	·11	·06	—	·48	* —	—	—	·44	—	5
6	·01	·22	* —	·12	·06	—	·10	* —	—	—	·01	·39	6
7	·02	·59	·17	·19	·01	·03	·27	·04	·06	—	·01	·24	7
8	·06	·20	·32	·04	—	·06	—	·05	—	—	·02	·09	8
9	·02	·01	·70	·10	·09	·01	—	·01	·58	—	—	·14	9
10	·07	·27	·01	·08	·05	·01	—	—	·32	—	·02	—	10
11	—	·13	·69	—	·06	·04	·87	—	—	—	·02	·47	11
12	—	·06	·28	* —	—	—	* —	—	·25	·05	·04	·37	12
13	—	·49	·32	—	—	—	—	—	·10	·06	·12	·55	13
14	* —	·32	·16	—	—	·13	·43	1·02	·01	·19	·49	·29	14
15	—	* —	·13	—	—	—	* —	·15	—	·08	·56	·02	15
16	—	—	—	—	—	—	·03	—	·25	—	—	—	16
17	—	·67	·15	—	—	—	—	—	—	—	—	·58	17
18	—	·04	·21	—	—	—	·13	—	·11	—	—	·47	18
19	—	·09	·67	—	—	·01	·94	—	·01	—	·13	·04	19
20	—	·37	·12	—	—	·04	—	* —	—	—	—	·30	20
21	—	·53	·05	—	—	—	—	* —	—	·29	—	—	21
22	—	·03	·06	—	·35	·01	·26	·04	—	·01	—	—	22
23	—	·42	·44	—	—	—	* —	—	—	·16	—	—	23
24	—	·55	—	—	·04	—	—	—	—	·12	·09	—	24
25	·01	* —	·17	—	·15	—	·01	·48	—	·29	·03	·47	25
26	·01	·02	·15	—	—	—	·05	·01	—	✓	·28	·57	26
27	·04	—	* —	—	—	—	—	—	—	—	·08	·27	27
28	·02	·09	·33	—	·07	—	—	—	—	·96	·14	·47	28
29	·35	X	·07	·08	·10	—	·01	* —	—	✓	·26	·01	29
30	·01	X	·09	·01	—	·03	—	—	—	✓	·72	·52	30
31	·07	X	—	X	·04	X	·02	—	X	✓	X	·13	31
Total	·88	5·12	5·39	1·21	1·50	·39	4·31	3·57	1·69	2·21	5·08	6·76	YEAR'S TOTAL 38·11
Rain Days.	14	21	24	11	14	11	16	12	9	13	22	24	191

W. 8,000. X. 14.

* 19 days less than ·005.

1497

PORTLAND BILL
HIGH LIGHTHOUSE
M O.
DORSET

1919 — 1920

FORM A. 2. METEORO GANIZATION.

R 19..

Kept at Portl h

in the County of in Gauge in.

ove Ground 1 ft. 0 in.

by Sea Level ft.

IMPORTANT NOT entered to the previous day.

If an Observer prefers n the reading at 9 a.m. on this paragraph. Full insti and particulars as to the sent post-free on applica Square, London, N.W. 1.

ested to add at the end of f rain gauges, *ll Observers,"* 62, Camden

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
1	11·3	-	2·0	.	0·2	.	9·9	-	-	2·1	0·3	28·1
2	7·9	-	0·2	.	0·9	.	2·1	.	4·4	0·2	-	6·4
3	21·2	-	8·7	.	1·2	.	.	-	9·6	-	0·5	.
4	13·3	6·2	9·9	.	-	.	0·2	8·0	2·5	-	1·9	1·0
5	5·6	8·9	14·8	-	1·2	.	.	.	0·4	-	1·2	1·0
6	6·9	9·7	2·7	-	0·6	.	.	-	-	-	0·4	7·4
7	7·2	-	7·9	3·3	.	.	-	.	-	.	-	-
8	3·6	.	4·9	0·2	.	.	.	.	-	-	0·2	-
9	2·5	-	2·4	2·1	1·2	.	-	-	-	-	9·2	-
10	6·3	-	1·4	0·9	1·1	.	-	.	.	2·1	0·2	1·6
11	3·2	.	1·9	4·4	3·2	-	-	.	-	-	-	1·7
12	6·4	-	0·2	0·3	0·2	.	2·2	-	.	0·3	1·8	1·0
13	1·2	0·6	2·8	5·4	-	.	0·5	-	.	-	-	1·1
14	10·8	2·1	-	3·6	5·9	-	2·8	.	-	0·2	.	1·2
15	7·4	1·4	-	1·0	0·2	-	-	0·5	.	1·8	-	5·4
16	3·0	21·1	-	.	0·1	-	.	-	-	-	2·0	-
17	-	7·1	-	.	0·2	-	-	-	-	-	2·0	.
18	-	-	11·1	.	.	-	0·2	0·5	0·2	.	4·7	-
19	8·3	7·2	10·3	-	-	1·8	19·5	2·1	1·2	.	2·0	1·3
20	6·3	-	0·5	.	-	9·4	-	7·1	0·4	-	0·1	-
21	0·3	15·0	-	.	.	-	-	-	1·0	-	-	1·0
22	.	0·6	-	.	-	.	1·3	-	3·1	-	0·1	-
23	-	-	0·9	-	-	-	-	0·2	-	0·8	1·1	0·4
24	-	0·3	-	-	-	1·2	.	0·5	-	23·2	4·7	4·2
25	2·5	1·0	-	0·2	-	0·8	-	6·2	-	-	0·1	0·7
26	1·5	4·8	0·5	6·0	.	.	-	1·7	1·9	-	0·1	8·2
27	1·3	-	0·6	5·7	-	.	1·1	18·2	.	-	10·0	1·7
28	-	-	9·0	-	-	-	-	8·1	-	-	9·6	12·1
29	0·3		.	0·2	-	-	-	4·1	-	1	-	2·2
30	-	✕	-	2·9	-	-	-	3·2	-	-	20·0	15·4
31	.	✕	0·1	✕	.	✕	-	.	✕	-	✕	8·1
TOTAL	138·3 ✓	86·0 ✓	92·8 ✓	36·2 ✓	16·2 ✓	13·2 ✓	39·8 ✓	60·4 ✓	24·7 ✓	31·7 ✓	71·6 ✓	111·2 ✓
Days with 0·2 mm. or more	23 ✓	14 ✓	20 ✓	14 ✓	12 ✓	4 ✓	10 ✓	13 ✓	10 ✓	9 ✓	18 ✓	22 ✓

YEAR'S TOTAL 722·2

169

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

5·5

1497

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Portland Bill

in the County of Dorset

by

Lat. Long.

Time of Observation 7h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·3	-	2·0	-	0·2	-	9·9	-	-	2·1	0·3	28·1	1
2	7·9	-	0·2	-	0·9	-	2·1	-	4·4	0·2	-	6·4	2
3	21·2	-	8·7	-	1·2	-	-	-	9·6	-	0·5	-	3
4	13·3	6·2	9·9	-	-	-	0·2	8·0	2·5	-	1·9	1·0	4
5	5·6	8·9	14·8	-	1·2	-	-	-	0·4	-	1·2	1·0	5
6	6·9	9·7	2·7	-	0·6	-	-	-	-	-	0·4	7·4	6
7	7·2	-	7·9	3·3	-	-	-	-	-	-	-	-	7
8	3·6	-	4·9	0·2	-	-	-	-	-	-	0·2	-	8
9	2·5	-	2·4	2·1	1·2	-	-	-	-	-	9·2	-	9
10	6·3	-	1·4	0·9	1·1	-	-	-	-	2·1	0·2	1·6	10
11	3·2	-	1·9	4·4	3·2	-	-	-	-	-	-	1·7	11
12	6·4	-	0·2	0·3	0·2	-	2·2	-	-	0·3	1·8	1·0	12
13	1·2	0·6	2·8	5·4	-	-	0·5	-	-	-	-	1·1	13
14	10·8	2·1	-	3·6	5·9	-	2·8	-	-	0·2	-	1·2	14
15	7·4	1·4	-	1·0	0·2	-	-	0·5	-	1·8	-	5·4	15
16	3·0	21·1	-	-	0·1	-	-	-	-	-	2·0	-	16
17	-	7·1	-	-	0·2	-	-	-	-	-	2·0	-	17
18	-	-	11·1	-	-	-	0·2	0·5	0·2	-	4·7	-	18
19	8·3	7·2	10·3	-	-	1·8	19·5	2·1	1·2	-	2·0	1·3	19
20	6·3	-	0·5	-	-	9·4	-	7·1	0·4	-	0·1	-	20
21	0·3	15·0	-	-	-	-	-	-	1·0	-	-	1·0	21
22	-	0·6	-	-	-	-	1·3	-	3·1	-	0·1	-	22
23	-	-	0·9	-	-	-	-	0·2	-	0·8	1·1	0·4	23
24	-	0·3	-	-	-	1·2	-	0·5	-	23·2	4·7	4·2	24
25	2·5	1·0	-	0·2	-	0·8	-	6·2	-	-	0·1	0·7	25
26	1·5	4·8	0·5	6·0	-	-	-	1·7	1·9	-	0·1	8·2	26
27	1·3	-	0·6	5·7	-	-	1·1	18·2	-	-	10·0	1·7	27
28	-	-	9·0	-	-	-	-	8·1	-	-	9·6	12·1	28
29	0·3		-	0·2	-	-	-	4·1	-	-	-	2·2	29
30	-		-	2·9	-	-	-	3·2	-	-	20·0	15·4	30
31	-		0·1		-		-	-		-		8·1	31
TOTAL	138·3	86·0	92·8	36·2	16·2	13·2	39·8	60·4	24·7	31·7	71·6	111·2	YEAR'S TOTAL 722·1
Days with 0·2 mm. or more	23	14	20	14	12	4	10	13	10	9	18	22	169

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

5 5

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 1412

E.W. wnk

REGISTER OF RAINFALL IN 1920.

Kept at Portland Bill MO

in the County of Dorset

by Lightkeeper for M.O.

Lat. 50° 32′ Long. 2° 27′ W

Time of Observation 7h G.M.T.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge — in.

Height of top of Gauge above Ground — ft. — in.

„ „ „ „ Sea Level 19 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.1	0.2	0.2	1.6	5.5	–	12.3	–	0.1	2.4	6.8	19.4	1
2	3.0	–	0.4	5.8	–	–	5.3	6.7	1.0	2.4	–	2.2	2
3	1.2	0.2	–	0.8	–	–	2.2	–	–	3.2	–	1.7	3
4	0.2	3.2	0.3	0.2	–	–	3.6	8.2	–	1.3	–	–	4
5	–	–	3.2	2.6	–	–	5.1	2.1	–	2.6	–	–	5
6	–	–	1.7	–	6.1	–	5.8	–	–	2.7	–	–	6
7	0.4	–	–	5.2	0.4	–	4.1	–	–	–	–	3.8	7
8	–	1.4	–	1.8	0.2	–	2.6	1.7	–	–	–	0.1	8
9	7.9	0.4	0.9	–	0.3	4.4	–	–	–	–	–	–	9
10	12.2	1.2	1.7	1.1	–	8.7	11.3	–	–	–	1.1	–	10
11	14.2	–	2.8	14.2	5.8	1.1	4.6	–	–	–	–	–	11
12	4.9	0.8	0.2	4.4	–	2.3	–	–	–	–	0.3	4.2	12
13	6.8	0.2	8.7	1.1	–	–	–	–	–	–	–	0.6	13
14	0.2	0.3	8.4	11.2	–	–	–	–	5.3	1.1	4.8	0.2	14
15	3.4	–	1.4	2.4	0.8	–	–	–	2.6	4.6	2.1	–	15
16	0.3	–	0.3	0.7	1.4	9.9	1.9	–	7.3	0.7	–	–	16
17	0.4	–	–	1.3	4.3	–	0.7	–	10.4	–	–	–	17
18	1.6	0.4	–	0.2	1.6	4.7	–	8.9	0.2	–	–	–	18
19	1.1	–	–	3.2	–	1.4	–	–	3.4	–	–	–	19
20	1.0	1.7	–	2.1	–	21.2	–	–	–	–	–	0.2	20
21	–	–	–	–	–	–	7.4	–	0.1	0.1	–	5.2	21
22	0.2	–	–	2.4	–	–	–	–	–	–	–	7.4	22
23	0.2	–	–	–	–	–	5.4	–	–	–	–	6.9	23
24	0.1	–	2.6	–	–	–	–	–	–	–	3.4	2.8	24
25	–	0.4	1.1	–	6.4	–	6.4	–	–	–	–	0.2	25
26	1.6	–	7.1	–	0.4	–	–	–	–	–	1.4	2.8	26
27	7.9	0.2	0.3	2.1	–	0.4	–	–	–	–	0.8	4.7	27
28	16.6	0.2	–	–	2.1	–	1.7	–	–	–	–	2.0	28
29	10.0	0.2	8.1	0.7	–	0.4	–	–	–	–	2.4	6.1	29
30	1.2	X	–	–	–	2.4	0.6	–	8.0	–	5.0	4.2	30
31	1.0	X	5.9	X	–	X	–	–	X	16.4	X	7.9	31
Total	105.7	11.0	55.3	65.1	35.3	56.9	81.0	27.6	38.4	37.5	28.1	82.6	YEAR'S TOTAL 624.5 ✓
Days with 0·2 mm. or more	25 ✓	15 ✓	19 ✓	21 ✓	13 ✓	11 ✓	17 ✓	5 ✓	8 ✓	10 ✓	10 ✓	19 ✓	173 ✓
Days with 1·0 mm. or more	18 ✓	4 ✓	12 ✓	16 ✓	8 ✓	9 ✓	15 ✓	5 ✓	7 ✓	9 ✓	8 ✓	15 ✓	126 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from Ia 8200.

PIDDLETOWN VICARAGE

DORSET

1911 – 1913, 1916 – 1920

FORM A2.
BRITISH RAINFALL.

? 2 JAN 1912

9 11

Kept at P

top 16. in.

above Ground 2 ft. 8 in.

" Sea Level ft. ??

in the County of

9·a.m.

by Rev.d Art

tion { Name Moreton
Distance 4½ miles Direction SE }

IMPORTANT , and the result entered to the previous day. If universal rule, he is earnestly requested to add ing year in the space provided for it at the en easurement of rain, the selection and he British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·	·	·	·	·	·	·01	·	·	·02	·01	1
2	·01	·	·	·33	·42	·	·	·07	·02	·	·19	·45	2
3	·	·	·	·	·25	·	·	·	·	·04	·39	·56	3
4	·14	·	·05	·	·	·	·	·	·02	·			4
5	·70	·	·01	·02	·	·01	·	·10	·	·10	·10	·	5
6	·	·	·30	·	·	·	·	·	·	·03	·04	1·05	6
7	·04	·	·	·01	·	·	·	·	·	·	·46	·	7
8	·01	·03	·20	·	·	·	·	·	·	·	·27	·65	8
9	·11	·	·06	·	·	·	·	·	·	·	·07	·40	9
10	·11	·06	·61	·	·05	·	-	·	·	·	1·48	·36	10
11	·75	·02	·	·	·	·	·	·	·	·	·06	·	11
12	-	·	1·06	-	-	·	·	·15	·	·	·	·27	12
13	·	·14	·	·	·	·	·	·	·25	·	·	·54	13
14	-	·03	·	·	·	·	·	-	·	·	·	1·14	14
15	·01	·	·08	·	·	·03	·	·	·	·	31		15
16	·	·	·02	·	·	·61	·	·	·	·	·61		16
17	·	·	·12	·	·33	·10	·	·	·	·	·66	·52	17
18	·	·14	·05	·06	·	·35	·	·	·	·	·04	·50	18
19	·	·06	·	·	·	·24	·	·	·16	·20	11	·56	19
20	·04	·03	·19	·03	·	·	·	·	·08	·15	·	·52	20
21	·05	·34	·	·01	·	·03	·	·	·	·68	·	·06	21
22	·15	·06	·03	·02	·	·15	·	·	·05	·40	·	·53	22
23	·	·15	·04	·	·	·14	·	·	·15	·44	13	·54	23
24	·	·06	·	·	·	·22	·	21	·01	·54	·	·25	24
25	·03	·02	·	·12	·	·05	·	·	·09	·18	·	·50	25
26	·	·09	(snow) ·02	·41	·38	·	·	·04	·	·31	·		26
27	·	·76	·06	·07	·	·	·	·	·07	·80	·	·18	27
28	·	·31	·	·56	·	·	·	·	·	·	·27	·	28
29	·	—	·	·31	·	·21	·17	·	·19	·53	·01	·	29
30	·	—	·	·	·	·03	·	·15	·	·28	·18	·	30
31	·	—	·	—	·	—	·	·	—	·	—	·	31
Total	2·18	2·30	2·90	1·95	1·43	2·17	·17	·73	1·09	4·68	5·40	9·59	TOTAL for year = 34·59
No. of Rain Days.	14	16	16	12	5	13	1	7	11	14	20	24	= 153

W. 8,000, X. '11.

RAINFALL IN 1911

? 2 JAN 1912

FORM A2. BRITISH RAINFALL.

Kept at Piddleton Vicarage

in the County of Dorset — 3

by Revd. Arthur Helps

RAIN GAUGE: Pattern
Diameter of top 16 in.
Height of top above Ground 2 ft. 8 in.
" " " Sea Level ft. ??

Time of Observation 9 a.m.

Nearest Railway Station: Name Moreton
Distance 4½ miles Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·	·	·	·	·	·	·01	·	·	·02	·01	1
2	·01	·	·	·33	·42	·	·	·07	·02	·	·19	·45	2
3	·	·	·	·	·25	·	·	·	·	·04	·39	·56	3
4	·14	·	·05	·	·	·	·	·	·02	·			4
5	·70	·	·01	·02	·	·01	·	·10	·	·10	·10	·	5
6	·	·	·30	·	·	·	·	·	·	·03	·04	1·05	6
7	·04	·	·	·01	·	·	·	·	·	·	·46	·	7
8	·01	·03	·20	·	·	·	·	·	·	·	·27	·65	8
9	·11		·06	·	·	·	·	·	·	·	·07	·40	9
10	·11	·06	·61	·	·05	·	-	·	·	·	1·48	·36	10
11	·75	·02	·	·	·	·	·	·	·	·	·06	·	11
12	-	·	1·06	-	-	·	·	·15	·	·	·	·27	12
13	·	·14	·	·	·	·	·	·	·25	·	·	·54	13
14	-	·03	·	·	·	·	·	-	·	·	·		14
15	·01	·	·08	·	·	·03	·	·	·	·	31	1·14	15
16	·	·	·02	·	·	·61	·	·	·	·	·61		16
17	·	·	·12	·	·33	·10	·	·	·	·	·66	·52	17
18	·	·14	·05	·06	·	·35	·	·	·	·	·04	·50	18
19	·	·06	·	·	·	·24	·	·	·16	·20	·11	·56	19
20	·04	·03	·19	·03	·	·	·	·	·08	·15	·	·52	20
21	·05	·34	·	·01	·	·03	·	·	·	·68	·	·06	21
22	·15	·06	·03	·02	·	·15	·	·	·05	·40	·	·53	22
23	·	·15	·04	·	·	·14	·	·	·15	·44	·13	·54	23
24	·	·06	·	·	·	·22	·	21	·01	·54	·	·25	24
25	·03	·02		·12	·	·05	·	·	·09	·18	·	·50	25
26	·	·09	(snow) ·02	·41	·38	·	·	·04	·	·31	·		26
27	·	·76	·06	·07	·	·	·	·	·07	·80	·	·18	27
28	·	·31	·	·56	·	·	·	·	·	·	·27	·	28
29	·	—	·	·31	·	·21	·17	·	·19	·53	·01	·	29
30	·	—	·	·	·	·03	·	·15	·	·28	·18	·	30
31	·	—	·	—	·	—	·	·	—	·	—	·	31
Total	2·18	2·30	2·90	1·95	1·43	2·17	·17	·73	1·09	4·68	5·40	9·59	TOTAL for year = 34·59
No. of Rain Days.	14	16	16	12	5	13	1	7	11	14	20	24	= 153

W. 8,000, X. '11.

cndly Dorset Tc. 27·11·13 W DL

FORM A2. BRITISH RAINFALL. 4 JAN 13

REGISTER OF RAINFALL IN 1912

Kept at Piddletown Vicarage

in the County of Dorset 3

by Rev. Arthur Helps.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 8 in.
" " " Sea Level 200 ft. circa

Time of Observation 9 a.m

Nearest Railway Station
Name Dorchester
Distance 5 Mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·05	·	·	·18	·	·22	·05	·90	·	·34	1
2	·	·	·38	·01	·	·02	·19	·	·	·03	·02	·	2
3	·	·	·16	·	·	·53	·02	·59	·03	·	·03	·06	3
4	·30	·	·82	·	·	·23	·	·05	·	·	·29	·	4
5	·86	·	·24	·	·	·	·	·76	·01			·38	5
6	·50	·30	·02	·	·25	·08	·21	·60	·			·09	6
7	·03	·63	·29	·	·15	·87	·07	·05	·			·23	7
8	·72	·26	·29	·	·	·	·02	·03	·			·06	8
9	·02	·09	·19	·	·	·05	·03	·24	·			·45	9
10	·	·04	·		·	·01	·01	·18	·			·23	10
11	·7	·	·01	·	·	·	·	·19	·		·08	·66	11
12	·02	·10	·23	·05	·20	·	·04	·44	·		·07	·	12
13	·	·38	·01	·	·	·	·02	·	·	·06	·	·05	13
14	·14	·	·30	·	·02	·		·12	·	·	·	·02	14
15	·33	·23	·	·02	·05	·53		·	·	·	·	·41	15
16	1·23	·	·58	·	·07	·		·37	·	·13	·19	·03	16
17	(½ snow) ·83	·	·32	·	·	·09		1·03	·	·	·	·05	17
18	·12	·	·19	·	·	·	·	·20	·	·04	·	·	18
19	·02	·09	·11	·	·	·02	·07	·64	·	·	·	·	19
20	·02	·07	·57	·	·17	·	·05	·02	·	·34	·	·	20
21	·01	·43	·41	·	·76	·	·	·25	·	·20	·02	·	21
22	·43	·54	·08	·	·	·25	·04	·16	·	{·16}	·02	·20	22
23	·15	·30	·23	·	·	·02	·	·12	·		·19	·34	23
24	·17	·04	·	·	·	·34	·	·07	·	·01	·	·33 ·65	24
25	·34	·01	·01		·	·25	·	·19	·	·14	·38	·35	25
26	·	·04	·	·	·	·	·36	·09	·	·57	·41	·48	26
27	·	·07	·	·	·	·28	·60	·	·	·74	·	·75	27
28	·	·11	·	·	·	·21	·32	·75	·05	·79	·62	✓	28
29	·	·12	·	·	·	·02	·11	·09	1·50	·57	·	·	29
30	·	×	·07	·	·	·02	·09	·03	·63	·18	·	·	30
31	·	×	·65	×	·	×	·32	·04	×	·	×	·05	31
Total	6·31	3·85	6·21 6·21	·08	1·67	4·00	2·57	8·12	2·27	4·86	2·32	6·21 ✓	TOTAL for year 48·48 48·47
No. of Rain Days.	20	19	24	3	8	19	18	27	6	16	12	21	193
[illegible] x. 21.	20	39	63	66	74	93	111	138	144	160	172	193	

✓

end for arith 16.III.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
6 JAN 1914

Kept at Piddletown Vicarage. H M
3
in the County of Dorset
by Rev. Arthur Helps. R.D.

Lat. 50° 44' 50" N. Long. 2° 20' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·32	·22	·20					·14		·48		1
2	·16	·13		·05	·09						·15	·64	2
3	·16		·05	·10	·27				·62			·16	3
4	·84		·19		·25				·41	·55	·10	·13	4
5	·27	·06			·10	·19	·05		1·12	·15	·25	·62	5
6	·07	·16	·08	·01	·06	·19	·05			1·72	·08	·78	6
7	·04	·57			·48	·15	·42			·28	·23		7
8	·02	·31			·28	·02				·04	·02		8
9		·06			·05	·01	·07			·05	{ ·66	·07	9
10	·72				·04			·85		·15			10
11	·48				·28			·02		·08	·55	·04	11
12		·02		·17	·35	·61			·85	·02	·14		12
13	·12		·07		·01			·02	·62		·22		13
14	·30		·15	·09	·05				·36		·01		14
15	·29	·05	·57	·04					·14		·09		15
16	·08		·40	·66		·02		·04	·13		·01		16
17	·09			·09							·05		17
18	·02		·26	·11					·62		·07		18
19	1·05		·05			·05	·64		·40				19
20	·10		{ ·48	·18						·43	·55		20
21				·33	·05		·02			·13	·72		21
22	·43		·20	·02			·05	·14	·27	·02		·15 x	snow 22
23	·02							·06			·12	·71	23
24		·04		·07		·03							24
25	·02	·17		·26									25
26				·35								·24	26
27	·06		·25	·25				·38		·64			27
28	·25		·05	·31				·61		·20			28
29	·16		·46	·50	·07			·67		·45			29
30	·80	x							·64	·32			30
31	·14	x	·02	x	·02	x	·02	·63	x	·05	x		31
Total	6·69	1·89	1·30	3·81	2·37	·62	·70	2·22	3·74	4·44	4·22	2·32	YEAR'S TOTAL 36·31
Rain Days.	25	11	17	19	16	9	8	10	13	17	20	10	35·37
	~~6·69~~	~~8·58~~	~~11·88~~	~~15·69~~	~~17·68~~	~~17·70~~	~~18·40~~	~~20·62~~	~~24·30~~	~~27·74~~	~~31·96~~	~~34·27~~	174
			3·30		2·37	·61			3·74	4·44			175

W.7,000, XI. 13

Jan 1-3 est; est fr [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Piddleton

in the County of Dorset

by Arthur Helps.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station 5 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 8 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	In France B.E.F. (5) away	·03			·50				·48	·26	·30		1
2		·15			·02						·11		2
3		·97			·03				·03	·88	·21		3
4	·25	·24				·39			·04		·60		4
5	·05	·11	·15 snow		·26	·13					·53		5
6	·03		[illegible]	·03	·23	·06	1·04			·10	1·01		6
7		·07	·25 snow		·09	·06				·06	1·15	·16	7
8		·10	·33 snow		·42		·03				·04	·35	8
9		·03			·22	·02				·04	·02	·14	9
10		·67		·04							·10		10
11		·03	·06	·07						~~[illegible]~~	·02		11
12		·12	·18	·02			·12	·05		·05			12
13		·38	·23	·0[illegible]				·04					13
14		·82	·03		·10					·02			14
15	1·01		·12	·04				·04		·03			15
16		·10		·24			·06	·25		·11			16
17		·20		·11				·05	·22	·73	·60	·18 Some snow.	17
18		·09	·15	·01				·33	·24	·03	·18	·23	18
19		·06	·67	·07							·18	·18	19
20		·16	·27					·04			·16	1·81	20
21		·34	·22		·10						·02	·31	21
22						·04				·31	·04	·53	22
23		·10 snow				·11		·15			·31	·02	23
24		–		·07	·35	·01		·12		·50	·71	·41	24
25	–	·24 snow	·17		~~·35~~			·58	·02	·08	·14		25
26	–		·03			·17		·09	1·21	·67	·1		26
27	–	1·15 snow	1·14					·04	·57	·50		·03	27
28	–							·10	·34	·32	·04	·40	28
29	–		·02	·07		·58		2·38	·40	·27	·02	·45	29
30	–	╳	·02							·72			30
31	–	╳		╳		╳			╳	·51	╳	·04	31
Total	1·84	6·18 6·16	4·04	·79	2·32 (14·67)	1·57	1·23	4·26 4·26	1·85	6·19	5·92 5·92	~~4·35~~ 5·27	YEAR'S TOTAL ~~42·84~~ (43·44)
Rain Days.		22	17										

W. 8,000. X. 15.

1628

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
8. JAN 1918

Kept at Pydeltton
in the County of Dorset
by Rev. Arthur L. Helps

Lat. Long.
Time of Observation 9. am
Nearest Railway Station 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·09	sn ·15	.	·10	.	·48	·02	.	·06	·02	1
2	.	.	.	·12	.	.	.	·11	.	.	.	.	2
3	.	.	.	·03	.	.	·44	.	.	·16	·45	.	3
4	.	snow ·05	·50	.	.	.	.	.	.	·26	.	.	4
5	.	.	·16	22	.	·16	.	·03	·12	·12	·13	.	5
6	·15	.	·09	.	.	.	.	·2	.	·3	·15	·04	6
7	·48	.	snow ·3	.	.	.	·22	1·14	.	·05	·02	·16	7
8	·57	.	·06	.	.	.	·82	.	·07	·16	·3	·21	8
9		.	.	·02	·04	.	·04	·01	·04	·03	·15	.	9
10	x	.	·43	·26	·08	.	.	·21	.	·02	.	.	10
11	x	.	51 ·57	·2	·08	.	.	·01	.	(·48)	·03	.	11
12	x	.	·04	.	·23	.	.	.	.	·28	.	.	12
13	1·11	.	·19	·03	.	.	.	·16	·03	·03	.	.	13
14		.	·3	·06	.	.	.	·03	·01	.	.	.	14
15		.	.	.	.	.	.	·24	·02	42	.	·4	15
16		·17	·01	·08	·02	.	.	·01	.	1·38	.	·4	16
17		·02	.	·18	·01	.	·27	·22	·89	·73	.	.	17
18	.	·1	.	.	·01	·23	·15	.	·29	.	.	.	18
19	.	·5	·04	.	.	·12	.	.	.	.	.	.	19
20	.	·04	·16	.	·29	.	.	.	·02	.	.	·14	20
21	·04	.	sn ·34	.	.	.	.	.	.	·05	.	.	21
22	.	.	sn ·05	.	.	·25	.	.	.	·09	.	.	22
23	.	·19	.	.	·09	.	.	·35	.	·12	.	.	23
24	.	·15	.	.	.	.	·76	·05	.	·34	·09	.	24
25	.	·04	·07	.	.	.	·87	·08	·07	.	.	.	25
26	.		.	.	·17	.	.	·75	·17	·08	·04	.	26
27	.		.	.	·61	·22	.	1·15	.	.	.	.	27
28	.		·1	.	·06	·52	.	·28	.	.	.	·05	28
29	.		·03	.	·04	·05	·05	.	.	·7	.	.	29
30	.		·26	.	.		·58	·23	.	.	.	.	30
31			·67		.		·02	·05		·26		·01	31
Total	1·32	1·26	3·80	1·35	1·73	1·65	3·62	5·79	1·75	5·49	1·42	1·43	YEAR'S TOTAL 30·61
Rain Days.	(7)	9	21	11	13	8	11	21	12	21	10	9	153

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6 · 1 · 19

Kept at Pydelton Vicarage
in the County of Dorset
by Arthur Helps. R.D.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 5 miles
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·1		·04	·05			·70		·01	·68.	·02	1
2		·35	·01	·03				·17			·15		2
3		·12	·02		·19			·02		·05	} 1·30	·35	3
4		·04	·01					·10	·16	·01			4
5		·07	·37	·07	·38			·31	·19	·31		·05	5
6	·18	·17		·25				·14		·16		·22	6
7		·22		·02	·15	·01		·02	·46		·36	·12	7
8	·02	·07							·12	·25		·03	8
9		·01		·20		·12	·62		·98	·25	·03	·62	9
10	·04			·14			·52		·42	·52	·03	·45	10
11				·03			·05		[illegible]	·01		·04	11
12		·14					·35		·05	·10			12
13	·08				·05		·76		·64	·09	·03	·04	13
14	·22				·03	·08	·02		·48	·25		·09	14
15	1·62			·33		·06	·24		·03			·21	15
16	·43		·01	·03			·02		·41				16
17	·25			·13			·42		·03			·39	17
18	·9					·85	·05		·32			·25	18
19	·09		·21				·38		·05	·03		·05	19
20	·02	37		·15			·10		·51	·10			20
21	·1	·12					·02		1·12			·30	21
22	·04				·06		·93		·18		·03	·12	22
23	·2	·03			·09		·23		} ·30	·03	·11		23
24	·01	·21									·12		24
25	·01						} ·21	·75		·03	·10		25
26		01							·05	·02	} ·24	·46	26
27	·01	·11	·04				·07	·08		·05			27
28	·01		·32	·02					·30	·04	·03		28
29		X	·23						1·84			·05	29
30		X	·48						·05	·14	·13	·03	30
31		X	·29	X		X		·08	X	·20	X		31
Total	4·23	2·14	1·99	1·44	1·00	1·12	4·99	2·37	8·45	2·65	3·34	3·87	YEAR'S TOTAL 37·89
Rain Days.	18.	16	11	13	8	5	18	~~9~~ 10	23	21	16	20	179

T[illegible] 6·37, 8·36, 9·80, 10·80, 11·92, 16·91, 19·28, 28·03, 30·68, 34·02, 37·89

W. 8 000, IX. 17.

1533

REGISTER OF RAINFALL ~~IN~~ 1919

FORM A. BRITISH RAINFALL.

8 JAN 20

Kept at Pydelton Vicarage
in the County of Dorset
by Arthur Helps. R.D.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·68		·07	·04	·09		·40	·03	·05	·17		·99	1
2	·20		·02		·05				·25			·05	2
3	1·00		·54		·08		·05		·27		·03	·12	3
4	·37	·10	·65						·66		·06	·10	4
5		·48	·39		·12				·05		·18	·15	5
6	·66	·20	·15	·03	·06							·24	6
7	·27		·55	·09									7
8	·40		·25	·25									8
9	·15		·03		·17				·01		·37		9
10	·25		·48	·03								·33	10
11	·10		·06	·23	·29		·22			·04		·08	11
12	·06			·02	·02		·10			·07	·06		12
13	·21		·07	·63						·08		·15	13
14	1·10	·26		·57	·20				·04	·02			14
15	·46	·09		·05						·06		·62	15
16	·05				·05						·14		16
17	·04	·25								·15		·05	17
18	·07	·18	·67				·20	·11					18
19	1·06	·33	·60			·15	·88	·30	·12		·23	·06	19
20	·46	·60	·07			·39		·26			·02	·04	20
21		·44					·14		}·47		·03	·10	21
22							·09					·05	22
23		·03								·40	·05	·06	23
24		·03				·08	·06			1·00		·19	24
25	·02			·12				·32	·01			·20	25
26	·16	·07	·13	·05					·09		·05	·72	26
27	·13 (snow)		·09	·34			·75	1·30				·05	27
28			·38					·44			·95	·25	28
29				·03				·12				·08	29
30		X				·12		·47		·10	·70	1·00	30
31		X	·06	X		X			X		X	·42	31
Total	7·90	3·06	5·26	2·48	1·13	·74	2·89	3·35	2·02	2·09	2·87	6·10	YEAR'S TOTAL 39·89
Rain Days.	22	13	19	14	10	4	10	9	12	10	13	24	160

·74

W. 8,000, IX. 17.

W — and for [illegible] daily values doubtful 1447

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

8 JAN 1921

Kept at Pydeltton Vicarage
in the County of Dorset
by Arthur Helps, Rural Dean

Lat. 50° 45 N Long. 2. 21 W
Time of Observation 9 am
Nearest Railway Station Moreton 4½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·06	·08	·12	·44		·63	·06		·90	·25		1
2	·45			·10			·05	·16		·09	·25		2
3	·02	·10		·05			·13	–		·58	·05		3
4	—	·01	·02	·03			·26	·88		·22			4
5	–		·20	·24	·01	~~·07~~	·52	·12		·25			5
6	–		·33	·04	·29		·29			·01			6
7	·06		·11	·25	·03		·30						7
8	·11	·05		·19	·06		·21	·04					8
9	·80	·01	·11	·05		·09	·15						9
10	·90	·10	·02	·12		·56	·40						10
11	·29		·09	·56	·20	·04	·21						11
12	·25			·46	·01	·22	·05				·12		12
13	·20	·15	·63	·03			—				·05	·09	13
14	·08		·51	·90			·06		·37	·37	~~·78~~		14
15	·04	·11		·45	·10	·06	—		·09	·52	·05		15
16	·01	·02	·11		·02	·02	·20		·13				16
17	·02		·02	·10	·35		·10		·30				17
18	·15		·02	·09	·10	·17	·15	·44	·06				18
19	·08			·43		·24	[illegible]		·14				19
20	—	·11		·18	·18	·41	·02					·41	20
21	·01			·04			·30			·19		·03	21
22	·09			·22			·03		·07			·30	22
23	·62						·20					·61	23
24	·04	·02	·26					07				·31	24
25	·01		·21		·05		·75				·38		25
26	·16		·25										26
27	·58		·07	·10		·14	·06				·10	·36	27
28	·85	·02	·10	·10	·08	·03	·18						28
29	·57		·22	·20		·01	—					·58	29
30	·21	✕			·02	·16	·04		~~·90~~ ·42		·80	·74	30
31	·02	✕	·18	✕		✕			✕	·67	~~2·83~~	·34	31
Total	6·10	·46	3·54	5·05	~~1·92~~ 1·94	2·15	5·71	1·77	1·53	3·80	~~2·53~~	~~2·69~~ 3·77	Year's Totals ~~38·65~~ 35·95
Days with ·01 in. or more	27	12	20	24.	15	13	24	7	8	10	8 10	10.	180
	20	7	16	23	10	10	22	7	7	9	10	9.	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHAFTESBURY

DORSET

1911 — 1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

R

Kept at Shaf

in the County of D

by Mr F E

in.

Ground ft. 10 in.

Sea Level 722 ft.

m

Name Semley

Distance 2½m Direction N

IMPORTANT NOT the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of th ent of rain, the selection and placi tish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·1	—	·04	·04	—	—	—	—	—	—	·03	·02	1
2	·01	—	·03	·26	·28	—	—	·02	—	·03	·19	·16	2
3	—	—	·01	—	·18	—	—	·01	—	—	·05	·11	3
4	—	·02	·05	·01	—	·12	—	—	—	·01	·2	·33	4
5	·03	—	—	—	—	—	—	·13	—	·18	·16	—	5
6	·16	—	·25	—	—	—	—	—	—	·09	—	·43	6
7	·01	—	—	—	—	—	—	—	—	—	·31	—	7
8	·06	—	·21	—	—	—	—	—	—	—	·01	·33	8
9	·14	—	—	—	—	—	—	—	—	—	·02	·43	9
10	·10	·07	·19	—	1·12	—	—	—	—	—	·01	·42	10
11	·29	—	·01	—	—	—	—	—	—	—	·56	·03	11
12	—	·01	·75	—	·01	—	—	·04	·02	—	·04	·26	12
13	—	—	·01	—	—	—	—	—	·31	—	—	·45	13
14	—	·05	—	—	—	—	—	—	—	—	—	·49	14
15	—	·02	—	—	—	·01	—	—	—	—	·23	·08	15
16	—	—	·01	—	—	·33	—	—	—	—	·39	·24	16
17	—	·02	·03	—	·09	·16	—	—	—	—	·23	·23	17
18	—	·23	·06	·05	·09	·09	—	—	—	·04	·02	·27	18
19	—	·28	—	·08	—	·27	—	—	·23	·13	—	·41	19
20	·04	·01	·13	·01	—	—	—	·19	·11	·05	—	·59	20
21	·01	·29	·02	·04	—	—	—	·51	·02	·67	—	·21	21
22	·14	—	·31	·01	—	·09	—	—	—	·23	—	·28	22
23	—	·12	·1	—	—	·07	—	—	·13	·07	·06	·07	23
24	·01	·17	—	—	—	·65	—	·06	—	·33	—	·15	24
25	—	·08	—	·15	—	·12	—	·36	·03	·02	—	·17	25
26	—	·08	—	·25	·04	—	—	—	—	·08	—	·31	26
27	—	·42	·13	·11	—	—	—	·05	·1	·16	—	·17	27
28	—	·27	—	·31	—	—	—	·15	—	—	·1	—	28
29	—	—	—	·86	~~·34~~	·34	·1	—	·17	·33	—	[illegible]	29
30	—		—	·01	—	·2	—	—	—	·18	—	·02	30
31	—		—		—		—	—		·01		—	31
Total	1·10	2·14	2·34	2·19	1·81	2·45	·10	1·52	1·12	2·61	2·61	6·66	TOTAL for year 26·65
No. of Rain Days.	13	16	18	14	7	12	1	10	9	17	17	·26	or 160

W. 8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Shaftesbury

in the County of Dorset 4

by Walter F Ehlvers

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 722 ft.

Time of Observation 9 am

Nearest Railway Station
Name Semley
Distance 2½m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·1	—	·04	·04	—	—	—	—	—	—	·03	·02	1
2	·01	—	·03	·26	·28	—	—	·02	—	·03	·19	·16	2
3	—	—	·01	—	·18	—	—	·01	—	—	·05	·11	3
4	—	·02	·05	·01	—	·12	—	—	—	·01	·2	·33	4
5	·03	—	—	—	—	—	—	·13	—	·18	·16	—	5
6	·16	—	·25	—	—	—	—	—	—	·09	—	·43	6
7	·01	—	—	—	—	—	—	—	—	—	·31	—	7
8	·06	—	·21	—	—	—	—	—	—	—	·01	·33	8
9	·14	—	—	—	—	—	—	—	—	—	·02	·43	9
10	·10	·07	·19	—	1·12	—	—	—	—	—	·01	·42	10
11	·29	—	·01	—	—	—	—	—	—	—	·56	·03	11
12	—	·01	·75	—	·01	—	—	·04	·02	—	·04	·26	12
13	—	—	·01	—	—	—	—	—	·31	—	—	·45	13
14	—	·05	—	—	—	—	—	—	—	—	—	·49	14
15	—	·02	—	—	—	·01	—	—	—	—	·23	·08	15
16	—	—	·01	—	—	·33	—	—	—	—	·39	·24	16
17	—	·02	·03	—	·09	·16	—	—	—	—	·23	·23	17
18	—	·23	·06	·05	·09	·09	—	—	—	·04	·02	·27	18
19	—	·28	—	·08	—	·27	—	—	·23	·13	—	·41	19
20	·04	·01	·13	·01	—	—	—	·19	·11	·05	—	·59	20
21	·01	·29	·02	·04	—	—	—	·51	·02	·67	—	·21	21
22	·14	—	·31	·01	—	·09	—	—	—	·23	—	·28	22
23	—	·12	·1	—	—	·07	—	—	·13	·07	·06	·07	23
24	·01	·17	—	—	—	·65	—	·06	—	·33	—	·15	24
25	—	·08	—	·15	—	·12	—	·36	·03	·02	—	·17	25
26	—	·08	—	·25	·04	—	—	—	—	·08	—	·31	26
27	—	·42	·13	·11	—	—	—	·05	·1	·16	—	·17	27
28	—	·27	—	·31	—	—	—	·15	—	—	·1	—	28
29	—	—	—	·86	~~·34~~	·34	·1	—	·17	·33	—	[illegible]	29
30	—		—	·01	—	·2	—	—	—	·18	—	·02	30
31	—		—		—		—	—		·01		—	31
Total	1·10	2·14	2·34	2·19	1·81	2·45	·10	1·52	1·12	2·61	2·61	6·66	TOTAL for year 26·65
No. of Rain Days.	13	16	18	14	7	12	1	10	9	17	17	·26	or 160

W. 8,000, X. '11.

Ex Dl

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4- JAN 13

Kept at Shaftesbury
in the County of Dorset 4
by The Rev F Elwes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in
" " " Sea Level 722 ft.
Time of Observation 9 am
Nearest Railway Station: Name Semley
Distance 2½ mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	—	·29	·5	—	·01	·69	—	·36	1
2	—	—	·26	·02	~~·11~~	·41	·54	·04	—	~~[illegible]~~	·02	—	2
3	—	—	·22	—	—	·42	·02	·33	·03	—	—	·02	3
4	·24	—	·59	—	·01	·59	—	·04	·02	—	·27	—	4
5	·49	·05	·1	—	—	·04	—	·68	—	—	·01	·12	5
6	·66	·1	·05	—	·12	—	·17	·75	—	—	—	·18	6
7	·02	·17	·09	—	·38	·53	·04	·21	—	—	·01	·05	7
8	·23	·16	·46	—	—	·06	·04	·02	·02	—	—	·07	8
9	·01	·05	·15	·06	—	·27	·01	·06	—	—	—	·48	9
10	—	·07	·01	—	—	·01	—	·13	—	—	·08	·34	10
11	·04	·13	—	—	—	·02	—	·11	—	—	—	·23	11
12	·06	·45	·05	·02	·01	—	·03	·03	—	—	—	—	12
13	—	·02	·01	—	—	·03	—	·02	—	—	·02	·06	13
14	·15	—	·25	—	—	—	—	·25	—	—	—	·01	14
15	·12	·09	·03	—	·08	·71	—	·03	—	—	—	·35	15
16	·56	—	·24	—	·07	—	—	·10	—	·1	·04	·02	16
17	·66	—	·11	—	—	·04	—	·73	—	—	—	·04	17
18	·06	—	·28	—	—	—	—	·35	—	·03	·01	·08	18
19	·03	·15	·09	—	—	·01	·14	·26	—	—	—	—	19
20	·02	·01	·27	—	·01	—	·17	·25	—	·32	·04	—	20
21	—	·1	·13	—	·62	—	·04	·21	—	·27 ·07	·01	~~[illegible]~~	21
22	·28	·23	·06	—	·09	·36	·05	·29	—	·05	~~[illegible]~~	~~·18~~ ·01	22
23	·13	·39	·22	—	·01	·01	·01	·94	—	·05	·22	~~[illegible]~~ ·18	23
24	·07	·02	·01	—	—	·45	—	·2	—	·16	—	·21	24
25	·19	—	—	—	—	·16	—	·27	—	·07	·22	·38	25
26	—	·02	—	—	—	—	·29	·15	—	·29	·48	·24	26
27	—	—	—	—	—	·13	1·02	—	—	·55	—	·32	27
28	—	·04	—	—	—	·13	·07	·31	·14	·5	·32	·84	28
29	—	·09	·03	—	—	—	·15	·15	1·12	·33	—	—	29
30	—		·02	—	·03	·38	·2	—	·53	·3	—	—	30
31	—		·61		—		·14	·02		·15		·08	31
Total	4·02	2·34	4·40	·10	1·43	4·75	3·60	6·93	1·87	3·86	1·75	4·67	TOTAL for year 39·72
No. of Rain Days.	19	19	26	3	11	21	19	28	7	12 15	14	23	~~202~~ 205

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 - JAN 1914

4

Kept at Shaftesbury
in the County of Dorset
by The Rev F Ehlvers

Lat. 51° N Long. 2° W
Time of Observation 9 am
Nearest Railway Station Semley
Diameter of Rain Gauge 14 in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.19	.05	.03	–	.24	–	–	.3	–	.12	.31	1
2	.03	.07	–	.04	.07	–	–	–	.05	.01	.21	.02	2
3	.03	–	.03	.04	.38	–	–	–	–	.01	–	.14	3
4	.56	–	.02	–	.48	–	–	–	1.19	.13	.05	.08	4
5	.13	.02	–	–	.03	.07	–	–	.57	–	.04	.12	5
6	.03	.05	.2	–	.26	.19	.25	–	.01	.73	.04	.5	6
7	–	.11	.01	–	.32	.06	.03	–	–	.49	.11	~~.02~~	7
8	–	.03	–	–	.22	.04	.65	–	–	.04	–	.02	8
9	.08	.05	–	–	.04	.05	.08	.37	.03	–	.06	.01	9
10	–	–	.06	–	.02	–	.01	.01	–	.32	.42	–	10
11	.55	–	–	.3	–	–	–	–	–	.12	.39	–	11
12	–	–	–	–	.44	–	–	–	.03	.02	.32	–	12
13	.08	.01	.05	–	–	.01	–	–	.17	–	.15	–	13
14	.20	–	.13	–	.03	.02	–	–	.03	–	.23	–	14
15	.12	.07	.28	.47	–	–	.1	.05	.19	–	.05	–	15
16	.18	–	.3	.06	–	.01	.01	–	.01	–	.01	–	16
17	.01	–	.01	.08	–	–	.02	–	–	–	–	–	17
18	.04	–	.18	.09	–	–	–	–	–	–	.06	–	18
19	.95	–	.10	–	.1	.14	.04	–	.65	–	–	–	19
20	.02	–	.1	.03	–	–	–	–	–	.37	.07	–	20
21	–	–	.25	.20	–	.01	.02	.01	–	.05	.73	–	21
22	.57	–	.14	–	–	–	–	.05	.26	–	–	–	22
23	.01	–	–	–	–	.08	–	.04	–	–	.01	.75	23
24	.04	.02	–	.08	–	–	–	.07	–	–	.03	.01	24
25	–	.06	–	.17	–	–	–	~~.33~~	–	~~.02~~	–	.02	25
26	–	.01	–	.25	–	–	–	.33	–	.02	–	.32	26
27	.03	–	.2	.03	–	–	–	–	–	.04	–	.01	27
28	–	–	.16	.24	–	–	–	–	–	.26	–	.01	28
29	.1	.	.47	.5	.06	–	–	.04	–	.29	–	–	29
30	.38	–	–	–	–	–	–	–	–	.26	.01	–	30
31	.14		.03	.	–		–	.85		–		–	31
Total	4.31	.79	2.77	2.61	2.45	.92	.61	1.82	3.49	3.16	3.11	2.32	YEAR'S TOTAL 28.36
Rain Days.	23	12	20	16	13	12	10	10	13	16	20	14	179

W. 7,500, XI. 12

Cowley Boys 23.III.15 ~~W~~ JB

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
2 - JAN 1915

Kept at Shaftesbury
in the County of Dorset 4
by Rev J Ehlvers

Lat. 51° N Long. 2° W
Time of Observation 9 a.m.
Nearest Railway Station Semley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 14 ~~ft.~~ inches in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·09	—	—	—	—	·04	—	—	·18	·04	1
2	—	—	·01	—	—	—	·83	·19	—	—	1·16	·28	2
3	—	—	·21	·15	·34	—	·08	·79	—	—	·01	·02	3
4	—	—	·06	·13	·03	—	·15	—	—	—	·69	·35	4
5	·06	—	·23	·30	·14	—	·43	·03	—	—	·46	·01	5
6	·06	·28	·04	·24	·01	·01	—	·04	—	—	·02	·16	6
7	—	·38	·04	·01	·04	·01	·21	·05	—	—	—	·18	7
8	—	·05 9	·62	—	·18	·14	—	·32	·04	—	—	·15	8
9	·06	—	·37	·32	·02	·50	—	·07	·45	—	—	·03	9
10	·17	·16	·02	·02	·08	—	—	·02	·36	—	—	·01	10
11	·03	·20 9	·63	·01	·12	·09	·30	—	·26	—	·05	·60	11
12	—	·06 9	·17	—	—	·02	—	—	·32	—	—	·29	12
13	—	·26 9	·27	—	—	—	—	—	·07	·25	·28	·38	13
14	—	·18 9	·20	—	—	·50	·41	·37	—	·35	·15	·38	14
15	—	—	·20	—	—	—	·48	·25	·05	·08	·15	—	15
16	·01	—	—	—	—	—	·10 ·01	—	·17	—	—	—	16
17	—	·42	·18	—	—	—	·01	—	—	—	—	·27	17
18	—	·01	·12	—	—	—	·09	—	—	—	—	·42	18
19	—	·07	·32	—	—	—	1·22	—	·02	—	·07	·11	19
20	—	·32 9	·11	—	—	·08	—	—	—	—	—	·31 Tk	20
21	—	5 4 9 ·70	—	—	—	·07	—	—	—	·20	—	·01	21
22	—	·05	—	—	·46	·02	·05	·01	—	·58	—	—	22
23	—	·30	·16	—	·03	·07	·02	—	—	·11	—	S-R ·06	23
24	—	·01	·06	—	·07	—	·30	—	—	·14	·10	—	24
25	·08	—	·20	—	—	—	·13	·30	—	·28	·03	·22	25
26	—	—	·02	—	—	—	·02	·01	—	·06	·15	·44	26
27	·08	—	—	—	—	—	—	—	—	—	·07	·11	27
28	·06	·04	·14	—	·02	—	·43	—	—	·01	·28	·64	28
29	·31		·11	—	·08	—	—	·01	—	·32	·20	—	29
30	·02	✕	·04	—	—	·10	—	—	—	·23	·34	·66	30
31	·03	✕	—	✕	—	✕	·04	—	✕	·84	✕	·10	31
Total	·92	3·49	4·62 ~~1·18~~	1·18 ~~1·62~~	1·62	1·61	5·30	2·5 2·50	1·74	3·45	4·39	6·23	YEAR'S TOTAL 37·05 ~~36·95~~
Rain Days.	12	17	26	8	14	12	19	15	9	13	18	26	185 189

189

W. 8,000. X. 14.

cnd. 5.V.16 ~~IV~~ – LW

1770

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Shaftesbury

in the County of Dorset

4

by Up to 13th July by the Rev. F. Ehlvers afterwards by A. Macdonell, The Abbey House, Shaftesbury

Lat. 51° N Long. 2° W

Time of Observation 9 a.m.

Nearest Railway Station Semley, L. & N. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	·02	—	—	·02	·06	—	·18	·32	·26	·07	·21	1
2	·45	·25	·22	·09	—	—	—	·33	·05	·16	—	·42	2
3	—	·16	·13	·05	—	—	—	·04	—	·09	—	·35	3
4	·39	·01	—	·05	·02	—	—	—	—	—	—	·24	4
5	·10	·75	·01	·02	— Am.	—	—	·08	—	—	—	·29	5
6	·70	·03	—	·41	—	—	·53	·12	—	—	—	·15	6
7	·37	·33	—	·04	—	—	·17	—	—	—	—	·12	7
8	·07	·38	—	—	—	—	—	·07	—	—	·01	·01	8
9	—	·05	—	·23	—	—	—	—	—	—	·39	·48	9
10	·39	·08	·09	·03	—	—	—	—	—	—	—	·15	10
11	·03	—	·04	·06	—	—	—	·19	—	·01	·52	—	11
12	·13	·49	—	·07	·58	—	—	·23	—	·06	—	—	12
13	·03	·46	—	—	·79	—	—	—	·14	—	—	·01	13
14	·02	—	—	—	—	—	—	·41	·16	—	—	·79	14
15	·11	·11	—	—	·20	—	—	·03	·02	·01	—	·24	15
16	—	·47	—	—	·21	—	·29	·16	·02	—	—	·14	16
17	—	·23	—	—	·36	—	·04	·18	—	—	—	·01	17
18	—	·34	—	—	·16	—	·63	—	—	—	—	—	18
19	—	—	—	—	·06	—	·01	—	—	—	—	—	19
20	·33	—	—	·09	—	—	—	—	—	—	—	·05	20
21	·05	—	—	—	·02	—	·15	—	—	·53	—	·31	21
22	·07	·10	·34	·05	—	—	·08	—	·02	·01	—	·26	22
23	·01	·04	·15	—	—	—	·25	—	·10	1·42	—	·36	23
24	—	—	—	—	—	—	·96	—	·57	1·22	—	·52	24
25	—	—	·01	·14	—	·01	·55	—	—	·02	—	·20	25
26	—	·05	—	—	—	·05	·22	—	—	—	—	·50	26
27	—	·08	—	—	—	·23	·06	—	—	·31	—	—	27
28	—	·05	—	—	—	·08	—	·10	·64	·01	—	—	28
29	—		—	—	—	·19	—	·02	·02	—	·16	·05	29
30	·08	X	—	—	—	·03	—	—	—	·54	·69	·22	30
31	·02	X	—	X	—	X	—	—	X	1·19	X	·34	31
Total	4·02	4·48	·99	1·33	2·42	·65	3·94	2·14	2·06	5·8~~3~~4 5·84	1·84	6·42	YEAR'S TOTAL 36·1~~2~~3 36·13
Rain Days.	19	21	8	13	10	7	13	14	11	15	6	25	162

W. 8,000. X. 15.

P. T. O.

1730

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Shaftesbury
in the County of Dorset
by A. Macdonell

Lat. 51° N Long. 2° W
Time of Observation 9 hrs G. M. T
Nearest Railway Station Semley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.13	0	0.02	0	0.52	0.06	0	0	0.34	0.27	0.30	0	1
2	0.29	0.09	0.01	0	0.08	0	0	0	0.02	0.34	0.02	0	2
3	0	0.80	0	0	0.02	0	0	0	0.05	0.57	0.26	0	3
4	0.21	0.35	0	0	0.14	0.43	0.30	0	0.30	0.03	0.59	0	4
5	0.13	0.02	0.06	0	0.33	0.30	0	0	0	0.08	0.54	0	5
6	0.02	0.15	0.02	0	0.02	0.03	0.89	0	0	0.11	0.55	0	6
7	0.06	0.01	0.26	0	0.18	0.04	0.16	0	0	0.02	0.91	0.19	7
8	0.01	0.17	0.02	0	0.26	0	0	0	0	0	0.03	0.10	8
9	0	0	0	0	0.13	0.11	0.06	0	0	0.10	0.06	0.13	9
10	0.06	0.50	0.01	0.08	0.07	0.06	0.02	0	0	0	0.02	0.10	10
11	0.61	0.	0.02	0.12	0	0.30	0	0	0	0	0	0.04	11
12	0.09	0.02	0.02	0.20	0.08	0	0.13	0	0	0.24	0	0	12
13	0	0.29	0.18	0.02	0	0	0	0.36	0	0	0	0	13
14	0.04	0.37	0.02	0.02	0.13	0	0	0.09	0	0.05	0	0	14
15	0	0.12	0.11	0.01	0	0	0	0.12	0	0.02	0	0	15
16	0.03	0.04	0	0.29	0.10	0	0.04	1.00	0	0.05	0	0	16
17	0.12	0.24	0	0.06	0	0	0	0.16	0.42	0.59	0.12	0	17
18	0.06	0.19	0.13	0.10	0	0	0	0	0.06	0.09	0.26	0.29	18
19	0.04	0	0.45	0.11	0	0	0	0	0.02	0	0.13	0.13	19
20	0.19	0.10	0.37	0.	0	0	0	0	0	0	0.08	1.45	20
21	0.03	0.07	0.15	0.03	0.08	0	0	0	0	0	0.02	0.48	21
22	0	0	0.02	0.	0	0.02	0	0	0	0.56	0	0.42	22
23	0	0.09	0	0.03	0	0.13	0	0.15	0	0.03	0.07	0.14	23
24	0	0.02	0	0.03	0.43	0.27	0	0.03	0	0.26	0.06	0.21	24
25	0	0.20	0.10	0	0	0	0	0.48	0	0	0.13	0	25
26	0.01	0.09	0.02	0	0	0.31	0	0.15	0.37	0.57	0	0	26
27	0.01	0.10	0.77	0	0	0.11	0.02	1.35	0.60	0.25	0	0	27
28	0	0.28	0.10	0	0	0	0	0.09	0.68	0.15	0	0.23	28
29	0	0.63	0	0	0	0.32	0	2.31	0.48	0.16	0	0.08	29
30	0		0.01	0	0	0	0	0.02	0	0.52	0	0.02	30
31	0		0		0		0	0.09		0.12		0.04	31
Total	1.54	4.94	2.87	1.10	2.57	~~2.50~~ 2.49	1.62 ✓	6.40	3.34	5.18	4.15	4.05	YEAR'S TOTAL 40.25
Rain Days.	~~20~~ 19	24	22	13	15	14	8 ✓	14	11	23	18	16	198

W. 8,000, VIII. 16

1653

15 JAN 1918

Register of Rainfall 1917
Kept at Shaftesbury in the County of Dorset by A. Macdonell
Lat 51° N Long 2° W. Time of observation 9 A.M. 6 P.M.
Nearest Railway Station – Semley, L.S.W.Ry.
Diameter of Funnel of Rain Guage 5 in. Height of top of Guage above Ground 1 ft. Height of top of Guage above Sea Level 722 ft
The Readings are in millimetres

Date	Jan	Feb	Mar	Apl	May	June	July	Aug	Sept	Oct.	Nov	Dec	
1	0	0	3.8	1.2	0	2.5	0	22.9	0	0	2.9	0	
2	0	0	0	6.5	0	0	0	1.8	0	0.5	0.9	0	
3	0	0	0	0.8	0	0	17.1	0.7	0	3.2	3.5	0	
4	0	3.5	3.8	0	0	0	0.5	0.4	0	11.9	0	0	
5	5.8	0	3.4	8.5	0	2.8	0	0	6.3	7.8	2.7	0	
6	0	0	8	0	0	0	0	0	0	1.1	1.8	0	
7	9.9	0	0	0	0	0	2.6	3.5	0	8.5	0	1.6	
8	6.7	0	0	3.2	0	0	10.1	16.6	3.6	7.4	3.9	4.4	
9	0	0	3.4	0	0	0	0.5	4.7	0.7	2.0	5.4	0	
10	3	0	4.7	3.1	1.5	0	0	2.1	0	0	0	0	
11	1.9	0	(4.1)	4.4	0	0	0	0	0	6.1	0.6	0	
12	0.6	0	0	2.0	4.7	0	0	0	0	7.5	0.4	0	
13	0	0	2.2	3.3	0	0	0	7.1	1.6	0	0	0	
14	0	0	5.2	3.0	0	0	4.7	0.8	0	0	0	0	
15	0	0	0	0	0	0	5.3	0.9	0	2.4	0	5.1	
16	0.7	3.3	0	1.9	0.7	0	0	0.6	0	11.8	0	10.2	
17	0	0.5	0	4.1	3.5	0	11.2	2.5	18.9	5.7	0	0	
18	0	0.5	0	0	0.3	1.8	4.3	0	9.9	0	0	0	
19	0	9.4	2.9	0	0	2.9	0	0	5.5	0	1.1	0	
20	0.9	1.2	1.3	0	6.8	1.7	0	2.6	0	0	0.9	0	
21	0	0	4.3	0	0	2.6	0	0	0	1.5	0	0	
22	0	0	0	0	0	0	0	1.8	0	2.6	0	0	
23	0	4.9	0	0	4.5	0	0	8.7	0	0	0	0.5	
24	0	1.7	0.9	0	0	0.9	1.0	0.9	0	6.0	1.1	0	
25	0	1.7	1.0	0	0	0	0	0.7	1.5	0	0	0	
26	0	0	0	0	8	0	0.2	12.9	3.1	0	0	0	
27	0	0	0.5	0	31.7	2.1	0	23.4	0	0.9	0.4	0	
28	0	0	2.3	0	0	56.6	0	13.3	0	0	0	0	
29	0		3.8	0	6.1	2	1.7	0.4	0	13.0	0	3.5	
30	0		7.6	0	0	0	23.7	0.8	0	0	0	0	
31			2.7		0		0.7	0		4.5		1.0	
Total	29.5	26.7	65.9	42.0	67.8	75.9	83.6	130.1	51.1	104.4	25.6	26.3	7289
Rain Days	8	9	19	12	~~4~~ 10	10	14	23	9	~~18~~ 19	13	7	153

From original sent to Rev H a Boys

7a

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Shaftesbury Abbey House

in the County of Dorsetshire

by C. Macdonald Rev H a Boys

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03	.05						.71	.04	1
2		.06						.77	.04		.07	.07	2
3		.05	.04	.06	.17			.30		.04	.04	.04	3
4		.02	.04					.31	.08	.04	.42	.05	4
5			.06	.02	.05			.11	.23	.16		.03	5
6	.26	.14		.17				.28	.08	.04		.06	6
7		.16		.04	.47				.17	.04	.25	.01	7
8		.22		.19			.02	.07	.08	.22		.06	8
9		.06		.08		.22	.59		.37	.10		.32	9
10	.10			.01			.15		.07	.30		.46	10
11							.52		.17	.02	.09	.10	11
12		.08			.39		.67		.13				12
13	.24				.27		.60		.65	.04			13
14	.10		.06		.02	.44			.13	.10		.19	14
15	1.09			.38	.02		.14		.01	.05		.19	15
16	.37		.04	.22		.02			.21			.08	16
17	.22			.24			.32		.08			.09	17
18	.75					.49	.18		.29			.24	18
19	.08			03			.19	.04		.03		.11	19
20	.04	.06		.17		.02	.07		.31	.08			20
21	.13	.09				.04	.02		.49	.19		.08	21
22	.05						1.20		.11	.04		.26	22
23	.22				.13	.02	.02		.04		.09	.07	23
24		.22				.02	.16		15		.24		24
25							.12	1.44		.02			25
26							.16		.08	.02	.08	.28	26
27		.17	.04				.63	.19	13		.12	.04	27
28		.03	.14				.06				.24	.14	28
29			.04	.02					1.01			.06	29
30		X	.48					.02		.02		.04	30
31		X	09	X		X		.04	X	.02	X		31
Total	3.65	1.36	1.03	1.66	1.57	1.27	5.82	3.57	5.11	1.57	2.35	3.11	YEAR'S TOTAL 32.07
Rain Days	13	13	10	14	9	8	19	11	24	20	11	25	177

W, 6,500, VII. 18. W W C

1557

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Shaftesbury
in the County of Dorset
by A. Macdowell

Lat. 51 N Long. 2 W
Time of Observation 9 hrs G.M.T.
Nearest Railway Station Semley L.N.W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.6	0	2.6	1.1	3.0	0	7.1	0	1.7	2.3	1.1	22.4	1
2	3.2	0	0	0	0.9	0	0.2	0	6.5	0	2.2	3.4	2
3	29.6	0	8.0	0	2.4	0	0	0	6.1	0	0.9	8.4	3
4	7.2	3.2	15.2	0	0	0.5	0	2.5	4.1	0	0	1.1	4
5	0.3	11.0	14.6	0	2.8	0	8.0	0	2.9	0	2.1	9.2	5
6	14.9	1.4	4.1	0	2.6	0	0	0	0	0	1.6	6.3	6
7	8.2	0	8.0	2.0	0	0	0	0	0	0	0	0	7
8	6.0	0	5.9	0	0	0	0	0	0	0	0	1.1	8
9	1.2	0	0.6	3.1	0.7	0	0	0	0	0	2.7	0	9
10	0.8	0	4.9	0.9	0	0	0	0	0	1.1	0	4.2	10
11	0.4	0	2.2	5.4	2.5	0	10.1	0	0	0	0	0	11
12	1.9	0	0.5	1.3	0	0	1.2	0	0	1.8	1.9	0	12
13	0.3	0	0.5	8.4	0	0	1.0	0	0	0.5	0	1	13
14	10.2	0.5	0	10.8	0.5	0	2.5	0	0.4	0.8	0	2.5	14
15	5.0	0	0	0	0	0	0	0	0	3.1	0	7.9	15
16	1.2	14.3	0	0	0	0	0.4	3.9	0	0	3.5	0	16
17	0	4.7	0	0	0	0	0	0	0	0	7.7	0.5	17
18	~~10~~	0.5	11.9	0	0	0	0	0.5	0	0	7.2	0.5	18
19	11.4	6.5	19.9	0	0	1.6	18.1	6.7	4.1	0	4.5	1.4	19
20	5.8	1.4	3.5	0	0	8.9	0	4.5	0	0	0	1.7	20
21	0	16.6	0	0	0	0	9.9	0	0.3	0	0	2.9	21
22	0	0	0	0	0	0	4.8	0	5.4	0	0.5	13.5	22
23	0	0	0	0	0	0	0	0	0	2.6	0	2.4	23
24	0	0	0	0	0	4.4	2.4	0	0	17.6	3.1	8.1	24
25	2.2	3.2	0	2.1	0	0	0	6.4	0	0	0	6.2	25
26	1.5	0	2.7	1.6	0	0	0	4.1	3.5	0	1.5	4.9	26
27	3.5	0	0	9.4	0	0	1	23.6	0.	0	0	1.0	27
28	0	0	5.9	0.4	0	0	0	9.6	0	0	16.5	10.0	28
29	0	~~2.6~~	0	1.0	0	0	0	3.5	0	2.7	0	0.6	29
30	0	X	0	3.7	0	4.5	0	27.5	0	0	12.1	9.3	30
31	0	X	0.5	X	0	X	0	0	X	0	X	7.6	31
Total	124.4	63.3 ~~63.2~~	111.5	51.2	15.4	19.9	66.7	92.8 ~~89.7~~ ~~71.7~~	34.0	32.5	69.1	138.1	Year's Total 818.9
Days with 0·2 mm. or more	21	11	18	14	8	5	13	~~8~~ 11	10	9	16	26	162

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

20 MAR 20

Kept at Shaftesbury (M.O)
in the County of Dorset
by A. [illegible]

Lat. Long.
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.6	-	2.6	1.1	3.0	-	7.1	-	1.7	2.3	1.1	22.4	1
2	3.2	-	-	-	0.9	-	0.2	-	6.5	-	2.2	3.4	2
3	29.6	-	8.0	-	2.4	-	-	-	6.1	-	0.9	8.4	3
4	7.2	3.2	15.2	-	-	0.5	-	2.5	4.1	-	-	1.1	4
5	0.3	11.0	14.6	-	2.8	-	8.0	-	2.9	-	2.1	9.2	5
6	14.9	1.4	4.1	-	2.6	-	-	-	-	-	1.6	6.3	6
7	8.2	-	8.0	2.0	-	-	-	-	-	-	-	-	7
8	6.0	-	5.9	-	-	-	-	-	-	-	-	1.1	8
9	1.2	-	0.6	3.1	0.7	-	-	-	-	-	2.7	-	9
10	0.8	-	4.9	0.9	-	-	-	-	-	1.1	-	4.2	10
11	0.4	-	2.2	5.4	2.5	-	10.1	-	-	-	-	-	11
12	1.9	-	0.5	1.3	-	-	1.2	-	-	1.8	1.9	-	12
13	0.3	-	0.5	8.4	-	-	1.0	-	-	0.5	-	1.0	13
14	10.2	0.5	-	10.8	0.5	-	2.5	-	0.4	0.8	-	2.5	14
15	5.0	-	-	-	-	-	-	-	-	3.1	-	7.9	15
16	1.2	14.3	-	-	-	-	0.4	3.9	-	-	3.5	-	16
17	-	4.7	-	-	-	-	-	-	-	-	7.7	0.5	17
18	-	0.5	11.9	-	-	-	-	0.5	-	-	7.2	0.5	18
19	11.4	6.5	19.9	-	-	1.6	18.1	6.7	4.1	-	4.5	1.4	19
20	5.8	1.4	3.5	-	-	8.9	-	4.5	-	-	-	1.7	20
21	-	16.6	-	-	-	-	9.9	-	0.3	-	-	2.9	21
22	-	-	-	-	-	-	4.8	-	5.4	-	0.5	13.5	22
23	-	-	-	-	-	-	-	-	-	2.6	-	2.4	23
24	-	-	-	-	-	4.4	2.4	-	-	17.6	3.1	8.1	24
25	2.2	3.2	-	2.1	-	-	-	6.4	-	-	-	6.2	25
26	1.5	-	2.7	1.6	-	-	-	4.1	2.5	-	1.5	4.9	26
27	3.5	-	-	9.4	-	-	1.0	23.6	-	-	-	1.0	27
28	-	-	5.9	0.4	-	-	-	9.6	-	-	16.5	10.0	28
29	-	-	-	1.0	-	-	-	3.5	-	2.7	-	0.6	29
30	-		-	3.7	-	4.5	-	27.5	-	-	12.1	9.3	30
31	-		0.5		-		-	-		-		7.6	31
TOTAL	124.4	63.3	111.5	51.2	15.4	19.9	66.7	92.8	34.0	32.5	69.1	138.1	YEAR'S TOTAL 818.9
Days with 0·2 mm. or more	21	11	18	14	8	5	13	11	10	9	16	26	162

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Shaftesbury
in the County of Dorset
by A. Macdonell

Lat. 51° 1' N Long. 2° 12' W
Time of Observation 9 G.M.T.
Nearest Railway Station Semley L.S.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.4	—	1.5	5.5	5.2	—	7.6	2.4	1.5	5.7	12.9	12.8	1
2	4.5	—	0.6	2.9	—	—	3.9	18.5	2.5	2.7	—	1.6	2
3	0.6	3.2	—	1.5	—	—	30.3	—	—	18.1	—	0.8	3
4	—	0.4	0.6	0.8	—	—	10.1	5.0	—	5.6	—	—	4
5	—	—	2.1	0.6	2.1	—	16.3	12.2	—	5.5	—	—	5
6	—	—	3.9	1.5	4.6	—	5.1	—	—	—	—	0.4	6
7	2.4	—	—	12.6	—	—	8.6	—	—	—	—	—	7
8	2.3	2.5	—	4.2	1.2	—	11.1	—	—	—	—	—	8
9	14.2	0.9	0.4	1.5	—	1.8	1.2	—	—	—	—	—	9
10	9.3	4.4	3.1	2.2	—	9.1	11.4	—	—	—	—	—	10
11	9.0	—	3.5	15.4	6.3	—	4.4	—	—	—	—	0.4	11
12	6.4	0.8	—	6.7	—	15.3	0.4	—	—	—	0.4	—	12
13	5.0	1.2	11.6	0.8	—	—	—	—	—	—	—	0.2	13
14	2.6	0.5	7.6	13.8	—	—	0.6	—	4.5	6.8	6.8	—	14
15	1.2	1.1	1.1	3.2	—	2.7	0.7	—	0.6	12.5	2.1	—	15
16	—	—	2.1	—	—	0.6	3.1	—	9.0	1.5	—	—	16
17	1.0	—	—	7.4	7.2	—	1.6	—	8.8	—	—	—	17
18	1.4	—	—	0.3	0.8	1.8	0.4	~~0.3~~ 11.4	2.8	—	—	1.5	18
19	1.2	—	—	4.5	—	3.8	—	—	1.1	—	—	0.4	19
20	3.0	2.7	—	5.1	—	12.8	—	—	—	—	—	1.7	20
21	—	—	—	—	—	—	11.8	—	2.4	—	—	2.1	21
22	0.5	—	—	3.2	—	—	0.4	0.3	—	—	—	6.9	22
23	0.2	—	—	—	—	—	15.2	—	—	—	—	6.2	23
24	0.9	—	2.6	—	—	—	—	—	—	—	7.0	1.5	24
25	—	1.3	1.4	—	1.0	—	10.0	—	—	—	—	—	25
26	3.0	—	4.7	—	—	—	2.9	—	—	—	2.5	1.9	26
27	8.0	0.8	1.2	5.5	—	4.6	6.7	—	—	—	—	7.0	27
28	13.4	—	1.2	2.4	2.1	—	2.6	—	—	—	—	1.6	28
29	6.3	—	3.0	—	0.4	—	0.4	—	—	—	3.0	3.6	29
30	2.7		—	0.5	1.1	5.2	5.7	—	7.5	—	9.7	4.0	30
31	1.7		3.4		—		0.5	—		12.4		3.9	31
													YEAR'S TOTAL
TOTAL	102.2	19.8	55.6	102.1	31.9	57.7	173.0	49.8	40.7	70.8	44.4	58.5	806.5 ✓
Days with 0·2 mm. or more	25	12	19	23	11	~~9~~ 10	27	6	10	9	8	19	179 ✓
Days with 1·0 mm. or more	21	7	16	18	9	9	20	5	9	9	7	14	144 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Esc 8 h 1472

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shaftesbury (MO)
in the County of Dorset
by Alexander Macdonell, M.A.

Lat. 51° 1′ N Long. 2° 12′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 722 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·4	-	1·5	5·5	5·2	-	7·6	2·4	1·5	5·7	12·9	12·8	1
2	4·5	-	0·6	2·9	-	-	3·9	18·5	2·5	2·7	-	1·6	2
3	0·6	3·2	-	1·5	-	-	30·3	-	-	18·1	-	0·8	3
4	-	0·4	0·6	0·8	-	-	10·1	5·0	-	5·6	-	0	4
5	-	-	2·1	0·6	2·1	-	16·3	12·2	-	5·5	-	0	5
6	-	-	3·9	1·5	4·6	-	5·1	-	-	-	-	0·4	6
7	2·4	-	-	12·6	-	-	8·6	-	-	-	-	0	7
8	2·3	2·5	-	4·2	1·2	-	11·1	-	-	-	-	0	8
9	14·2	0·9	0·4	1·5	-	1·8	1·2	-	-	-	-	0	9
10	9·3	4·4	3·1	2·2	-	9·1	11·4	-	-	-	-	0	10
11	9·0	-	3·5	15·4	6·3	-	4·4	-	-	-	-	0·4	11
12	6·4	0·8	-	6·7	-	15·3	0·4	-	-	-	0·4	0	12
13	5·0	1·2	11·6	0·8	-	-	-	-	-	-	-	0·2	13
14	2·6	0·5	7·6	13·8	-	-	0·6	-	4·5	6·8	6·8	0	14
15	1·2	1·1	1·1	3·2	-	2·7	0·7	-	0·6	12·5	2·1	0	15
16	-	-	2·1	-	-	0·6	3·1	-	9·0	1·5	-	0	16
17	1·0	-	-	7·4	7·1	-	1·6	-	8·8	-	-	0	17
18	1·4	-	-	0·3	0·8	1·8	0·4	11·4	2·8	-	-	1·5	18
19	1·2	-	-	4·5	-	3·8	-	-	1·1	-	-	0·4	19
20	3·0	2·7	-	5·1	-	12·8	-	-	-	-	-	1·7	20
21	-	-	-	-	-	-	11·8	-	2·4	-	-	2·1	21
22	0·5	-	-	3·2	-	-	0·4	0·3	-	-	-	6·9	22
23	0·2	-	-	-	-	-	15·2	-	-	-	-	6·2	23
24	0·9	-	26	-	-	-	-	-	-	-	7·0	1·5	24
25	-	1·3	1·4	-	1·0	-	10·0	-	-	-	-	0	25
26	3·0	-	4·7	-	-	-	2·9	-	-	-	2·5	1·9	26
27	8·0	0·8	1·2	5·5	-	4·6	6·7	-	-	-	-	7·0	27
28	13·4	-	1·2	2·4	2·1	-	26	-	-	-	-	1·6	28
29	6·3	-	3·0	-	0·4	-	0·4	-	-	-	3·0	3·6	29
30	2·7	╳	-	0·5	1·1	5·2	5·7	-	7·5	-	9·7	4·0	30
31	1·7	╳	3·4	╳	-	╳	0·5	-	╳	12·4	╳	3·9	31
TOTAL	102·2	19·8	55·6	102·1	31·9	57·7	173·0	49·8	40·7	70·8	44·4	58·5	YEAR'S TOTAL 806·5
Days with 0·2 mm. or more	25	12	19	23	11	10	27	6	10	9	8	19	179

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

*1·0 Copied from 7 M 3203. 16 18 9 9 20 5 9 9 7 14 144

Ese 82 1472

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Abbey House, Shaftesbury
in the County of
by per Boys A. Macdonell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·06	·22	·20		·30	·09	·06	·22		·50	1
2	·15		·02	·11			·15	·73	·10	·11	·51	·06	2
3	·02	·13		·06			1·19			·71		·03	3
4		·02	·02	·03			·40	·20		·22			4
5			·08	·02	·08		·64	·48		·22			5
6			·15	·06	·18		·20					·02	6
7	·09			·50			·34						7
8	·09	·10		·17	·05		·44						8
9	·56	·04	·02	·06		·07	·05						9
10	·37	·17	·12	·09		·36	·46						10
11	·35		·14	·61	·25		·17					·02	11
12	·25	·03		·26		·61	·02				·02		12
13	·20	·05	·46	·03								·01	13
14	·10	·02	·30	·54			·02		·18	·27	·27		14
15	·05	·04	·04	·13		·11	·03		·02	·49	·08		15
16			·08			·02	·12		·35	·05			16
17	·04			·29	·28		·06		·35				17
18	·06			·01	·03	·07	·02	·45	·11			·06	18
19	·05			·18		·15			·04			·02	19
20	·12	·11		·20		·50						·07	20
21							·46		·09			·08	21
22	·02			·13			·02	·01				·27	22
23	·01						·60					·24	23
24	·04		·10								·28	·06	24
25		·05	·06		·04		·39						25
26	·12		·19				·11				·10	·07	26
27	·31	·03	·05	·22		·18	·26					·28	27
28	·53		·05	·09	·08		·10					·06	28
29	·25		·12		·02		·02				·12	·14	29
30	·11	✕		·02	·04	·21	·22		·30		·38	·16	30
31	·07	✕	·13	✕		✕	·02		✕	·49	✕	·15	31
													YEAR'S TOTAL
TOTAL	4·02	·79	2·19	4·03	1·25	2·28	6·81	1·96	1·60	2·78	1·76	2·30	31·77 ✓
Days with ·01 in. or more	25	12	19	23	11	10	27	6	10	9	8	19	179 ✓
Days with ·04 in. or more	22	8	16	18	9	9	20	5	9	9	7	14	146 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

From Mid-Wessex Assoc REGIS 14.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Sherborne (Charl

in the County of Dorset

by A. W. Packe, R

bove Ground ft. in.

Sea Level ft.

in.

DORSET.

SHERBORNE.

1914

NOTE.—Rain should be measured dail Full instructions for the measurement of rain and particulars as to the British Ra servers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, L

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	-	·05								1
2			-	-	·35								2
3			·13	·16	·40								3
4			·05	·09	·06								4
5			·21	·35	·03								5
6			·05	·21	·02								6
7			·04	·18	·31								7
8			·78	·03	·30								8
9			·51	·23	·12								9
10			·18	·04	·23								10
11			·50	·02	-								11
12			·38	-	-								12
13			·23	-	-								13
14			·18	-	-								14
15			·08	-	-								15
16			-	-	-								16
17			·27	-	-								17
18			·16	-	-								18
19			·50	-	-								19
20			·24	-	-								20
21			-	-	-								21
22			-	-	·23								22
23			·26	-	·08								23
24			·22	-	·08								24
25			·31	-	-								25
26			-	-	-								26
27			-	-	-								27
28			·26	-	·02								28
29			·09	-	·15								29
30			·17	-	-								30
31			-		-								31
Total			5·80	1·31	2·43								TOTAL for year wip
No. of Rain Days			23	9	15								wip

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

From Mid-Wessex Assocn REGIS 14.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Sherborne (Charl

in the County of Dorset

by A. W. Packe, Rev. H. A. Boys

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	-	·05								1
2			-	-	·35								2
3			·13	·16	·40								3
4			·05	·09	·06								4
5			·21	·35	·03								5
6			·05	·21	·02								6
7			·04	·18	·31								7
8			·78	·03	·30								8
9			·51	·23	·12								9
10			·18	·04	·23								10
11			·50	·02	-								11
12			·38	-	-								12
13			·23	-	-								13
14			·18	-	-								14
15			·08	-	-								15
16			-	-	-								16
17			·27	-	-								17
18			·16	-	-								18
19			·50	-	-								19
20			·24	-	-								20
21			-	-	-								21
22			-	-	·23								22
23			·26	-	·08								23
24			·22	-	·08								24
25			·31	-	-								25
26			-	-	-								26
27			-	-	-								27
28			·26	-	·02								28
29			·09	-	·15								29
30			·17	-	-								30
31			-		-								31
Total			5·80	1·31	2·43								TOTAL for year nil
No. of Rain Days			23	9	15								nil

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

SHERBORNE CASTLE

DORSET

1911 — 1920

~~[illegible]~~ [illegible] 22.II.12

1911

Kept at Sherb

in the County of

by T. Turlon

top 5 in.

p above Ground 1 ft. 0 in.

„ Sea Level 195 ft.

tion Name
Distance Direction

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

IMPORTANT , and the result entered to the previous day. If universal rule, he is earnestly requested to add th g year in the space provided for it at the end surement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·01				·02			·01	·06	1
2	·01		·01	·08	·32			·09		·03	·20	·26	2
3			·01		·17						·04	·07	3
4		·02	·08	·01						·01	·20	·54	4
5	·04		·01					·18		·09	·12	·01	5
6	·19		·14							·10	·07	·75	6
7	·04			·01							·36	·01	7
8	·03	·01	·19								·07	·62	8
9	·19		·08								·11	·49	9
10	·06	·09	·20		·38						·03	·37	10
11	·36	·04	·01								·54	·05	11
12			·88					·01			·08	·33	12
13									·28		·01	·42	13
14		·05								·01		·87	14
15	·01		·03			·02					·20	·06	15
16			·03			·32					·38	·51	16
17		·03	·07			·11					·17	·67	17
18		·16	·11	·16	·01	·19				·03	·07	·58	18
19		·12		·01		·27			·15	·08	·12	·43	19
20	·05	·05	·17	·02					·16	·07		·69	20
21	·01	·17	·03	·04		·01		·03	·07	·74		·17	21
22	·17	·03	·08	·01		·01			·02	·11		·31	22
23		·17	·02			·21			·09	·09	·08	·24	23
24	·02	·10				·51		·07		·42		·20	24
25	·02	·03		·07		·10			·04	·04		·08	25
26		·04		·22	·18			·02		·14	·01	·24	26
27		·37	·11	·05				·10	·11	·16	·02	·16	27
28		·20		·27				·22			·11		28
29				·98		·22	·10		·14	·22	·01		29
30						·11		·04		·21	·09	·01	30
31										·02			31
Total	1·27	1·68	2·26	1·94	1·06	2·08	·10	·78	1·06	2·57	3·10	9·20 ~~9·20~~	TOTAL for year 27·10 ~~27·20~~
No. of Rain Days	15	17	19	14	5	12	1	10	9	18	24	28	172

9,000, IX. '10.

~~[illegible]~~ 22.II.12

19*11*

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Sherborne Castle

in the County of Dorset

by T. Turton (H. Stilwell)

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 195 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·01				·02			·01	·06	1
2	·01		·01	·08	·32			·09		·03	·20	·26	2
3			·01		·17						·04	·07	3
4		·02	·08	·01						·01	·20	·54	4
5	·04		·01					·18		·09	·12	·01	5
6	·19		·14							·10	·07	·75	6
7	·04			·01							·36	·01	7
8	·03	·01	·19								·07	·62	8
9	·19		·08								·11	·49	9
10	·06	·09	·20		·38						·03	·37	10
11	·36	·04	·01								·54	·05	11
12			·88					·01			·08	·33	12
13									·28		·01	·42	13
14		·05								·01		·87	14
15	·01		·03			·02					·20	·06	15
16			·03			·32					·38	·51	16
17		·03	·07			·11					·17	·67	17
18		·16	·11	·16	·01	·19				·03	·07	·58	18
19		·12		·01		·27			·15	·08	·12	·43	19
20	·05	·05	·17	·02					·16	·07		·69	20
21	·01	·17	·03	·04		·01		·03	·07	·74		·17	21
22	·17	·03	·08	·01		·01			·02	·11		·31	22
23		·17	·02			·21			·09	·09	·08	·24	23
24	·02	·10				·51		·07		·42		·20	24
25	·02	·03		·07		·10			·04	·04		·08	25
26		·04		·22	·18			·02		·14	·01	·24	26
27		·37	·11	·05				·10	·11	·16	·02	·16	27
28		·20		·27				·22			·11		28
29				·98		·22	·10		·14	·22	·01		29
30						·11		·04		·21	·09	·01	30
31										·02			31
Total	1·27	1·68	2·26	1·94	1·06	2·08	·10	·78	1·06	2·57	3·10	9·20 ~~9·20~~	TOTAL for year 27·10 ~~27·20~~
No. of Rain Days	15	17	19	14	5	12	1	10	9	18	24	28	172

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Sherborne Castle

in the County of Dorset

by Thos Turton

Lat. 51° N. Long. 2½° W.

Time of Observation 9.0 a.m.

Nearest Railway Station Sherborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level T 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10		·01	·47	·02	·01	·05	·69		·38	1
2		·	·41	·03		·08	·23	·15		·03	·02		2
3	·01		·13			·36	·03	·55	·02		·03	·03	3
4	·23	·	·91		·01	·34		·			·34		4
5	·38	·13	·18			·02		·48	·01		·02	·10	5
6	·41	·11			·14		·52	·79				·13	6
7	·01	·37	·16		·21	·65	·20	·11				·18	7
8	·20	·22	·39		·	·28	·05	·19	·02			·07	8
9	·03	·03	·17	·05		·01	·05	·12				·30	9
10	·	·14	·02				·	·24			·02	·30	10
11	·15	·07	·01			·		·12			·03	·41	11
12	·01	·50	·07	·02			·03	·12			·01		12
13	·					·	·01	·05			·03	·07	13
14	·13		·21		·04	·01		·07		·01			14
15	·22	·10	·07		·18	·60		·02			·01	·30	15
16	·82	·01	·21		·09	·		·07		·08	·05	·07	16
17	1·37		·22		·	·03		·61				·02	17
18	·25	·02	·38		·	·02		·26		·02	·02	·12	18
19	·02	·06	·19			·10	·09	·17			·04	·07	19
20	·03	·02	·32		·03			·43		·32			20
21	·	·09	·08		·44			·12		·25			21
22	·36	·26	·05		·12			·13		·10		·07	22
23	·13	·40	·18			·01		·63		·06	·13	·18	23
24	·08	·03	·02			·21		·12				·25	24
25	·10	·01				·13		·27		·16	·33	·58	25
26		·02				·	·12	·34		·35	·58	·26	26
27		·				·17	·59			1·00		·30	27
28	·01	·06				·07	·10	·31	·14	·53	·59	·61	28
29		·15	·01			·10	·24	·09	·61	·29	·02	·05	29
30			·		·06	·21	·09		·42	·27			30
31			·44				·22			·03		·05	31
													YEAR'S TOTAL
Total	4·95	2.80	4·93	0·10	1·33	3·87	2·59	6.57	1·27	4·19	2·27	4·66	39·53
Rain Days.	21	21	24	3	11	20	16	27	7	16	17	24	207

✓ Ex DL

FORM A.
BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sherborne Castle

in the County of Dorset 1

by T. Turton

Lat. 51 N. Long. 2·5 W

Time of Observation 9 a.m.

Nearest Railway Station Sherborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·30	·13	·14	·03	·01			·28		·26	·13	1
2	·07	·07		·12	·07		·05		·06	·02	·15	·01	2
3	·23		·03	·04	·38			·	·12			·32	3
4	·71		·03		·39				·42	·35	·08	·13	4
5	·08	·02	·02		·11	·15	·04		·70	·01	·12	·23	5
6	·08	·07	·14		·15	·26	·21		·04	1·50	·02	·59	6
7	·01	·35	·03		·33	·02	·08			·56	·15	·	7
8	·01	·07			·34	·03	·02			·04	·	·01	8
9		·02		·	·06	·02	·07	·36	·02		·14	·01	9
10	·24	·	·02	·	·01			·02		·35	·18		10
11	·67	·01		·24	·04					·16	·29		11
12		·01			·42						·28	·01	12
13	·11		·02			·01		·05	·59	·01	·28		13
14	·19		·09	·02	·01				·50	·01	·25		14
15	·41	·05	·24	·56			·15	·03	·24		·02	·02	15
16	·35		·30	·05		·01	·		·09		·		16
17	·01	·	·01	·14			·01						17
18	·10		·28	·04	·13		·				·09		18
19	·74		·11		·01	·17	·03		·52	·			19
20	·02		·09	·09		·01				·10	·22	·01	20
21			·21	·19	·01		·05			·65	·72		21
22	·68		·29	·11	·01	·03		·04	·26	·02	·01	·02	22
23	·01		·01			·05		·02			·03	·71	23
24	·02	·02		·05		·		·18		·	·02		24
25		·17		·13						·01	·01	·04	25
26		·02		·58				·30		·01		·22	26
27	·07		·23	·19	·02			·		·08			27
28	·10		·08	·28						·28		·06	28
29	·13		·50	·33	·04			·25		·48	·	·01	29
30	·38		·	·01	·01				·	·56	·01		30
31	·08		·					·93		·11			31
Total	5·51	1·18	2·86	3·31	2·57	0·77	0·71	2·18	3·84	4·71	3·28	2·53	YEAR'S TOTAL 33·45
Rain Days.	26	13	21	19	20	12	10	10	13	20	21 ~~22~~	17	202

W.7,000, XI. 13

ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Sherborne Castle

in the County of Dorset

by T. Turton

Lat. 51° N.L. Long. 2·4° W.L.

Time of Observation 9 a.m.

Nearest Railway Station Sherborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·01			·20	·26			·21	·05	1
2			·03	·01	·04		·46	·14			·89	·33	2
3	·01		·09	·19	·36		·12	·03			·23	·06	3
4	·09		·04	·24	·04		·15	·78			·37	·84	4
5	·03		·19	·25	·10		·14				·07	·04	5
6		·20	·04	·15	·02	·03	·05				·02	·24	6
7	·01	·97	·03	·02	·10		·12	·07	·06		·01	·29	7
8	·04	·04	·62	·05	·16	·13	·02	·17	·01			·04	8
9	·02		·41	·25	·05	1·16		·08	1·38				9
10	·04	·57	·02	·08	·08	·03			·28		·01	·01	10
11		·19	·35		·07	·15	·15		·02		·07	·41	11
12		·17	·11			·01			·23			·53	12
13		·44	·39						·15	·20	·27	·50	13
14		·29	·22			·81	·02	·49		·18	·29	·10	14
15	·02		·12				·39	·32	·04	·06	·14	·02	15
16			·01				·06		·19				16
17		·32	·22				·01		·01			·53	17
18		·03	·16				·19		·02			·38	18
19		·04	·79				1·54		·03		·11	·06	19
20		·45	·13			·01						·24	20
21		·94	·02			·35				·20		·04	21
22		·03			·25	·08	·01	·02		·41			22
23		·13	·23		·02	·07	·05			·19		·01	23
24			·02		·08		·02			·42	·05	·08	24
25	·07		·32		·04		·33	·21		·23	·05	·18	25
26		·02	·11				·34	·11	·01	·05	·28	·70	26
27	·17						·08			·06	·10	·17	27
28	·01	·08	·19		·01		·15			·02	·21	1·11	28
29	·14		·16		·16					·20	·60	·07	29
30		X	·08			·07				·30	·45	·96	30
31	·09	X		X	·01	X	·10		X	·71	X	·17	31
													YEAR'S TOTAL
Total	0·74	4·91	5·24	1·25	1·59	2.90	4.70	2.68	2·43	3·23	4·43	8·16	42·26
Rain Days.	13	17	28	10	17	12	23	12	13	14	20	28	207

W. 8,000. X. 14.

entd by Boys 4.V.16

1690

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Sherborne Castle
in the County of Dorset
by J. Turton

Lat. 51° Long. 2·4°
Time of Observation 9 a.m.
Nearest Railway Station Sherborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	·13			·01			·40	·17	·21	·02	·21	1
2	·67	·23	·23	·06	·	·07		·53	·07	·16		·35	2
3	·15	·14	·10	·12	·19		·01			·04		·33	3
4	·02	·02			·02			·01				·24	4
5	·09	·73		·15			·08	·13				·38	5
6	·63	·12		·38			·66	·14			·01	·22	6
7	·22	·45		·09		·01	·13	·		·01		·23	7
8	·06	·41						·09			·01	·03	8
9	·01	·04		·14							·28	·50	9
10	·30	·01	·05	·04			·			·02	·01	·14	10
11	·12	·03	·07	·02	·02		·	·01		·01	·70	·02	11
12	·15	·50		·17	·58			·		·09	·26	·01	12
13	·03	·47			·60			·14	·10		·19	·02	13
14	·01	·11					·12	·59	·11		·01	·75	14
15	·12				·21		·07		·01		·06	·17	15
16		·93			·41		·83	·05			·	·15	16
17		·35			·32			·67		·01	[illegible]	·01	17
18		·35	·01		·07			·01				·01	18
19		·01			·08		·19						19
20	·23			·20		·02				·01		·08	20
21	·11	·11					·03		·02	·63		·39	21
22	·11	·19	·44	·01		·06	·56		·01		·01	·27	22
23		·02	·09				·19		·18	2·15		·27	23
24				·09			·04		·37	1·03		·44	24
25			·01	·02		·18	·26		·	·01		·25	25
26		·07				·20	·15					·85	26
27		·07				·43	·16		·01	·83		·02	27
28		·07				·10	·01	·01	·60	·06	·02	·01	28
29						·22	·12	·	·11		·24	·08	29
30	·09	×				·14				·86	·35	·31	30
31	·01	×		×		×	·06		×	1·03	×	·39	31
Total	3·93	5·56	1·00	1·49	2·51	1·43	3·67	2·78	1·76	7·16	2·18	7·13	YEAR'S TOTAL 40·60
Rain Days.	20	24	8	13	11	10	18	13	12	17	15	30	191

W. 8,000. X. 15.

1659

FORM A.
BRITISH RAINFALL.

8 JAN 1917

end by Borp

REGISTER OF ~~W~~ RAINFALL IN 1916

Kept at Sherborne Castle
in the County of Dorset
by T. Turton

Lat. 51° N Long. 2·4°
Time of Observation 9 a.m.
Nearest Railway Station Sherborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	~~July.~~ Aug	~~Aug.~~ July	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·01	·01		·44	·03		·01	·32	·18	·42		1
2	·25	·08	·01		·02				·05	·34	·04		2
3	·03	1·26			·05	·01			·08	·47	·41	Hoar frost ·01	3
4	·21	·42	Snow ·01		·05	·08		·10	·20	·11	1·01	" ·01	4
5	·10	·02	" ·02	·01	·22	·17				·04	·45	" ·01	5
6	·01	·13	" ·01		·08	·09		·35		·19	·96	" · ..	6
7	·04	·05	" ·20		·08	·11		·07		·06	·82	·15	7
8		Snow ·12	" ·03		·15	·35					·28	·13	8
9		" ·11	" ·		·13	·17		·12		·05	·07	·15	9
10	·03	·60	" ·	·06	·05			·04		·01	Fog ·01	·33	10
11		·01	·03	·13	·	·06			·03				11
12	·04	·02	·06	·03	·04	·		·02		·08	" ·01		12
13		·25	·11	·04			·55	·09		·01	" ·01	Hoar frost ·01	13
14	·02	·48	·05		·05		·19			·05	" ·	" · ..	14
15		·11	·13	·03			·24			·01		" · ..	15
16	·03	·12	Fog ·01	·22	·05		·40	·03		·10		" ·01	16
17	·14	·29		·10			·11		·32	·94	·47	" ·01	17
18	·01	·05	·13	·01					·32	·15	Snow ·21	·19	18
19	·07		·61	·14							·21	·07	19
20	·11	·21	·31	·03			·01				·04	1·75	20
21	·07	·11	·10	·05	·04 ·09			·04			Fog ·01	·37	21
22	Hoar frost ·01		Sleet.	·03	·01	·02				·51	" ·01	·52	22
23	·01	Snow ·14		·02		·08	·24			·12	·22	·09	23
24		" ·06		·05	·88	·02	·02			·96	·07	·30	24
25		" ·93	·10		·07		·54		·01		·27	·02	25
26	·01	" ·10	·07		·	·36	·12		1·11	·76	·08	Hoar frost ·01	26
27		" ·09	1·27			·01	·52		·50	·54	·01	" ·02	27
28		" ·27	·	·02			·06 ·96		1·01	·44	·01	·12	28
29		·65	·05		·	·21	2·66		·53	·35	·	·17	29
30		X	·02						·	·46	·	·03	30
31		X		X		X	·04		X	·15	X	·05	31
Total	1·29	6·69	3·34	0·97	2·35	1·77	Aug: 5·70	July 0·87	4·48	7·08	6·10	4·53	YEAR'S TOTAL 45·17
Rain Days.	19	27	22	16	17	15	14	10	12	25	24	24	225

W. 8,000, VIII. 16

1584

from A

REGISTER OF RAINFALL IN 19/)

FORM A. BRITISH RAINFALL. 2 APR 1919

Kept at Sherborne Castle

in the County of Dorset

by T Turton per H A Boyd

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·35		·13		·62	·04		·10	·01	1
2			·01	·08		·03		·21		·01			2
3	·02			·12			·69			·09	·32		3
4		·12	·31				·01	·01		·35			4
5	·15		·25	·28		·09		·11	·10	·12	·10		5
6	·01		·14							·04	·16	·01	6
7	·19		·01				·10	·36		·25	·09	·04	7
8	·26		·15	·08			·31	·60	·11	·25	·16	·15	8
9			·11	·02	·03		·06	·08	·07	·11	·15		9
10	·14		·37	·24				·19					10
11	·05		·45	·44	·04	·10				·10	·03	·01	11
12	·02				·24					·23	·02		12
13			·14	·07		·02		·34	·01	·07		·01	13
14			·27	·10			·49	·07		·02	·01	·01	14
15		·01					·22	·17		·12		·36	15
16	·02	·14		·06	·01			·01		·39		·36	16
17		·02		·24	·04		·35	·09	·58	·21			17
18	·01	·09					·14		·39			·01	18
19		·34	·11			·02			·14				19
20	·02	·08	·06		·33	·08		·29	·13				20
21			·32							·04			21
22	·01		·03					·14		·04			22
23		·27			·13			·17		·17		·03	23
24		·08	·01			·03	·05	·04		·14	·12		24
25		·10	·05						·04	·05	·01		25
26			·02		·21	·04		·60	·17	·01	·01		26
27					·95	·16		1·01		·06		·02	27
28		·02	·05		·11	1·96		·13				·05	28
29			·08			·16	·05	·05	·01	·91	·01	·08	29
30		X	·24				·39	·07	·01	·01			30
31		X	·09	X		X		·02	X	·20	X	·03	31
Total	·90	1·27	3·37	2·08	2·09	2·82	2·86	5·38	1·80	3·99	1·29	1·18	YEAR'S TOTAL 29·03
Rain Days.	12	11	23	12	10	12	12	23	13	25	14	15	182

W. 8,000, IX. 17.

127

from original retd to Rev H A Boys

4

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Sherborne Castle Gardens

in the County of Dorsetshire

by Mr T Tuston Rev H A Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02			.07			.61		.01	.84	.05	1
2		.12		.14				.34	.02	.02	.07	.12	2
3		.10	.01	.09	.18			.16	.01	.06	.02	.01	3
4		.05	.01	.02				.08	.17	.01	1.28	.20	4
5			.13		.05			.26	.29	.09	.01	.03	5
6	.15	.07		.17				.18	.02	05	.01	.08	6
7	.01	.13		.01	.37	.01		02	.14	.02	.34	.08	7
8	.02	.26					.05		.11	.32	.01	.05	8
9	.01	.02		.26		.16	.33		.45	.10		.26	9
10	.07			.19			.13		.04	.25	.02	.50	10
11	.01		.01	.02			.48		.19	.17	.08	.08	11
12		.03	.04		.33		.13		.12	.01			12
13	.35	.03			.35		.32		.43	.09			13
14	.14		.02		.03	.34	.03		.14	.17		.16	14
15	1.25			.38	.03	.10	.26		.01	.02		.17	15
16	.64		.04	.18		.01	.03		.21	.01	.01	.11	16
17	.29		.01	.21			.30	.01	.02			.10	17
18	.82					.36	.29		.14			.11	18
19	.11	.02	.05				.20	.02	.04	.02	.01	.05	19
20	.06	.07		.24			.09		.23	.05	.01		20
21	.06	.01				.01			.40	.12	.02	.16	21
22	.05				.06		.47		.15	.01	.01	.10	22
23	.05				.19		1.02	.01	.12		.08	.06	23
24		.24		.01			.11	.01	.21		.02	.02	24
25				.01			.24	1.20		.01	.03	.01	25
26	.01	.02					.52		.04	.01	.10	.26	26
27		.11	.05				.04	.14	.09	.01	.14		27
28		.16	.19	.03					.01	.01	.04	.05	28
29	.01		05						1.19		.02	.02	29
30	.01	X	.59					.02	.04	.09	.10	.03	30
31	.01	X	05	X		X		.01	X	.02	X		31
Total	4.13	1.46	1.25	1.96	1.66	.99	5.04	3.07	5.03	1.75	3.27	2.87	YEAR'S TOTAL 32.48
Rain Days.	21	17	14	15	10	7	19	15	28	26	23	26	221

W, 6,500, VII. 18. W W C

Esth

1492

20 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Castle Gardens, Sherborne

in the County of ~~Wilts~~ Dorset.

by T. Turton, per Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44		·06		·04		·55		·02	·28	·02	·91	1
2	·15		·01		·02		·11		·23		·03	·07	2
3	·95		·34		·09				·17		·03	·18	3
4	·20	·15	·57			·04			·50	·01	·02	·13	4
5	·05	·37	·46		·06		·09	·02	·12		·05	·20	5
6	·64	·26	·13									·23	6
7	·21		·32	·09							·01		7
8	·29		·22	·02								·01	8
9	·06		·01	·12	·06						·22		9
10	·26		·21	·02						·05		·25	10
11	·02		·23	·16	·18		·19					·09	11
12	·10		·02	·04		·09	·04			·09	·09	·12	12
13	·08	·04	·02	·56			·03			·22		·12	13
14	·46	·09		·53	·14		·18		·03	·23		·25	14
15	·21	·01								·06		·32	15
16	·12	·67			·01			·34		·01	·28	·01	16
17	·08	·24									·19		17
18	·01	·01	·60				·11	·01			·11	·02	18
19	·52	·22	·95			·02	·76	·26	·28		·11	·09	19
20	·30	·05	·10			·35		·38		·01		·02	20
21	·12	·66					·15		·01			·06	21
22	·01						·29		·18		·01	·08	22
23	·01		·01					·01		·41	·01	·04	23
24		·01		·06		·16	·01			1·39	·08	·32	24
25	·08	·04		·02		·03		·19		·01	·02	·23	25
26	·09	·01	·07	·02		·01		·02	·06			·23	26
27	·13	·01	·09	·34		·01		·73				·03	27
28			·36					·75			·49	·37	28
29	·01			·08				·19		·09	·01	·02	29
30			·01	·17		·30		·81		·02	·55	·58	30
31	·01		·02				·01					·27	31
TOTAL	5·61	2·84	4·81	2·23	·60	1·01	2·52	3·71	1·60	2·88	2·33	5·25	YEAR'S TOTAL 35·39
Days with ·01 in. or more	28	16	22	14	8	9	13	12	10	14	19	28	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1407

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Castle Gardens, Sherborne

in the County of Dorset

by per Boys T. Turton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·03	·15	·39		·34	·03	·05	·16	·14	·57	1
2	·45		·01	·20			·07	·96	·11	·05		·14	2
3	·12	·13		·03	·01		·45		·02	·76		·06	3
4		·01	·01	·13			·30	·38		·23			4
5			·08	·04	·06		·44	·67		·15	·01	·01	5
6	·01		·16	·06	·13		·25			·03			6
7	·02		·02	·33	·13		·37			·01			7
8	·05	·15		·22	·02		·48					·01	8
9	·35		·01	·06		·09	·02					·01	9
10	·50	·09	·13	·11		·26	·29				·01	·01	10
11	·26		·08	·42	·18	·01	·12				·01	·01	11
12	·18	·03		·17	·02		·02			·01	·04		12
13	·23	·02	·51	·10							·01	·03	13
14	·01	·02	·26	·83			·01		·13	·40	·22	·01	14
15	·01	·09	·03	·45	·11	·24			·01	·41	·07		15
16		·01	·01	·05			·13		·06	·04			16
17	·01		·02	·30	·19		·02		·39				17
18	·06		·02	·03	·08	·14	·14	·40	·17		·01	·02	18
19	·09			·27		·15			·05				19
20	·02	·12		·15		·46					·01	·20	20
21							·16			·05	·01	·19	21
22	·01	·01		·22			·01	·02				·26	22
23							·52	·03		·01		·20	23
24	·02		·20								·12	·07	24
25		·08	·09	·02			·35			·01	·01	·01	25
26	·25		·21			·03	·03				·09	·09	26
27	·64	·11	·06	·35	·01	·14	·02			·01		·24	27
28	·81	·01	·11	·05	·19	·01	·06					·06	28
29	·45		·20	·18	·01						·17	·19	29
30	·11	X		·02	·06	·23	·12		·37	·01	·27	·34	30
31	·02	X	·32	X		X	·01		X	1·02	X	·18	31
Total	4·71	·88	2·57	4·94	1·59	1·76	4·73	2·49	1·36	3·36	1·20	2·91	Year's Total 32·50
Days with ·01 in. or more	25	14	22	26	15	11	25	7	10	17	16	23	211
Days with ·04 in. or more	15	7	13	22	10	8	17	4	8	10	8	14	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

25 ii 15

297 A

FORM A.
BRITISH RAINFALL.

28 JAN 1915

DORSET.

STUDLAND.

1914

REGIS ... 14

ong.

Kept at Studland

in the County of Dorsets

by A. Taylor

ion

ge in.

e above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE.– ... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2						·07	·02						2
3				·10	·40								3
4			·10	·30	·03		·14						4
5	·12			·25			·41						5
6		·21		·17	·14								6
7	·01	·40		·13			·24						7
8	·06	·10	·17			·03							8
9		·26	2·20		·01								9
10	·06	·65			·15								10
11		·04	·61				·25						11
12		·86	·19										12
13		·24	·23										13
14		·34	·80			·52	·30						14
15		·30	·45				·14						15
16			·09				·02						16
17													17
18		1·06	·20				·03						18
19		·22	·06				·84						19
20		·84	·56			·03							20
21		·30	·24										21
22		·06	·25		·20	·02	·45						22
23			·19		·05								23
24		·12	·06										24
25							·04						25
26			·10				·02						26
27			·14										27
28		·06			·03								28
29			·46	·04	·14								29
30	·37		·14			·20							30
31	·10						·10						31
Total	·72	6·06	7·24	·99	1·15	·87	~~2·84~~ 3·00						YEAR'S TOTAL
Rain Days.	6	17	20	6	9	6	14						

W.7,000, XI. 13

DL 25.III.15

297 A

REGIS ... 14

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Studland

in the County of Dorsetshire

by A. Taylor

...ong.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2						·07	·02						2
3				·10	·40								3
4			·10	·30	·03		·14						4
5	·12			·25			·41						5
6		·21		·17	·14								6
7	·01	·40		·13			·24						7
8	·06	·10	·17			·03							8
9		·26	2·20		·01								9
10	·06	·65			·15								10
11		·04	·61				·25						11
12		·86	·19										12
13		·24	·23										13
14		·34	·80			·52	·30						14
15		·30	·45				·14						15
16			·09				·02						16
17													17
18		1·06	·20				·03						18
19		·22	·06				·84						19
20		·84	·56			·03							20
21		·30	·24										21
22		·06	·25		·20	·02	·45						22
23			·19		·05								23
24		·12	·06										24
25							·04						25
26			·10				·02						26
27			·14										27
28		·06			·03								28
29			·46	·04	·14								29
30	·37		·14			·20							30
31	·10						·10						31
Total	·72	6·06	7·24	·99	1·15	·87	3·00 ~~2·84~~	✓					YEAR'S TOTAL
Rain Days.	6	17	20	6	9	6	14						

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
4 - FEB 1913

REG

STOBOROUGH
KING BARROW
DORSET
1912 - 1916

Kept at King Barro… AT… Wareham
in the County of Dorse… 5 in.
by L. G. Pike …ve Ground ft. 9 in.
Sea Level abt 14 ft.

IMPORTANT NOT… the result entered to the previous day. If an O… versal rule, he is earnestly requested to add the rea… ar in the space provided for it at the end of th… ment of rain, the selection and placin… ritish Rainfall Organization are given i… application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	02	-	-	23	-	-	-	82	-	31	1
2	-	-	14	01	-	02	37	-	-	-	-	-	2
3	-	-	05	-	-	36	11	70	-	-	-	01	3
4	·25	-	62	-	-	32	-	03	-	-	27	-	4
5	73	24	21	-	-	-	-	37	-	-	-	26	5
6	47	01	-	-	35	04	-	52	-	-	-	05	6
7	-	50	15	-	-	73	-	-	-	-	-	09	7
8	60	23	21	-	-	01	-	-	-	-	-	-	8
9	-	05	26	02	-	-	-	21	-	-	-	46	9
10	-	06	-	-	-	-	-	10	-	-	-	45	10
11	08	07	-	-	77	15	-	03	-	-	-	41	11
12	02	35	11	-	-	15	02	16	-	-	-	-	12
13	-	01	04	-	-	-	-	-	-	03	-	06	13
14	17	-	25	-	12	-	-	15	-	-	-	01	14
15	22	-	03	-	04	51	-	01	-	-	17	42	15
16	77	24	67	-	-	-	-	45	-	-	-	-	16
17	65	-	37	-	-	05	-	91	-	-	-	11	17
18	-	05	25	-	-	-	-	07	-	09	-	-	18
19	17	-	30	-	-	02	06	30	-	40	02	-	19
20	-	49	56	-	02	-	07	10	-	13	-	-	20
21	03	18	38	-	26	-	-	25	-	-	01	-	21
22	42	06	·03	-	-	05	-	14	-	28	11	06	22
23	27	-	34	-	-	-		70	-	-	-	22	23
24	28	06	-	-	-	22	-	16	-	16	34	38	24
25	08	06	-	-	-	24	-	22	-	41	55	63	25
26	-	11	-	-	-	-	37	08	-	79	-	33	26
27	-	12	-	-	-	18	96	-	-	66	60	46	27
28	-	-	-	-	-	21	20	56	11	12	-	44	28
29	-		-	-	-	02	37	01	1·55	19	-	-	29
30	-		-	-	-	01	01	08	94	-	-	-	30
31	-		57		-		22	02		-		06	31
Total	5.21	~~5.21~~ 2.89	5.56	.03	1.56	3.52	2.76	6.23	2.60	4.08	2.07	5.22	YEAR'S TOTAL 41.73
Rain Days.	17 16	~~17~~ 18	21	2	6	19	11	25	3	12	8	20	162 161

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

4 - FEB 1913

REG

Kept at King Barrow near Wareham

in the County of Dorset 3

by L. G. Pike

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level about 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	02	-	-	23	-	-	-	82	-	31	1
2	.	.	14	01	-	02	37	-	.	.	-	.	2
3	-	-	05	-	-	36	11	70	-	.	-	01	3
4	.25	.	62	-	-	32	-	03	-	-	27	.	4
5	73	24	21	-	-	.	-	37	-	-	.	26	5
6	47	01	.	.	35	04	-	52	-	-	-	05	6
7	.	50	15	.	-	73	-	-	-	.	-	09	7
8	60	23	21	.	-	01	-	-	-	-	-	.	8
9	-	05	26	02	-	-	-	21	-	-	-	46	9
10	.	06	.	-	-	-	-	10	-	-	-	45	10
11	08	07	.	-	77	15	-	03	-	-	-	41	11
12	02	35	11	-	-	15	02	16	-	-	-	.	12
13	-	01	04	-	-	-	-	.	-	03	-	06	13
14	17	-	25	-	12	-	-	15	-	-	-	01	14
15	22	.	03	-	04	51	-	01	-	-	17	42	15
16	77	24	67	.	-	-	-	45	-	-	.	.	16
17	65	-	37	-	-	05	-	91	-	-	-	11	17
18	-	05	25	-	-	-	-	07	-	09	-	-	18
19	17	-	30	.	-	02	06	30	-	40	02	-	19
20	-	49	56	-	02	-	07	10	-	13	-	-	20
21	03	18	38	-	26	-	-	25	-	-	01	-	21
22	42	06	. 03	-	-	05	-	14	-	28	11	06	22
23	27	-	34	-	-	.		70	-	-	-	22	23
24	28	06	.	-	-	22	-	16	-	16	34	38	24
25	08	06	.	-	-	24	-	22	-	41	55	63	25
26	-	11	-	-	-	.	37	08	-	79	-	33	26
27	-	12	.	-	-	18	96	-	-	66	60	46	27
28	-	-	.	-	-	21	20	56	11	12	-	44	28
29	-		.	-	-	02	37	01	1.55	19	-	.	29
30	-		.	-	-	01	01	08	94	-	-	.	30
31	-		57		-		22	02		-		06	31
Total	5.21	~~5.21~~ 2.89	5.56	.03	1.56	3.52	2.76	6.23	2.60	4.08	2.07	5.22	YEAR'S TOTAL 41·73
Rain Days.	17 16	~~17~~ 18	21	2	6	19	11	25	3	12	8	20	162 161

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at Wareham

in the County of Dorset

by L. G. Pike

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	29	21	44	-	01	-	-	48	05	24	-	1
2	04	16	-	-	-	-		-	-	17	07	-	2
3	10	-	05	03	22	-	-	-	02	-	-	12	3
4	87	-	12	-	21	-	-	-	17	70	06	02	4
5	35	15	02	-	05	09	01	-	85	14	18	12	5
6	-	16	04	-	02	21	03	-	-	1·20	05	70	6
7	-	39	01	-	38	07	30	-	-	34	23	02	7
8	-	30	-	-	11	-	-	-	-	-	-	09	8
9	-	06	-	-	10	-	02	73	-	-	15	-	9
10	26	-	-	-	-	-	-	01	-	10	64	-	10
11	92	-	-	10	24	-	-	-	-	02	81	-	11
12	-	-	-	-	34	-	-	-	-	-	44	-	12
13	-	-	04	-	-	-	-	02	35	-	22	-	13
14	33	-	12	-	15	-	-	-	17	-	-	-	14
15	21	09	42	59	-	-	33	09	17	-	04	-	15
16	14	-	43	09	-	-	-	-	03	-	-	-	16
17	10	-	-	06	-	-	-	-	-	-	-	-	17
18	-	-	22	11	-	-	01	-	-	-	06	-	18
19	64	-	02	-	-	08	-	-	48	-	-	-	19
20	.05	-	36	09	-	-	-	-	-	35	08	-	20
21	-	-	14	37	-	-	10	15	-	12	73	-	21
22	31	-	08	-	-	-	-	-	14	08	-	-	22
23	-	-	01	-	-	08	-	-	-	-	08	86	23
24	05	-	-	21	-	02	-	-	-	-	-	-	24
25	-	13	-	28	-	-	-	25	-	-	-	-	25
26	-	-	-	27	-	-	-	-	-	08	-	16	26
27	04	-	25	07	-	-	-	-	-	-	-	-	27
28	15	-	03	20	-	-	-	05	-	32	-	-	28
29	16		41	50	13	-	-	-	-	55	-	-	29
30	74		-	-	02	-	-	64	-	43	-	-	30
31	09		-		-	-				03	-	-	31
Total	5·55	1·73	2·98	3·41	1·97	·56	·80	1·94	2·86	4·68	4.08	2·09	YEAR'S TOTAL 32·65
Rain Days.	19	9	19	15	12	7	7	8	10	16	16	8	146

W. 7,500, XI. 12

Exd. DSJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at King Barrow

in the County of Dorset 3

by L. G. Pike

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Wareham

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. - in.

" " " " Sea Level fourteen ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								47			12	08	1
2							08				1·49	25	2
3			·13	18	46		07	13				03	3
4				48	04		16	1.12			52	48	4
5			·08	21	03		39	22			43		5
6		·22		15	06		08	01				50	6
7	.20	·53	19	15			18	02				34	7
8		·33	78					33				06	8
9	.09		77	23		09		02	39			58	9
10		·50		11	11		48		36				10
11			71								02	69	11
12		·62	15						43	22	06	30	12
13		·35	37				18		09	03	13	42	13
14			19			35	04	57		45	56	32	14
15			18				01	50		24	55		15
16		1·20							40				16
17		·02	13				12		02			67	17
18		·18	17				1.04					75	18
19		·65	58						05		11	08	19
20		·73	23			14						38	20
21		·05					18			25			21
22		·55			27	02	03	03		14			22
23			50							19			23
24							03			13	11		24
25			24				05	61		56	05	68	25
26			07					11		20	23	49	26
27							11				09	30	27
28	.46		43							04	20	43	28
29			10		03					24	24		29
30	·08	X	07			12	07			25	64	69	30
31		X		X	02	X			X	59	X	09	31
Total	·83	5·93	6.07	1·51	1.02	·72	3·30	4·14	1·74	3·53	5·55	8·61	YEAR'S TOTAL 42·95
Rain Days.	4	13	20	7	8	5	18	13	7	14	17	22	148

W. 8,000. X. 14.

Ed Lit N.

1709

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Kingsbarrow Wareham
in the County of Dorset
by L. G. Pike

3

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	41	23	-	-	-	02	-	-	20	26	-	13	1
2	68	24	18	07	-	-	-	25	-	06	-	33	2
3	30	-	21	08	11	-	-	22	-	06	-	54	3
4	04	-	-	-	-	-	-	07	-	-	-	46	4
5	12	35	-	-	-	-	-	32	-	-	-	61	5
6	74	27	-	50	-	-	47	-	-	-	-	42	6
7	13	73	-	06	-	-	17	-	-	-	-	30	7
8	06	66	-	-	-	-	-	06	-	-	07	11	8
9	-	06	-	01	-	-	-	-	-	-	55	88	9
10	23	-	-	-	-	-	-	-	-	-	X·21	21	10
11	10	-	06	07	-	-	-	-	-	02	1·20	-	11
12	12	61	-	11	57	-	-	-	-	07	31	-	12
13	-	47	-	-	1·07	-	-	-	07		04	01	13
14	12	-	-	-	-	-	18	-	03	-	-	1·52	14
15	11	-	-	-	12	-	03	15	-	-	08	24	15
16	-	1·18	-	-	08	-	1·66	-	-	-	-	29	16
17	-	44	-	-	13	-	-	-	-	-	-		17
18	-	21	-	-	02	-	-	-	-	-	-		18
19	-	-	-	-	22	-	06	-	-	-	-		19
20	19	-	-	-	-	-	~~0~~	-	-	02	-	06	20
21	-	28	-	-	-	-	13	-	05	37	-	12	21
22	09	15	26	-	-	-	94	-	02	06	-	30	22
23	-	-	11	-	-	-	-	-	37	91	-	64	23
24	-	-	-	-	-	-	03	-	59	1·84	-	42	24
25	-	-	-	25	-	19	-	-	-	-	-	31	25
26	-	10	-	-	-	03	14	-	-	-	-	1·19	26
27	-	-	-	-	-	05	-	-	-	49	-	-	27
28	-	-	-	-	-	18	10	-	42	09	-	03	28
29	-	-	-	-	-	23	-	-	-	07	40	09	29
30	14	X	-	-	-	06	-	-	-	49	93	27	30
31	-	X	-	X	-	X	02	16	X	1·45	X	48	31
Total	3.58	5·98	·82	1·15	2·26	·76	3·93	1·23	1·75	6·26	3·58	9·96	YEAR'S TOTAL 41·26
Rain Days.	16	15	5	8	8	7	12	7	8	15	8	25	134

W. 8,000. X. 15.

dates uncertain ~~W~~ CFS end pr auth by new stats

1678

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 JAN 1917

Kept at Kingbarrow
in the County of Dorset
by L. G. Pike

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	06							10		40		1
2	·31	17			62				53	17	02		2
3	·05	1·02								22	30		3
4	·12	·09			02					79			4
5	·06	05			08		W. D		13	06	40		5
6	·01	06	42		18	45				09	71		6
7		05	23		02		69			02	85		7
8		05	02		10	40					99	15	8
9					38	17				02	02	38	9
10		71			03						02	19	10
11			40	05	04	35					08	31	11
12	·05	08	14	10		11						04	12
13		23	05		12		~~03~~	03					13
14	·01	74	16										14
15		54		03	09								15
16	·15	05					~~29~~	29		83		60	16
17	·25	11	15	12			~~34~~	34		03			17
18	·06	07	55	10					20		57		18
19	·16		23						20		17	12	19
20	·12	30	24	03					03		10	14	20
21	·01	19								28	08	1·53	21
22					03		~~06~~	06		05		37	22
23						05	~~15~~	15		33	04	72	23
24			15				~~72~~	72		21	19	08	24
25		25	02	06	14					60	10	41	25
26		32	1.02					02		17	04		26
27		23				12	77	06	46	30			27
28		47				07		2·58	69	28			28
29		21				38			21	44		47	29
30		X							45	25		45	30
31		X		X		X		·10	X	15	X		31
Total	1·48	6.05	3·78	·49	1·85	2·10	1·46	4·25 4·35	2·90	~~4·69~~ 5·29	6·08	5·96	YEAR'S TOTAL 40·79 40·79
Rain Days.	14	23	14	7	13	9	2	~~9~~ 10	~~10~~ 9	20	18	15	154

W. 8,000, VIII. 16

Shilwell

RE 911

FORM A2. BRITISH RAINFALL.

1 - JAN 1912

STURMINSTER MARSHALL
BAILIE HOUSE

DORSET

1911 — 1920

Kept at Bailie Ho
Sturminst
in the County of Dor
by Rev James
op 5 in.
above Ground — ft. 12 in.
,, Sea Level 85 ft.
g. a. m
on { Name Bailey gate
Distance ¼ mi Direction ~~SW~~ NE

IMPORTANT NOTE. and the result entered to the previous day. If an Obse universal rule, he is earnestly requested to add the readin year in the space provided for it at the end of this rement of rain, the selection and placing British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·02	—	—	—	—			·03	·07	1
2	—	—	—	·28	·34	—	—	·05	—	·08	·18	·25	2
3	—	—	—	—	·16	—	—	—	—	—	·20	·11	3
4	·02	—	07	—		—	—	—	·03	03	·27	·30	4
5	·02 +	—	—	—		·07	—	·07	—	·25	03	—	5
6	·54	—	·20	—		—	—	—	—	·22	·05	·86	6
7	·03	—	—	—		—	—	—	—	—	·49	—	7
8	·01	—	·18	—		—	—	—	—	—	·23	·65	8
9	—	—	—	—			—	—	—	—	·03	·39	9
10	·13	05	·38		·38		—	—	—	—	—	25	10
11	·47	—	·01	—	—		—	—			1·20	—	11
12	—	—	·90		·01		—	—	—	—	·15	·17	12
13	—	—	—		—		—		·42	—	—	·35	13
14	—	·13	—	—	—		—			—	—	·32	14
15	—	·02	·03	—	—	·04	—			—	·24	·05	15
16	—	—	—		—	·30	—			—	·52	·25	16
17	—		·05	[illegible]	·01	·10	—	—			·65	·46	17
18	—		·06	[illegible]		·27	—	—		·08	·03	·49	18
19	—	·25	—	·02		·25	—	—	·39	·12	—	·33	19
20	·04	·03 -	·19			—		·24	·13	·05	—	·77	20
21	·02	·26	·17	[illegible]		01	—	—	·15	·53	—	·12	21
22	·20	·03	·07	—		09	—	—	·01	·38	·01	·47	22
23	—	·14	—	—		15	—	—	·11	·34	·10	·25	23
24	·01	·11	—	—		32	—	·21		·49	—	·39	24
25	—	·04	—	·09		·04			·08	·04	—	·08	25
26	—	·01	—	·29		—	—	·02	—	·32	—	32	26
27	—	·47		[illegible]		—	—	—	06	·68	·03	20	27
28	—	·25 +	—	·48			—	·16	—	—	·11	—	28
29	—		—	·39		·22	·16		·15	·35	—	—	29
30	—		—	—		·01	—	·02	—	·27	03	—	30
31	—		—							—		—	31
Total	1·52	1·79	2·31	1·70	·90	1·90	·16	·77	1·53	4·25	4·58	7·90	TOTAL for year 29·31
No. of Rain Days	12	13	12	9	5	13	1	7	10	16	20	24	142

9,000, IX. '10.

FORM A2. BRITISH RAINFALL.

1 - JAN 1912

Stilwell

REGISTER OF RAINFALL IN 1911

Kept at Bailie House Sturminster Marshall

in the County of Dorset 4

by Rev James Cross Vicar

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 12 in.
" " " Sea Level 85 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Bailey gate
Distance ¼ mi Direction ~~S W~~ NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·02	—	—	—	—			·03	07	1
2	—	—	—	·28	·34	—	—	·05	—	·08	·18	·25	2
3	—	—	—	—	·16	—	—	—	—	—	·20	·11	3
4	·02	—	07	—		—	—	—	·03	03	·27	·30	4
5	·02 +	—	—	—		·07	—	·07	—	·25	03	—	5
6	·54	—	·20	—		—	—	—	—	·22	·05	·86	6
7	·03	—	—	—		—	—	—	—	—	·49 +	—	7
8	·01	—	·18	—		—	—	—	—	—	·23	·65	8
9	—	—	—	—			—	—	—	—	·03	·39	9
10	·13	05	·38		·38		—	—		—	—	25	10
11	·47	—	·01	—	—		—	—			1·20	—	11
12	—	—	·90		·01		—	—	—	—	·15	·17	12
13	—	—			—		—		·42	—	—	·35	13
14	—	·13	—	—	—		—			—	—	·32	14
15	—	·02	·03	—	—	·04	—			—	·24	·05	15
16	—	—	—		—	·30	—			—	·52	·25	16
17	—		·05		·01	·10	—	—			·65	·46	17
18	—		·06	·04		·27	—	—		·08	·03	·49	18
19	—	·25	—	·02		·25	—	—	·39	·12	—	·33	19
20	·04	·03	·19			—	—	·24	·13	·05	—	·77	20
21	·02	·25	·17			01	—	—	·15	·55	—	·12	21
22	·20	·03	·07	—		09	—	—	·01	·38	·01	·47	22
23	—	·14	—	—		15	—	—	·11	·34	·10	·25	23
24	·01	·11	—	—		·32	—	·21		·49	—	·39	24
25	—	·04	—	·09		·04			·08	·04	—	·08	25
26	—	·01	—	·29		—	—	·02	—	·32	—	32	26
27	—	·47		·01		—	—	—	·03	·68	·03	20	27
28	—	·25 +	—	·48			—	·16	—	—	·11	—	28
29	—		—	·39		·22	·16		·13	·35	—	—	29
30	—		—	—		·01		·02	—	·27	·03	—	30
31	—		—							—		—	31
Total	1·52	1·79	2·31	1·70	·90	1·90	·16	·77	1·53	4·25	4·58	7·90	TOTAL for year 29·31
No. of Rain Days	12	13	12	9	5	13	1	7	10	16	20	24	142

9,000, IX. '10.

Cor. for auth. 3. II. 13.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Smade

REGISTER OF RAINFALL IN 1912

Kept at Bastie House Sturminster Marshall

in the County of Dorset 4

by Rev James Cross

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 85 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bailey Gate
Distance ¼ mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		·05	—	—	·32	·12+	—	—	·75	—	·30	1
2	—		·22	—	—	·02	·61	01	—	02	·01	—	2
3	—		·08	—	—	·49	—	·82	·01	—	·01	·01	3
4	·13	02 snow	·70	—	—	·25	—	—	—	—	·23	—	4
5	·43	·17	·25	—	—	—	—	·50	—	—	—	·12	5
6	·60	03	·01	—	·19	03	·13	·33	—	—	—	·08	6
7	·01	·42	10	—	·21	54	·05	·04	—	—	—	·08	7
8	·43	·22	·26	—	—	·08	—	01	—		—	·01	8
9	·02	·05	22	·05	—	·41	·01	07	—	—	—	·38	9
10	—	·08	01	—	—	·04	·01	·35	—	—	·02	·44	10
11	·35	·20		—	—	·05	—	·28	—	—	—	·41	11
12	·34	·29	·07	·07	·84	·10	·03	·33	—	—	—	—	12
13	—	·01	—	—	—	—	·02	·08	—	·02	—	·04	13
14	·20	·0	·23	—	—	—	—		—	·02	—	—	14
15	·20	·14	·05	—	·04	·53	—	·02	—	—	—	·31	15
16	·74	—	·33	—	·75	02	—	·19	—	·07	·11	—	16
17	·95	—	·38	—	—	03	—	·91	—	—	—	·07	17
18	·11	·01	·27	—	—	—	—	·54	—	—	—	·06	18
19	—	·04	34	—	—	04	·09	·71	—	—	·01	—	19
20	·02	·15	37	—	·06	03	·13	·02	—	·34	·01	—	20
21	—	·16	36	—	·30	—	—	·36	—	·16	—	—	21
22	·29	·47	·07		—	·06	·09	·21	—	·01	—	·11	22
23	·23	·27	23	—	—	—	—	·66	—	·12	·14	·36	23
24	·33	·04	—	—	—	·20	·04	·12	—	—	—	·24	24
25	·15	·01	—	—	—	·22	—	·18	—	·16	·45	·60	25
26	—	·06	—	—	—	—	·50	·19	—	·49	·41	·36	26
27	—	·02	—	—	—	·18	·40	—	—	·74	—	·39	27
28	—	·09	—	—	—	·19	·06	·60	08	·75	·55	·51	28
29	—	·14	—	—	—	·02	·16	·10	1·19	·39	05	—	29
30	—		·10	—	—	04	04	—	·71	·19		—	30
31	—		·43	—	—		25	·02		·05		·06	31
Total	4·94	2·99	5·13	·12	1·79	3·93	2·74	7·65	1·99	4·20	2·00	~~4·98~~ 4·94	TOTAL for year 42·50 ~~42·54~~
No. of Rain Days.	18	28	23	2	7	23	18	26	4	16	12	21	1·53

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bailie House Sturminster Marshall
in the County of Dorset 4
by Rev James Cross Vicar

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Bailey gate ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·25	·12	·20	—	04	—	—	·55	—	·41	—	1
2	·02	·10	—	·01	trace	—	—	—	·03	·07	·10	01	2
3	·16	—	02	·13	·25	— ·03	—	—	—	—	—	·10	3
4	·73	—	·11	·01	·35			—	1.01	·29	·10	·04	4
5	·26	·03	—	—	·03	·03	·06	—	·61	·20	·16	·07	5
6	—	·17	·06	—	·07	·17	·90	—	—	·89	·01	·02	6
7	—	·35	04	—	·36	·09	·10	—	—	·43	·21	·02	7
8	—	·20	—	—	·20 1·27	—	·01	—	—	·01	—	·05	8
9	—	·07	—	—	·06	—	·08	·25	·03	·01	·22	·01	9
10	·19 1·41	·01 fog	—	—	·04	—	·03 1·15	—	—	·18	·65	—	10
11	·84	—	—	·22	·17	—	—	—	—	·12	·42	—	11
12	—	—	—	—	·57 ·81	—	—	—	03	02	·40	—	12
13	·15	—	·04	—	—	—	—	— +	·29	—	·18	—	13
14	·30 +	—	·15	·04	—	—	—	—	·06	—	·02	—	14
15	·58 1·04	·10	·33	·71	—	—	·36	·04 ·32	·28	—	—	—	15
16	·14	—	·39 1·27	·10	—	05	—	—	04	—	—	—	16
17	·03	·02	·01	·10	—	·01	—	—	—	—	·03	·01	17
18	·02	—	·22	·06	—	—	01	—	—	—	·07	—	18
19	·61 ·88	—	·02	—	·04	·49 ·55	—	—	·41	—	—	—	19
20	·73	—	·37	·15 1·69	—	—	—	—	—	·35	·15	—	20
21	—	—	·26	·28	·02 ·07	—	·38	—	—	·03	·66	—	21
22	·50	—	·21	—	—	—	01	·19 ·19	·27	·02	—	06	22
23	—	—	·06	—	—	—	—	—	—	—	·06	·79	23
24	·02	02	—	·16	—	—	—	—	—	—	—	—	24
25	—	·74 1·47	—	·25	—	—	—	—	—	—	—	—	25
26	—	·01	—	·38	—	—	—	·23	—	·07 1·22	—	·32	26
27	·04	—	·22	·07	—	—	—	—	fog 1·03	·06	—	·01	27
28	·15	—	·02	·26	—	—	—	·04	—	·34	—	—	28
29	·16	—	·36	·57	·09		—	—	—	·36	—	—	29
30	·63	—	—		02		—	—	—	·92	—	—	30
31	·05	—	·03	—	— ·11		·10	·71 ·96	—	·03 1·70	·87	—	31
Total	5·72 5·70	1·47 1·47	3·04	3·70	2·27 2·26	·88	1·64 1·59	1·49 1·47	3·61 3·57	4·40 4·34	3·93	2·11 2·17	YEAR'S TOTAL 34·26 check 9. 34·06
Rain Days.	22	13	20	18	14	7	10	6	12	19	17	13	171

W. 7,500, XI. '12

The side entries are from a second gauge, close to the first & only emptied at irregular intervals. used as a check on the first

FORM A. BRITISH RAINFALL.

5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Barlee House Sturminster Marshall

in the County of Dorset 4 Nr Wimborne

by Rev James Cross Vicar

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Baileygate ¼ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	·40	—	—	·35	·15	1
2	—	—	—	—	—	·04	·28	—	—	—	1·75	·25	2
3	—	—	·03	·15	·55	—	·05	·05	—	—	·03	·05	3
4	·03	—	·02	·23	·14	—	·15	1·03	—	—	·40	·48	4
5	·02	—	·05	·20	·05	—	·42	·10+	—	—	·70	·02	5
6	—	·22	·01	·15	·05	—	·13	·02	—	—	·03	·45	6
7	·02	·45	·07	·8	·02	—	·16	·02	—	—	—	·18	7
8	·02	·18	·50	·10	·03	·03	—	·30	—	—	—	·09	8
9	—	—	·45	·16	·04	·07	—	—	·76	—	·03	·48	9
10	·03	·44	—	·07	—	—	—	·02	·30	—	—	—	10
11	—	·17	·52	—	·05	—	·62	—	—	—	·09	·65	11
12	—	·05	·11	—	—	·46	—	—	·44	·18	—	·39	12
13	—	·47	·48	—	—	—	—	—	·09	·05	·17	·58	13
14	—	·37	·28	—	—	—	·18	·48	—	·34	·38	·39	14
15	—	—	·21	—	—	—	·13	·38	·01	·13	·30	—	15
16	—	—	—	—	—	—	·06	—	·32	—	—	—	16
17	—	·50	·13	—	—	—	—	—	·03	—	—	·75	17
18	—	·05	·12	—	—	·03	·11	—	—	—	—	·55	18
19	—	·06	·66	—	—	+	1·12	—	—	—	·10	·13	19
20	—	·69	·07		—	·10		—	—	—	—	·42	20
21	—	·78	·02	—	—	—	—	—	—	·29	—	—	21
22	—	·06	—	—	·42	·03	·07	·01	—	·14	—	—	22
23		·07	·30	—	—	·03	·03	—	—	·16	·13	·02	23
24		·05	·06	—	·06	—	—	—	—	·13	—	—	24
25	·03	—	·20	—	—	—	·11	·40	—	·34	·03	·20	25
26	—	—	·12	—	—	—	·08	·17	—	·05	·31	·49	26
27	·04	—	—	—	—	—	—	—	—	·01	·19	·30	27
28	·01	·11	·33	—	·01	—	—	—	—	·04	·78	·69	28
29	·22		·21	—	·06	—	—	—	—	·30	·38	·01	29
30	·01+		·09	—	—		—	—	—	·19	·81	·50	30
31	·03		—	—	·01		·08	—		·80		·06	31
Total	·46	4·72	5·04	1·14	1·49	0·74	3·78	3·38	1·92	3·15	6·36	8·36	YEAR'S TOTAL 40·54
Rain Days.	11	17	24	8	13	8	17	13	7	15	19	25	177
	·49	4·65	4·9	1·13	1·52	·72	3·66	3·25	1·86	2·84	6·28	8·55	

W. 7,500, XI. 12

Excd L.N.

1750

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bailie House Sturminster Marshall Nr Wimborne

4

in the County of Dorset

by Rev James Cross Vicar

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Baileygate ¼ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·20	—	—	·03	—	—	·02	·43	·31	—	·20	1
2	·32	·20	·19	·03	—	·03	—	·39	—	·22	—	·40	2
3	·45	·02	·10	·05	·10	—	—	—	—	·16	—	·50	3
4	—	—	—	—	—	—	—	—	—	—	—	·42	4
5	·04	·52	—	·02	—	—	—	·18	—	—	·01	·56	5
6	·70	·15	—	·39	—	—	·54	·02	—	—	—	·23	6
7	·11	·59	—	·04	—	—	·22	—	—	—	—	[illegible]	7
8	·03	·81	—	—	—	—	·01	·05	—	—	·04	·07	8
9	—	·07	—	·15	—	—	—	—	—	—	·41	·85	9
10	·35	—	·05	·04	—	—	—	—	—	·02	—	·16	10
11	·03	·03	—	·07	—	—	—	—	—	—	1·28	·03	11
12	·13	·53	—	·13	·51	—	—	·02	—	·10	·34	—	12
13	—	·43	—	—	1·03	—	—	—	·10	—	·08	—	13
14	·05	·01	—	—	—	—	·31	—	·02	—	—	1·06	14
15	·14	·09	—	—	·15	—	·07	·07	—	·01	·11	·28	15
16	—	·99	—	—	·19	—	1·17	·06	·01	—	—	·14	16
17	—	·44	—	—	·22	—	—	·11	—	—	—	·02	17
18	—	·30	—	—	·02	—	—	·12	—	—	·02 fog	—	18
19	—	·04	—	—	·20	—	·10	—	—	—	·01	—	19
20	·24	—	—	·14	·11	—	—	—	—	·02	—	·05	20
21	·06	·43	—	—	—	—	·12	—	·08	·52	—	·25	21
22	·08	·15	·35	·04	—	—	·91	—	·01	·02	—	·30	22
23	—	·01	·09	—	—	—	·03	—	·31	1·30	—	·37	23
24	—	—	—	·05	—	—	·09	—	·55	2·04	—	·51	24
25	—	—	·03	·03	—	·04	—	—	—	—	—	1·27	25
26	·02	·15	—	—	—	·05	·19	—	·07	—	—	·97	26
27	—	—	—	—	—	·10	—	—	·02	·43	—	—	27
28	—	·04	—	—	—	·06	—	—	·54	·08	·02	·02	28
29	—	—	—	—	—	·49	·16	·02	—	·02	·20	·10	29
30	·21	✕	—	—	—	·02	—	—	—	·51	·78	·23	30
31	—	✕	—	✕	—	✕	·02	·21	✕	1·33	✕	·51	31
Total	3.23	6·20	·81	1·18	2·56	·79	3·94	1·27	2·14	7·09	3·30	6·92	YEAR'S TOTAL 41·43
Rain Days.	17	22	6	13	10	7	14	12	11	16	12	26	166
M	3·21	6·39	·82	1·15	2·50	·78	3·96	1·28	2·11	6·95	3·23	9·10	41·48

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
9 JAN 1917

So made

REGISTER OF RAINFALL IN 1916

Kept at Bailie House Sturminster Marshall Nr Wimborne

in the County of Dorset

by Rev James Cross Vicar

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station Bailey Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1½ ft. ______ in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	06	09	—	·69	01	—	—	·56	·14	·61	—	1
2	·37	·49	·02	—	—	—	—	—	—	·17	·09	—	2
3	·01	·34	—	—	·01	—	—	—	—	66	·26	—	3
4	·25	·15	—	—	·09	·17	—	—	·17	—	·23	—	4
5	·06	·03	·02	—	·14	·201	—	—	—	·07	·45	—	5
6	—	07	—	—	05	05	·58	—	—	09	·92	—	6
7	03	—	·335	—	05	·18	—	—	—	·04	·87	·12	7
8	—	03 sn	—	—	·28	·05	—	—	—	—	05	·26	8
9	—	01	—	—	—	·25	01	—	—	—	·03	·14	9
10	—	·62	—	·05	04	—	·17	—	—	—	·03	·11	10
11	—	—	·04	10	—	·15	—	—	—	—	—	·07	11
12	02	04	06	05	·12	—	07	01	—	07	—	—	12
13	—	23	·13	—	—	—	—	·04	—	—	—	—	13
14	·01	·56	01	·03	·05	—	—	·03	—	03	—	—	14
15	—	·20	·20	—	—	—	—	·09	—	—	—	—	15
16	05	08	—	·15	—	—	—	1·35	—	02	—	·05	16
17	·14	·18	—	·12	—	—	—	·10	·15	·72	61	—	17
18	04	·04	·15	·02	—	—	—	·04	·16	·05	·14	20	18
19	·13	—	·64	·03	—	—	—	—	·05	—	·14	·10	19
20	·11	·22	·39	·08	ST	—	—	·01	—	—	·03	1·81	20
21	—	·27	·20	—	08	—	—	—	—	—	—	·23	21
22	—	—	—	—	03	02	—	—	—	·341	·03	·59	22
23	03	·06	—	—	—	·10	—	·13	—	·10	·22	·01	23
24	—	·02	—	01	·27	—	—	·09	—	40	·70	·44	24
25	—	·29 sn	·15	—	—	—	—	·64	01	·04	·10	·01	25
26	—	·06	01	—	—	·16	—	·05	·30	·53	—	—	26
27	—	03	·91	—	—		·10	·02	·87	·81	01	—	27
28	—	·25	01	03	—	—	—	·10	·20	28	01	·20	28
29	—	52	03	—	—	·86	—	2·01	·47	·30	02	32	29
30	—	✕	01	—	—	—	—	—	—	·44	—	—	30
31	—	✕	—	✕	—	✕	—	07	✕	·36	✕	·02	31
Total	1·38	5·15	3·48	·67	1·90	2·42	·93	4·78	2·94	5·49	5·24	4·69	YEAR'S TOTAL 39·07
Rain Days.	14	25	19	11	13	13	5	16	10	21	21	17	105
check gauge	1·54	5·10	3·26	·72	1·86	2·44	·96	4·59	2·87	5·62	5·43	4·54	38·93

W. 8,000. X. 15.

made ✓ 1638

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bailie House Sturminster Marshall

in the County of Dorset

by Rev. Jameson, Vicar

Lat. .... Long. ....

Time of Observation 9 a.

Nearest Railway Station Bailey Gate ½ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	·17	—	08	—	·93	·01	—	·05	—	1
2		—	·04+	·61	—	—	—	·07	—	·04	—	—	2
3	·03	—	—	·03	—	—	·38	·03	—	·20	·20	—	3
4	—	·03 snow	·43	—	—	—	—	—	trace	·25	—	·01	4
5	·10	—	·08	·20	—	·09	—	02	·13	·12	·13	—	5
6	—	—	·21	—	—	—	—	—	—	·05	·10	—	6
7	·36	—	—	—	—	—	·17	·08	—	·28	—	·09	7
8	·41	—	·17	03	—	—	·46	·80	·06	·60	·23	·13	8
9	—	—	·10	·01 snow	02	—	—	·01	·04	·02	·10	—	9
10	·13	—	·41	·37	—	—	—	·55	—	—	—	—	10
11	·05	—	·47	·30	·03	—	—	—	~	·33	·01	—	11
12	·04		03	—	·17	—	—	—	—	·20	—		12
13	—		·19	—	—	—	—	·16	trace	·03	—	—	13
14	—		·05	04	—	—	—	·04	trace	—	—	—	14
15	—		—	—	—	—	—	·10	01	·39	—	·14	15
16	01 snow	·10	—	·76	·01	—	—	—	—	1·47	—	·60 some snow	16
17	—	·01	—	·08	01	·12	·32	·29	·71	·20	~	—	17
18	—	06	—	—	03	·20	·20	—	·55	·04	—	—	18
19	—	·30	·07	—	—	·02	—	·16	·31	—	—	—	19
20		·04	·10	—	·48	·01+	—	03	·06	—	—	—	20
21	05	·81	·25	—	—	—	—	—	—	·02	—	—	21
22	trace	—	·02+	—	—	—	—	05	—	·08	—	—	22
23	—	·17	—	—	·07	—	—	·15	—	03	—	trace	23
24	—	·20	—	—	—	·04	09	—	—	·30	05	—	24
25	—	·17	·03	—	—	—	·18	·02	·03	03	—	—	25
26	—	—	·01	—	·68	—	—	·75	·07	—	·01	—	26
27	—	—	·04	—	1·74	·15	—	1·08	—	—	—	·01	27
28	—	trace	—	—	·15	·83	—	·16	—	—	—	02	28
29	—		—	—	·46	·10	·07	—	—	·73	—	·09	29
30	—	×	·19	—	—	—	·47	·21	—	—	—	—	30
31	—	×	·06	×	—	×	·03	·05	×	·24	×	·01 snow	31
Total	1·18	0·99	3·06	2·10	3·87	1·64	2·37	5·74	1·98	5·65	·88	1·10	YEAR'S TOTAL 30·56
Rain Days.	9	10	21	11	12	10	10	22	11	22	9	9	156

W. 8,000, VIII. 16

1.60

Rain

58

FORM A.
BRITISH RAINFALL.
2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Bailie House Sturminster Marshall
Nr Wimborne
in the County of Dorset
by Rev James Cross Vicar

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Baileygate ¼ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		'07	—	—									
1	[illegible]	'123	—	~~[illegible]~~	04	—	—	'95	—	—	58	'01	1
2	—	'39	—	'13	—	—	—	'32	—	—	'23	23	2
3	—	—	—	'24	'28	—	—	05	01	03	07	'01	3
4	—	'09	—	—	—	—	—	'07	'07	04	91	09	4
5	—	'05	'23	—	30	—	—	'30	'01	'27	—	03	5
6	'17	'08	—	'21	—	—	—	'15	'02	'02	—	'12	6
7	trace	'22	—	'04	'31	trace	—	'01	'54	'11	'37	'06	7
8	—	'10	—	—	—	—	—	—	'10	'14	—	05	8
9	—	—	—	'25	—	05	'13	—	'39	'18	trace	31 (31)	9
10	'02	—	—	'14	—	trace	'50	—	'27	'30	trace	35	10
11	—	—	—	'02	—	—	'07	—	'06	'04	02	04	11
12	—	08	—	—	'37	—	10	—	02	01	—	—	12
13	'21 Snow	01 -	—	—	04	—	'77	—	'35	—	—	02	13
14	'18	—	'01	—	01	'12	08	—	'35	'22	—	09	14
15	1·50	—	—	46	04	'06	'23	—	trace	—	—	'10	15
16	'48	—	04	[illegible]	—	—	—	—	'15	—	—	03	16
17	'16	—	'01 -	'16	—	—	'50	trace	'08	—	—	'33	17
18	'10	—	—	—	—	'60	'05	—	'62	—	—	'17	18
19	'10	—	'13	02 +	—	—	'33	—	'02	04	—	'01	19
20	01	'15	—	'17	—	—	'05	—	'44	00	—	—	20
21	'19	'04	—	—	—	—	—	—	'77	'24	—	'22	21
22	05		—	—	'02	—	'38	—	'27	—	—	'18	22
23	'18	02	—	—	'09	—	'34	trace	'11	—	05	'01	23
24	—	'26	—	—	—	—	—	—	'15		09	—	24
25	—	—	—	—	'04	—	—	'33	—	trace	08	—	25
26	—	—	—	—	—	—	'38	—	'01	'03	'14	'35	26
27	—	'07	'01	—	—	—	'09	07	'15	trace	'14	—	27
28	—	—	'25	'01	—	—	—	—	—	—	'01	'01	28
29	—	[illegible]	'10	—	—	—	—	—	1·59	—	—	01	29
30	'01	X	'42	—	—	—	—	—	'02	05	'04	01	30
31	—	X	'15	X	—	X	—	01	X	06	X	—	31
Total	3·96	1·56	1·35	1·93	1·54	'83	4·00	2·46	6·77	1·87	2·67	2·84	YEAR'S TOTAL 31·78
Rain Days.	14	15	10	13	11	4	15	10	25	17	13	25	172

W. 8,000, IX. 17.

B made

1546

FORM A.
BRITISH RAINFALL.

8 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Bailie House Sturminster Marshall

in the County of Dorset

by Rev James Cross (Vicar)

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Baileygate ¼ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'40	trace	'10	—	'01	—	'13	—	—	'10	02	1·07	1
2	'25	—	·01	—	'10	—	trace	—	'27	—	—	03	2
3	'92	—	'55	—	'06	—	03	—	'30	—	—	'12	3
4	'39	'22	'71	—	—	trace	—	01	'22	—	'06	09	4
5	'03	'46	'85	—	03	—		—	'03	—	'14	'18	5
6	'46	'16	'11	03	'14	—		—	—	—	'03	15	6
7	'42	—	'44	'08	—	—	—	—	—	—	—	trace	7
8	'22	—	'25	—	—	—	—	—	—	—	—	—	8
9	'16	—	'01	13	'03	—	—	—	—	—	39	—	9
10	15	—	'37	'05	03	—	—	—	—	'04	—	'34	10
11	'74	—	'10	'16	'13	—	'15	trace	—		—	15	11
12	'10	—	'08	—	—	—	'12		—	05	'01	—	12
13	'04	03	—	'44	—	—	'01		—	trace	—	08	13
14	'67	05	—	'24	—	—	'06		01	03	—	'12	14
15	49	07	—	'01	—	—	—	—	—	—	'13	'48	15
16	05	1·10	—	—	02	—	—	'03	—	—	'12	—	16
17	'04	'09	—	—	—	—	—	—	—	—	—	02	17
18	—	'02	'75	—	—	—	'04	08	—	—	'20	01	18
19	'74	'47	'72	—	—	'10	'96	'20	'10	—	'05	03	19
20	'39	01	'03	—	—	'48	—	'25	—	—	—	01	20
21	'11	'70	—	—	—	—	'05	—	—	—	—	06	21
22	—	—	—	—	—	—	'11	—	'37	—	—	'11	22
23	—	'05	—	—	—	—	—	trace	—	'12	03	trace	23
24	—	'02	—	trace	—	'28	'20	01	—	1·04	'07	'18	24
25	'08	'13	—	trace	—	'06	—	'34	—	—	—	'11	25
26	04	19	09	'01	—	—	—	02	'08	—	'16	'48	26
27	'12	—	01	'33	—	—	'04	1·00	—	—	—	'02	27
28	—	—	'41	—	—	—	—	'52	—	—	'65	'38	28
29	—		—	—	—	—	—	'14	—	05	—	8 '08	29
30	—	X	~~'04~~	08	—	'14	—	'27	—	—	'55	'81	30
31	—	X	01	X	—	X	—	—	X	—	X	'38	31
Total	6·41	3·77	5·60	1·66	·55	1·06	2·45	2·88	1·78	1·43	2·63	5·49	YEAR'S TOTAL 35·74
Rain Days.	23	16	19	11	9	5	12	12	8	7	15	25	162

W. 8,000, IX. 17.

~~W~~ Ans cordly obs 1460

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~20~~. 1920

8 JAN 1921

Kept at Bailie House Sturminster Marshall
in the County of Dorset
by Rev James Cross Vicar

Lat........ Long........
Time of Observation 9. am
Nearest Railway Station Bailey gate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	01	09	'28	—	·46	01	03	'25	'18	'46	1
2	'23	—	—	09	trace	—	'03	22	'13	'14	—	'18	2
3	—	'05	trace	02	—	—	'72	—	'01	'52	—	03	3
4		·01	—	'01	—	—	·22	'49	—	·26	—	—	4
5	—	—	trace	02		—	·38	'32	—	'28		—	5
6	—	—	'20		'21	—	·31	—	—	·02	—	—	6
7	03		'14	'20	08	—	·28	—	—	'02	—	—	7
8	03	06	—	'12	'04	—	'47	'03	—	—	—	—	8
9	·35	trace	02	02	—	05		—	—	—	—	—	9
10	01	'03	07	'06	—	·41	'55	—	—	—	—	—	10
11	[illegible]	—	'12	'65	—	'04	'20	—	—	—	—		11
12	16	08	—	'23		54	trace	—	—	—	03	—	12
13	10	trace	'50	'04	—	—	—	—	—	—	03	'03	13
14	03	'06	·37	'57	—	—	trace	—	·28	·20	'59	—	14
15	—	04	·05	'11	02	'40	trace	—	'05	·66	[illegible]	—	15
16	—	—	'12	'02	'01	trace	'10	—	'09	'02	—	—	16
17	trace	—	trace	'22	·31	—	'02	—	'51	—	—	—	17
18	'11		—	'01	'03	09	04	'42	02	—	—	—	18
19	01	'10	—	·33	—	'09	—	—	'12	—	—	—	19
20	01	—	—	'22	trace	'44	—	—	—	—	—	'15	20
21	—	—	—	'19	—	—	'26	—	'01	—	—	'15	21
22	08	—	—	—	—	—	01	—	'02	—	—	'36	22
23	trace		—		—	—	·20	—	—	—		'45	23
24	03	'03	·20	trace	—	—	—	—	—	—	'11	'17	24
25	02	—	·17	—	'06	—	·55	—	—	— (01)	'01	'02	25
26	·14	—	'23	—	—	'04	'04	—	—	—	'13	13	26
27	·43	—	'03	'06	—	08	'13	—	—	—	'01	·20	27
28	·61		06	trace	·01	trace	'12	—	—	—		05	28
29	'49	01	'75	'18	—	—	—	—	—	—	'22	·34	29
30	'10	✕	—	—	trace	08	'07	—	·36	—	'46	'55	30
31	04	✕	08	✕	—	✕	—	—	✕	40	✕	·33	31
TOTAL	4.28	'46	2'40	3'40	2'05	2.26	5'23	1.49	1.63	2.77	1'87	3.68	YEAR'S TOTAL 30.52 ~~34.52~~
Days with '01 in. or more	22 3	10	17	21 2	10	11	21	6	12	11	11	16	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132 A.&E.W.

16 6 13 16 6 11 18 4 7 8 8 13 126

DORSET.

STURMINSTER NEWTON
RIVERSIDE
1911-1917

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGI 9 11

Kept at Sturmins Seymour p 5 in.
in the County of Dorse bove Ground 5 ft. — in.
" Sea Level 200 ft.
8·30
by AKHallett on { Name Sturminster Newton
Distance Close Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07										·03	·04	1
2				·09	·30					·02	·17	·22	2
3					·12			·05			·05	·10	3
4			·07	·03						·01	·22	·45	4
5				·02				·06		·19	·09		5
6	·25		·30							·13	·03	·88	6
7	·01										·34		7
8	·01		·18								·09	·68	8
9	·14		·05								·05	·60	9
10	·05	·06	·19		·39							·42	10
11	·47	·11	·02		·01						·58	·01	11
12			·77		·01			·01			·04	·40	12
13									·34			·57	13
14		·06										·85	14
15		·04	·03			·02					·21	·04	15
16						·33					·46	·39	16
17			·05			·13					·22	·49	17
18		·26	·06		·32	·11				·03	·04	·54	18
19		20		·10		·33			·23	·22	·01	·39	19
20	·04	·02	·21	·01					·14	·07		·96	20
21		·16	·07	·05					·06	·81		·26	21
22	·14	·01	·24			·11			·01	·09		·27	22
23	·01	·19	·05			·14			·05	·09	·03	·24	23
24	·02	·10				·34		·06	·01	·32		·14	24
25		·06		·07		·04		·30	·06			·14	25
26			·06	·16	·34					·16		·27	26
27		·36		·07				·01	·14	·18	·01	17	27
28		19		·33				·14			·10		28
29				·55		·23	·10		·17	·25			29
30						·08				·27	·01	·01	30
31										·02			31
Total	1·21	1·82	2·35	1·48	1·49	1·86	·10	·63	1·21	2·86	2·78	9·53	TOTAL for year 24·32
No. of Rain Days.	11	14	15	11	7	11	1	7	10	16	20	26	149

W. 8,000, X. '11.

REGI 911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Sturminster Newton

in the County of Dorset 4

by A K Hallett

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 5 ft. — in.
" " " Sea Level 200 ft.

Time of Observation 8 · 30

Nearest Railway Station
Name Sturminster Newton
Distance Close Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07										·03	·04	1
2				·09	·30					·02	·17	·22	2
3					·12			·05			·05	·10	3
4			·07	·03						·01	·22	·45	4
5				·02				·06		·19	·09		5
6	·25		·30							·13	·03	·88	6
7	·01										·34		7
8	·01		·18								·09	·68	8
9	·14		·05								·05	·60	9
10	·05	·06	·19		·39							·42	10
11	·47	·11	·02		·01						·58	·01	11
12			·77		·01			·01			·04	·40	12
13									·34			·57	13
14		·06										·85	14
15		·04	·03			·02					·21	·04	15
16						·33					·46	·39	16
17			·05			·13					·22	·49	17
18		·26	·06		·32	·11				·03	·04	·54	18
19		·20		·10		·33			·23	·22	·01	·39	19
20	·04	·02	·21	·01					·14	·07		·96	20
21		·16	·07	·05					·06	·81		·26	21
22	·14	·01	·24			·11			·01	·09		·27	22
23	·01	·19	·05			·14			·05	·09	·03	·24	23
24	·02	·10				·34		·06	·01	·32		·14	24
25		·06		·07		·04		·30	·06			·14	25
26			·06	·16	·34					·16		·27	26
27		·36		·07				·01	·14	·18	·01	17	27
28		19		·33				·14			·10		28
29				·55		·23	·10		·17	·25			29
30						·08				·27	·01	·01	30
31										·02			31
Total	1·21	1·82	2·35	1·48	1·49	1·86	·10	·63	1·21	2·86	2·78	9·53	TOTAL for year 24·32
No. of Rain Days.	11	14	15	11	7	11	1	7	10	16	20	26	149

W. 8,000, X. '11.

corr by Dorset &c. 27.1.13 Ex DS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 JAN 1913

Kept at Sturminster Newton

in the County of Dorset 4

by A R Hallett

Rain Gauge:
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 5 ft. .. in.
" " " Sea Level 200 ft.

Time of Observation 8. 30

Nearest Railway Station: Name Sturminster Newton
Distance 1/4 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·32	·09		·02	·70		·43	1
2			·32			·03	·42	·08		·02	·01	·03	2
3			·06			·43		·64	·01		·02		3
4	·14	·01	·84					·02			·28		4
5	·37	·05	·15					·83	·01		·03	·12	5
6	·57	·11			·28		·30	·71				·15	6
7	·02	·36	·17			·49	·09	·06					7
8	·24	·24	·44			·08	·12	·16				·07	8
9	·03	·07	·11	·09		·05		·04				·34	9
10		·11				·01		·17				·38	10
11	·05	·20				·02		·34			·11	·33	11
12	·03	·43	·06	·03				·12			·02		12
13		·02					·04	·02		·03	·02	·04	13
14	·15		·22					·03					14
15	·25	·07	·06		·12	·70		·01			·01	·27	15
16	·68		·21		·14	·04		·05		·03			16
17	1·23		·13					·60				·09	17
18	·21		·36					·41				·05	18
19	·02	·07	·04				·10 ·12	·42			·03		19
20	·03	·03	·42		·06	·01	·08	·30		·30	·02		20
21		·06	·13		·74			·08		·15			21
22	·29	·26	·02		·02	·05	·08	·14		·08		·02	22
23	·07	·27	·16			·07		·65		·03	·15	·14	23
24	·08	·03	·01			·11		·10				·21	24
25	·17	·01				·20		·19		·08	·23	·50	25
26							·24	·24		·26	·54	·22	26
27						·08	1·18	~~[illegible]~~		·86			27
28		·05				·13	·10	·39	·15	·60	·33	·70	28
29		·13				·02	·09	·23	1·00	·47		·04	29
30			·02		·09	·07	·10		·54	·28			30
31			·60				·25	·01		·03		·04	31
Total	4·63	2·58	4·62	·12	1·45	2·91	3·28✓	7·04	1·73	3·92	1·80	4·17	TOTAL for year 38·25
No. of Rain Days.	19	20	22	2	7	19	15	28	6	15	14	20	187

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

5 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sturminster Newton

in the County of Dorset 4

by A K Hallett

Lat. 50-57-31·8 N Long. 2-18-27·4 W

Time of Observation 8.30 am

Nearest Railway Station Sturminster S&DJ Rly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·27	·12	·12	·03	·07			·19		·22	·13	1
2	·02	·09	·02	·09	·03					·23	·20	·02	2
3	·14			·05	·34							·10	3
4	·70				·40				·87	·13	·05	·12	4
5	·21	·05			·15	·06	·14		1·06		·10	·13	5
6	·04	·04	·16		·34	·13	·68			·89	·02	·59	6
7		·29			·49	·05	·26	·04			·15		7
8		·05				·01	·03			·47			8
9		·04		—	·04			·52					9
10	·25				·04			·02	·02	·21	·13		10
11	·95			·26	·08					·07	·48		11
12					·48						·36		12
13	·10		·03	·02				·02	·32		·21		13
14	·28		·13		·07				·16		·18		14
15	·18		·37	·44			·20		·12		·01		15
16	·38	·07	·23	·09							·06		16
17	·01	·02		·03					·02				17
18	·10		·33	·02	·04		·04						18
19	1·20				·02	·22			·35				19
20	·05		·08	·11						·27	·12		20
21			·28	·23			·11			·11	·83		21
22	·67		·34	·01				·05	·26				22
23	·02					·06					·03	·77	23
24				·05				·10			·01		24
25		·19		·13									25
26		·02		·44						·01		·23	26
27	·01		·27	·16	·19					·20			27
28	·09		·10	·14						·16		·01	28
29	·15		·59	·45	—			·13		·25		·03	29
30	·37			·05	—			—	—	·39			30
31	·10		·02		·03			·87		·02			31
Total	6·02	1·13	3·06	2·89	2·77	·60	1·46	1·75	3·37	3·41	3·16	2·13	YEAR'S TOTAL 31·75
Rain Days.	22	11	15	19	16	7	7	8	10	14	17	10	156

W.7,000, XI. 13

Ed 811

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 JAN 19

Kept at Sturminster Newton
in the County of Dorset 4
by A R Hallett

Lat. 50 55 31 8 N Long. 2 18 27 4 W
Time of Observation 8 : 30 am
Nearest Railway Station Sturminster Newton S & D Rly
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06				·03	·38			·24	·10	1
2			·01				·79	·12			1·04	·45	2
3			·05	·09	·37		·10				·07	·03	3
4	·11		·04	·23	·01		·21	·80			·59	·39	4
5	·03		·15	·25	·11		·44	·03			·44	·02	5
6		·33	·02	·13	·01	·02	·04		·05			·20	6
7	·01	·80		·04	·02		·14	·04	·06			·19	7
8	·03	·02	·48		·13	·07		·16					8
9	·02		·46	·28		·42		·04	1·20			·02	9
10	·03	·45		·05		·01			·24				10
11		·20	·37			·06	·24		·04		·14	·75	11
12			·11						·22	·01		·51	12
13		·42	·32						·12	·18	·30	·36	13
14		·32	·52			·32	·24	·47		·25	·24	·23	14
15			·14				·30	·43			·18		15
16	·04												16
17		·31	·14				·01					·48	17
18		·01				·03	·06					·28	18
19		·07	·42				1·54				·08	·06	19
20		·44	·10			·02						·47	20
21		·97								·24			21
22		·15				·07	·04	·03		·29		·04	22
23		·24			·03	·08	·02			·11			23
24		·01			·35		·02			·10	·07		24
25	·08		·20				·33	·18		·20	·03	·13	25
26			·03				·07	·16		·04	·19	·65	26
27	·07									·01	·03	·20	27
28	·01	·05	·15				·12				·41	·83	28
29	·23		·15		·02			·01		·19	·51	·04	29
30	·09	✕	·08		·14					·14	·54	·95	30
31		✕		✕	·01	✕	·04		✕	·83	✕	·09	31
Total	·75	4·79	4·00	1·07	1·20	1·10	4·78	2·85	1·93	2·59	5·10	7·47	YEAR'S TOTAL 37·63
Rain Days.	12	16	21	7	11	10	20	13	7	13	17	24	171

W. 8,000. X. 14.

~~JW~~ List cwdlyBoop 5.V.16

1764

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

6. JAN 191

Kept at Sturminster Newton

in the County of Dorset

by A K Hallett

4

Lat. 50 53 31 8 N Long. 2 18 27 4 W

Time of Observation 8 30

Nearest Railway Station Sturminster S & D Railway

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·09

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	·15						·12	·24	·27		·26	1
2	·56	·19				·08		·63	·01			·35	2
3	·21	·07	·25	·07	·07							·32	3
4				·10								·21	4
5	·07	1·06						·15				·39	5
6	·60	·08		·42			·36	·05				·26	6
7	·24	·42			·05		·25					·15	7
8	·04	·57		·07				·08				·03	8
9		·10		·20							·30	·42	9
10	·26	·09		·05		·01						·15	10
11	·11		·05	·04						·01	·60	·03	11
12	·13	·70		·12	·56			·10		·05	·05		12
13		·44			·90				·09				13
14							·26	·36	·08			·70	14
15	·14							·03				·25	15
16		·73			·17		·75	·22				·14	16
17		·50			·30			·20					17
18		·31											18
19					·15		·10						19
20	·30			·14	·02	·01						·05	20
21	·09	·23		·08		·01	·02			·52		·27	21
22	·07	·17	·30				·80		·01			·28	22
23			·07				·09		·09	1·75		·48	23
24				·07			·10		·53	1·43		·40	24
25				·03		·32	·09		·01			·10	25
26		·12				·08	·24					·80	26
27		·05				·07	·12			·39			27
28		·07				·06			·40		·05		28
29						·32					·20	·04	29
30	·11	X		·01		·01		·01		·85	·66	·40	30
31	·01	X		X		X	·01	·01	X	1·34	X	·35	31
													YEAR'S TOTAL
Total	3·74	6·05	·67	1·40	2·22	·97	3·19 3·18	1·96	1·76	6·59	1·86	6·83	37·2~~3~~4 37·24
Rain Days.	16	19	4	13	8	10	13	12	9	9	6	24	143

W. 8,000. X. 15.

Exd CJC

1726

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13. FEB 1917

Kept at Sturminster Newton
in the County of Dorset
by A R Hallett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·03	·02		·42	·04	·02		·35	·18	·30		1
2	·18	·12							·04	·23	·03		2
3	·01	1·47			·03				·05	·49	·43		3
4		·34			·11	·27			·19		1·07		4
5		·04	·03		·18	·18	·02			·06	·54		5
6		·13	·08		·02	·15	·58			·10	·93		6
7		·03	·26		·03	·05	·05			·06	·85	·15	7
8	·14	·12	·05		·25	·19					·13	·14	8
9		·03			·03	·12	·05			·04	·03	·24	9
10		·48				·02	·17					·22	10
11			·04			·06							11
12		·01	·09	·26			·01	·01		·08	·01		12
13		·19	·15				·08	·34					13
14		·43	·05		·05			·04		·06			14
15		·13	·07	·01	·02			·24					15
16		·13	·01	·18			·04	·41					16
17	·20	·28		·10					·27	·83	·37		17
18	·04	·06	·15	·06					·15	·07	·28	·32	18
19	·01		·59								·13	·07	19
20		·10	·35		·06						·04	1·85	20
21		·06	·13	·07								·30	21
22										·43		·48	22
23						·18		·14		·10	·14	·05	23
24				·02	·36			·01			·05	·28	24
25		·73	·09					·47	·01		·15		25
26		·20	·08			·29		·24	·77	·96			26
27		·01	1·07			·89		·03	1·01	·30			27
28		·24	·01					·09	·50	·33		·13	28
29		·57				·22		2·15	·62	·19	·01	·19	29
30		X								·45	·01	·02	30
31		X		X		X		·02	X	·19	X	·05	31
Total	·67	5·93	3·32	·70	1·56	2·66	1·02	4·19	3·96	5·15	5·50	4·49	YEAR'S TOTAL 39·15
Rain Days.	7	24	19	7	12	13	9	13	11	19	19	15	168

W. 8,000, VIII. 16

from M.O.

1650

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 AUG 1918

Kept at Sturminster Newton

in the County of Dorset

by A. B. Hallett per H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·19		·09		·90					1
2				·15		·04		·04					2
3				·02		·11	·60						3
4		·10	·20	·43				·05					4
5	·15		·36					·26	·11				5
6													6
7	·23		·02				·48	·19					7
8	·45		·34	·07			·20	·72	·07				8
9			·19	·02			·04	·05					9
10	·11			·18	·02	·01		·11					10
11	·04			·35	·03								11
12			·60		·22	·05							12
13			·10					·20					13
14			·14				·29	·09					14
15				·14			·20	·30					15
16	·02	·12		·06			·03	·03					16
17				·16	·05		·35	·14	·52				17
18		·20					·10		·36				18
19		·10	·09					·13	·11				19
20		·07	·15		·35				·02				20
21			·37										21
22		·19	·05					·12					22
23					·09			·25					23
24		·05				·06	·03						24
25		·06	·05					·02					25
26			·02		·16			·61	·10				26
27					1·85	·13		1·99					27
28			·07		·09	1·30		·18					28
29			·10		·21	·04	·04	·11					29
30			·19		—		·71						30
31			·06					·02					31
Total	1·00	·89	3·23	1·77	3·07	1·83	3·07	5·61	1·29				YEAR'S TOTAL
Rain Days.	6	8	19	11	10	9	12	22	7				

1·69

W. 8,000, IX. 17.

DORSET.

STURMINSTER NEWTON
VICARAGE.

1911–1915

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGIS 911

Kept at Sturminster

in the County of Dorset

by Rev. Canon Mans

p 5 in.

bove Ground ft. 31 in.

,, Sea Level 180 ft.

on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·01							·05	·05	1
2	·01			·10	·30			·05		·02	·17	·22	2
3					·12			·02			·05	·10	3
4			·07	·02							·21	·45	4
5	·04		·02	·02				·07		·09	·08	·91	5
6	·25		·28							·15	·02		6
7	·01										·35		7
8	·02		·20								·12	·65	8
9	·12	·02	·06								·06	·64	9
10	·06	·05	·20		·41							·32	10
11	·52	·12	·01								·57	·02	11
12			·82								·12	·40	12
13									·40			·60	13
14		·05										·80	14
15		·03	·04			·02					·22	·09	15
16						·34					·47	·40	16
17			·06		·28	·15					·22	·54	17
18		·16	·06	·11	·05	·15				·04	·04	·51	18
19		·21							·25	·23		·46	19
20	·05	·02	·22						·15	·10		·78	20
21	·01	·17	·08	·05					·08	·80		·25	21
22	·12	·03	·22			·10			·02	·09		·29	22
23		·12	·06			·14			·07	·10	·04	·15	23
24		·05				·35		·07		·35		·15	24
25		·06		·07		·04		·25	·08	·04		·10	25
26				·17	·42					·14	·02	·29	26
27		·40	·10	·08				·02	·10	·17	·01	·18	27
28		·18		·35				·15			·08		28
29				·60		·26	·10		·17	·27	·01		29
30										·25	·01	·01	30
31										·02			31
Total	1·28	1·67	2·50	1·58	1·58	1·55	·10	·63	1·32	2·86	2·92	9·36	TOTAL for year 27·35
No. of Rain Days	12	15	16	11	6	9	1	7	9	16	21	26	149

9,000, IX. '10.

REGI 911

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at *Sturminster Newton Vicarage*

in the County of *Dorset* 4

by *Rev Canon Mansel-Pleydell* (H Stilwell)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 31 in.
" " " Sea Level 180 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·01							·05	·05	1
2	·01			·10	·30			·05		·02	·17	·22	2
3					·12			·02			·05	·10	3
4			·07	·02							·21	·45	4
5	·04		·02	·02				·07		·09	·08	·91	5
6	·25		·28							·15	·02		6
7	·01										·35		7
8	·02		·20								·12	·65	8
9	·12	·02	·06								·06	·64	9
10	·06	·05	·20		·41							·32	10
11	·52	·12	·01								·57	·02	11
12			·82								·12	·40	12
13									·40			·60	13
14		·05										·80	14
15		·03	·04			·02					·22	·09	15
16						·34					·47	·40	16
17			·06		·28	·15					·22	·54	17
18		·16	·06	·11	·05	·15				·04	·04	·51	18
19		·21							·25	·23		·46	19
20	·05	·02	·22						·15	·10		·78	20
21	·01	·17	·08	·05					·08	·80		·25	21
22	·12	·03	·22			·10			·02	·09		·29	22
23		·12	·06			·14			·07	·10	·04	·15	23
24		·05				·35		·07		·35		·15	24
25		·06		·07		·04		·25	·08	·04		·10	25
26				·17	·42					·14	·02	·29	26
27		·40	·10	·08				·02	·10	·17	·01	·18	27
28		·18		·35				·15			·08		28
29				·60		·26	·10		·17	·27	·01		29
30										·25	·01	·01	30
31										·02			31
Total	1·28	1·67	2·50	1·58	1·58	1·55	·10	·63	1·32	2·86	2·92	9·36	TOTAL for year 27·35
No. of Rain Days	12	15	16	11	6	9	1	7	9	16	21	26	149

9,000, IX. '10.

Copy from A Rep to

REGISTER OF RAINFALL IN 1912

E4 RR

FORM A. BRITISH RAINFALL. 1 MAR 1913

Kept at Sturminster Newton Vicarage

in the County of Dorset 4

by Canon Mansel Pleydell

Dorset Field Club

Lat. 50 55 Long. 2° 18

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05			.32	.08		.03	.70		.35	1
2			.34	.03		.04	.44	.14		.02			2
3			.09			.47		.68	.01				3
4	.14		.81			.37		.04			.30		4
5	.40	.11	.12					.84	.02		.04	.17	5
6	.59	.07			.15		.42	.70				.14	6
7	.02	.40	.17	—	.22	.49	.10	.08				.13	7
8	.25	.27	.48			.11	.15	.20	.02			.10	8
9	.05	.10	.12	.10		.05	.02	.05				.37	9
10	.06	.10	.03	—		.02		.20	—		.10	.40	10
11		.22	.01					.32			.02	.34	11
12	.05	.42	.06	.04			.05	.12			.04	.05	12
13		.02						.03					13
14	.17		.25					.04		.04			14
15	.28	.07	.06		.12	.60					.01	.29	15
16	.72		.22		.16	.02		.06		.04	.03		16
17	1.30		.21			.04		.65				.11	17
18	.32		.30					.47			.01	.07	18
19	.02	.08	.05				.10	.41		.01	.04		19
20	.03	.03	.41		.07		.08	.26		.30	.03		20
21	.03	.07	.10		.72		.08	.10		.16			21
22	.29	.25	07		.03	.08		.18					22
23	.09	.27	.17			.05		.65		.16	.16	.19	23
24	.08	.04	.01			.18		.11				.20	24
25	.18	.01				.16		.19		.08	.27	.58	25
26		.02					.24	.30		.30	.52	.24	26
27						.08	1.24			.90		.26	27
28		.05				.14	.09	.41	.15	.65	.45	.73	28
29		.15	.03			.04	.08	.23	1.05	.48	.02	.05	29
30			.02		.10	.08	.16		.60	.25			30
31			.62				.26	.01		.05		.05	31
Total	5.07	2.75	4.79	.17	1.57	3.34	3.59	7.47	1.88	4.14	2.04	4.82	YEAR'S TOTAL 41.63
Rain Days.	20	20	25	3	8	19	16	27	7	15	15	20	195

W. 7,500, XI. '12

Copied from Dorset Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

23 MAR 1914

Kept at Sturminster Newton Vicarage

in the County of Dorset 4

by Canon Mansel Pleydell
R. Stevenson Henshaw.

Lat. 50° 55' Long. 2° 18'

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 4·98 in.

Height of top of Gauge above Ground 2 ft. 7 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·30	·13	·12	·04	·07	—	—	·19	—	·22	·14	1
2	·02	·08	—	·09	·04	—	—	—	·20	·23	·22	·02	2
3	·15	—	·02	·07	·32	—	—	—	—	·03	—	·10	3
4	·74	—	·01	—	·43	—	—	—	—	·11	·06	·10	4
5	·14	·04	—	—	·04	·07	·12	—	1·06	—	·11	·15	5
6	·05	·06	·15	—	·14	·15	·81	—	·35	·91	·03	·70	6
7	·02	·27	—	—	·42	·05	·16	·03	—	·43	·16	·01	7
8	—	·05	—	—	·44	·02	—	—	—	·01	—	·01	8
9	—	·05	—	—	·04	—	·06	·50	—	—	·14	—	9
10	·27	—	·01	—	·04	—	—	·01	—	·22	·32	—	10
11	·88	—	—	·25	·09	—	—	—	—	·08	·47	—	11
12	—	—	—	—	·47	—	—	—	·02	·01	·35	—	12
13	·11	—	·03	—	—	—	—	·01	·31	—	·23	—	13
14	·30	—	·12	—	·05	—	—	—	—	—	·19	—	14
15	·19	·07	·35	·43	—	—	·18	·02	·27	—	·02	—	15
16	·38	—	·26	·06	—	—	—	—	·02	—	—	—	16
17	—	—	—	·05	—	—	—	—	—	—	—	—	17
18	·08	—	·30	·01	·05	—	—	—	—	—	·07	—	18
19	1·09	—	·05	—	·02	·23	·03	—	·36	—	—	—	19
20	·05	—	·08	·11	—	—	—	—	—	·26	·16	—	20
21	—	—	·28	·23	—	—	·11	—	—	·12	·80	—	21
22	·68	—	·35	—	—	—	—	·06	·25	—	—	·02	22
23	—	—	—	—	—	·05	—	—	—	—	—	·78	23
24	·03	·02	—	·05	—	—	—	·08	—	—	—	—	24
25	—	·18	—	·14	—	—	—	—	—	—	—	·02	25
26	—	·02	—	·45	—	—	—	·28	—	·01	·26	·25	26
27	·03	—	·27	·17	·19	—	—	—	—	·22	—	—	27
28	·09	—	·10	·27	—	—	—	—	—	·18	—	·04	28
29	·17		·59	·45	·10	—	—	·14	—	·26	—	—	29
30	·36		—	·07	—	—	—	—	—	·44	—	—	30
31	·12		·02		—		—	—		·02		—	31
Total	5·97	1·14	3·12	3·02	2·92	·64	1·47	1·13	3·03	3·54	3·81	2·34	YEAR'S TOTAL 32·13
Rain Days.	23	11	18	17	17	7	7	9	10	17	17	13	166

W.7,000, XI. 13

✓ cwd pr auth 22.IV.15 copied from ~~A original returned to obs~~ Dorset

FORM A.
BRITISH RAINFALL.
20 APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Sturminster Newton Vicarage

in the County of Dorset 4 W McC.

by Canon Mansel Pleydell (Dorset + C)

Lat. 50° 55′ N Long. 2° 18″ W
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 4·98 in.
Height of top of Gauge above Ground 2 ft. 7 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·04	-	-	-	·03	·40	-	-	·21	·10	1
2	-	-	·02	-	-	-	·80	·13	-	-	1·12	·32	2
3	-	-	·07	·08	·36	-	·09	·07	-	-	·07	·04	3
4	·11	-	·04	·22	·03	-	·21	·79	-	-	·64	·35	4
5	·02	-	·16	·25	·09	-	·46	·05	-	-	·52	·02	5
6	-	·24	·02	·11	-	·01	·03	-	-	-	·04	·21	6
7	-	·85	·03	·04	-	-	·12	·02	·05	-	·02	2·20	7
8	·03	·04	·52	·02	·13	·06	-	·18	·05	-	-	·05	8
9	·02	-	·40	·22	·04	·45	-	·04	1·25	-	-	·02	9
10	·02	·48	·01	-	·07	-	-	·02	·24	-	-		10
11	-	·18	·38	-	·03	·05	·24	-	·01	-	·07	·68	11
12	-	·11	·11	-	-	-	-	-	·24	-	-	·50	12
13	-	·39	·44	-	-	-	-	-	·11	·19	·30	·39	13
14	-	·27	·39	-	-	·30	·26	·45	-	·26	·25	·25	14
15	·02	-	·18	-	-	-	·31	·43	-	·03	·18	·02	15
16	-	-	-	-	-	-	·05	-	·17	-	-		16
17	-	·34	·16	-	-	-	·01	-	-	-	-	·41	17
18	-	·01	·15	-	-	·03	·07	-	-	-	-	·37	18
19	-	·07	·42	-	-	·02	1·50	-	-	-	·09	·08	19
20	-	·42	·16	-	-	-	-	-	-	-	-	·48	20
21	-	1·01	-	-	-	-	-	-	-	·25	-	·02	21
22	-	·16	-	-	·37	·07	·06	·01	-	·30	-		22
23	-	·20	·13	-	-	-	·01	-	-	·11	-	·04	23
24	-	·01	·02	-	·10	·08	·02	-	-	·25	·07		24
25	·07	-	·21	-	-	-	·34	·18	-	·22	·04	·12	25
26	-	-	·04	-	-	-	·10	·15	-	·02	·20	·60	26
27	·08	-	-	-	-	-	-	-	-	·01	·03	·22	27
28	-	·05	·18	-	-	-	·14	-	-	·03	·41	·81	28
29	·22	-	·15	-	·14	-	-	-	-	·20	·49	·07	29
30	·01	X	·06	-	-	-	-	-	-	·24	·58	·91	30
31	·08	X	-	X	·01	X	·04	-	X	·81	X	·12	31
Total	·68	4·83	4·49 4·49	·94	1·37	1·07	4·89	2·92	2·12	2·92	5·33 5·33	9·40	YEAR'S TOTAL 4096 40.96
Rain Days.	11	17	26	7	11	9	21	14	8	14	19	27	~~116~~ 184

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6 JAN 1916

Kept at Stock House Sturminster Newton

in the County of Dorset

by Rev. C. G. Paget

Lat. 50-55' Long. 2-22-30"

Time of Observation 9 a.m.

Nearest Railway Station Stalbridge 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46	·15	–	–	–	–	–	·32	·34	·24	·02	·22	1
2	·84	·21	·19	·05	–	·10	–	·64	·02	·09	–	·47	2
3	·07	·14	·09	·13	·19	–	–	–	–	·66	–	·29	3
4	–	–	–	–	·02	–	–	–	–	–	–	·18	4
5	·09	·95	–	·11	–	–	–	·16	–	–	–	·47	5
6	·64	·17	–	·38	–	–	–	·08	–	–	–	·16	6
7	·18	·48	–	·10	·02	·07	·52	–	–	–	·01	·19	7
8	·04	·48	–	–	–	–	·11	·09	–	·01	·01	·03	8
9	·03	·05	–	·25	–	–	–	–	–	–	·29	·41	9
10	·21	·01	·04	·05	–	·03	–	–	–	·02	–	·15	10
11	·09	·04	·04	·03	–	–	–	–	–	·01	·69	·02	11
12	·15	·54	–	·14	·62	–	–	·04	–	·09	·45	–	12
13	·03	·57	–	–	·74	–	–	·02	·09	–	·13	·10	13
14	·03	·07	–	–	–	–	·25	·44	·08	–	–	·80	14
15	·09	–	–	–	·23	–	·09	·01	–	–	·09	·20	15
16	–	1·17	–	–	·18	–	·81	·13	–	–	–	·10	16
17	–	·27	–	–	·33	–	–	·30	–	·02	–	·01	17
18	–	·37	–	–	·03	–	–	·01	–	–	–	–	18
19	–	·01	–	–	·11	–	·12	–	–	–	·02	–	19
20	·26	–	–	·14	–	·02	–	–	–	·01	–	·06	20
21	·12	·18	–	–	–	–	·03	–	–	·46	–	·33	21
22	·10	·16	·35	·02	–	–	·66	–	–	·03	–	·35	22
23	·01	·02	·06	–		–	·25	–	·10	1.68	–	·28	23
24	–	–	–	·07		–	·03	–	·42	1·36	–	·61	24
25	–	–	·05	·03	–	·29	·05	–	–	·03	–	·17	25
26	–	·09	–	–	–	·04	·28	–	–	–	–	·94	26
27	–	·05	–	–	–	·28	·15	–	–	·47	–	–	27
28	–	·06	–	–	–	·12	–	–	·68	·09	·02	–	28
29	–	✕	–	–	–	·24	·19	–	·08	·01	·24	·09	29
30	·11	✕	–	–	–	·05	–	–	–	·92	·53	·43	30
31	·01	✕	–	✕	–	✕	·02	–	✕	1·13	✕	·52	31
Total	3.56	6.24	·82	1.50	2.47	1.24	3.56	2.24	1.81	6.73	2.50	7·58	YEAR'S TOTAL 40·25
Rain Days.	20	23	7	13	10	10	15	12	8	19	12	26	175

W. 8,000. X. 15.

1698

DORSET.

SWANAGE

1915

FORM A.
BRITISH RAINFALL.

9 JUL. 1915

REGISTE

Kept at Craigendoran ... um

in the County of Dorset

by Thomas Wright

Swanage 3/4 mile

8 in.

ove Ground 1 ft. 0 in.

Sea Level 45 ft.

IMPORTANT NOTE.—Ra ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	·23											1
2	·28	·17	·27	·04	·02	·02							2
3	·48		·27	·10	17								3
4	·11												4
5	·80	·38		·06		·07							5
6	·02	·11		·55									6
7	·27	·54		·06									7
8	·03	·70											8
9		·20		·07									9
10	·22	·08											10
11	·06	·08	·08	·06									11
12	·12	·28		·14	·26								12
13	·02	·78			1·64								13
14	·07	·02											14
15	·05	·03			·08								15
16		·80			·19								16
17		·50 ~~·70~~			·34								17
18		·46			·06								18
19		·04			·15								19
20	·33			·08	·07	·05							20
21	·03	·09											21
22	·32	·23	·18	·02									22
23			·31										23
24				·03									24
25			·04	·02		·07							25
26						·15							26
27	·02	·11				·03							27
28						·26							28
29						·20							29
30	·27	X				·01							30
31		X		X		X			X		X		31
Total	3·86	5·83	1·15	1·23	2·98	0·86							YEAR'S TOTAL
Rain Days.	19	20	6	12	10	9							

W. 8,000. X. 14.

1698

FORM A.
BRITISH RAINFALL.

9 JUL. 1915

REGISTE

Kept at Craigendoran Swanage
in the County of Dorset
by Thomas Wright

Lat.……Long.……
Time of Observation 8 am
Nearest Railway Station Swanage 3/4 mile
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·23											1
2	·28	·17	·27	·04	·02	·02							2
3	·48		·27	·10	17								3
4	·11												4
5	·80	·38		·06		·07							5
6	·02	·11		·55									6
7	·27	·54		·06									7
8	·03	·70											8
9		·20		·07									9
10	·22	·08											10
11	·06	·08	·08	·06									11
12	·12	·28		·14	·26								12
13	·02	·78			1·64								13
14	·07	·02											14
15	·05	·03			·08								15
16		·80			·19								16
17		·50 ~~·20~~			·34								17
18		·46			·06								18
19		·04			·15								19
20	·33			·08	·07	·05							20
21	·03	·09											21
22	·32	·23	·18	·02									22
23			·31										23
24				·03									24
25			·04	·02		·07							25
26						·15							26
27	·02	·11				·03							27
28						·26							28
29						·20							29
30	·27	╳				·01							30
31		╳		╳		╳			╳		╳		31
Total	3·86	5·83	1·15	1·23	2·98	0·86							YEAR'S TOTAL
Rain Days.	19	20	6	12	10	9							

W. 8,000. X. 14.

DORSET.

SWANAGE,

"ROYAL VICTORIA HOTEL.

1911-1913

REGIS 11

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Royal Victoria

in the County of Dorset

by H. B. Vincent

5 in.

ove Ground ft. 20 in.

„ Sea Level 50·46 ft.

Name

Distance Direction

IMPORTANT NOTE.—R and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02								·01	·11	1
2	·01			·21	·25					·15	·19	·20	2
3					·22				·02		·11	·15	3
4	·01		·04							·01	·26	·52	4
5								·04		·42	·06	·06	5
6	·41		·04							·06	·06	·73	6
7	·12									·02	·43	·02	7
8	·03		·13								·56	·48	8
9	·03										·05	·27	9
10	·02	·07	·37									·44	10
11	·34		·04								1·34	·04	11
12			·96								·25	·22	12
13			·01						·16			·32	13
14		·10										·19	14
15		·02	·02			·02					·22	·02	15
16						·30					·46	·16	16
17		·04	·21			·09					·43	·34	17
18		·17	·11	·03		·15				·06	·26	·34	18
19						·06			·12	·06	·04	·27	19
20		·01	·15					·36	·14	·03		·66	20
21	02	·20	·16			·05			·63	·41		·16	21
22	·13	·01	·03	·02		·17			·01	·31		·51	22
23		·16	·02			·18			·26	·40	·07	·22	23
24	·03	·19				·17		·13		1·14		·45	24
25		·06		·19		·05			·03	·14		·01	25
26		·01		·39				·01		·24		·46	26
27		·37		·03					·09	1·16	10	·14	27
28		·22		·31				·17			·07		28
29				·49		·25	·22		·16	·40			29
30						·01				·32			30
31													31
Total	1·20	1·63	2·31	1·67	·47	1·50	·22	·71	1·62	5·33	4·97	7·49	TOTAL for year 29·12
No. of Rain Days	11	14	15	8	2	12	1	5	10	17	19	27	141

9,000, IX. '10.

REGIS 11

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

Kept at Royal Victoria Hotel Swanage

in the County of Dorset 3

by H. B. Vincent (H Stilwell)

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 20 in.
" " " Sea Level 50·46 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02								·01	·11	1
2	·01			·21	·25					·15	·19	·20	2
3					·22				·02		·11	·15	3
4	·01		·04							·01	·26	·52	4
5								·04		·42	·06	·06	5
6	·41		·04							·06	·06	·73	6
7	·12									·02	·43	·02	7
8	·03		·13								·56	·48	8
9	·03										·05	·27	9
10	·02	·07	·37									·44	10
11	·39		·04								1·34	·04	11
12			·96								·25	·22	12
13			·01						·16			·32	13
14		·10										·19	14
15		·02	·02			·02					·22	·02	15
16						·30					·46	·16	16
17		·04	·21			·09					·43	·34	17
18		·17	·11	·03		·15				·06	·26	·34	18
19						·06			·12	·06	·04	·27	19
20		·01	·15					·36	·14	·03		·66	20
21	·02	·20	·16			·05			·63	·41		·16	21
22	·13	·01	·03	·02		·17			·01	·31		·51	22
23		·16	·02			·18			·26	·40	·07	·22	23
24	·03	·19				·17		·13		1·14		·45	24
25		·06		·19		·05			·03	·14		·01	25
26		·01		·39				·01		·24		·46	26
27		·37		·03					·09	1·16	·10	·14	27
28		·22		·31				·17			·07		28
29				·49		·25	·22		·16	·40			29
30						·01				·32			30
31													31
Total	1·20	1·63	2·31	1·67	·47	1·50	·22	·71	1·62	5·33	4·97	7·49	TOTAL for year 29·12
No. of Rain Days	11	14	15	8	2	12	1	5	10	17	19	27	141

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Copy from A retn

REGISTER OF RAINFALL IN 1912

Kept at Swanage Royal Victoria Hotel

in the County of Dorset 3

by H. B. Vincent

per Dorset Field Club

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station ____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 50.46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02			.12	.06		.01	1.34		.33	1
2			.21				.46			.03			2
3			.05			.20	—	.70	.01		.02		3
4	.20		.40			.35		.04			.23		4
5	.49	.14	.11				—	.34			.01	.07	5
6	.53	.03			.21	.05		.45				.04	6
7	.01	.43	.07		.30	.47		.03				.05	7
8	.41	.17	.17				.01		.01				8
9		.06	.24	.01		.20	.01	.39				.30	9
10		.02	.02			.02	.01	.03			.03	.51	10
11	.15	.15				.55		.08		—		.31	11
12	.01	.17	.13		.19	.35	.04	.27					12
13		.02	.01					.05			.01	.12	13
14	.16		.15					.01				.01	14
15	.15	.21	.04		.01	.71					.01	.37	15
16	.99	.01	.26		.05			.31		.18	.14		16
17	.65		.26		.05	.11		.66				.09	17
18	.03		.19					.18		.01		.05	18
19		.05	.22				.03	.22					19
20	.02	.04	.30		.02		.02	.08		.57			20
21		.18	.14		.19		.02	.17		.11		.06	21
22	.15	.42	.04					.23		.02		.02	22
23	.44	.08	.27					.98	—	.23	.20	.15	23
24	.51	.05	.01			.07	.03	.15		.01		.26	24
25	.16					.16		.24		.20	.40	.64	25
26		.04					.67	.06		.31	.42	.34	26
27		.06				.13	.15	.06		.51		.58	27
28		.10				.12	.15	.46	.04	.55	.29	.33	28
29		.15					.21	.03	2.68	.08	.03	.02	29
30								26	.94	.19			30
31			.31		.01		.22	.06		.02		.03	31
Total	5.06	2.58	3.62	.01	1.03	3.61	2.09	6.54	3.69	4.36	1.79	4.68	YEAR'S TOTAL 39.06
Rain Days.	17	21	23	1	9	15	15	27	6	16	12	22	184

W. 7,500, XI. ·12

c

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 SEP 1917

Kept at Royal Victoria Hotel, Swanage
in the County of Dorset
by the Misses Vincent after 1913

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	~~Date.~~ Total
1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1
1912	5.06	2.58	3.62	0.01	1.03	3.61	2.09	6.54	3.69	4.36	1.79	4.68	39.06
1913	5.08	1.77	3.03	3.25	2.06	0.44	1.01	1.92	2.24	4.68	2.71	1.68	29.87
1914	0.66	4.48	6.38	1.20	1.00	0.29	2.57	2.52	1.73	2.52	4.57	9.57	~~37.38~~
1915	See printed		Earlier	Years									37.49 5
1916	paper.		1887	—	22.25	✓ AA							6
7			1888		28.54	✓ 28.52							7
8			1889		23.26	✓ 22.89							8
9			1890		25.11	✓ 25.23							9
10			" 1		34.80	✓ 35.22							10
11			" 2		25.28	✓ 25.29							11
12			3		24.70	✓ 24.72							12
13			4		40.84	✓ 40.91							13
14			5		28.20	✓ [illegible]							14
15			6		29.13	✓ 29.23							15
16			7		30.01	✓ AA							16
17			8		25.21	✓ AA							17
18			9		26.07	✓ AA							18
19			1900		29.42	✓ AA							19
20			1		24.84	✓ 25.66							20
21			2		26.23	✓ AA							21
22			3		37.28	✓ AA							22
23			4		30.66	✓ AA							23
24			5		24.77	✓ AA							24
25			6		33.97	✓ AA							25
26			7		30.23	✓ AA							26
27			8		23.24	✓ AA							27
28			9		35.29	✓ AA							28
29			10		34.51	✓ AA							29
30		X	11		29.12	✓ AA							30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

The gauge is read daily, but I could only get access to monthly totals. The Misses Vincent object to publication but make gardener do the readings for their own satisfaction. The monthly figures for the current year are hung up in the hall of the hotel.

The gauge a sound copper Snowdon is set at 1ft. in good exposure in kitchen garden at I should guess about 30ft above sea level.

Mr. Vincent died in July 1913, his sisters first intended to stop observations, then decided to go on but not to publish.

DORSET

TOLLER PORCORUM.

1916–1919.

REGIST 6

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Toller Porcorum

in the County of Dorset

by Rev. C.H. B. Woodd

g. 2° 37½'

— 10 a.m.

Toller c.w.R.

Rain Gauge 8 in.

above Ground ft. 10 in.

„ Sea Level 400 ft.

IMPORTANT NOTE.—I nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	23	08	03		23	03	01		48	19	45		1
2	17	10	02							37	36		2
3	05	85			08	03			03	85	19		3
4	17	35				45			04	02	93		4
5	02	05	03	03		16					27		5
6	02	09			33	07	1.02			18	1.21		6
7	01	05	40		05	10				12	86	19	7
8	01	07	17		44						11	28	8
9		05		05	05	18	02			07	07	28	9
10		65		04	09		08				10	15	10
11			06	04				06	03		01		11
12	05	08	07	02	11		14	26		05	02		12
13		27	12				01	21			01		13
14	07	68	02	05	05			26		02			14
15		15	10	26				15	03	02			15
16	14	03		10			05	52	05	12			16
17	23	18		02					29	87	68	36	17
18	11	03	16	05					16	03	17	12	18
19	15		71	01					03		21	2.19	19
20	12	32	30					02			09	12	20
21		06	23	09			02					01	21
22						07		15		51	08	03	22
23		08		04		15		09		02	26	39	23
24				18	62			79		1.00	06	02	24
25		10½ inches snow	11					10	02	86	12		25
26		3 inches snow				30		~~01~~	1.14	43	04	02	26
27			1.10			03		04	21	1.02			27
28		25	04					11	11	18	03	38	28
29		38	02			62		2.30	38	89	02	35	29
30		X	02					01	02	46			30
31		X		X		X		14	X		X	04	31
Total	1.55	5.85	3.71	.98	2.05	2.19	1.35	5.21	3.02	8.28	6.29	5.53	YEAR'S TOTAL 46.01
Rain Days.	145	24	19	14	10	12	8	16	15	22	24	16	195

say 1.00 inches rain

W. 8,000, VIII. 16

REGIST 6

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Toller Porcorum Vicarage
in the County of Dorset
by Rev. C.H. B. Woodd

Lat. 50° 48¾ Long. 2° 37½'
Time of Observation 9–10 a.m.
Nearest Railway Station Toller G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	23	08	03		23	03	01		48	19	45		1
2	17	10	02							37	36		2
3	05	85			08	03			03	85	19		3
4	17	35				45			04	02	93		4
5	02	05	03	03		16					27		5
6	02	09			33	07	1·02			18	1·21		6
7	01	05	40		05	10				12	80	19	7
8	01	07	17		44						11	28	8
9		05		05	05	18	02			07	07	28	9
10		65		04	09		08				10	15	10
11			06	04				06	03		01		11
12	05	08	07	02	11		14	26		05	02		12
13		27	12				01	21			01		13
14	07	68	02	05	05			26		02			14
15		15	10	26				15	03	02			15
16	14	03		10			05	52	05	12			16
17	23	18		02					29	87	68	36	17
18	11	03	16	05					16	03	17	12	18
19	15		71	01					03		21	2·19	19
20	12	32	30					02			09	12	20
21		06	23	09			02					61	21
22						07		15		51	08	03	22
23		08		04		15		09		02	26	39	23
24				18	62			79		1·00	06	02	24
25		10½ inches snow	11					10	02	86	12		25
26		3 inches snow				30		~~01~~	1·14	43	04	02	26
27			1·10			03		04	21	1·02			27
28		25	04					11	11	18	03	38	28
29		38	02			62		2·30	38	89	02	35	29
30		✗	02					01	02	46			30
31		✗		✗		✗		14	✗		✗	04	31
Total	1·55	5·85	3·71	·98	2·05	2·19	1·35	5·21	3·02	8·28	6·29	5·53	YEAR'S TOTAL 46·01
Rain Days.	14	24	19	14	10	12	8	16	15	22	24	16	194

for 1·00 inches rain

✓ 1631

REGISTER OF RAINFALL IN 19 17

FORM A.
BRITISH RAINFALL.

19. JAN 1918

Kept at Toller Porcorum - Dorset

in the County of Dorset

by Rev. C. H. B. Woodd

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Toller . G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		10	35		19		46	02		05	02	1
2				11		12		09			02		2
3	06			04			46	02		08	54		3
4		09	57					02		28			4
5	13		32	31		07		03	17	15	06		5
6			06			18				08	09	02	6
7	47						40	48		27	08	05	7
8	20		27				94	81	19	34	27	18	8
9			20				02	19	02	06	09		9
10	} 28		41	22				31		04			10
11			63	22	07			02		37	06		11
12	07				60					30	02		12
13			20	03				34	03	04			13
14			11	13		02		06	02				14
15								40		38		34	15
16		16		15	02					77		54	16
17		02		30			30	18	1·18	23			17
18	01	13				01	13		54	04			18
19		67	08						19				19
20		05	04		31	03 19½			10			04	20
21			22			13 20½				14			21
22			02			02		11		13			22
23		22			13			33		07		02	23
24			02			03	15	05		15	10		24
25							97	12	13	04	02		25
26		04	01					90		03	02		26
27					47	27		1·49	12			04	27
28			08		15	56		18					28
29			08		04	13	07			45	02	13	29
30		X	23				97	24		02	01		30
31		X	06	X		X			X	21	X	02	31
Total	1.23 ✓	1.38 ✓	3.71 ✓	1.86 ✓	1.79 ✓	1.76 ✓	4.41 ✓	6.74 ✓	2.71 ✓	4.67 ✓	1.45 ✓	1.40 ✓	YEAR'S TOTAL 33.11
Rain Days.	8 ✓	8 ✓	20 ✓	10 ✓	8 ✓	13 ✓	10 ✓	22 ✓	12 ✓	24 ✓	15 ✓	11 ✓	161. ✓

W. 8,000, IX. 17.

1.61

50

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Toller Parcorum

in the County of Dorset.

by Rev. C. A. B. Woodd

Lat. 50° 46¾′ Long. 2° 27½′

Time of Observation 9–10 a.m.

Nearest Railway Station Toller G. W. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	~~Sept.~~ Nov.	Oct.	Nov. Sept	Dec.	Date.
1		12		04	05			73	1·08	03			1
2		48		10				08	07	01		31	2
3		17	04	12	23				12	07	06	05	3
4		08	02					12	1·44	23	32	45	4
5		01	28	07	45			77	02		23	11	5
6	24	13		19						20	02	28	6
7	02	19			20			03	55	03	41	28	7
8	02	27								38	03	05	8
9	01			09		20	44		02	10	83	08	9
10	06			29			37		08	54	15	53	10
11		14	06	62			77		05	10	12	06	11
12		01	01		49		14			01	06	01	12
13	11				10		52			25	84	02	13
14	29				09	26	03			32	21	10	14
15	1·93			65			32			01	05	48	15
16	46		02	18		12	03				48	05	16
17	11		01	10			35	04			03	37	17
18	(1·00)	05				94	06				16	23	18
19	20	24	06				20			03	10	04	19
20		04		15		02	09	01		08	51		20
21			01				04		01	10	76	29	21
22	07	01			18		1·58		26	03	20	17	22
23	21	23			05		09		09		04	04	23
24		01				03	15		11		16	09	24
25	03						24	68	14	02		02	25
26	01	18							15	04	05	30	26
27		09	03					13	02	03	23	01	27
28			30	02					01	05	08	03	28
29	01		31						18		1·40	04	29
30	01	X	60						03	09	07	02	30
31		X	07	X		X		02	X	09	X	01	31
Total	(4·79)	2·45	1·82	2·02	1·84	1·57	5·42	2·61	4·43	2·84	7·60	5·22	YEAR'S TOTAL (42·61)
Rain Days	18	18	14	13	9	6	17	10	27	24	19	29	20~~3~~4

W, 6,500. VII. 18. w w c

1532

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at Toller Porcorum Vicarage
in the County of Dorset
by Rev. C. H. B. Woodd

Lat. .... Long. ....
Time of Observation 9 a. m.
Nearest Railway Station Toller G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ...... ft 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	83		17	~~08~~	08		53			24	17	93	1
2	23		02	~~02~~	02		11		09		06	05	2
3	83		40	~~10~~	10		03		42		05	11	3
4	17	40	65	~~01~~	01		02	05	80		05	08	4
5	04	30	40						20		13	10	5
6	92	17	14	13								35	6
7	51		43						01			01	7
8	39		28										8
9	15			42	15				02		48		9
10	34		30	01	02					02	03	42	10
11	07		21	31	45	03	21			11		10	11
12	15		04	05	18		03			07	07	04	12
13	09	06	05	72*	04		04			11		15	13
14	88	07		49	04		13		08			34	14
15	36	19		03					01			40	15
16	04	1.18									14	02	16
17	04	30						04			17	06	17
18	10	39	74				26	07	02		11	01	18
19	1.36	03	66			05	74	29	11	01	12	05	19
20	70	1.20	10			40		(22)	01		02	07	20
21	03	03					18	01	12		02	10	21
22	02						15		27		04	05	22
23	-		02			12				49	—	03	23
24	-			-		03	06			80	20	26	24
25	25	04		20						01	01	03	25
26	10		09	07		01		35	03			26	26
27	12	04	08	30			12	1.73				03	27
28	01		34					34			75	55	28
29	02		03	15				20				05	29
30		✕		14		17		34			82	92	30
31	01	✕	03	✕		✕		01	✕		✕	38	31
TOTAL	8.76	4.40	5.18	3.02	1.09	.81	2.61	3.64	2.19	1.86	3.44	5.95	YEAR'S TOTAL 42.95
Days with ·01 in. or more	28	14	21	13	10	7	14	12	14	9	19	29	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

POST CARD

1 ONE PENNY 1
POSTAGE

The Director of B. R. Org.
62 Camden Square
London. N.W. 1.

Toller Vicarage - Dorchester.

8 April 1919

Dear Sir

In face of the evidence for a big fall on 18th Jan. 1918. I think you will be justified in entering 1.00 inch. The omission (as such it seems) must have had connection with ~~my~~ the hurry of leaving home by the early train; it may have been either my own omission or my wife's: & I much regret it. Please do not trouble to reply. Yrs sincerely C.H.B. Wood

Toller Vicarage
Dorch'r
2. April 1909

Dear Sir

What you allude to is puzzling. I enclose my record for your inspection. I see by the handwriting that I entered the record for the 18th Jan 1908 (temp. and barometer) on the morning of the 19th and also the wind (S.E) for the morning of the 19th. The remaining record for the 19th, 20th, & 21st are in the writing of my wife as I was, apparently, away from home those days. It is conceivable, but unlikely, that I or she should in some hurry have forgotten to fill in the rainfall – especially so big a fall.

the weather conditions in this part vary a good deal in areas geographically contiguous: e.g.: we sometimes have rain here & none in Dorchester 8 miles away - and *vice versa*

I also note that the condition of the temperature was extraordinary - only 2° difference between the max. & min. on the 18th. and apparently *none* on the 19th.

I should be interested in any further remarks from you

I am
Yours sincerely
C. H. B. Woodd.

1596

TOLPUDDLE, THE VICARAGE

DORSET

1916 – 30

916

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at Tolpu…

in the County of –

by Rev. Harold…

Long. 2° 17' W

9 a.m.

…tion Moreton

…of Rain Gauge 5 in.

…ge above Ground ……ft. ……in.

„ Sea Level ……ft.

IMPORTANT… …. and the result entered to the previous day. I… …t universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16		·01	-	·56	·	·	·	·58	·24	·52	·	1
2	·26	(2 days) ·16	-	-	·01	·	·	·	·	·17	·51	·	2
3	·03	·79	-	-	·04	·	·	·	·01	·71	·31	·	3
4	·10	·21	-	-	·05	·29	·	·	·06	·03	·59	·	4
5	·04	·04	snow ·62	·04	·27	·04	·	·	·	·04	·48	·	5
6	·01	·05	snow ·05	-	·14	·17	·84	·	·	·06	·94	·	6
7	·02	·01	·35	-	·09	·03	·	·	·	·06	·77	·14	7
8	·	·04	snow ·31	-	·38	·	·	·	·	·	·03	·33	8
9	-	·10	-	-	·	·07	·02	·	·	·	·02	·19	9
10	-	·67	·	·04	·	·	·04	·	·	·	·09	·27	10
11	-	-	·05	·07	·01	·	·	·	·	·	·	·01	11
12	·07	·05	·22	·03	·07	·	·08	·02	·	·07	·	·	12
13	·	·24	·25	·02	·	·	·02	·02	·	·	·01	·	13
14	-	·52	·05	·01	·08	·	·	·02	·	·01	·	·	14
15	-	·18	·11	·04	·09	·	·	·03	·	·	·	·	15
16	·14	·08	·		·	·	·02	·19	·	·04	·	·16	16
17	·19	·16	·	(2 days) ·27	·	·	·	·07	·25	·67	·51	·	17
18	·05	·09	·13	·	·	·	·	·50	·16	·02	·16	·19	18
19	·16	-	·61	·07	·	·	·	·	·01	·	·13	·15	19
20	·15	·27	·24	-	·	·	·	·	·	·	·26	1·85	20
21	·01	·21	·39	-	·09	·	·	·	·	·	·01	·19	21
22	·	-	-	-	·	·04	·	·	·	·26	·01	·47	22
23	·01	snow ·08	-	-	·	·11	·	·19	·	·04	·26	·01	23
24	·	-	-	·02	·25	·	·	·10	·	·51	·05	·36	24
25	·	snow ·37	·17	-	·	·	·	·46	·02	·04	·16	·02	25
26	·	snow ·09	·03	-	·	·13	-	·03	1·17	·62	·01	·01	26
27	·	snow ·04	snow ·93	·	·	·07	·07	·05	·68	·44	·	·	27
28	-	·20	·01	·11	·	·	·	·07	·22	·29	·	·29	28
29	·	·55	·01	·	·	·45	·	1·76	·46	·22	·02	·39	29
30	-	X	-	·	·	·	·	·	·	·63	·	·	30
31	-	X	-	X	·	X	·	·08	X	·35	X	·02	31
Total	1·40	5·20	3·94 ~~4·02~~	·72	2·13	1·40	1·09	3·59	3·62	5·52	5·85	5·05	YEAR'S TOTAL 39·51 39·50
Rain Days.	15	25	19	12	14	10	7	15	11	22	22	18	19②

W. 8,000, VIII. 16

16

FORM A.
BRITISH RAINFALL.

30. JAN 1917

Kept at Tolpuddle
in the County of Dorset
by Rev. Harold R Long

Long. 2° 17' W
Time of Observation 9 a.m.
Nearest Railway Station Moreton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·16		·01	-	·56	·	·	·	·58	·24	·52	·	1
2	·26	(2 days) ·16	-	-	·01	·	·	·	·	·17	·51	·	2
3	·03	·79	-	-	·04	·	·	·	·01	·71	·31	·	3
4	·10	·21	-	-	·05	·29	·	·	·06	·03	·59	·	4
5	·04	·04	snow ·02	·04	·27	·04	·	·	·	·04	·48	·	5
6	·01	·05	snow ·05	-	·14	·17	·84	·	·	·06	·94	·	6
7	·02	·01	·35	-	·09	·03	·	·	·	·06	·77	·14	7
8	-	·04	snow ·31	-	·38	·	·	·	·	·	·03	·33	8
9	-	·10	-	-	·	·07	·02	·	·	·	·02	·19	9
10	-	·67	·	·04	·	·	·04	·	·	·	·09	·27	10
11	-	-	·05	·07	·01	·	·	·	·	·	·	·01	11
12	·07	·05	·22	·03	·07	·	·08	·02	·	·07	·	·	12
13	-	·24	·25	·02	·	·	·02	·02	·	·	·01	·	13
14	-	·52	·05	·01	·08	·	·	·02	·	·01	·	·	14
15	-	·18	·11	·04	·09	·	·	·03	·	·	·	·	15
16	·14	·08	·		·	·	·02	·19	·	·04	·	·16	16
17	·19	·16	·	(2 days) ·27	·	·	·	·07	·25	·67	·51	·	17
18	·05	·09	·13	·	·	·	·	·50	·16	·02	·16	·19	18
19	·16	-	·61	·07	·	·	·	·	·01	·	·13	·15	19
20	·15	·27	·24	·	·	·	·	·	·	·	·26	1·85	20
21	·01	·21	·39	-	·09	·	·	·	·	·	·01	·19	21
22	·	-	-	-	·	·04	·	·	·	·26	·01	·47	22
23	·01	snow ·08	-	-	·	·11	·	·19	·	·04	·26	·01	23
24	·	-	-	·02	·25	·	·	·10	·	·51	·05	·36	24
25	·	snow ·37	·17	-	·	·	·	·46	·02	·04	·16	·02	25
26	·	snow ·09	·03	-	·	·13	-	·03	1·17	·62	·01	·01	26
27	·	snow ·04	snow ·93	·	·	·07	·07	·05	·68	·44	·	·	27
28	-	·20	·01	·11	·	·	·	·07	·22	·29	·	·29	28
29	·	·55	·01	·	·	·45	·	1·76	·46	·22	·02	·39	29
30	-	✕	-	·	·	·	·	·	·	·63	·	·	30
31	-	✕	-	✕	·	✕	·	·08	✕	·35	✕	·02	31
Total	1·40	5·20	3·94 ~~4·02~~	·72	2·13	1·40	1·09	3·59	3·62	5·52	5·85	5·05	YEAR'S TOTAL 39·51 39·50
Rain Days.	15	25	19	12	14	10	7	15	11	22	22	18	192

W. 8,000, VIII. 16

1627

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

9 MAR 1918

Kept at Tolpuddle
in the County of Dorset
by Rev. Harold R. Long.

Lat. 50° 45' N Long. 2° 17' W
Time of Observation 9 a.m.
Nearest Railway Station Moreton. L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level (circ) 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·07	·20		·09			·01		·06		1
2	-			·19						·02			2
3	·03			·03		·	·38			·15	·40		3
4	-	·04	·41							·18			4
5	·13		·15	·21		·08		·06	·12	·10	·08		5
6			·07							·13	·10		6
7	·35						·27	·15		·19	·01	·11	7
8	·46			·03			·72	1·03	·05	·30	·22	·21	8
9			(2 dys snow) ·22		·02		·02		·03	·04	·13		9
10	·15		·41	·24	·07			·16					10
11	·06		·44	·10	·05					·32	·02		11
12	·07		·02		·22					·20			12
13			·14	·01		·02		·15	·04	·08			13
14			·23	·07				·08	·01				14
15								·36	·01	·26		·33	15
16	·01	·14		·09	·02					1·07		·55	16
17		·02		·15			·21	·22	·61	·12			17
18		·16			·02	(2 days) ·32	·13		·58				18
19		·38	·02			·08			·24				19
20		·03	·10		·30	·07						·04	20
21			·26					·		·03			21
22	·06		·02			·25		·11		·07			22
23		·17			·09			·11		·09			23
24		·17				·01		·03		·21	·03		24
25		·05	·06				1·37	·07		·05			25
26					·24			·66	·16	·01	·03		26
27					·79	·24		1·15					27
28			·08		·09	·41		·18				·04	28
29			·03		·13	·05	·09	·		·57		·11	29
30		X	·22				·50	·21					30
31		X	·06	X		X	·03	·03	X	·24	X	·02	31
Total	1·32	1·16	3·01	1·32	2·04	1·62	3·72	4·76	1·86	4·43	1·08	1·41	YEAR'S TOTAL 28·73
Rain Days.	9	9	20	11	12	12	10	17	11	22	10	8	151

W. 8,000, IX. 17.

6X9118

45

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

15.1.19

Kept at Tolpuddle
in the County of Dorset
by Rev. Harold R Long.

Lat. 50·45 N. Long. 2·17 W
Time of Observation 9 a.m.
Nearest Railway Station Moreton L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 100(c) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											·84		
1		·07		·03	·07			·79			~~·12~~ ·84	·04	1
2		·30		·03				·17			~~·22~~ ·12	·24	2
3		·10	·01	·30	·18			·01		·04	~~·30~~ ·22	·03	3
4	·11	·04		·02				·08	·24		·30	·16	4
5		·08	·34		·41			·25	·10	·23		·04	5
6	·18	·10		·26				·18	·07	·07		·16	6
7		·17		·01	·15	·01		·01	·16	·08	·31	·13	7
8		·06							·11	·21		·02	8
9				·23		·09	·25		·72	·17	·01	·40	9
10	·04			·11			·45		·53	·41	·02	·48	10
11				·02			·10		·09	·01	·05	·03	11
12		·11			·36		·12		·04				12
13	·10						·67		·51			·03	13
14	·19				·07	·08	·02		·33	·28		·09	14
15	1·41			·32	·01	·04	·21		·02	·01		·16	15
16	·43		·03	·07			·01		·29			·01	16
17	·24		·01	·14			·45		·07			·31	17
18	·77					·76	·04		·37			·18	18
19	·09		·24				·34		·03	·03		·03	19
20	·04	·19		·15			·11		·57	·08			20
21	·12	·03			·04				·87	·11		·23	21
22	·04				·07		·71		·16	·01	·02	·09	22
23	·18	·02					·30		·10		·09	·01	23
24		·22							·18		·11		24
25	·01						·03	·49		·01	·06		25
26							·17	·02	·03	·03	·11	·34	26
27		·11	·01				·07	·06	·28	·03	·14		27
28		·01	·25			·01				·03	·03	·01	28
29	·01		·14						1·44			·05	29
30	·01	X	·47						·02	·10	·09		30
31	·01	X	·17	X		X		·10	X	·06	X	·01	31
Total	3·98	1·61	1·67	1·69	1·36	·99	4·05	2·16	7·27	2·00	2·52	3·28	YEAR'S TOTAL 32·58
Rain Days.	18	15	10	13	9	6	17	11	25	20	16	25	185

W. 6,500. VII. 18. W W C

1532

21 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Tolpuddle

in the County of Dorset

by Rev. Harold R. Long

Lat. 50·45 N Long. 2·17 W

Time of Observation 9 a.m.

Nearest Railway Station Moreton L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	—	·06	·09	·02	—	·22	—	·80	·21	·05	·75	1
2	·19	—	·02	—	·07	—	·01	—	·25	—	·01	·05	2
3	·89	—	·56	—	·08	—	·01	—	·79	—	·01	·09	3
4	·30	·08	·69	—	—	—	—	—	·50	—	·07	·66	4
5	·04	(·45)	·31	—	·12	—	—	—	·02	—	·13	·08	5
6	·49	·17	·12	·02	·13	—	—	—	—	—	·01	·23	6
7	·29	—	·41	·11	—	—	—	—	—	—	—	—	7
8	·30	—	·21	—	·09	—	—	—	—	—	—	—	8
9	·11	—	—	·22	·01	—	—	—	—	—	·33	—	9
10	·23	—	·32	·03	·18	—	—	—	·01	·02	·02	·32	10
11	·11	—	·07	·19	—	—	·15	—	·03	—	—	·08	11
12	·16	—	—	·01	—	—	·04	—	—	·07	·05	—	12
13	·09	·05	·10	·51	·35	—	·01	—	—	·04	—	·11	13
14	·70	·14	—	·36	·03	—	·11	—	—	·03	—	·18	14
15	·38	·09	—	·06	—	—	—	—	—	·04	—	·44	15
16	·01	·90 Snow	—	—	—	—	—	—	—	—	·12	—	16
17	·05	·18	—	—	—	—	—	—	—	—	·12	·03	17
18	—	·04	·66	—	—	—	·08	·09	—	—	·13	—	18
19	·91	·37	·55	—	—	·10	1·04	·20	·12	—	·06	·05	19
20	·43	—	·04	—	—	·41	—	·09	—	—	—	·01	20
21	—	·77	—	—	—	—	·10	—	·04	—	·02	·05	21
22	—	—	— Snow	—	—	—	·08	—	·48	—	—	·03	22
23	—	—	·01	—	—	·05	—	—	—	·27	·04	·02	23
24	—	—	—	—	—	·11	·11	—	—	1·06	·05	·23	24
25	·09	·02	—	·10	—	·02	—	·20	—	—	—	·14	25
26	·05	·08	·09	·05 Snow	—	—	—	1·20	·07	—	·08	·52	26
27	·13	—	·07	·33	—	—	·84	—	—	—	—	·05	27
28	—	—	·36	—	—	—	—	—	—	—	·77	·44	28
29	—		—	—	—	—	—	—	—	·08	—	·11	29
30	—		— Snow	·09	—	·11	—	—	—	—	·69	·84	30
31	·01		·03		—		—	—		—		·38	31
TOTAL	6·40	3·34	4·68	2·17	1·08	·80	2·80	1·78	3·11	1·82	2·75	5·29	YEAR'S TOTAL 36·02
Days with ·01 in. or more	23	13	19	14	10	6	13	5	11	9	19	25	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

20 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Tolpuddle
in the County of Dorset
by Rev Harold R Long

Lat. 50·45 N Long. 2.17 W
Time of Observation 9 a.m.
Nearest Railway Station Moreton L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 7 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	·05	·10	·38	–	·45	·02	–	·70	·25	·67	1
2	·36	–	·01	·10	–	–	·04	·16	·11	·04	–	·17	2
3	·03	·09	–	·05	–	–	·47	–	·02	·56	–	·01	3
4	[illegible]	·02	·01	·05	–	–	·23	·76	–	+ –	–	–	4
5	[illegible]	–	·17	·10	–	–	·44	·11	–	+ ·40 (2 dys)	–	–	5
6	[illegible]	·01	·18	–	·25	–	·39	–	–	–	–	·01	6
7	·03	–	·10	·25	·03	–	·35	–	–	–	–	–	7
8	·42	·04	–	·16	·06	–	·21	·03	–	–	–	·02	8
9	·01	·01	·01	·06	–	·07	–	–	–	–	–	–	9
10	·28	·05	·08	·15	–	·45	·73	–	–	–	–	–	10
11	·18	–	·11	·48	·21	·63	·20	–	–	–	–	–	11
12	·21 (2 dys)	·07	–	·34	–	·38	·03	–	–	–	·07	Snow ·05	12
13	[illegible]	–	·54	·05	–	–	–	–	–	–	·07	Snow ·04	13
14	·04	·03	·44	·68	–	–	·03	–	·31	·28	·57	–	14
15	·04	·06	·04	·20	·08	·10	–	–	·05	·57	·05	–	15
16	·01	–	·03	·01	·01	·02	·14	–	·19	·01	–		16
17	·10	–	–	·10	·32	·01	·05	–	·37	–	–	–	17
18	·04	–	·01	·03	·03	·21	·09	·41	·07	–	–	–	18
19	·02	–	–	·35	–	·18	–	–	·13	–	–	–	19
20	·01	·08	–	·18	·12	·42	–	–	–	–	–	·24	20
21	[illegible]	–	–	–	–	–	·24	–	·02	·16	–	·09	21
22	·06	–	–	·19	–	–	·02	–	·01	·01	–	·33	22
23	·01	·02	–	–	–	–	·18	–	–	–	–	·46	23
24	·02	·01	·23	–	–	–	–	–	–	–	·26	·20	24
25	[illegible]	–	·23	–	–	–	·66	–	–	–	·01	·01	25
26	·15	–	·23	–	–	·01	–	–	–	–	·09	·11	26
27	·42	–	·05	·06	–	·12	–	–	–	–	·07	·22	27
28	·09	·01	·10	·09	·03	–	·12	–	–	–	–	·07	28
29	·43	·01	·19	·21	·01	–	–	–	–	–	·28	·36	29
30	·46	╳	–	–	–	·12	·02	–	·36	–	·34	·61	30
31	·03	╳	·20	╳	–	╳	–	–	╳	·38	╳	·23	31
TOTAL	4·67 ✓	·51 ✓	3·00 ✓	3·99 ✓	1·53 ✓	2·12 ✓	5·09 ✓	1·49 ✓	1·64 ✓	3·11 ✓	2·06 ✓	3·90 ✓	YEAR'S TOTAL 33·11 ✓
Days with ·01 in. or more	~~26~~ 25	14 ✓	21 ✓	23 ✓	12 ✓	13 ✓	21 ✓	6 ✓	11 ✓	[illegible] ✓	11 ✓	19 ✓	~~188~~ 187
Days with ·04 in. or more	17 ✓	6 ✓	~~15~~ 16	21 ✓	7 ✓	9 ✓	17 ✓	4 ✓	8 ✓	9 ✓	10 ✓	15 ✓	~~138~~ 139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

and for with thy Dorse

FORM A.
BRITISH RAINFALL.

14 APR 1915

REGISTE

DORSET.

TURNWORTH

1914-1920

✓

Kept at Turnworth

in the County of Dorset

by Colonel Parry Okeden

2.22 W

AM.

Shillingstone 3 miles N-E

5 in.

ove Ground 1 ft. 1 in.

Sea Level 473 ft.

IMPORTANT NOTE.—Ra and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.18	–	~~.02~~	.02	–	.63	–	–	.33	.09	1
2	.06	–	.03	–	.01	–	.84	.02	–	–	1.60	.28	2
3	.02	–	.07	.13	.64	–	.08	–	–	–	.05	.06	3
4	.11	–	.05	.40	.05	–	.28	.92	–	–	.75	.48	4
5	.05	–	.13	.24	.13	–	.52	.13	–	–	.55	–	5
6	–	.35	.03	.07	.05	–	.01	.05	–	–	.04	.64	6
7	.03	1.20	.05	.17	.03	.01	.17	.05	.01	–	.01	.45	7
8	.08	.08	.58	.18	.07	.15	–	.39	.03	–	–	.08	8
9	.02	.01	.52	.28	.04	–	–	.08	1.35 ~~.66~~	~~1.36~~	–	.04	9
10	.06	.87	.02	.10	.13	.18	–	–	.27	–	–	–	10
11	–	.37	.58	–	.04	.01	.26	–	–	–	.09	.80	11
12	–	.10	.15	–	–	.06	–	–	.25	.04	.02	.55	12
13	–	.91	.51	–	–	–	–	–	.11	.14	.21	.68	13
14	–	.56	.42	–	–	.87	.33	.46	–	.40	.55	.22	14
15	.05	–	.21	–	–	–	.46	.47	.02	.10	.38	.02	15
16	–	–	.03	–	–	–	.05	–	.38	–	–	–	16
17	–	.62	.24	–	–	–	–	–	.03	–	–	1.02	17
18	–	.03	.18	–	–	.30	.16	–	–	–	–	.69	18
19	–	.09	.30	–	–	–	1.64	–	–	–	.11	.05	19
20	–	.78	.33	–	–	.08	–	–	–	–	–	.56	20
21	–	.89	.02	–	–	–	–	–	–	.34	–	–	21
22	–	.22	–	–	.41	.08	.17	.02	–	.31	–	–	22
23	–	.10	.42	–	.01	.11	.03	–	–	.21	–	–	23
24	–	–	.06	–	.09	–	–	–	–	.18	.08	–	24
25	.03	–	.47	–	–	–	.20	.43	–	.37	.05	.32	25
26	–	.03	.10	–	–	–	.18	.05	–	.08	.49	.78	26
27	.16	–	–	–	–	–	.05	–	–	.03	.13	.50	27
28	.02	.17	.38	–	.03	–	.14	–	–	.10	.44	.84	28
29	.39	✕	.41	–	.13	–	–	–	–	.28	.84	.03	29
30	.02	✕	.20	.01	–	–	–	–	–	.31	1.02	.99	30
31	.58	✕	–	✕	–	✕	.25	–	✕	.78	✕	.13	31
Total	1.68	7.38	6.67	1.58	1.86	1.87	5.82	3.70	2.45	3.67	7.74	10.30	YEAR'S TOTAL 54.72
Rain Days.	15	18	28	9	15	11	19	13	9	15	20	24	196

5472

W. 8,000. X. 14.

and fr with thy Dors

FORM A.
BRITISH RAINFALL.

14 APR 1915

REGISTE

Kept at Turnworth

in the County of Dorset

by Colonel Parry Okeden

Lat. Long. 2·22 W

Time of Observation 9 AM.

Nearest Railway Station Shillingstone 3 miles N.E

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·18	–	~~·02~~	·02	–	·63	–	–	·33	·09	1
2	·06	–	·03	–	·01	–	·84	·02	–	–	1·60	·28	2
3	·02	–	·07	·13	·64	–	·08	–	–	–	·05	·06	3
4	·11	–	·05	·40	·05	–	·28	·92	–	–	·75	·48	4
5	·05	–	·13	·24	·13	–	·52	·13	–	–	·55	–	5
6	–	·35	·03	·07	·05	–	·01	·05	–	–	·04	·64	6
7	·03	1·20	·05	·17	·03	·01	·17	·05	·01	–	·01	·45	7
8	·08	·08	·58	·18	·07	·15	–	·39	·03	–	–	·08	8
9	·02	·01	·52	·28	·04	–	–	~~1~~·08	1·35 ~~·86~~	~~1·96~~	–	·04	9
10	·06	·87	·02	·10	·13	·18	–	–	·27	–	–	–	10
11	–	·37	·58	–	·04	·01	·26	–	–	–	·09	·80	11
12	–	·10	·15	–	–	·06	–	–	·25	·04	·02	·55	12
13	–	·91	·51	–	–	–	–	–	·11	·14	·21	·68	13
14	–	·56	·42	–	–	·87	·33	·46	–	·40	·55	·22	14
15	·05	–	·21	–	–	–	·46	·47	·02	·10	·38	·02	15
16	–	–	·03	–	–	–	·05	–	·38	–	–	–	16
17	–	·62	·24	–	–	–	–	–	·03	–	–	1·02	17
18	–	·03	·18	–	–	·30	·16	–	–	–	–	·69	18
19	–	·09	·30	–	–	–	1·64	–	–	–	·11	·05	19
20	–	·78	·33	–	–	·08	–	–	–	–	–	·56	20
21	–	·89	·02	–	–	–	–	–	–	·34	–	–	21
22	–	·22	–	–	·41	·08	·17	·02	–	·31	–	–	22
23	–	·10	·42	–	·01	·11	·03	–	–	·21	–	–	23
24	–	–	·06	–	·09	–	–	–	–	·18	·08	–	24
25	·03	–	·47	–	–	–	·20	·43	–	·37	·05	·32	25
26	–	·03	·10	–	–	–	·18	·05	–	·08	·49	·78	26
27	·16	–	–	–	–	–	·05	–	–	·03	·13	·50	27
28	·02	·17	·38	–	·03	–	·14	–	–	·10	·44	·84	28
29	·39	✕	·41	–	·13	–	–	–	–	·28	·84	·03	29
30	·02	✕	·20	·01	–	–	–	–	–	·31	1·02	·99	30
31	·58	✕	–	✕	–	✕	·25	–	✕	·78	✕	·13	31
Total	1·68	7·38	6·67	1·58	1·86	1·87	5·82	3·70	2·45	3·67	7·74	10·30	YEAR'S TOTAL 54·72
Rain Days.	15	18	28	9	15	11	19	13	9	15	20	24	196

54·72

W. 8,000. X. 14.

[illegible] 5.V.16 by Obs. 12.V.16

1759

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Turnworth

in the County of Dorset

by Holmes Parry Okeden

4

Lat. 50. 80 N. Long. 2.20 W

Time of Observation 9 Am

Nearest Railway Station Stillington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 13 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·26	—	—	·01	—	—	·18	·68	·28	·03	·40	1
2	·43	·43	·23	·06	—	·06	—	·78	·02	·23	—	·39	2
3	·29	·09	·11	·09	·08	—	—	—	—	·11	—	·40	3
4	·02	—	·01	—	·01	—	—	—	—	·01	—	·42	4
5	·05	·95	—	·08	—	—	·01	·27	—	—	—	·65	5
6	·60	·16	—	·55	—	—	·75	·04	—	—	—	·23	6
7	·30	·81	·01	·06	·03	—	·27	—	—	—	·02	·27	7
8	·03	·78	—	—	—	—	—	·07	—	—	·03	·05	8
9	—	·09	—	·20	—	—	—	·01	—	—	·52	·73	9
10	·28	·01	·05	·04	—	·02	—	—	—	·01	—	·19	10
11	·03	—	·01	·09	—	—	—	·04	—	·01	1.03	·02	11
12	·14	·72	—	·15	·58	—	—	·14	—	·06	·45	—	12
13	·03	·48	—	—	1.03	—	—	—	·12	—	·19	·03	13
14	·03	—	—	—	—	—	·28	·20	·09	—	—	1.66	14
15	·11	—	—	—	·22	—	·11	·09	—	·07	·06	·43	15
16	—	1.52	—	—	·21	—	1.28	·19	—	—	—	·22	16
17	—	·53	—	—	·29	—	·01	·21	—	—	—	·01	17
18	—	·27	—	—	·13	—	—	—	—	—	—	—	18
19	—	·03	—	—	·22	—	·10	—	—	—	—	—	19
20	·38	—	—	·14	·05	·02	—	—	—	·02	—	·04	20
21	·02	·41	—	—	—	—	·11	—	·02	·69	—	·31	21
22	·18	·08	·38	·07	—	—	1·00	—	·02	·02	—	·39	22
23	·01	·18	·12	—	—	—	·15	—	·17	1.14	·06	·26	23
24	—	—	·02	·09	—	—	·20	—	·57	1.63	—	·86	24
25	—	—	·06	·03	—	·29	·11	—	—	·10	—	·19	25
26	—	·23	—	—	—	·03	·20	—	—	—	—	1.02	26
27	—	·05	—	—	—	·17	·02	—	—	·69	—	·02	27
28	—	·07	—	—	—	·20	—	·02	·84	·09	·03	·02	28
29	—	☒	—	—	—	·27	·02	·02	·01	—	·34	·10	29
30	·18	☒	—	—	—	—	—	—	—	·77	·77	·52	30
31	·01	☒	—	☒	—	☒	·02	·03	☒	1.62	☒	·55	31
Total	3.72	8.15	1.00	1.65	2.86	1.06	4.64	2.29	2.54	7.45	3.53	10.38	YEAR'S TOTAL 49.27 49·27
Rain Days.	20	21	10	13	12	8	17	15	10	18	12	28	184

W. 8,000. X. 15.

~~W~~ DL cont for mth

1720

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

24. JAN 1917

Kept at Turnworth

in the County of Dorset

by Colonel Parry Okeden

Lat. 50. 86 N Long. 2.20 W

Time of Observation 9 A.M.

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.12	.70	–	.72	.01	–	–	.53	.23	.38	–	1
2	.34	.23	.03	–	.04	–	–	–	.01	.21	.03	–	2
3	.05	1.35	–	–	.03	.01	–	–	.06	.75	.48	–	3
4	.49	.27	–	–	.11	.25	–	–	.35	.11	.83	–	4
5	.08	.12	.04	–	.19	.15	.05	–	–	.11	.78	–	5
6	–	.16	–	–	.13	.23	1.00	–	–	.55	1.26	–	6
7	.04 ~~.05~~	.05	.21	–	.05	.12	.02	–	–	.10	1.19	.19	7
8	.03	–	.21	–	.38	–	–	–	–	–	.14	.25	8
9	–	.12	.01	–	.02	.05	.02	–	–	.03	.04	.15	9
10	.02	.86	–	.06	.05	–	.13	–	–	.01	.04	.18	10
11	.01	–	.03	.09	–	.06	–	–	–	–	.01	.01	11
12	.04	.02	.14	.03	.04	–	.13	.01	–	.09	–	–	12
13	–	.27	.27	.04	–	–	.04	.23	–	.02	–	–	13
14	.04	.63	.05	.03	.05	–	–	.09	–	.06	–	–	14
15	–	.24	.14	.03	–	–	–	.23	–	.03	–	–	15
16	.06	.10	.02	.21	–	–	.02	.39	–	.09	–	–	16
17	.33	.25	–	.23	–	–	–	.02	.23	.94	.19	–	17
18	.10	.12	.18	.03	–	–	–	–	.29	.09	–	.22	18
19	.19	–	.69	.11	–	–	–	–	.03	–	.85	.24	19
20	.19	.20	.52	.30	–	–	–	–	–	–	.14	1.78	20
21	.03	.14	.22	.06	.02	–	–	–	–	–	.02	1.11	21
22	.01	–	.01	.02	.02	.04	–	–	–	.60	.01	.57	22
23	.03	–	–	–	–	.13	–	.25	–	.04	.47	.05	23
24	–	–	–	.07	.36	–	–	.07	–	.50	.08	.37	24
25	–	–	.14	–	–	–	–	.63	.02	.04	.19	.02	25
26	–	–	.08	–	–	.38	–	.30	.79	.94	–	–	26
27	–	–	1.16	–	–	.20	–	.10	1.11	.59	–	–	27
28	–	–	.03	.06	–	–	–	.07	.52	.43	.06	.19	28
29	–	.79	–	–	–	.36	–	2.20	.81	.34	.03	.26	29
30	–	×	.05	–	–	–	–	.04	–	.87	–	–	30
31	–	×	–	×	–	×	–	.06	×	.42	×	.06	31
Total	2.25	6.04	4.93	1.37	2.21	1.99	1.41	4.69	~~4.86~~ 4.75	~~8.79~~ 8.19	7.22	5.65	YEAR'S TOTAL ~~50.90~~ 50.70
Rain Days.	19	19	22	15	15	13	8	15	12	20	21	16	201

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

16. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Turnworth

in the County of Dorset

by Colonel Parry Okeden

Lat. 50.80 N. Long. 2.20 W

Time of Observation 9 Am

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·12	·17	–	·15	–	·91	·03	·01	·08	–	1
2	–	–	·01	·20	–	·19	–	·14	–	–	·01	–	2
3	–	–	–	·01	–	–	–	·03	–	·20	·21	–	3
4	–	–	·22	–	–	–	·60	·04	–	·33	·02	–	4
5	·15	–	·32	·32	–	·09	–	·55	·12	·14	·25	–	5
6	·01	–	·18	·01	–	–	–	–	–	·10	·09	·03	6
7	·39	–	–	–	–	–	·32	·22	–	·46	·04	·08	7
8	·45	–	–	·07	–	–	·40	·93	·09	·31	·21	·15	8
9	–	–	·18	·03	·03	–	·05	·02	·02	·10	·22	–	9
10	·15	–	·58	·27	·13	–	–	·24	–	–	·02	–	10
11	·06	–	·49	–	·04	–	–	·02	–	·33	·03	–	11
12	·09	·08	·02	·33	·36	–	–	–	–	·26	·01	·02	12
13	·03	–	·26	·02	–	·02	–	·24	·02	·06	–	·01	13
14	–	–	·14	·11	–	–	·06	·20	–	–	–	–	14
15	–	–	·01	–	–	–	·02	·30	·02	·28	–	·26	15
16	–	·15	–	·13	–	–	–	·02	–	1·29	–	·52	16
17	·03	·01	–	·15	·05	·04	·39	·26	·88	·19	·01	–	17
18	–	·08	–	·01	·02	·13	·17	–	·67	·01	–	–	18
19	–	·42	·08	–	–	·05	–	·09	·20	–	–	–	19
20	–	·05	·16	–	·37	·15	–	–	·07	–	·03	–	20
21	–	·01	–	–	–	·03	–	–	–	·04	–	–	21
22	·23	·01	·36	–	–	–	–	·20	–	·06	–	–	22
23	–	·20	–	–	·17	–	–	·18	–	·07	–	·09	23
24	–	·18	·01	–	·01	·06	·09	·10	–	·24	·05	–	24
25	–	·11	·05	–	–	–	–	·03	·12	·08	–	–	25
26	–	·01	–	–	·19	–	–	·76	·11	·02	·02	–	26
27	–	–	–	–	1·83	·17	–	1·37	–	·01	·02	·02	27
28	–	·01	·08	–	·11	1·19	–	·15	–	–	–	·03	28
29	–	X	·10	–	·20	·10	·06	·02	–	·91	–	·09	29
30	·01	X	·29	–	–	–	·57	·14	·01	·02	·02	–	30
31	–	X	·20	X	–	X	·02	·06	X	·27	X	–	31
Total	1.60	1.32	3.86	1.83	3.51	2.37	2.75	7.22	2.36	5.79	1.34	1.30	YEAR'S TOTAL 35.25
Rain Days.	11	13	21	14	13	13	12	26	13	25	18	11	190

W. 8,000, IX. 17.

63

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Turnworth
in the County of Dorset
by Colonel Parry Okeden

Lat. 50.80 N Long. 2.20 W.
Time of Observation 9 AM
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 13 in.
" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.04	–	.01	.06	–	–	.86	–	–	1.15	.05	1
2	–	.36	–	.12	–	–	–	.34	.02	–	.09	.35	2
3	–	.20	.03	.18	.20	–	–	.16	.02	.07	.05	.03	3
4	–	.09	.01	.01	–	–	–	.32	.11	.07	1.90	.28	4
5	–	.08	.17	–	.14	–	–	.35	.77	.35	–	.08	5
6	.16	.13	–	.24	–	–	–	.12	.07	.07	–	.19	6
7	–	.25	–	.04	.46	–	–	–	.25	.11	.51	.21	7
8	–	.23	–	–	–	–	–	–	.17	.22	–	.07	8
9	.03	.02	–	.30	–	.14	.60	–	.76	.20	–	.44	9
10	.06	–	.01	.20	–	–	.36	–	.16	.40	.03	.62	10
11	–	–	–	.03	–	–	.68	–	.16	.03	.06	.06	11
12	–	.11	–	–	.40	–	.10	–	.09	.13	–	.01	12
13	–	.01	–	–	.10	–	.76	–	.41	.05	–	–	13
14	.58	–	.02	–	.05	.22	.08	–	.33	.34	–	.20	14
15	1.60	–	–	.29	–	.03	.26	–	.03	.03	–	.25	15
16	.18	–	.06	.28	–	–	.03	–	.43	–	–	.07	16
17	.63	–	.02	.28	–	–	.33	.03	.05	–	–	.29	17
18	1.13	–	–	–	–	.87	.08	–	.35	–	–	.13	18
19	.14	.01	.19	.03	–	–	.24	–	.05	.04	–	.08	19
20	.06	.13	–	.24	–	.02	.05	–	.38	.04	–	–	20
21	.19	.05	–	–	–	.01	–	–	.61	.33	.02	.23	21
22	.07	–	–	–	.06	–	.55	–	.36	–	.03	.18	22
23	.15	–	–	–	.21	–	.39	–	.09	–	.06	.07	23
24	–	.27	–	–	–	–	.06	–	.19	–	.08	–	24
25	.03	–	–	–	–	–	.11	.60	–	.03	.03	–	25
26	–	.05	–	–	–	–	.39	–	.03	.03	.13	.40	26
27	.01	.10	–	–	–	–	.02	.15	.11	.02	.19	.01	27
28	–	.03	.45	.02	–	.01	–	–	–	.01	.08	.06	28
29	–	X	.17	–	–	–	–	–	1.36	.01	.02	.01	29
30	.02	X	.67	–	–	–	–	.01	.02	.20	.09	.06	30
31	.02	X	.24	X	–	X	–	.03	X	.13	X	–	31
Total	5.06	2.16	2.04	2.27	1.68	1.30	5.09	2.97	7.36	2.91	4.52	4.43	YEAR'S TOTAL 41.79
Rain Days.	17	18	12	15	9	7	18	11	27	23	17	26	200

W. 8,000, IX. 17.

1530

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Turnworth

in the County of Dorset

by Colonel Parry Okeden

Lat 50.80 N Long 2.20 W

Time of Observation 9 AM

Nearest Railway Station Shillingstone

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 13 in.

" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.57	–	.17	–	.05	–	.20	–	.04	.22	.09	1.30	1
2	.20	–	.04	–	.07	–	.46	–	.33	–	.05	.05	2
3	.60	–	.49	–	.06	–	.07	–	.28	–	.03	.20	3
4	.74	.26	.67	–	–	–	–	.04	.88	–	.04	.18	4
5	.07	.44	.71	–	.12	–	.02	–	.10	–	.14	.22	5
6	.73	.23	.15	–	.16	–	–	–	.01	–	–	.25	6
7	.46	–	.62	.11	–	–	–	–	–	–	–	–	7
8	.57	–	.28	–	–	–	–	–	–	–	–	–	8
9	.06	–	.03	.12	.07	–	–	–	–	–	.23	.03	9
10	.12	–	.68	.04	.01	–	–	–	–	.05	–	.65	10
11	.07	–	.16	.19	.24	–	.26	–	–	.~~05~~	–	.04	11
12	.07	–	.01	.04	.01	.02	.13	–	–	08	–	.02	12
13	.14	.03	.07	.72	–	–	.03	–	–	.~~08~~ 16	–	.17	13
14	1.11	.08	–	.42	.12	–	.18	–	.04	.~~46~~ 11	–	.34	14
15	.45	.07	–	.02	–	–	–	–	–	–	–	.59	15
16	.07	.92	–	–	–	–	–	.34	–	–	.29	–	16
17	.05	.05	–	–	–	–	–	.08	–	–	.15	.03	17
18	.02	.09	.71	–	–	–	.06	–	.02	–	.22	.02	18
19	.96	.50	.84	–	–	.10	.89	.18	.13	.02	.06	.06	19
20	.52	.05	.09	–	–	.50	–	.45	–	–	–	.03	20
21	.09	1.00	–	–	–	–	.14	–	.03	–	–	.07	21
22	–	.02	–	–	–	–	.27	–	.31	–	.01	.18	22
23	–	–	–	–	–	–	–	.02	–	.65	.06	.02	23
24	–	.03	–	.04	–	.28	.12	–	–	.83	.08	.23	24
25	.12	.09	–	.04	–	.06	–	.31	–	–	–	.19	25
26	.09	.01	.13	.05	–	–	–	.03	.07	–	.11	.43	26
27	–	.04	.04	.41	–	–	–	1.07	–	–	.01	.03	27
28	.16	–	.32	–	–	–	–	.71	–	–	.43	.34	28
29	–		.01	.02	–	–	–	.10	–	.~~[illegible]~~ .09	.45	.05	29
30	–		–	.18	–	–	–	.61	–	–	.91	.91	30
31	–		.08		–		–	.01		–		.43	31
TOTAL	8.04	3.91	6.30	2.40	.91	.96	2.83	4.03	2.24	2.21	3.36	7.06	YEAR'S TOTAL 44.25
Days with ·01 in. or more	24	17	21	14	10	5	13	13	12	9	18	28	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1464

14 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Turnworth
in the County of Dorset
by Colonel Parry Okeden

Lat. 50 81 N Long 2.20 W
Time of Observation 9 AM
Nearest Railway Station Shillingstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 13 in.
" " " " Sea Level 473 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	–	.05	.13	.48	–	–	.04	.06	.35	.16	.65	1
2	.35	–	–	.18	.01	–	.04	.24	.12	.12	–	.34	2
3	.16	.12	–	.03	–	–	.26	–	.02	1.06	–	.09	3
4	–	.06	.04	.16	–	–	.66	.66	–	.37	–	–	4
5	–	–	.17	.13	.03	–	.36	.28	–	.25	–	–	5
6	–	–	.37	–	.18	–	.44	–	–	.03	–	–	6
7	.03	–	.07	.31	.07	–	.53	–	–	.02	–	–	7
8	.05	.15	.01	.22	.05	–	.20	.04	–	tr	–	–	8
9	.37	.01	–	.08	–	.06	.10	–	–	–	–	–	9
10	.91	.08	–	.11	–	.57	.74	+	–	–	.02	–	10
11	.25	–	.11	.75	.19	.03	.18	–	–	–	–	–	11
12	.18	.16	.01	.56	–	.65	.04	–	–	.02	.06	–	12
13	.27	–	.78	.03	–	.01	–	–	–	–	.02	–	13
14	.06	.04	.38	.96	–	–	.17	–	.22	.19	.59	.02	14
15	.03	–	.08	.31	.09	.34	–	–	.06	.73	.13	–	15
16	–	.08	.03	.04	–	.02	.18	–	.17	04	–	–	16
17	.01	–	.03	.20	.33	–	.03	–	.46	–	01	–	17
18	.16	.02	.07	.05	.05	.17	.08	.36	.11	–	.01	–	18
19	.06	–	–	.40	–	.19	–	–	.05	–	–	–	19
20	.04	.11	–	.19	–	.42	–	–	–	–	–	.28	20
21	.01	–	–	.26	–	–	.29	–	–	.04	–	.18	21
22	.11	–	–	.26	–	–	.02	.01	.02	.01	–	.35	22
23	.03	–	–	–	–	–	.59	–	–	–	–	.41	23
24	.05	.03	.32	–	.02	–	–	–	–	–	.23	.20	24
25	.01	.04	.14	.02	.07	–	.72	–	–	–	.01	.03	25
26	.30	–	.25	–	–	07	.06	–	–	–	.15	.13	26
27	.93	.06	.11	.24	–	.13	.02	–	–	–	.03	39	27
28	.71	.02	.14	.03	.06	.06	.09	–	–	–	–	.09	28
29	.75	.01	.25	.20	–	.16	–	–	.02	–	.40	.47	29
30	.14		.01	.01	.06	.40	.11	–	.47	–	.42	.80	30
31	.09		.24		–		–	–		.43		.37	31
TOTAL	6.10	.99	3.66	5.60	1.64	3.28	5.91	1.63	1.78	3.66	2.24	4.80	YEAR'S TOTAL 41.34
Days with ·01 in. or more	27	15	22	25	14	15	23	7	12	14	14	16	204
Days with ·04 in. or more	21	10	17	20	11	12 ~~13~~	20	6	9	10 ~~11~~	8	14	~~160~~ 158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

End 9.XI.16

·1X16

REGIST

DORSET.

TYNEHAM HOUSE.

1914 - 1915
1917.

4

FORM A.
BRITISH RAINFALL.

15 SEP 1916

Kept at Tyneham H am

in the County of Dorset

by Wm. Bond per

g.

Rain Gauge 8 in.

above Ground 1 ft. 0 in.

„ Sea Level ft.

IMPORTANT NOTE.—and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				-	-	-	-	·49	-	-	·18	·07	1
2				-	-	·03	·18	·02	-	-	1·43	·22	2
3				·17	·40	-	·05	-	-	-	-	·04	3
4				·28	·02	-	·23	1·00	-	-	·27	·42	4
5				·20	·02	-	·85	-	-	-	·60	-	5
6				·22	·08	-	·01	-	-	-	-	·42	6
7				·11	-	-	·27	·06	-	-	-	·29	7
8				·08	-	-	-	·21	-	-	-	-	8
9				·21	·04	-	-	-	·39	-	-	·70	9
10				·11	·19	·03	-	-	·38	-	·05	-	10
11				-	·02	-	·48	-	-	-	-	·71	11
12				-	-	-	-	-	·42	·31	·10	·30	12
13				-	-	-	-	-	·13	-	·13	·55	13
14				-	-	·33	·25	·82	-	-	·60	·25	14
15				-	-	-	·03	·50	-	-	·49	-	15
16				-	-	-	·05	-	·33	-	-	-	16
17				-	-	-	-	-	-	-	-	·50	17
18				-	-	-	·28	-	·04	-	-	·95	18
19			#	-	-	-	1·01	-	·03	-	·16	·12	19
20			·47	-	-	·16	-	-	·05	-	-	·33	20
21			·03	-	-	-	-	-	·79	·25	-	-	21
22			·03	-	·33	-	·27	·16	·35	·04	-	-	22
23			·40	-	-	-	-	-	-	·27	-	-	23
24			·02	-	-	-	-	-	-	·14	·19	·10	24
25			·20	-	·04	-	·01	·54	-	·38	·04	·51	25
26			·06	-	-	-	·08	·15	-	·15	·27	·55	26
27			-	-	-	-	-	-	-	·03	·07	·24	27
28			·33	-	-	-	·14	-	-	·20	·22	·56	28
29			·07	·17	·03	-	-	-	-	·30	·23	-	29
30			·08	-	-	·25	-	-	-	·37	·80	·74	30
31			-		·01		·03	-		·70		·10	31
Total				1·55	1·18	·80	4·22	3·95	2·91	3·14	5·83	~~8·68~~	YEAR'S TOTAL
Rain Days.												8·67	

Snd .1x16

end 9.XI.16

REGISTER OF RAINFALL IN 1914

end [illegible]

FORM A. BRITISH RAINFALL.
15 SEP 1916

Kept at Spreham House

in the County of Dorset

by Wm. Bond per J. Curtis

Lat. Long.

Time of Observation 9am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				-	-	-	-	·49	-	-	·18	·07	1
2				-	-	·03	·18	·02	-	-	1·43	·22	2
3				·17	·40	-	·05	-	-	-	-	·04	3
4				·28	·02	-	·23	1·00	-	-	·27	·42	4
5				·20	·02	-	·85	-	-	-	·60	-	5
6				·22	·08	-	·01	-	-	-	-	·42	6
7				·11	-	-	·27	·06	-	-	-	·29	7
8				·08	-	-	-	·21	-	-	-	-	8
9				·21	·04	-	-	-	·39	-	-	·70	9
10				·11	·19	·03	-	-	·38	-	·05	-	10
11				-	·02	-	·48	-	-	-	-	·71	11
12				-	-	-	-	-	·42	·31	·10	·30	12
13				-	-	-	-	-	·13	-	·13	·55	13
14				-	-	·33	·25	·82	-	-	·60	·25	14
15				-	-	-	·03	·50	-	-	·49	-	15
16				-	-	-	·05	-	·33	-	-	-	16
17				-	-	-	-	-	-	-	-	·50	17
18				-	-	-	·28	-	·04	-	-	·95	18
19			#	-	-	-	1·01	-	·03	-	·16	·12	19
20			·47	-	-	·16	-	-	·05	-	-	·33	20
21			·03	-	-	-	-	-	·79	·25	-	-	21
22			·03	-	·33	-	·27	·16	·35	·04	-	-	22
23			·40	-	-	-	-	-	-	·27	-	-	23
24			·02	-	-	-	-	-	-	·14	·19	·10	24
25			·20	-	·04	-	·01	·54	-	·38	·04	·51	25
26			·06	-	-	-	·08	·15	-	·15	·27	·55	26
27			-	-	-	-	-	-	-	·03	·07	·24	27
28			·33	-	-	-	·14	-	-	·20	·22	·56	28
29			·07	·17	·03	-	-	-	-	·30	·23	-	29
30		X	·08	-	-	·25	-	-	-	·37	·80	·74	30
31		X	-	X	·01	X	·03	-	X	·70	X	·10	31
Total				1·55	1·18	·80	4·22	3·95	2·91	3·14	5·83	~~8·58~~	YEAR'S TOTAL
Rain Days.												8·67	

W. 8,000. X. 15.

G.W.C.S. from original returned 11. IX. 16

S.P. 9. XI. 16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Tyneham House

in the County of Dorset

by Wm. Bond per J. Curtis

Lat.
Long.
Time of Observation 9am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·22	–	–	·07	–	–	·06	·15	·30	–	·01	1
2	·39	·30	·20	·06	–	–	–	–	–	·25	–	·45	2
3	·20	–	·21	·19	·17	·01	–	–	–	·24	–	·68	3
4	–	–	–	–	–	–	–	–	–	–	–	·65	4
5	·07	·38	–	–	–	–	–	·45	–	–	–	·55	5
6	·88	·22	–	·58	–	–	·53	·06	–	–	–	·25	6
7	·20	·60	–	·04	–	–	·12	–	–	–	–	·24	7
8	–	·56	–	–	–	–	–	·04	–	–	·06	·14	8
9	–	·13	–	–	–	–	–	–	–	–	·38	1·30	9
10	·20	–	–	·06	–	–	–	–	–	·01	–	·24	10
11	·20	·12	·03	·08	–	–	–	–	–	–	·84	–	11
12	·16	·55	·07	·17	·75	–	–	·06	–	·04	·45	–	12
13	·04	·43	–	–	1·45	–	(·20)	–	–	–	·04	–	13
14	–	–	–	–	–	–	–	·03	–	–	–	1·01	14
15	·03	–	–	–	·13	–	(1·65)	–	·06	–	·12	·27	15
16	–	1·08	–	–	·07	–	–	·05	·08	–	–	·48	16
17	–	·35	–	–	·18	–	(·02)	·22	–	–	–	·03	17
18	–	·26	–	–	·05	–	(·08)	–	–	–	–	–	18
19	–	–	–	–	·20	–	(·21)	–	–	–	–	–	19
20	·33	–	–	·10	–	·08	(·97)	–	–	·04	–	·07	20
21	·03	·18	–	–	–	–	–	–	·07	·28	–	·08	21
22	·10	·16	·50	·04	–	·03	–	–	·01	·04	–	·26	22
23	–	–	·08	–	–	–	(·04)	–	·45	·96	–	·81	23
24	–	–	·05	·09	–	–	–	–	·75	1·74	–	·48	24
25	–	–	–	–	–	·19	(·22)	–	–	–	–	·38	25
26	–	·08	–	–	–	·05		–	–	–	–	1·15	26
27	–	·03	–	–	–	·09	–	–	–	·38	–	–	27
28	–	·03	–	–	–	·26	–	–	·54	·06	–	·06	28
29	–	×	–	–	–	·10	–	–	–	·14	·24	·16	29
30	·28	X	–	–	–	·04	–	–	–	·38	·84	·23	30
31	–	X	–	X	–	X	·01	·30	X	1·37	X	·28	31
Total	3·54	5·68	1·14	1·41	3·07	·85	4·05	1·27	2·11	6·23	2·97	10·26	YEAR'S TOTAL 42·~~64~~ 58
Rain Days.	15	18	7	10	9	9	11	9	8	15	8	25	144

W. 8,000. X. 15.

1596

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Tyneham House
in the County of Dorset
by Mr James Curtis

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10	12		7		90			13		1
2				30				8		5			2
3	1			8			25	2		6	65		3
4			32					1	1	31			4
5	24		7	10		20			11	18	10		5
6										4	16	1	6
7	38						51	12		20	1	13	7
8	30			2			15	136	10	45	25	25	8
9			31		5				5	4	3		9
10	16		35	25				47					10
11	5		40	12	12					40			11
12	2		4		40			1		16		-	12
13			22					14	4	1			13
14			11					2					14
15				4				1		28		25	15
16		22		5	1			30	5	153		45	16
17		6		11		13	35		37	17			17
18		7				25	7		38				18
19		40	3			3			32				19
20		2	8		27	7							20
21	1					4				8			21
22			43					2		10			22
23		25			7		78	15		7		6	23
24		20	2			7				22	1		24
25		1											25
26					55			45	18		1		26
27					1·48	32		92					27
28			9		7	~~32~~ 77		12					28
29			1		44	10	7	26		60		18	29
30		×	24				85					1	30
31		×	15	×		×	15	5	×	48	×	1	31
Total	1·17	1·23	2·97	1·19	3·46	2·05	3·18	5·41	1·61	5·43	1·35	1·35	YEAR'S TOTAL 30·40
Rain Days.	8	8	17	10	10	11	9	19	10	20	9	9	140

2.07

W. 8,000, IX. 17.

UPWEY

FRIAR WADDON

DORSET.

1915 — 1920

RE

FORM A.
BRITISH RAINFALL.
21 FEB 16

Kept at Friar … am.

… Wishing Well Holt.

in the County of D… n Gauge 5 in.

by A. S. Li… ve Ground 1 ft. – in.

communica… Sea Level 214·60 ft.

IMPORTANT N… l the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … ear in the space provided for it at the end of … ement of rain, the selection and plac… British Rainfall Organization are given … application to Dr. H. R. Mill, 62, C…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·33	–	–	·04	–	–	·31	·40	·25	–	·32	1
2	·39	·15	·14	·08	–	·05	–	·30	·01	·42	–	·42	2
3	·31	·04	·20	·06	·25	·01	–	–	–	·14	–	·75	3
4	·04	–	–	–	·02	·01	–	–	–	–	–	·27	4
5	·08	·34	–	·02	–	–	–	·47	–	–	–	·40	5
6	·96	·17	–	·49	–	–	·53	·07	–	–	–	·21	6
7	·14	·68	–	·03	–	·02	·35	–	–	–	–	·59	7
8	·04	·54	–	–	–	–	–	·04	–	–	–	·10	8
9	–	·12	–	·03	–	–	–	–	–	–	·51	·93	9
10	·25	·02	·03	·04	–	–	–	–	–	–	–	·20	10
11	·12	·12	·02	·02	–	–	·02	–	–	–	1·14	–	11
12	·25	·56	–	·06	·61	–	–	–	–	·07	·32	–	12
13	·01	·27	–	–	1·12	–	·04	–	·06	–	·05	–	13
14	·01	·02	–	–	–	–	·28	·03	·14	–	–	1·28	14
15	·07	–	–	–	·21	–	·09	–	–	·06	·06	·34	15
16	–	1·11	–	–	·45	–	1·41	·07	·02	–	–	·18	16
17	–	·37	–	–	·09	–	–	·04	–	–	–	–	17
18	–	·20	–	–	·02	–	·05	–	–	–	–	–	18
19	·03	–	–	–	·32	–	·15	–	–	–	–	–	19
20	·26	–	–	·09	–	·06	–	–	–	·07	–	·05	20
21	·20	·37	–	–	–	–	·20	–	·14	·27	–	·05	21
22	·12	·08	·55	·03	–	·06	1·10	–	–	–	–	·23	22
23	–	–	·08	–	–	–	·02	–	·18	1·65	–	·86	23
24	–	–	–	·05	–	–	·03	–	·52	·57	–	·64	24
25	–	–	·04	·05	–	·15	–	–	·06	–	–	·39	25
26	–	·08	–	–	–	·01	·17	–	·08	–	–	1·09	26
27	–	·01	–	–	–	·06	–	–	–	·51	–	–	27
28	–	·04	–	–	–	·20	–	–	·57	·03	–	·05	28
29	–		–	–	–	·09	–	–	–	–	·22	·11	29
30	·19		–	–	–	–	–	–	–	·77	·60	·37	30
31	–		–		–		·08	·13		1·42		·25	31
Total	3·68	5·62	1·06	1·05	3·13	·72	4·52	1·46	2·18	6·23	2·90	10·08	YEAR'S TOTAL 42·63
Rain Days.	~~19~~	~~21~~	~~7~~	~~13~~	~~10~~	~~11~~	~~15~~	~~9~~	~~11~~	~~13~~	~~7~~	~~24~~	~~160~~

W. 8,000. X. 15.

RE [redacted]

FORM A. BRITISH RAINFALL.

21 FEB 16

Kept at Friar Waddon (Portland Waterworks)
in the County of Dorset
by A. S. Lilley C.E.
communicated by G.A.Waite

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Upwey Wishing Well Halt.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·33	–	–	·04	–	–	·31	·40	·25	–	·32	1
2	·39	·15	·14	·08	–	·05	–	·30	·01	·42	–	·42	2
3	·31	·04	·20	·06	·25	·01	–	–	–	·14	–	·75	3
4	·04	–	–	–	·02	·01	–	–	–	–	–	·27	4
5	·08	·34	–	·02	–	–	–	·47	–	–	–	·40	5
6	·96	·17	–	·49	–	–	·53	·07	–	–	–	·21	6
7	·14	·68	–	·03	–	·02	·35	–	–	–	–	·59	7
8	·04	·54	–	–	–	–	–	·04	–	–	–	·10	8
9	–	·12	–	·03	–	–	–	–	–	–	·51	·93	9
10	·25	·02	·03	·04	–	–	–	–	–	–	–	·20	10
11	·12	·12	·02	·02	–	–	·02	–	–	–	1·14	–	11
12	·25	·56	–	·06	·61	–	–	–	–	·07	·32	–	12
13	·01	·27	–	–	1·12	–	·04	–	·06	–	·05	–	13
14	·01	·02	–	–	–	–	·28	·03	·14	–	–	1·28	14
15	·07	–	–	–	·21	–	·09	–	–	·06	·06	·34	15
16	–	1·11	–	–	·45	–	1·41	·07	·02	–	–	·18	16
17	–	·37	–	–	·09	–	–	·04	–	–	–	–	17
18	–	·20	–	–	·02	–	·05	–	–	–	–	–	18
19	·03	–	–	–	·32	–	·15	–	–	–	–	–	19
20	·26	–	–	·09	–	·06	–	–	–	·07	–	·05	20
21	·20	·37	–	–	–	–	·20	–	·14	·27	–	·05	21
22	·12	·08	·55	·03	–	·06	1·10	–	–	–	–	·23	22
23	–	–	·08	–	–	–	·02	–	·18	1·65	–	·86	23
24	–	–	–	·05	–	–	·03	–	·52	·57	–	·64	24
25	–	–	·04	·05	–	·15	–	–	·06	–	–	·39	25
26	–	·08	–	–	–	·01	·17	–	·08	–	–	1·09	26
27	–	·01	–	–	–	·06	–	–	–	·51	–	–	27
28	–	·04	–	–	–	·20	–	–	·57	·03	–	·05	28
29	–	×	–	–	–	·09	–	–	–	–	·22	·11	29
30	·19	×	–	–	–	–	–	–	–	·77	·60	·37	30
31	–	×	–	×	–	×	·08	·13	×	1·42	×	·25	31
Total	3·68	5·62	1·06	1·05	3·13	·72	4·52	1·46	2·18	6·23	2·90	10·08	YEAR'S TOTAL 42·63
Rain Days.	~~19~~	~~21~~	~~7~~	~~13~~	~~10~~	~~11~~	~~15~~	~~9~~	~~11~~	~~13~~	~~7~~	~~24~~	~~160~~

W. 8,000. X. 15.

#C3G

1675

FORM A.
BRITISH RAINFALL.
29. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *Friar Waddon (Upwey) Portland Waterworks*

in the County of *Dorset*

by *G. A. Waite A.M.I.C.E.*

Lat. 50° 40' 15" Long. 2° 29' 50"

Time of Observation 9 a.m.

Nearest Railway Station Upwey Wishing Well Halt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	-	·09	-	·25	-	-	-	·58	·45	·27	-	1
2	·22	·13	-	-	-	-	-	-	-	·29	·04	-	2
3	-	·42	-	-	·04	-	-	-	-	·82	·23	-	3
4	·11	·30	-	-	·02	·31	-	-	-	·04	·52	-	4
5	·04	·04	-	-	·24	·05	-	-	-	·13	·35	-	5
6	-	·09	-	-	·07	·10	·85	-	-	·04	·83	-	6
7	-	·11	·32	-	·05	-	-	-	-	·04	·99	·19	7
8	-	·04	·18	-	·30	-	-	-	-	-	·11	·28	8
9	-	·02	-	-	·02	-	·02	-	-	-	·03	·35	9
10	-	·75	-	·03	·06	-	-	-	-	-	-	·10	10
11	-	-	-	·06	-	-	-	-	-	-	-	·05	11
12	·05	·07	·14	·06	·11	-	·24	·06	·03	·11	-	-	12
13	-	·22	·22	·04	-	-	-	·05	-	-	-	-	13
14	-	·54	-	-	·07	-	-	-	-	-	-	-	14
15	-	·64	·12	-	-	-	-	·04	-	·06	-	·05	15
16	-	·06	-	·28	-	-	·04	·25	-	·02	-	1·07	16
17	·21	·21	-	·07	-	-	-	·20	·03	·80	·68	-	17
18	·03	·18	·12	-	-	-	-	-	·33	·03	·06	·20	18
19	·13	-	·56	·09	-	-	-	-	·19	-	·20	·05	19
20	·05	·47	·21	-	-	-	-	-	-	-	·12	1·83	20
21	-	·18	·30	-	·06	-	·10	-	-	-	-	·12	21
22	-	-	-	-	-	·05	-	-	-	·29	-	·55	22
23	-	·07	-	-	-	·06	-	·19	-	·07	·10	-	23
24	-	·03	-	·03	·51	-	-	·09	-	·56	·07	·43	24
25	-	·28	·09	-	-	-	-	·31	-	·04	·13	-	25
26	·03	·05	-	-	-	·17	-	-	·65	·89	-	-	26
27	-	-	1·10	-	-	·22	-	-	·47	·60	-	-	27
28	-	·16	-	·03	-	-	-	·10	·42	·32	·04	·45	28
29	-	·37	-	-	-	·47	-	2·65	·30	·12	·02	·48	29
30	-	✕	-	-	-	-	-	-	-	·49	-	-	30
31	-	✕	-	✕	-	✕	-	·09	✕	·32	✕	-	31
Total	1·01 ✓	5·43 ✓	3·45 ✓	·69 ✓	1·80 ✓	1·43 ✓	1·25 ✓	4·03 ✓	3·00 ✓	6·53 ✓	4·79 ✓	6·20 ✓	YEAR'S TOTAL 39·91
Rain Days.	10 ✓	24	12 ✓	9 ✓	13 ✓	8 ✓	5 ✓	11 ✓	9 ✓	22 ✓	18 ✓	15	156

W. 8,000, VIII. 16

1602

FORM A.
BRITISH RAINFALL.

26 FE

REGISTER OF RAINFALL IN 1917

Kept at Friar Waddon Upwey (Portland Waterworks)

in the County of Dorset

by T Henry Tyson

Lat. 50·40·15 Long. 2·29·50

Time of Observation 9 am

Nearest Railway Station Upwey, Wishing Well Halt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·07	·16	-	·12	-	·37	-	-	·07	·03	1
2	·02	-	-	·12	-	-	-	·04	-	·01	·01	-	2
3	·03	-	-	·02	-	-	·42	-	-	·04	·79	-	3
4	-	·09	·47	·09	-	-	-	·02	-	·24	-	-	4
5	·14	-	·12	·05	-	·28	-	·05	·14	·19	·06	-	5
6	-	-	·04	-	-	-	-	-	-	·07	·05	-	6
7	·58	-	-	-	-	-	·15	·37	-	·18	·03	·06	7
8	·32	-	·22	·03	-	-	·22	·94	·06	·39	·18	·23	8
9	-	-	·10	-	-	-	·02	·02	·11	·10	·03	-	9
10	·25	-	·38	·26	·05	-	-	·20	-	-	-	-	10
11	·05	-	·49	·11	·07	-	-	·06	-	·27	·07	-	11
12	·07	-	·03	-	·25	-	-	-	-	·22	-	-	12
13	-	-	·26	-	-	-	-	·06	·02	·05	-	-	13
14	-	-	·10	·08	-	-	-	·02	-	·07	-	-	14
15	-	-	-	-	-	-	-	·01	·02	·21	-	·28	15
16	-	·21	-	·07	-	-	-	-	·03	·95	-	·56	16
17	-	·03	-	·22	-	·09	·34	·19	·69	·13	-	-	17
18	-	·16	-	-	-	·05	·13	-	·37	·02	-	-	18
19	-	·57	·06	-	-	-	-	-	·33	-	-	-	19
20	-	·02	·04	-	·32	·06	-	-	·02	-	-	-	20
21	-	-	·24	-	-	-	-	-	-	·15	-	-	21
22	·04	-	·08	-	-	·05	-	·07	-	·13	-	-	22
23	-	·31	-	-	·12	-	-	·06	-	·02	-	-	23
24	-	·12	-	-	-	-	·23	-	-	·23	·09	-	24
25	-	·02	-	-	-	-	-	·03	·06	-	-	-	25
26	-	-	·04	-	·16	-	-	·41	·15	·06	·02	-	26
27	-	-	-	-	·43	·30	-	1·04	-	-	-	-	27
28	-	-	·06	-	·15	·24	-	·15	-	-	-	·08	28
29	-	X	·02	-	-	·09	·13	-	-	·57	-	·13	29
30	-	X	·17	-	-	-	·35	·21	-	-	-	-	30
31	-	X	-	X	-	X	-	·01	X	·40	X	·01	31
Total	1·50"	1·53"	2·99"	1·21"	1·55"	1·28"	2·19"	4·33"	2·00"	4·70"	1·40"	1·38"	YEAR'S TOTAL 26·06
Rain Days.	~~9~~	~~9~~	~~19~~	~~17~~	~~8~~	~~9~~	~~9~~	~~21~~	~~12~~	~~23~~	~~11~~	~~8~~	~~149~~

W. 8,000, IX. 17.

109

20

FORM A.
BRITISH RAINFALL

Exms

REGISTER OF RAINFALL IN 1918

14.

Kept at Friar Waddon Pumping Station

in the County of Dorset

by T. Henry Tyson C.E.

Lat. 50°-40'-15" Long. 2°-29'-50"
Time of Observation 9 a.m.
Nearest Railway Station Upwey Wishing Well Halt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·15	·01	·02	·03	–	–	·58	–	–	·73	·05	1
2	–	·21	–	·08	–	–	–	·13	–	–	·09	·18	2
3	–	·06	·02	·33	·21	–	–	–	–	·06	·04	·04	3
4	–	·03	–	–	–	–	–	·10	·27	–	·88	·15	4
5	–	·06	·22	–	·45	–	–	·55	·10	·12	–	·07	5
6	·34	·15	–	·24	–	–	–	·08	·12	·05	–	·17	6
7	–	·20	–	–	·16	–	–	–	·16	·11	·23	·06	7
8	–	·08	–	–	–	–	–	–	·07	·30	·02	·04	8
9	–	–	–	·12	–	·12	·67	–	·55	·11	–	·61	9
10	·04	–	–	·20	–	–	·59	–	·09	·24	·07	·41	10
11	–	·02	–	·05	–	–	·10	–	·23	·04	·05	·06	11
12	–	·12	·02	–	·67	–	·04	–	·16	·02	–	·01	12
13	·06	–	–	–	–	–	1·02	–	·63	·06	–	–	13
14	·20	–	–	–	·02	·07	·02	–	·57	·30	–	·08	14
15	1·12	–	–	·34	–	·02	·21	–	–	·02	–	·12	15
16	·41	–	·03	·05	–	–	·01	·01	·35	–	–	–	16
17	·14	–	·02	·14	–	–	·46	–	–	–	–	·18	17
18	·69	–	–	–	–	·71	·03	–	·24	–	–	·30	18
19	·06	–	·19	–	–	–	·47	·03	·03	–	–	·04	19
20	–	·17	–	·11	–	·02	·10	–	·40	·09	–	–	20
21	·09	·05	–	·01	–	–	–	–	·80	·11	–	·31	21
22	·04	–	–	–	–	–	·59	–	·08	–	–	·14	22
23	·16	–	–	–	·03	–	·34	–	·02	–	·09	·04	23
24	–	·33	–	–	–	–	–	–	·32	–	·19	·05	24
25	–	–	–	·03	–	–	·02	·75	–	–	·08	–	25
26	–	–	–	–	–	–	·14	–	·03	·04	·19	·42	26
27	–	·22	–	–	–	–	·05	·08	·51	·02	·23	–	27
28	–	·02	·21	–	–	–	–	–	–	·05	–	–	28
29	–	×	·22	–	–	–	–	–	1·68	–	–	·06	29
30	–	×	·49	–	–	–	–	–	·10	·05	·19	·01	30
31	–	×	·20	×	–	×	–	–	×	·07	×	–	31
Total	3·35	1·87	1·63	1·72	1·57	·94	4·86	2·31	7·51	1·86	3·08	3·60	YEAR'S TOTAL 34·30
Rain Days.	12	15	11	13	7	5	17	9	23	19	14	24	169

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.....................

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~19

COPY.

Kept at FRIAR WADDON W.W.

in the County of..

Diameter of funnel of gauge....................in.

Height of top of gauge above ground..............ft..............in.

Height of ground above sea level..............ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·19	·07	·01	–	·33	–	·01	·25	·04	·77		1
2	·19	–	·02	–	·04	–	·18	–	·29	–	·01	·05		2
3	·71	–	·61	–	·27	–	·09	–	·28	–	·01	·13		3
4	·53	·22	·63	–	–	–	–	·07	·43	–	·12	·04		4
5	·06	·39	·27	–	–	–	–	–	·08	–	·14	·14		5
6	·49	·31	·22	–	–	–	–	–	–	–	·01	·34		6
7	·22	–	·38	·14	–	–	–	–	–	–	–	–		7
8	·30	–	·32	·01	–	–	–	–	–	–	–	–		8
9	·11	–	·05	·24	·08	–	–	–	–	–	·73	–		9
10	·21	–	·23	·01	·02	–	–	–	–	·01	·01	·14		10
11	·12	–	·08	·37	·26	–	·09	–	–	–	–	·05		11
12	·26	–	·03	·22	–	–	·04	–	–	·03	–	–		12
13	·08	·16	·10	·47	–	–	·01	–	–	·03	–	·09		13
14	·57	·20	–	·28	·19	–	·10	–	·06	–	–	·15		14
15	·27	·21	–	·06	·05	–	–	–	–	·10	–	·29		15
16	·04	1·00	–	–	·04	–	–	–	–	–	·23	–		16
17	·03	·22	–	–	–	–	–	–	–	–	·11	·05		17
18	·01	·06	·78	–	–	–	·18	–	–	–	·21	–		18
19	1·05	·75	·74	–	–	·06	1·13	·26	–	–	·09	·04		19
20	·24	·02	·03	–	–	·38	–	·20	–	–	·02	·05		20
21	–	·82	–	–	–	–	·19	–	·05	–	·03	·09		21
22	–	·01	–	–	–	–	·08	·04	·38	·53	–	·09		22
23	–	–	·02	–	–	·01	–	·03	–	1·35	–	·03		23
24	–	·02	–	–	–	·19	·01	·08	–	–	·10	·22		24
25	·16	–	–	·08	–	·03	–	·30	–	–	·02	·09		25
26	·14	·10	·13	·10	–	–	–	·01	–	–	·04	·48		26
27	·16	–	·01	·26	–	–	·18	1·30	–	–	–	·05		27
28	–	–	·46	–	–	–	–	·70	–	·05	·71	·90		28
29	·02	X	·02	·02	–	–	–	·12	–	–	–	·09		29
30	–	X	–	·08	–	·09	–	·31	–	–	·60	·67		30
31	–	X	–	X	–	X	–	–	X	–	X	·46		31
TOTAL	5·97	4·49	5·32	2·41	·96	·76	2·61	3·42	1·58	2·35	3·23	5·50	Year's Total 38·60	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

all 1 day early   refer   corrected for WD   1508

FEB 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Friar Waddon Pumping Station

in the County of Dorset

by Henry Tyson Waterworks Eng.

Lat 50-40-15 Long 2-29-50

Time of Observation 9 am

Nearest Railway Station Upwey Wishing Well Halt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in. ·19	in. ·07	in. ·01	in.	in. ·33	in.	in. ·01	in. ·25	in. ·04	in. ·77	
1	·19		·02		·04		·18		·29		·01	·05	1
2	·71		·61		·27		·09		·28		·01	·13	2
3	·53	·22	·63					·07	·43		·12	·04	3
4	·06	·39	·27						·08		·14	·14	4
5	·49	·31	·22								·01	·34	5
6	·22		·38	·14									6
7	·30		·32	·01									7
8	·11		·05	·24	·08						·73		8
9	·21		·23	·01	·02					·01	·01	·14	9
10	·12		·08	·37	·26		·09					·05	10
11	·26		·03	·22			·04			·03			11
12	·08	·16	·10	·47			·01			·03		·09	12
13	·57	·20		·28	·19		·10		·06			·15	13
14	·27	·21		·06	·05					·10		·29	14
15	·04	1·00			·04						·23		15
16	·03	·22									·11	·05	16
17	·01	·06	·78				·18				·21		17
18	1·05	·75	·74			·06	1·13	·26			·09	·04	18
19	·24	·02	·03			·38		·20			·02	·05	19
20		·82					·19		·05		·03	·09	20
21		·01					·08	·04	·38			·09	21
22			·02			·01		·03		·53		·03	22
23		·02				·19	·01	·08		1·35	·10	·22	23
24	·16			·08		·03		·30			·02	·09	24
25	·14	·10	·13	·10				·01			·04	·48	25
26	·16		·01	·26			·18	1·30				·05	26
27			·46					·70			·71	·90	27
28	·02	~~·12~~	·02	·02				·12		·05		·09	28
29				·08		·09		·31			·60	·67	29
30				·01		·33			·25		·77	·46	30
31			·07					·01		·04		·18	31
Total	5·97	4·68	5·13 ~~5·20~~	2·41 ~~2·35~~	·96 ~~·95~~	·76 ~~1·09~~	2·61 ~~2·28~~	3·42 ~~3·42~~	1·58 ~~1·82~~	2·35 ~~2·14~~	3·23 ~~3·96~~	5·50 ~~4·91~~	Year's Total 38·60 38·78
Days with ·01 in. or more	21	16	~~21~~ 20	15	~~8~~ 9	~~7~~ 6	~~12~~ 13	~~13~~ 12	8	8	19	25	~~145~~ 174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~20

Kept at FRIAR WADDON

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	-	·06	·10	·34	-	·30	-	·02	·40	·27	·86		1
2	·33	-	·01	·12	-	-	·03	·26	·08	·11	-	·12		2
3	·14	·07	-	·02	-	-	·85	-	·08	·29	-	·02		3
4	-	·04	·01	·02	-	-	·35	·68	-	·20	-	-		4
5	-	-	·15	·14	·04	-	·58	·21	-	·21	-	-		5
6	-	-	·15	-	·50	-	·45	-	-	·12	-	-		6
7	·02	-	·02	·58	·04	-	·31	-	-	-	-	-		7
8	·03	·02	-	·20	·07	-	·24	·03	-	-	-	-		8
9	·66	-	·01	·05	-	·10	·05	-	-	-	-	-		9
10	·69	·10	·21	·16	-	·41	·66	-	-	-	-	-		10
11	·25	-	·14	·61	·24	·02	·25	-	-	-	-	-		11
12	·28	·03	-	·40	·04	·16	·01	-	-	-	·04	·43		12
13	·16	·02	·64	·04	-	-	-	-	-	-	·04	·07		13
14	·09	·02	·41	·68	-	-	·04	-	·45	·17	·47	-		14
15	·20	·04	·12	·17	·05	·38	-	-	·03	·98	·05	-		15
16	-	·01	·07	-	-	·03	·18	-	·12	·02	-	-		16
17	·03	-	·01	·15	·26	-	·04	-	·27	-	-	-		17
18	·13	-	·01	·02	·01	·22	-	·59	·04	-	-	-		18
19	·04	-	-	·27	·01	·23	-	-	·22	-	-	-		19
20	·04	·08	-	·23	-	·75	·01	-	-	-	-	·16		20
21	-	-	-	-	-	-	·33	-	·01	·08	-	·14		21
22	·07	-	-	·37	-	-	·03	-	-	-	-	·40		22
23	·01	-	-	-	-	-	·15	·01	-	-	-	·46		23
24	·01	-	·14	-	-	-	-	-	-	-	·07	·10		24
25	-	·02	·16	-	·11	-	·76	-	-	-	·01	-		25
26	·08	-	·16	-	·01	-	-	-	-	-	·10	·10		26
27	·45	-	·06	·09	-	·20	-	-	-	-	·05	·20		27
28	·98	·02	·11	·04	-	·01	·26	-	-	-	-	·09		28
29	·24	·01	·31	·01	-	·02	-	-	-	-	·14	·30		29
30	·16	X	-	-	-	·21	·10	-	·43	-	·36	·37		30
31	·04	X	·19	X	-	X	-	-	X	1·03	X	·21		31
TOTAL	5·31	·48	3·15	4·47	1·72	2·74	5·98	1·78	1·75	3·61	1·60	4·03	Year's Total ~~36·62~~	36·62
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

1422

Date of entry

28 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Friar Waddon
in the County of Dorset
by T. Henry Tapon, C.E.

Lat. 50-40-15 Long. 2-29-50
Time of Observation 9 a.m.
Nearest Railway Station Wishing Well Halt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 214·60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. ·18	in.	in. ·06	in. ·10	in. ·34	in.	in. ·30	in.	in. ·02	in. ·40	in. ·27	in. ·86	
1	·33		·01	·12			·03	·26	·08	·11		·12	1
2	·14	·07		·02			·85		·08	·29		·02	2
3		·04	·01	·02			·35	·68		·20			3
4			·15	·14	·04		·58	·21		·21			4
5			·15		·50		·45			·12			5
6	·02		·02	·58	·04		·31						6
7	·03	·02		·20	·07		·24	·03					7
8	·66		·01	·05		·10	·05						8
9	·69	·10	·21	·16		·41	·66						9
10	·25		·14	·61	·24	·02	·25						10
11	·28	·03		·40	·04	·16	·01				·04	·43	11
12	·16	·02	·64	·04							·04	·07	12
13	·09	·02	·41	·68			·04		·45	·17	·47		13
14	·20	·04	·12	·17	·05	·38			·03	·98	·05		14
15		·01	·07			·03	·18		·12	·02			15
16	·03		·01	·15	·26		·04		·27				16
17	·13		·01	·02	·01	·22		·59	·04				17
18	·04			·27	·01	·23			·22				18
19	·04	·08		·23		·75	·01					·16	19
20							·33		·01	·08		·14	20
21	·07			·37			·03					·40	21
22	·01						·15	·01				·46	22
23	·01		·14								·07	·10	23
24		·02	·16		·11		·76				·01		24
25	·08		·16		·01						·10	·10	25
26	·45		·06	·09		·20					·05	·20	26
27	·98	·02	·11	·04		·01	·26					·09	27
28	·24	·01	·31	·01		·02					·14	·30	28
29	·16	·06				·21	·10		·43		·36	·37	29
30	·04		·19	·34		·30			·40	1·03	·86	·21	30
31			·10					·02		·27		·48	31
TOTAL	~~5·13~~ 5.31	~~·54~~ ·48	~~3·19~~ 3.[illegible]5	~~4·71~~ 4.47	~~1·38~~ 1.72	~~3·04~~ 2.74	~~5·68~~ 5.98	~~1·80~~ 1.78	~~2·15~~ 1.75	~~3·48~~ 3·61	~~2·19~~ 1·60	~~3·65~~ 4·03	36.62 YEAR'S TOTAL ~~36·92~~
Days with ·01 in. or more	~~24~~ 25	~~14~~ 13	22	22	13 ~~12~~	~~14~~ 13	~~21~~ 22	6 ~~7~~	11	11	11	16	185
Days with ·04 in. or more	~~19~~ 20	5~~6~~	16	18	10 ~~9~~	9 ~~10~~	18 ~~17~~	4	8 ~~9~~	10	10	15	143

(44,283). 1010. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

UPWEY

PORTLAND W.W.

DORSET

1911 —— 1920

FORM A2. BRITISH RAINFALL.

1 JAN 1912

11

ette r Zambra

Kept at Upwey, (Por

8 in.

ve Ground 1 ft. 0 in.

in the County of

Sea Level 289 ft. .57.

a.m.

by R. STEVENS

Name Wishing Well Hall

Distance 1½ miles Direction S.E.

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … year in the space provided for it at the end of … ement of rain, the selection and pl … British Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	–	–	.02	–	–	–	.02	–	–	.02	.02	1
2	–	–	–	.11	.23	–	–	.02	–	.08	.11	.24	2
3	–	–	–	–	.11	–	–	–	–	–	.03	Hail. .16	3
4	–	–	.11	–	–	–	–	–	.05	–	.19	.16	4
5	.05	–	–	–	–	Thunder. –	–	.12	–	.08	.09	–	5
6	.37	–	.16	–	–	–	–	–	–	.06	.06	Hail. .58	6
7	.10	–	–	–	–	–	–	Fog. .01	–	–	.36	.01	7
8	.01	–	.18	–	–	–	–	–	–	–	Thunder. .24	.45	8
9	.06	–	–	–	–	–	–	–	–	–	.09	.32	9
10	.11	.10	.44	–	Thunder. –	–	–	–	–	–	–	.24	10
11	little sleet. .34	–	.03	–	Thunder. .05	–	–	–	–	–	1.16	lightning. –	11
12	–	–	snow .91	–	.01	–	–	–	–	.01	.05	.19	12
13	–	–	–	–	–	–	–	–	.24	–	–	.41	13
14	–	.10	–	–	–	–	–	–	–	–	–	.61	14
15	–	.01	–	–	–	.03	–	–	–	–	.17	.08	15
16	–	.01	–	–	–	.55	–	–	–	–	.47	.24	16
17	–	.01	.28	–	.17	.10	–	–	–	.03	.71	.23	17
18	–	.12	.09	.06	.06	.12	–	–	–	.07	–	.22	18
19	–	.02	–	–	.01	.27	–	–	.14	.12	.02	.47	19
20	.02	.02	.10	.04	–	–	–	.02	.10	.15	–	.56	20
21	.01	.21	.07	.01	–	.04	–	–	.02	.57	–	.06	21
22	.21	.02	–	.07	–	.09	–	–	.08	.52	–	.48	22
23	Fog. .01	.10	.05	–	–	.31	–	–	.26	.50	.02	.22	23
24	–	.17	–	–	.01	.57	–	.22	–	.49	–	Thunder. .20	24
25	–	.04	–	.17	–	.04	–	–	.04	.16	–	.02	25
26	–	.10	–	.30	Thunder. 1.23	–	–	.04	–	Thunder .43	sleet. .04	.38	26
27	–	.57	.07	.05	–	–	–	–	.07	.74	.18	.13	27
28	–	.30	–	.46	–	–	–	.22	–	–	.13	–	28
29	–		–	.20	Thunder .02	.27	.13	–	.19	.46	–	–	29
30	–		–	–	–	.06	–	.06	–	.12	.18	.01	30
31	–		.02		–		–	.01		–		.01	31
Total	1.33	1.90	2.51	1.49	1.90	2.45	.13	.74	1.19	4.59	4.32	6.70	TOTAL for year 29.25
		3.23	5.74	7.23	9.13	11.58	11.71	12.45	13.64	18.23	22.55	29.25	
No. of Rain Days	12	16	13	11	10	12	1	10	10	17	20	27	159

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
1 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Upwey, (Portland Waterworks.)

in the County of Dorset. 3

by R. STEVENSON HENSHAW. C.E.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 289 ft. .57.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wishing Well Halt
Distance 1½ miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	.02	-	-	-	.02	-	-	.02	.02	1
2	-	-	-	.11	.23	-	-	.02	-	.08	.11	.24	2
3	-	-	-	-	.11	-	-	-	-	-	.03	Hail. .16	3
4	-	-	.11	-	-	-	-	-	.05	-	.19	.16	4
5	.05	-	-	-	-	Thunder.	-	.12	-	.08	.09	-	5
6	.37	-	.16	-	-	-	-	-	-	.06	.06	Hail. .58	6
7	.10	-	-	-	-	-	-	Fog. .01	-	-	.36	.01	7
8	.01	-	.18	-	-	-	-	-	-	-	Thunder. .24	.45	8
9	.06	-	-	-	-	-	-	-	-	-	.09	.32	9
10	.11	.10	.44	-	Thunder. -	-	-	-,	-	-	-	.24	10
11	little sleet. .34	-	.03	-	Thunder. .05	-	-	-	-	-	1.16	lightning. -	11
12	-	-	snow .91	-	.01	-	-	-	-	.01	.05	.19	12
13	-	-	-	-,	-	-	-	-	.24	-	-	.41	13
14	-	.10	-	-	-	-	-	-	-	-	-	.61	14
15	-	.01	-	-	-	.03	-	-	-	-	.17	.08	15
16	-	.01	-	-	-	.55	-	-	-	-	.47	.24	16
17	-	.01	.28	-	.17	.10	-	-	-	.03	.71	.23	17
18	-	.12	.09	.06	.06	.12	-	-	-	.07	-	.22	18
19	-	.02	-	-	.01	.27	-	-	.14	.12	.02	.47	19
20	.02	.02	.10	.04	-	-	-	.02	.10	.15	-	.56	20
21	.01	.21	.07	.01	-	.04	-	-	.02	.57	-	.06	21
22	.21	.02	-	.07	-	.09	-	-	.08	.52	-	.48	22
23	Fog. .01	.10	.05	-	-	.31	-	-	.26	.50	.02	.22	23
24	-	.17	-	-	.01	.57	-	.22	-	.49	-	Thunder. .20	24
25	-	.04	-	.17	-	.04	-	-	.04	.16	-	.02	25
26	-	.10	-	.30	Thunder. 1.23	-	-	.04	-	Thunder .43	sleet. .04	.38	26
27	-	.57	.07	.05	-	-	-	-	.07	.74	.18	.13	27
28	-	.30	-	.46	-	-	-	.22	-	-	.13	-	28
29	-		-	.20	Thunder .02	.27	.13	-	.19	.46	-	-	29
30	-		-	-	-	.06	-	.06	-	.12	.18	.01	30
31	-		.02		-		-	.01		-		.01	31
Total	1.33	1.90	2.51	1.49	1.90	2.45	.13	.74	1.19	4.59	4.32	6.70	TOTAL for year 29.25
No. of Rain Days	 12	3.23 16	5.74 13	7.23 11	9.13 10	11.58 12	11.71 1	12.45 10	13.64 10	18.23 17	22.55 20	29.25 27	159

9,000, IX. '10.

Copy.

REGISTER OF RAINFALL IN 1912.

FORM A1. BRITISH RAINFALL.

7 - JAN 191

Kept at Upwey (Portland Waterworks)

in the County of Dorset 3

by R. Stevenson Henshaw, C.E.

RAIN GAUGE
Pattern Negretta & Zambra
Diameter of top 8" 0 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 289·54 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wishing Well Halt
Distance 1½ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	–	–	·15	–	–	·05	1·21	–	·33	1
2	–	–	·32	·01	–	–	·12	–	–	–	–	·01	2
3	–	–	·05	–	–	·41	·01	·59	·09	–	–	·03	3
4	·32	snow ·02	·37	–	–	·27	–	·03	–	–	·40	–	4
5	·62	·23	·20	–	·03	–	–	·53	–	–	–	·13	5
6	·58	·01	·02	–	·41	·13	–	·47	–	Frost ·01	–	·10	6
7	·01	·48	·10	–	·30	·96	–	·07	–	Frost ·01	–	·18	7
8	·58	·17	·23	–	·01	–	·02	·01	–	–	–	·11	8
9	·03	·01	·22	·05	–	·04	·01	·15	–	–	–	·50	9
10	–	·07	–	–	–	·02	–	·06	–	DEW ·02	·02	·42	10
11	·09	·11	·01	–	Thunder –	–	·01	·04	–	·01	–	·47	11
12	·03	·32	·22	·03	Thunder ·20	–	·03	·40	–	·01	·05	–	12
13	–	–	·02	–	–	–	Lightning –	·01	–	–	·03	–	13
14	·06	–	·32	–	·12	–	–	·04	–	·02	–	·01	14
15	·26	·33	–	·02	·04	·61	–	·04	–	–	–	·47	15
16	1·63	·02	·40	–	·08	·01	–	·32	–	·13	·17	–	16
17	1·08	·01	·35	–	–	·17	–	·70	·01	·01	–	·04	17
18	sleet ·10	·01	·24	–	–	–	–	·08	–	·03	–	–	18
19	·02	·06	little snow ·21	–	–	·02	·09	Thunder ·20	–	–	·01	–	19
20	·02	·10	·43	–	·21	·01	–	·02	–	·37	·03	–	20
21	–	·26	·23	–	1·23	–	–	·16	–	·16	·01	–	21
22	·52	·40	·13	–	–	Thunder –	·14	·22	–	·12	·02	·20	22
23	·20	·30	·35	–	–	·01	–	1·04	–	·21	·21	·16	23
24	·06	·07	·01	–	–	·18	·02	·15	–	–	·01	·16	24
25	·32	–	–	–	–	·11	–	·20	–	·20	·29	·46	25
26	–	·02	–	–	–	–	·15	·07	–	·35	·20	·18	26
27	–	·08	–	–	–	·15	·69	·02	–	·42	–	·42 ~~[illegible]~~	27
28	–	·07	–	–	–	·13	·16	·56	·06	·64	·52	·69 ~~[illegible]~~	28
29	–	·07	–	–	–	·06	·11	·28	1·16	·30	·02	– ~~[illegible]~~	29
30	–		·05	–	·07	·10	·02	·05	·68	·33	–	–	30
31	–		Hail ·58		–		·22	·07		·04		·11	31
Total	6·53	3·22	5·07	·11	2·70	3·54	1·80	6·55	2·05	4·60	1·99	5·18	TOTAL for Year 43·34
No. of Rain Days	6·53 19.	9·75 23.	14·82 24.	14·93 4.	17·63 11.	21·17 19.	22·94 15.	29·52 29.	31·57 6.	36·17 21.	38·16 15.	43·34 21.	207

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A.
BRITISH RAINFALL.

JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Upwey (Portland Waterworks)

3

in the County of Dorset

by R Stevenson Hènshaw C.E.

Lat. 50° 40' 24" Long. 2° 28' 53" W.

Time of Observation 9 a.m.

Nearest Railway Station Wishing Well Halt

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 289.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.35	.11	.08	–	–	–	–	.16	.06	.22	.01	1
2	–	.05	–	.10	.05	–	.01	–	–	.28	.05	–	2
3	.03	.01	.14	.04	.28	–	–	–	–	.03	–	.07	3
4	.70	–	.03	.01	.22	–	–	–	.16	.25	.05	.06	4
5	.23	.11	–	–	.21	.27	–	–	1.04	.08	.15	.19	5
6	.02	.09	.04	–	.03	.14	–	–	–	1.32	.01	.62	6
7	–	.25	.05	–	.33	.08	.08	–	–	.19	.22	.02	7
8	.01	.27	–	–	.22	.02	.06	–	–	–	–	.16	8
9	–	.07	–	–	.04	–	.02	.04	–	.04	.20	.03	9
10	.23	.01	–	–	.04	–	–	–	–	–	.35	–	10
11	.88	.02	–	.13	.39	.01	–	–	.01	.27	.33	.03	11
12	–	.01	–	–	.50	.02	–	–	.01	.05	.54	.02	12
13	.20	.01	.03	.01	–	–	–	.02	.52	–	.21	–	13
14	.26	.01	.10	.01	.23	–	–	–	.80	–	.01	–	14
15	.35	.04	.34	.21	–	–	.13	.05	.33	.01	–	.03	15
16	.19	–	.31	.07	–	–	.01	–	.04	–	.01	–	16
17	.07	–	.01	.02	–	–	.01	–	–	–	.01	–	17
18	.01	–	.07	.06	–	.01	–	–	–	–	.10	–	18
19	.97	–	.02	–	.09	.03	.02	–	–	–	–	–	19
20	.15	–	.13	.24	–	–	–	–	.46	.25	.08	–	20
21	–	–	.26	.31	–	–	–	–	–	.10	.47	–	21
22	.44	–	.10	.14	–	.01	–	.07	.28	.02	–	.15	22
23	–	–	–	–	–	.01	–	–	–	.01	.08	.61	23
24	.04	–	–	.05	–	.03	–	–	–	.01	.02	–	24
25	–	.14	–	.25	–	–	–	–	–	–	.01	–	25
26	.01	.01	–	.16	–	–	–	.33	–	–	–	.18	26
27	.07	–	.22	.19	–	–	–	–	–	.01	–	–	27
28	.41	–	.09	.41	–	–	–	–	–	.14	–	.01	28
29	.19		.40	.34	.03	–	–	.10	–	.30	–	.01	29
30	.49		–	–	–	–	–	.07	.10	.24	–	–	30
31	.12		.02		–		.01	.80		.18		–	31
Total	6.11	1.45	2.47	2.83	2.66	.63	.35	1.48	3.91	3.84	3.12	2.20	YEAR'S TOTAL 31.05
Rain Days.	24	16	19	20	14	11	9	8	12	21	20	16	190.

W.7,000, XI. 13

Ex 88

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 JAN 1915

Kept at Upwey (Portland Waterworks)
in the County of Dorset
3
by R. S. Henshaw C.E.
Continued by A S Lilley C.E.

Lat. Long. —
Time of Observation 9 am
Nearest Railway Station Wishing Well Halt
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 289.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·07	·67	–	–	·26	·08	1
2	·01	–	–	·06	·02	·03	·52	–	–	–	1·08	·24	2
3	·04	·01	·09	·12	·41	–	–	·02	–	–	·04	–	3
4	·07	·01	·03	·19	·09	–	·27	1·11	–	–	·60	·36	4
5	–	·01	·07	·16	·06	–	·51	·03	–	–	·68	–	5
6	–	·25	·01	·22	·11	·01	·04	·02	·01	–	·01	·32	6
7	·03	·28	·20	·04	·04	–	·32	·14	·01	–	–	·24	7
8	·06	·12	·44	·05	·04	·07	–	·06	·02	–	–	·09	8
9	·03	·01	·41	·10	·03	·05	–	·04	·16	–	–	·01	9
10	·13	·19	·02	·06	·10	·06	–	–	·40	–	–	·02	10
11	–	·12	·44	–	·02	·07	·15	–	·48	–	·04	·12	11
12	–	·03	·29	–	–	–	–	–		–	–	·60	12
13	–	·30	·20	–	–	–	·01	–	·18	·15	·17	·80	13
14	–	·16	·19	–	–	·46	·32	1·17	–	·24	·34	·20	14
15	·01	–	·14	–	–	–	·03	·26	–	·21	·36	–	15
16	–	–	–	–	–	–	·06	–	·44	–	–	·01	16
17	01	·55	·13	–	–	–	–	–	–	–	–	·52	17
18	–	·05	·11	–	–	–	·33	–	·08	–	–	·43	18
19	–	·15	·63	–	–	·01	·84	–	·05	–	·08	·10	19
20	–	·25	·14	–	–	·04	–	–	–	–	–	·36	20
21	–	·68	·06	–	–	–	–	–	–	·33	–	–	21
22	–	·15	·06	–	·39	·07	·13	·07	–	·04	–	–	22
23	–	·21	·39	–	–	–	·03	·01	–	·32	–	–	23
24	–	·03	·02	–	·04	–	·01	–	–	·14	·18	–	24
25	·03	–	·22	–	–	–	·04	·47	–	·53	·08	·50	25
26	·02	–	·06	–	–	–	·08	·02	–	·08	·30	·46	26
27	·05	·04	·35	–	–	–	·01	–	–	–	·09	·24	27
28	·02	·11	–	–	·06	–	·16	–	–	–	·16	·76	28
29	·42		·09	–	·23	–	·03	–	–	·18	·32	·03	29
30	·01		·13	·24	–	–	–	–	–	·36	·48	·64	30
31	·04		–		·02		·11	–		·70		·23	31
Total	·98	3·71	4·92	1·24	1·63	·87	4·07	4·09	2·43	3·28	5·21	7·96	YEAR'S TOTAL 40·45
Rain Days.	16	22	26	10	15	10	22	14	10 11	12	18	24	~~200~~ 199

W. 8,000. X. 14.

Exd F.W.

1706

FORM A. BRITISH RAINFALL.

21 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Upwey (Portland Waterworks) Higher Well

in the County of Dorset

by A. S. Lilley C.E. communicated by G.A. Waite

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Upwey Wishing Well Halt

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 289·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·30	–	–	·04	–	–	·31	·46	·34	–	·26	1
2	·43	·11	·18	·10	–	·05	–	·25	·01	·37	–	·44	2
3	·26	·04	·20	·06	·25	·02	–	–	–	·07	–	·70	3
4	·05	–	–	–	·02	·02	–	·07	–	–	–	·28	4
5	·08	·38	–	·04	–	–	–	·45	–	–	–	·43	5
6	·90	·17	–	·42	–	–	·54	·07	–	–	–	·19	6
7	·13	·55	–	·04	–	·02	·35	–	–	–	–	·58	7
8	·04	·44	–	–	–	–	–	·03	–	–	–	·15	8
9	–	·09	–	·06	–	–	–	–	–	–	·42	·86	9
10	·24	·07	·05	·04	–	–	–	–	–	–	–	·20	10
11	·14	·13	·02	·02	–	–	·01	–	–	–	1·16	–	11
12	·23	·55	–	·08	·64	–	–	–	–	·09	·34	–	12
13	·01	·19	–	–	1·13	–	·01	–	·07	–	·04	–	13
14	·02	·02	–	–	–	–	·28	·02	·16	–	–	·90	14
15	·07	–	–	–	·21	–	·06	–	·02	·07	·06	·30	15
16	–	·86	–	–	·45	–	1·31	·08	–	–	–	·16	16
17	–	·26	–	–	·09	–	–	·04	–	–	–	–	17
18	–	·15	–	–	·02	–	·05	–	–	–	–	–	18
19	·04	·01	–	–	·32	–	·15	–	–	–	–	–	19
20	} ·47	–	–	·08	–	·07	–	–	–	·05	–	·06	20
21		·42	–	–	–	–	·15	–	·16	·26	–	·04	21
22	·11	·10	·56	·02	–	·08	·90	–	·02	–	–	·20	22
23	–	–	·08	–	–	–	–	–	·19	1·70	–	·84	23
24	–	–	–	·07	–	–	·05	–	·53	·69	–	·56	24
25	–	–	·05	·04	–	·19	–	–	·04	–	–	·35	25
26	·02	·07	–	–	–	–	·16	–	·04	–	–	1·00	26
27	–	·01	–	–	–	·05	–	–	–	·40	–	–	27
28	–	–	–	–	–	·19	–	–	·56	·04	–	·06	28
29	–	✕	–	–	–	·09	–	–	–	–	·22	·17	29
30	·19	✕	–	·07	–	·01	–	–	–	·70	·52	·26	30
31	–	✕	–	✕	–	✕	·06	·16	✕	1·55	✕	·12	31
Total	3·58	4·86	1·14	1·08	3·17	·79	4·08	1·42	2·26	6·33	2·76	9·01	YEAR'S TOTAL 40·58
Rain Days.	~~19~~ 20	21	7	14	10	11	14	10	12	13	7	24	163

W. 8,000. X. 15.

✓ Exd CFS 1676

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
25 JAN 1917

Kept at Higher Well (Upwey) Portland Waterworks
in the County of Dorset
by G. A. Waite A.M.I.C.E.

Lat. 50°-40'-24" Long. 2°-28'-53" W.
Time of Observation 9 a.m.
Nearest Railway Station Upwey Wishing Well Halt.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 289·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	-	·05	-	·23	-	-	-	·63	·44	·25	-	1
2	·14	·11	-	-	-	-	-	-	-	·28	·04	-	2
3	-	·43	-	-	·04	-	-	-	-	·78	·20	-	3
4	·06	·21	-	-	·02	·28	-	-	-	·05	·38	-	4
5	·04	·03	-	-	·23	·06	-	-	-	·13	·31	-	5
6	-	·07	-	-	·08	·15	·83	-	-	·02	·66	-	6
7	-	·12	·34	-	·04	-	-	-	-	·03	·96	·20	7
8	-	·05	·31	-	·30	-	-	-	-	-	·10	·29	8
9	-	·04	-	-	·03	-	·02	-	-	-	·02	·36	9
10	-	·80	-	·03	·06	-	-	-	-	-	-	·07	10
11	-	-	-	·06	-	-	-	-	-	-	-	·04	11
12	-	·07	·16	·06	·11	-	·24	·07	·02	·13	-	-	12
13	-	·21	·24	·05	-	-	-	·06	-	-	-	-	13
14	-	·35	-	-	·08	-	-	-	-	-	-	-	14
15	-	·56	·15	-	-	-	-	·05	·02	·03	-	·04	15
16	-	·10	-	·25	-	-	·04	·23	-	·02	-	·86	16
17	·21	·20	-	·08	-	-	-	·17	·03	·76	·72	-	17
18	·03	·18	·17	-	-	-	-	-	·30	·03	·06	·17	18
19	·10	-	·57	·09	-	-	-	-	·19	-	·20	·06	19
20	·03	·45	·21	-	-	-	-	-	-	-	·11	1·84	20
21	-	·14	·31	-	·04	-	·15	-	-	-	-	·12	21
22	-	-	-	-	-	·05	-	-	-	·32	-	·60	22
23	-	·10	-	-	-	·06	-	·19	-	·07	·08	-	23
24	-	·04	-	·03	·53	-	-	·11	-	·58	·08	·44	24
25	-	·50	·08	-	-	-	-	·31	-	·11	·11	-	25
26	·03	·14	-	-	-	·18	-	-	·72	·84	-	-	26
27	-	-	1·12	-	-	·16	-	-	·48	·62	-	-	27
28	-	·17	-	·03	-	-	-	·16	·44	·30	·02	·44	28
29	-	·44	-	-	-	·39	-	2·60	·31	·13	·01	·46	29
30	-	×	-	-	-	-	-	-	-	·42	-	-	30
31	-	×	-	×	-	×	-	·10	×	·30	×	-	31
Total	·79 ✓	5·51 ✓	3·71 ✓	·68 ✓	1·79 ✓	1·33 ✓	1·28 ✓	4·05 ✓	3·14 ✓	6·39 ✓	4·31 ✓	5·99 ✓	YEAR'S TOTAL 38·97 ✓
Rain Days.	9 ✓	24 ✓	✓ 12 ✓	9 ✓	13 ✓	8 ✓	5 ✓	✓ 11 ✓	10 ✓	22 ✓	18 ✓	✓ 15 ✓	5 6 ✓ 156

W. 8,000, VIII. 16

1675

To be filled and returned
to DR. H. R. MILL, *Director,*
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

24 JAN 1917

RAINFALL IN 1916

At Higher Well (Upwey) Portland Waterworks

In the County of Dorset

Rain Gauge
Diameter of Funnel 8 in.
Height of Top — *Above Ground* 1 ft. - in.
Height of Top — *Above Sea Level* 289·54 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	·79	·21	14th	9
FEB.	5·51	·80	10th	24
MAR.	3·71	1·12	27th	12
APR.	·68	·25	16th	9
MAY	1·79	·53	24th	13
JUNE	1·33	·39	29th	8
JULY	1·28	·83	6th	5
AUG.	4·05	2·60	29th	11
SEPT.	3·14	·42	26th	10
OCT.	6·39	·84	26th	22
NOV.	4·31	·96	7th	18
DEC.	5·99	1·84	20th	15
Total	38·94	990		156

Signed x G. A. Waite

W. 16,000. viii.16.

[Please fill in the other side also.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

by levelling from ⊼

State pattern and maker of Gauge, if known.

8" Negretti & Zambra

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Engine House	20'	80'	N.

In order that the position may be accurately entered on a map please mention

Latitude 50°-40'-24" N.

Longitude 2°-28'-53" W

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
		Miles	
Station	Wishing Well Halt	1½	S.E
Church	Upwey	½	S

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

1653

FORM A.
BRITISH RAINFALL
26 FEB

REGISTER OF RAINFALL IN 1917

Kept at Higher Well, Upwey, Portland U.D.C.

in the County of Dorset

by T. Henry Tyson

Lat. 50-40-24 Long. 2-28-53.
Time of Observation 9 a m
Nearest Railway Station Upwey Wishing Well Halt.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 289·57. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	·17	-	·11	-	·40	-	-	·09	·03	1
2	·02	-	-	·14	-	-	-	·04	-	·02	·03	-	2
3	·02	-	-	·01	-	-	·37	-	-	·03	·79	-	3
4	-	·12	·48	·09	-	-	-	·01	-	·24	-	-	4
5	·15	-	·12	·05	-	·28	-	·08	·16	·20	·05	-	5
6	-	-	·05	-	-	-	-	-	-	·09	·04	-	6
7	·54	-	-	-	-	-	·15	·32	-	·15	·04	·04	7
8	·34	-	·23	·02	-	-	·25	·94	·05	·38	·20	·22	8
9	-	-	·15	-	-	-	·03	·02	·10	·10	·04	-	9
10	·22	-	·38	·21	·06	-	-	·19	-	-	-	-	10
11	·05	-	·48	·10	·08	-	-	·04	-	·21	·08	-	11
12	·06	-	·03	-	·24	-	-	-	-	·20	-	-	12
13	-	-	·26	-	-	-	-	·11	·02	·03	-	-	13
14	-	-	·07	·08	-	-	-	·03	-	·04	-	-	14
15	-	-	-	-	-	-	-	·01	·03	·16	-	·20	15
16	-	·22	-	·08	-	-	-	-	·03	·85	-	·54	16
17	-	·03	-	·22	-	·09	·38	·17	·69	·13	-	-	17
18	-	·17	-	-	-	·05	·12	-	·37	·02	-	-	18
19	-	·55	·04	-	-	-	-	-	·33	-	-	-	19
20	-	·02	·03	-	·36	·03	-	-	·02	-	-	-	20
21	-	-	·24	-	-	-	-	-	-	·16	-	-	21
22	-	-	·09	-	-	·03	-	·08	-	·11	-	-	22
23	-	·31	-	-	·15	-	-	·06	-	·03	-	-	23
24	-	·13	-	-	-	-	·23	-	-	·23	·08	-	24
25	-	·03	-	-	-	-	-	·04	·09	-	-	-	25
26	-	-	·05	-	·15	-	-	·42	·15	·05	·02	-	26
27	-	-	-	-	·41	·30	-	·96	-	-	-	-	27
28	-	-	·06	-	·16	·26	-	·15	-	-	-	·06	28
29	-	-	·03	-	-	·08	·10	-	-	·56	-	·12	29
30	-	✕	·17	-	-	-	·57	·20	-	-	-	-	30
31	-	✕	-	✕	-	✕	-	·03	✕	·40	✕	·01	31
Total	1·40"	1·58"	3·05"	1·17"	1·61"	1·23"	2·20"	4·30"	2·04"	4·39"	1·46"	1·22	YEAR'S TOTAL 25·65"
Rain Days.	8	9	19	11	8	9	9	21	12	23	11	8	148

W. 8,000, VIII. 16

CX 912

21

FORM A. BRITISH RAINFALL.

14.

REGISTER OF RAINFALL IN 1918

Kept at Higher Well Pumping Stn: Upwey

in the County of Dorsetshire

by F. Henry Tyson C.E.

Lat. 50-40-24 Long. 2-28-53

Time of Observation 9 a.m.

Nearest Railway Station Upwey Wishing Well Halt

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 289·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·21	·03	·05	·03	-	-	·60	-	-	·68	·04	1
2	-	·20	-	·06	-	-	-	·14	-	-	·10	·16	2
3	-	·04	·03	·46	·23	-	-	-	-	·07	·04	·05	3
4	-	·03	-	-	-	-	-	·10	·30	-	·59	·15	4
5	-	·09	·23	-	·44	-	-	·54	·10	·11	-	·07	5
6	·35	·10	-	·21	-	-	-	·08	·15	·05	-	·17	6
7	-	·20	-	-	·21	-	-	-	·20	·10	·17	·05	7
8	-	·08	-	-	-	-	-	-	·08	·24	·04	·03	8
9	-	-	-	·17	-	·13	·63	-	·46	·12	-	·45	9
10	·04	-	-	·21	-	-	·50	-	·08	·23	·04	·43	10
11	-	·03	-	·05	-	-	·10	-	·22	·04	·07	·07	11
12	-	·10	·03	-	·64	-	·04	-	·16	·02	-	·01	12
13	·07	-	-	-	-	-	·85	-	·56	·07	-	-	13
14	·20	-	-	-	·03	·07	·01	-	·52	·29	-	·07	14
15	1·09	-	-	·31	-	·05	·21	-	-	·01	-	·10	15
16	·40	-	·04	·04	-	-	-	-	·34	-	-	-	16
17	·16	-	·02	·13	-	-	·43	·01	-	-	-	·14	17
18	·56	-	-	-	-	·66	·05	-	·34	-	-	·29	18
19	·03	-	·20	-	-	-	·41	-	·05	-	-	·04	19
20	-	·15	-	·11	-	·01	·11	·03	·33	·11	-	-	20
21	·07	·05	-	·02	-	-	-	-	·77	·10	-	·31	21
22	·05	-	-	-	-	-	·60	-	·06	-	-	·12	22
23	·15	-	-	-	·03	-	·29	-	-	-	·10	·03	23
24	-	·29	-	-	-	-	-	-	·28	-	·20	·04	24
25	-	-	-	·03	-	-	-	·61	-	-	·08	-	25
26	-	-	-	-	-	-	·15	-	·03	·05	·20	·43	26
27	-	·24	-	-	-	-	·06	·09	·50	·03	·20	-	27
28	-	·03	·15	-	-	-	-	-	-	·05	-	-	28
29	-	-	·23	-	-	-	-	-	1·63	-	-	·06	29
30	-		·44	-	-	-	-	-	·12	·05	·17	·02	30
31	-		·20		-		-	-		·06		-	31
Total	3·17	1·84	1·60	1·85	1·61	·92	4·44	2·20	7·28	1·80	2·68	3·33	YEAR'S TOTAL 32·72
Rain Days.	12	15	11	13	7	5	15	9	22	19	14	24	166

W. 6,500, VII. 18. W W 6

all 1 day early corrected for WD 1509

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FEB

REGISTER OF RAINFALL IN 1919.

Kept at Higher Well Pumping Station
in the County of Dorset
by T Henry Lynn Waterworks Eng.

Lat. 50-40-24 Long. 2-28-53
Time of Observation 9 am
Nearest Railway Station Wishing Well Halt
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 289·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in. –	in. ·04	in. ·01	in. –	in. ·37	in. –	in. ·01	in. ·16	in. ·03	in. ·63	
1	·16		·02		·02		·22		·30		·01	·06	1
2	·70		·62		·22		·08		·26		·01	·15	2
3	·45	·26	·64					·06	·50		·10	·05	3
4	·06	·42	·28						·08		·15	·14	4
5	·36	·33	·20								·01	·33	5
6	·30		·29	·15									6
7	·19		·28	·01									7
8	·12		·04	·22	·08						·72		8
9	·19		·16	·01	·02					·01	·04	·12	9
10	·10		·07	·37	·27		·08					·04	10
11	·27		·04				·04			·03			11
12	·08	·16	·11	·36			·01			·03		·09	12
13	·45	·20		·22	·19		·09		·04			·14	13
14	·25	·21		·04	·06					·09		·27	14
15	·02	1·01			·06						·21		15
16	·02	·30									·11	·06	16
17	·01	·04	·88				·19				·22		17
18	·97	·76	·50			·08	1·21	·27			·06	·02	18
19	·24	·04	·03			·55		·20			·03	·03	19
20		·74					·20		·07		·04	·07	20
21		·01					·09	·04	·40			·08	21
22			·01					·03		·52		·02	22
23		·03				·18	·01	·07		1·38	·07	·24	23
24	·14			·08		·02		·32			·03	·12	24
25	·10	·07	·12	·11				·01			·04	·42	25
26	·13		·01	·25			·15	1·31				·02	26
27			·47					·65			·77	·88	27
28	·02	·18	·05	·02				·11		·04		·02	28
29				·07		·08		·32			·58	·60	29
30		☒		·01		·37			·16		·63	·47	30
31		☒	·04	☒		☒		·01	☒	·03	☒	·15	31
TOTAL	5·33	4·76	4·82 ~~4·86~~	1·95 ~~1·92~~	·93 ~~·92~~	·91 ~~1·28~~	2·74 ~~2·37~~	3·39 ~~3·40~~	1·66 ~~1·81~~	2·26 ~~2·13~~	3·18 ~~3·78~~	5·07 ~~4·59~~	YEAR'S TOTAL 37·00 ~~37·15~~
Days with ·01 in. or more	23	16	~~21~~ 20	14	~~8~~ 9	~~6~~ 5	~~12~~ 13	~~13~~ 12	8	8	19	25	~~[illegible]~~ 172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1423

28 JAN 1921

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Higher Well Pumping Station

in the County of Dorset

by T. Henry Tyson C.E.

Lat. 50-40-24 Long. 2-28-53

Time of Observation 9 a.m.

Nearest Railway Station Wishing Well Halt

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 289·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. ·15	in.	in. ·06	in. ·11	in. ·32	in.	in. ·32	in.	in. ·02	in. ·42	in. ·29	in. ·54	
1	·29		·01	·12			·03	·28	·08	·14		·10	1
2	·11	·07		·02			·66		·07	·30		·04	2
3		·05	·02	·02			·35	·60		·18			3
4			·14	·17	·06		·53	·16		·19			4
5			·15		·43		·41			·09			5
6	·02		·01	·56	·04		·32						6
7	·03	·03		·19	·06		·27	·05					7
8	·76		·01	·06		·11	·04						8
9	·66	·07	·20	·14		·45	·61						9
10	·24		·14	·58	·22	·03	·24						10
11	·25	·03		·36	·05	·18	·01				·04	·45	11
12	·10	·03	·57	·05							·04	·10	12
13	·06	·02	·40	·66			·04		·41	·19	·35		13
14	·15	·05	·09	·14	·04	·48			·03	·98	104		14
15		·01	·05			·03	·21		·11	·01			15
16	·02		·01	·14	·26		·05		·25				16
17	·14		·02	·02	·02	·23		·60	·05				17
18	·09			·22	·02	·20			·24				18
19	·03	·09		·21		·69	·02					·14	19
20							·34		·01	·08		·10	20
21	·06			·32			·04					·40	21
22	·01						·16	·05				·42	22
23	·01		·11								·06	·11	23
24		·02	·13		·12		·70				·02		24
25	·06		·11		·02						·10	·09	25
26	·42		·03	·09		·20					·03	·19	26
27	·92	·03	·10	·05		·01	·22					·07	27
28	·15	·02	·30	(·01)		·02					·14	·29	28
29	·16	·06				·19	·10		·42		·30	·30	29
30	·04	X	·19	·32		·22			·42	1·05	·84	·18	30
31		X	·11	X		X		·02	X	·29	X	·46	31
TOTAL	~~4·78~~ 4·93	~~·58~~ ·52	~~2·90~~ 2·85	~~4·45~~ 4·24	~~1·34~~ 1·66	~~3·04~~ 2·82	~~5·35~~ 5·57	~~1·76~~ 1·74	~~2·09~~ 1·69	~~3·50~~ 3·63	~~1·96~~ 1·41	~~3·44~~ 3·82	34·88 YEAR'S TOTAL ~~35·79~~
Days with ·01 in. or more	~~24~~ 25	~~11~~ 13	22	22	~~12~~ 13	~~14~~ 13	~~21~~ 22	7 6	11	11	11	16	185
Days with ·04 in. or more	~~18~~ 19	~~6~~ 5	15	18	9 ~~10~~	~~10~~ 9	~~18~~ 19	6	~~9~~ 8	10	9	16	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Stilwell

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

R ll.

WAREHAM
BINNEGER HALL
DORSET

1911 – 1915

Kept at Binn

in the County of —

by E. F

5 in.

e Ground 1 ft. — in.

Sea Level 65 ft.

A.M.

Name Wareham

Distance 3mls Direction E

IMPORTANT NOT the result entered to the
previous day. If an Ob ersal rule, he is earnestly
requested to add the rea ear in the space provided
for it at the end of this nent of rain,
the selection and placin tish Rainfall
Organization are given in post-free on application to
Dr. H. R. Mill, 62, Cam Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·02	·04	1
2				·09	·41			·05		·16	·21	·36	2
3					·19				·01		·14	·10	3
4			·05						·11	·05	·31	·35	4
5	·05			·01				·08		·43	·09		5
6	·81		·13	·01						·10	·15	·81	6
7	·04										·38	·05	7
8		·02	·15								·23	·73	8
9	·06		·05								·07	·52	9
10	·11	·05	·61									·29	10
11	·51		·01								1·41		11
12			1·02					·05			·08	·24	12
13									·27			·47	13
14		·14	·03									·38	14
15		·02				·05					·21	·05	15
16						·27					·57	·3	16
17			·23		·18	·05					·7	·36	17
18		·10	·11	·05		·26				·09	·07	·37	18
19		·04				·09			·39	·08	·09	·6	19
20	·05	·03	·25					·01	·10	·10		·71	20
21	·06	·26	·06			·05			·33	·36		·11	21
22	·21	·03	·04			·34			·03	·35		·71	22
23		·21	·02			·28			10	·30	·15	·39	23
24	·02	·20				·04		·26		·52		·32	24
25		·03	·01	·13		·07			·05	·04		·04	25
26		·04		·42						·44	·01	·45	26
27		·47	·04						·10	1·01	·06	·16	27
28		·31		·70				·2			·17		28
29				·61	·23	·22	·2		·21	·48			29
30						·01	·03	·24		·33	·05		30
31													31
Total	1·92	1·95	2·81	2·02	1·01	1·73	·23	·89	1·70	4·84	5·17	8·91	TOTAL for year 33·18 ins
No. of Rain Days.	10	15	16	8	4	12	2	4	11	16	21	25.	147 days

W. 8,000, X. '11.

Stilwell a/ ✓

REGISTER OF RAINFALL 1.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kent at Binnegar Hall

in the County of Dorset 3

by E. Holland

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 65. ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Wareham
Distance 3 mls. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·02	·04	1
2				·09	·41			·05		·16	·21	·36	2
3					·19				·01		·14	·10	3
4			·05						·11	·05	·31	·35	4
5	·05			·01				·08		·43	·09		5
6	·81		·13	·01						·10	·15	·81	6
7	·04										·38	·05	7
8		·02	·15								·23	·73	8
9	·06		·05								·07	·52	9
10	·11	·05	·61									·29	10
11	·51		·01								1·41		11
12			1·02					·05			·08	·24	12
13									·27			·47	13
14		·14	·03									·38	14
15		·02				·05					·21	·05	15
16						·24					·57	·3	16
17			·23		·18	·05					·7	·36	17
18		·10	·11	·05		·26				·09	·07	·37	18
19		·04				·09			·39	·08	·09	·6	19
20	·05	·03	·25					·01	·10	·10		·71	20
21	·06	·26	·06			·05			·33	·36		·11	21
22	·21	·03	·04			·34			·03	·35		·71	22
23		·21	·02			·28			·10	·30	·15	·39	23
24	·02	·20				·04		·26		·52		·32	24
25		·03	·01	·13		·07			·05	·04		·04	25
26		·04		·42						·44	·01	·45	26
27		·47	·04						·10	1·01	·06	·16	27
28		·31		·70				·2			·17		28
29				·61	·23	·22	·2		·21	·48			29
30						·01	·03	·24		·33	·05		30
31													31
Total	1·92	1·95	2·81	2·02	1·01	1·73	·23	·89	1·70	4·84	5·17	8·91	TOTAL for year 33·18 ins
No. of Rain Days.	10	15	16	8	4	12	2	4	11	16	21	25.	147 days

W. 8,000, X. '11.

wrote again 25 II 13

Dorset ch

Wrote to Rev 2 28 II 13

corr for anthr 27-11-13

corr by rain stats 4.IV.13

FORM A.
BRITISH RAINFALL.

6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Binnegar Hall

Wareham

in the County of Dorset 3

by Lieut-Colonel Philip Farrer

Lat. 50°40′ Long. 2°10′

Time of Observation 9 a.m.

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~6~~ ft. 12 in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.03		.01	.22				.85		.32	1
2			.12	.02		.02	.32			~~.40~~			2
3			.22		.01	.44		.60				.01	3
4	.27		.64			.16		.04			.23		4
5	.62	.31	.17					.43				.22	5
6	.57				.22	.07		.38				.05	6
7	.02	.53	.18		.15	.96		.01				.13	7
8	.75	.23	.26			.03		.16				.01	8
9	.01	.06	.34			.52		.14				.48	9
10		.07				.06		.20				.47	10
11	.04	.10				.05	.01	~~.06~~ .05			.03	.45	11
12	.02	.43	.18		.79	.04		.23					12
13		.03					.02			.04		.01	13
14	.26		.28					.18				.05	14
15	.32	.20	.01		.07	.54		.08				.40	15
16	.92		.53		.06			.44		.10		.01	16
17	.59		.38			.07		.86				.10	17
18	.28	.03	.27				.05	.41		.02			18
19		.05	.35			.05	.07	.01					19
20	.04		.53		.03		.01	.05		.44			20
21		.33	.41		.20			.15		~~.10~~			21
22	.40	.54	.09			.01		.14		.04		.07	22
23	.27	.21	.39					.65		.28	.17	.26	23
24	.25					.24		.18				.27	24
25	.11	.03				.19		.17		.21	.36	.64	25
26		.05					.33	.06		.35	.52	.29	26
27		.06				.25	1.23	.01	.06	.75		.36	27
28		.11				.42	.17	.54	.15	.85	.63	.60	28
29		.14				.01	.32	.05	1.81	.26		.01	29
30					.03		.05	.03	.90	.20			30
31			.65				.25	.01				.08	31
Total	5.74	3.51	6.03	.02	1.57	4.35	2.83	6.26 6.26	2.92	4.49	1.94	5.29 5.29	YEAR'S TOTAL ~~45.85~~
Rain Days.	18	19	20	1	10	20	12	28	4	15	6	23	176

W. 7,500, XI. 12

4495 ~~4585~~

Dorset 7.c.a

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Binnegar Hall Wareham

in the County of Dorset 3 E 4 BR

by Lieut-Colonel Philip Farrer

Lat. 55. 40 Long. 2. 10

Time of Observation 9. a. m.

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	·37	·20	·37	—	·01	—	—	·43	·05	·25	—	1
2	·02	·12	—	—	—	—	—	—	—	·20	·10	·03	2
3	·09	—	·04	·05	·26	—	—	—	·04	—	—	·12	3
4	·84	—	·11	—	·25	—	—	—	·17	·55	·04	·03	4
5	·29	·12	·04	—	·07	·10	·02	—	·87	·07	·19	·15	5
6	·01	·14	·05	—	·02	·19	·07	—	—	1·05	·05	·67	6
7	—	·40	·02	—	·38	·09	·37	—	—	·45	·24	·03	7
8	—	·29	—	—	·17	—	—	—	—	·01	—	·10	8
9	—	·03	—	—	·03	—	·05	·78	·01	·03	·21	·03	9
10	·29	—	—	—	·01	—	—	·01	—	·09	·45	—	10
11	1.03	—	—	·11	·19	—	—	—	—	·03	·34	·04	11
12	—	—	—	—	·34	—	—	—	·04	—	·42	·01	12
13	·03	—	·04	—	—	—	—	·04	·31	—	·19	—	13
14	·28	—	·10	·01	·17	—	—	—	·85	—	·01	—	14
15	·29	·11	·34	·56	—	—	·18	·07	·37	—	·04	—	15
16	·07	—	·43	·09	—	·03	—	—	·04	—	—	—	16
17	·12	·01	·01	·10	—	—	—	—	—	—	·03	—	17
18	·01	—	·19	·10	—	—	—	—	·01	—	·09	—	18
19	·74	—	·03	—	·03	—	—	—	·45	—	—	—	19
20	·07	—	·40	·11	—	·01	—	—	—	·36	·08	—	20
21	—	—	·21	·38	—	—	·05	—	—	·07	·74	·02	21
22	·37	—	·11	—	—	—	—	·17	·22	·08	—	·10	22
23	·03	—	·01	—	—	·06	—	·02	—	—	·07	·70	23
24	·05	·02	—	·17	—	·03	—	—	—	—	·01	—	24
25	—	·10	—	·43	—	—	—	—	—	·01	—	·02	25
26	—	·01	—	·27	—	—	—	·27	—	·05	—	·17	26
27	·15	—	·22	·07	—	—	—	·01	—	·06	—	—	27
28	·17	—	·06	·18	—	—	—	—	—	·30	—	—	28
29	·16	×	·41	·64	·22	—	—	·07	—	·27	—	—	29
30	·72	×	—	—	·01	—	—	—	·01	·86	—	—	30
31	·10	×	~~·02~~	×	—	×	·01	·73	×	·11	×	—	31
Total	5·93 ✓	1·72 ✓	3·04 ✓	3·64 ✓	2·15 ✓	·52 ✓	·75 ✓	2·17 ✓	3·82 ✓	4·70 ✓	3·55 ✓	2·22 ✓	YEAR'S TOTAL 34·21 ✓
Rain Days.	23	12	21	16	14	8	7	10	14	20	19	15	179

W. 7,500, XI. 12

Ex LMcC

REGISTER OF RAINFALL IN 1914

1570

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Binnegar Hall

in the County of Dorset 3

by Lieut: Colonel Farrer

Lat. 55.40 Long. 2.10
Time of Observation 9. a. m
Nearest Railway Station Wareham
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	—	·45	—	—	·19	·10	1
2	—	—	—	—	—	·01	·18	—	—	—	1·56	·37	2
3	—	—	·02	·20	·44	—	·11	·05	—	—	—	·06	3
4	·04	—	·01	·35	·06	—	·17	·87	—	—	·37	·54	4
5	·07	—	·08	·19	·04	—	·54	·52	—	—	1·08	—	5
6	—	·22	—	·18	·07	—	·20	·03	—	—	·03	·55	6
7	·02	·52	·16	·11	·01	·01	·22	·04	·01	—	—	·36	7
8	·05	·26	·62	·04	·03	·04	—	·33	—	—	—	·14	8
9	·01	—	·70	·19	·03	·05	—	·02	·39	—	—	·56	9
10	·06	·35	·02	·11	·11	·02	—	—	·33	—	—	·01	10
11	—	·17	·69	—	—	·01	·56	—	—	—	·05	·64	11
12	—	·04	·10	—	—	—	—	—	·48	·35	·06	·35	12
13	—	·57	·62	—	—	—	—	—	·13	·05	·14	·54	13
14	—	·36	·23	—	—	·77	·16	·60	—	·44	·47	·43	14
15	—	—	·21	—	—	—	·04	·57	·03	·22	·52	—	15
16	—	—	—	—	—	—	·02	—	·48	—	—	—	16
17	—	1·12	·14	—	—	—	—	—	·01	—	—	·79	17
18	—	·04	·15	—	—	—	·14	—	·03	—	—	·70	18
19	—	·20	·58	—	—	—	1·21	—	·02	—	·13	·15	19
20	—	·53	·19	—	—	·16	—	—	—	—	—	·44	20
21	—	·70	·02	—	—	—	—	—	—	·30	—	—	21
22	—	·06	·01	—	·36	·06	·27	·04	—	·10	—	—	22
23	—	·08	·51	—	—	·02	·03	—	—	·16	—	—	23
24	—	—	·01	—	·01	—	—	—	—	·08	·12	·02	24
25	—	—	·20	—	·01	—	·04	·53	—	·59	·03	·56	25
26	—	·01	·11	—	—	—	·05	·10	—	·11	·21	·61	26
27	·05	—	—	—	—	—	—	—	—	—	·12	·28	27
28	·02	·12	·39	—	—	—	·31	—	—	·08	·24	·51	28
29	·40	X	·13	—	·04	—	—	—	—	·31	·36	·01	29
30	·01	X	·09	—	—	·08	—	—	—	·27	·78	·59	30
31	·02	X	—	X	·03	X	·10	—	X	·55	X	·05	31
Total	·75	5·35	6·00	1·37	1·24	1·23	4·35	4·15	1·91	3·61	6·46	9·36	YEAR'S TOTAL 45·78
Rain Days.	11	17	26	8	13	11	18	13	10	14	18	25	184

W. 8,000. X. 14.

Cnt. 4.V.16

1711

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Binnegar Hall

in the County of Dorset

3

by Lt. Col. Farrer

Lat. Long.

Time of Observation 9 · a · m

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·19	—	—	·03	—	—	·13	·20	·29	—	·37	1
2	·50	·29	·16	·08	—	—	—	·22	—	·14	—	·40	2
3	·29	·03	·18	·11	·15	—	—	·12	—	·22	—	·53	3
4	·04	—	—	·01	·01	—	—	·06	—	—	—	·44	4
5	·09	·38	—	·02	—	—	—	·32	—	—	—	·63	5
6	·75	·20	—	·50	—	—	·59	·03	—	—	—	·25	6
7	·14	·67	—	·06	—	—	·16	—	—	·01	·02	·37	7
8	·05	·65	—	—	—	—	—	·03	—	—	·05	·09	8
9	—	·06	—	·04	—	—	—	—	—	—	·61	·90	9
10	·22	—	·05	·02	—	—	—	—	—	·02	—	·22	10
11	·09	·10	·06	·06	—	—	—	—	—	—	1·26	·03	11
12	·13	·58	—	·08	·54	—	—	·01	—	·09	·35	·02	12
13	·01	·46	—	—	1·02	—	—	—	·08	—	·05	—	13
14	·06	·02	—	—	—	—	·20	—	·03	—	—	1·62	14
15	·11	—	—	—	·13	—	·08	·22	—	—	·08	·37	15
16	—	1·22	—	·01	·14	—	1·50	·01	—	—	—	·30	16
17	—	·48	—	—	·16	—	·01	·10	—	—	—	—	17
18	—	·27	—	—	·03	—	—	—	—	—	—	—	18
19	—	—	—	—	·23	—	·10	—	—	—	—	—	19
20	·19	—	—	·08	—	·03	—	—	—	·03	—	·07	20
21	·03	·38	—	—	—	·01	·17	—	·11	·47	—	·09	21
22	·08	·19	·35	·06	—	·02	·92	—	·04	·02	—	·30	22
23	—	·03	·06	—	—	—	—	—	·40	·83	·03	·64	23
24	—	—	—	·08	—	—	·05	—	·55	1·74	—	·45	24
25	—	—	·05	·03	—	·27	—	—	—	—	—	·36	25
26	·04	·13	—	—	—	·03	·14	—	·03	—	—	1·07	26
27	—	·03	—	—	—	·06	—	—	[illegible]	·53	—	—	27
28	—	·01	—	—	—	·11	·05	—	·48	·06	·02	·06	28
29	—		—	—	—	·15	—	·01	—	·14	·35	·11	29
30	·16	✕	—	—	—	·05	—	—	—	·40	·87	·31	30
31	—	✕	—	✕	—	✕	·04	·09	✕	1·19	✕	·50	31
Total	3·39	6·37	·91	1·24	2·44	·73	4·01	1·35	1·92	6·18 6·18	3·69	10·50	YEAR'S TOTAL 42·73 42·73
Rain Days.	19	21	7	15	10	9	13	13	9	16	11	26	169

W. 8,000. X. 15.

WAREHAM
EAST HOLME

DORSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

R 11

Kept at Holme,
in the County of Dors
by G. D. Bond

r Snowdon
5 in.
e Ground 1 ft. - in.
Sea Level 23 ft.
A.M.
Name Wareham
Distance 3 m Direction N.E.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read ear in the space provided for it at the end of thi nent of rain, the selection and placin itish Rainfall Organization are given in post-free on application to Dr. H. R. Mill, 62, Cam London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	-	-	-	.03	.05	1
2	-	-	-	.09	.35	-	-	.04	-	.19	.20	.25	2
3	-	-	-	-	.19	-	-	-	.02	-	.11	.08	3
4	-	-	.06	-	-	-	-	-	.09	.03	.25	.42	4
5	.08	-	-	-	-	-	-	.10	-	.48	.06	-	5
6	.76	-	.14	.02	-	-	-	-	-	.03	.43	.85	6
7	.04	-	-	-	-	-	-	-	-	-	.34	.05	7
8	-	.04	-	-	-	-	-	-	-	-	.22	.69	8
9	.05	-	-	-	-	-	-	-	-	-	.08	.50	9
10	.08	.05	.51	-	-	-	-	-	-	-	-	.29	10
11	.53	-	.03	-	-	-	-	-	-	-	1.44	-	11
12	-	-	1.08	-	-	-	-	.03	-	-	.03	.24	12
13	-	-	.01	-	-	-	-	-	.20	-	-	.48	13
14	-	.12	-	-	-	-	-	-	-	-	-	.33	14
15	-	.03	.05	-	-	-	-	-	-	-	.19	.04	15
16	-	-	-	-	-	.02	-	-	-	-	.46	.37	16
17	-	-	.30	-	.20	.20	-	-	-	-	.70	.27	17
18	-	.11	.11	.06	-	.08	-	-	-	.10	.10	.40	18
19	-	.04	-	-	-	.31	-	-	.26	.09	.09	.80	19
20	.06	.03	.26	-	-	.10	-	-	.08	.12	-	.75	20
21	.07	.25	.06	-	-	.06	-	-	.22	.58	-	.09	21
22	.22	.05	.04	.02	-	.24	-	-	.03	.40	-	.73	22
23	-	.14	.04	-	-	.27	-	-	.11	.35	-	.34	23
24	-	.19	-	-	-	.26	-	.27	-	.59	-	.27	24
25	-	.05	-	.08	-	.08	-	-	.04	.16	-	.04	25
26	-	.06	-	.45	-	-	-	-	-	.31	-	.48	26
27	-	.48	.05	-	-	-	-	.03	.09	1.16	.13	.16	27
28	-	.28	-	.61	-	-	-	.18	-	-	.15	-	28
29	-	-	-	.55	.29	-	.23	-	.20	.48	-	-	29
30	-	x	-	-	-	.01	.05	.15	-	.31	-	-	30
31	-	x	-	x	-	x	-	-	x	-	x	-	31
Total	1.89	1.92	2.74	1.88	1.03	1.63	.28	.80	1.34	5.38	5.01	8.97	TOTAL for year 32.87
No. of Rain Days.	9	15	14	8	4	11	2	7	11	16	18	25	140

W. 8,000, X. '11.

R 1

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

Kept at Holme, Wareham
3

in the County of Dorset.

by G. D. Bond.

Rain Gauge	Pattern	Copper Snowdon
	Diameter of top	5 in.
	Height of top above Ground	1 ft. - in.
	" " " Sea Level	23 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Wareham
Distance 3 m Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	-	-	-	.03	.05	1
2	-	-	-	.09	.35	-	-	.04	-	.19	.20	.25	2
3	-	-	-	-	.19	-	-	-	.02	-	.11	.08	3
4	-	-	.06	-	-	-	-	-	.09	.03	.25	.42	4
5	.08	-	-	-	-	-	-	.10	-	.48	.06	-	5
6	.76	-	.14	.02	-	-	-	-	-	.03	.43	.85	6
7	.04	-	-	-	-	-	-	-	-	-	.34	.05	7
8	-	.04	-	-	-	-	-	-	-	-	.22	.69	8
9	.05	-	-	-	-	-	-	-	-	-	.08	.50	9
10	.08	.05	.51	-	-	-	-	-	-	-	-	.29	10
11	.53	-	.03	-	-	-	-	-	-	-	1.44	-	11
12	-	-	1.08	-	-	-	-	.03	-	-	.03	.24	12
13	-	-	.01	-	-	-	-	-	.20	-	-	.48	13
14	-	.12	-	-	-	-	-	-	-	-	-	.33	14
15	-	.03	.05	-	-	-	-	-	-	-	.19	.04	15
16	-	-	-	-	-	.02	-	-	-	-	.46	.37	16
17	-	-	.30	-	.20	.20	-	-	-	-	.70	.27	17
18	-	.11	.11	.06	-	.08	-	-	-	.10	.10	40	18
19	-	.04	-	-	-	.31	-	-	.26	.09	.09	.80	19
20	.06	.03	.26	-	-	.10	-	-	.08	.12	-	.75	20
21	.07	.25	.06	-	-	.06	-	-	.22	.58	-	.09	21
22	.22	.05	.04	.02	-	.24	-	-	.03	.40	-	.73	22
23	-	.14	.04	-	-	.27	-	-	.11	.35	-	.34	23
24	-	.19	-	-	-	.26	-	.27	-	.59	-	.27	24
25	-	.05	-	.08	-	.08	-	-	.04	.16	-	.04	25
26	-	.06	-	.45	-	-	-	-	-	.31	-	.48	26
27	-	.48	.05	-	-	-	-	.03	.09	1.16	.13	.16	27
28	-	.28	-	.61	-	-	-	.18	-	-	.15	-	28
29	-	-	-	.55	.29	-	.23	-	.20	.48	-	-	29
30	-	x	-	-	-	.01	.05	.15	-	.31	-	-	30
31	-	x	-	x	-	x	-	-	x	-	x	-	31
Total	1.89	1.92	2.74	1.88	1.03	1.63	.28	.80	1.34	5.38	5.01	8.97	TOTAL for year 32.87
No. of Rain Days.	9	15	14	8	4	11	2	7	11	16	18	25	140

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL

18 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Holme, Wareham.

in the County of Dorset.

3

by Gerald D. Bond Esq

Lat. 50 40' Long. 2 8'

Time of Observation 9 a.m.

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 23' 6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.02	-	.01	.21	-	-	-	.88	-	.31	1
2	-	-	.16	.41	-	.04	.35	-	-	.02	.02	-	2
3	-	-	.07	-	-	.39	.04	.63	-	-	.02	.01	3
4	.29	.08	.60	-	-	.18	-	.05	-	-	.23	-	4
5	.80	.25	.15	-	-	-	-	.42	-	-	-	.28	5
6	.36	-	-	-	.23	.10	-	.42	-	-	-	.08	6
7	.03	.56	.08	-	.15	.67	-	.02	-	-	-	.11	7
8	.59	.20	.26	-	-	.03	-	.05	-	-	-	-	8
9	-	.05	.32	.04	-	.20	-	.37	-	-	-	.54	9
10	-	-	-	-	-	.05	.01	.09	-	-	.02	.44	10
11	.06	.10	-	-	-	.10	-	.05	-	-	.02	.41	11
12	-	.38	.18	-	.58	.04	.02	.21	-	-	-	-	12
13	-	.03	-	-	-	-	.01	-	-	.03	-	.06	13
14	.24	-	.27	-	-	-	-	.15	-	-	-	-	14
15	.30	.04	-	-	.06	.51	-	.03	-	-	-	.40	15
16	.97	.04	-	-	.07	-	-	.45	-	.11	.18	-	16
17	.75	-	.89	-	-	.07	-	.80	-	-	-	.10	17
18	-	-	.23	-	-	-	-	.11	-	.01	-	-	18
19	-	.02	.34	-	-	.03	.06	.60	-	-	-	-	19
20	.04	.04	.53	-	.04	-	.06	.11	-	.39	-	-	20
21	-	.38	.47	-	.25	-	-	.15	-	.11	-	-	21
22	-	.49	.09	-	-	.05	.01	.13	-	.07	.02	.07	22
23	.51	.20	.29	-	-	-	-	.81	-	.24	.14	.32	23
24	.30	.06	-	-	-	.28	-	.13	-	-	-	.25	24
25	-	-	-	-	-	.10	.01	.20	-	.26	.35	.65	25
26	.09	.05	-	-	-	-	.33	.04	-	.28	.57	.26	26
27	-	.05	-	-	-	.19	1.37	-	-	.83	-	.38	27
28	-	.10	-	-	-	.35	.06	.53	.03	.75	.58	.45	28
29	-	.13	-	-	-	-	.30	-	1.32	.20	-	-	29
30	-	-	.10	-	-	-	.02	.15	.85	.18	-	-	30
31	-	-	.58	-	-	-	.28	-	-	-	-	.09	31
Total	5.33	3.25	5.63	.45	1.39	3.59	2.93	6.70	2.20	4.36	2.15	5.21	YEAR'S TOTAL 43.19
Rain Days.	14	20	19	2	8	19	15	25	3	15	11	19	170

W. 7,500, XI. 12

Copied from
Dorset Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Ex. Mf.

Kept at Holme, Wareham

in the County of Dorset 3

by G. D. Bond Esqre
R. Stevenson Henshaw.

Lat. 50° 40' Long. 2° 8'

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·34	·18	·47	—	—	—	—	·50	·04	·27	—	1
2	—	·14	—	—	·05	—	—	—	—	·27	·10	·04	2
3	·16	—	·06	·06	·16	—	—	—	·03	—	—	·14	3
4	·67	—	·10	—	·22	—	—	—	·30	·58	·08	·03	4
5	·34	·15	·04	—	·08	·13	—	—	·72	·11	·14	·17	5
6	—	·14	·05	—	·01	·18	·12	—	—	1·03	·02	·67	6
7	—	·37	·03	—	·39	·10	·26	—	—	·37	·24	·02	7
8	—	·31	—	—	·14	—	·01	—	—	·01	—	·09	8
9	—	·04	—	—	·03	—	·04	—	·02	·02	·18	—	9
10	·41	—	—	—	·02	—	—	·84	—	·10	·50	—	10
11	·76	—	—	·11	·26	—	—	·01	—	·07	·70	·05	11
12	—	—	—	—	·33	—	—	—	—	—	·39	—	12
13	—	—	·04	—	—	—	—	·04	·32	—	·22	—	13
14	·33	—	·11	—	·22	—	—	—	·28	—	—	—	14
15	·18	·09	·44	·62	—	—	·22	·07	·19	—	·04	—	15
16	·18	—	·47	·07	—	·04	—	—	·03	—	—	—	16
17	·12	·01	·01	·09	—	—	·01	—	—	—	·04	·02	17
18	—	—	·24	·12	—	—	—	—	—	—	·07	—	18
19	·91	—	·04	—	—	—	—	—	·44	—	—	—	19
20	·05	—	·38	·10	—	—	—	—	—	·32	·13	—	20
21	—	—	·22	·39	·03	—	·06	—	—	·08	·73	—	21
22	·36	—	·10	—	—	—	·02	·16	·18	·14	—	·15	22
23	·02	—	—	—	—	·09	—	·01	—	—	·07	·66	23
24	·05	—	—	·19	—	·03	—	—	—	—	—	—	24
25	—	·09	—	·31	—	—	—	—	—	·02	—	—	25
26	—	—	—	·24	—	—	—	·27	—	·06	—	·17	26
27	·05	—	·23	·05	—	—	—	—	—	—	—	—	27
28	·15	—	·02	·21	—	—	—	—	—	·32	—	—	28
29	·18		·40	·60	·33	—	—	·08	—	·36	—	—	29
30	·73		—	—	·05	—	—	—	—	·76	—	—	30
31	·11		—		—		·01	·65		·07		—	31
Total	5·80	1·68	3·16	3·63	2·32	·57	·75	2·13	301	4·73	3·92	2·21	YEAR'S TOTAL 33·91
Rain Days.	20	10	19	15	15	6	9	9	11	19	17	12	162

Con. for auth. 19. IV. 15. & for part WD.

FORM A. BRITISH RAINFALL.

18 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Holme

in the County of Dorset 3

by Gerald D Bond

Lat. 50° 20' Long. 2° 8'

Time of Observation 9 a m

Nearest Railway Station Wareham 3½ miles

Diameter of Rain Gauge 5 3½ in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·43	—	—	·60	·16	1
2	—	—	—	—	—	—	·21	—		—	·19	·38	2
3	—	—	·02	·19	·45	—	·09	·15	—	—	1·80	·08	3
4	·07	—	—	·36	·07	—	·23	·89	—	—	—	·52	4
5	·08	—	·10	·22	·04	—	·54	·21	—	—	·42	—	5
6	—	·20	—	·15	·08	—	·23	·02	—	—	1·00	·56	6
7		·53	·20	·16	·01	—	·22	·10	·02	—	·01	·30	7
8	·05	·27	·83	·06	·03	·04	—	·26	—	—	—	·11	8
9	—	—	·62	·13	·06	·03	—	—	·41	—	—	·57	9
10	·04	·34	·01	·11	·09	·02	—	—	·39	—	—	·01	10
11	—	·28	·72	—	·01	—	·58	—	—	—	·08	·68	11
12	—	·03	·17	—	—	—	—	—	·43	·22	·10	·32	12
13	—	·54	·60	—	—	—	—	—	·10	·05	·08	·46	13
14	—	·37	·20	—	—	·75	·18	·62	—	·50	·56	·36	14
15	—	—	·21	—	—	—	·03	·55	—	·16	·68	—	15
16	—	—	—	—	—	—	·01	—	·41	—	—	·01	16
17	—	1·22	·17	—	—	—	—	—	—	—	—	·83	17
18	—	·04	·16	—	—	—	·14	—	·04	—	—	·63	18
19	—	·21	·61	—	—	—	1·29	—	—	—	·13	·15	19
20	—	·51	·17	—	—	·16	—	—	—	—	—	·37	20
21	—	·75	·01	—	—	—	—	—	—	·30	—	—	21
22	—	·04	·02	—	·33	·04	·22	·05	—	·08	—	—	22
23	—	·13	·50	—	—	·06	·05	—	—	·13	—	—	23
24	—	—	·01	—	—	—	—	—	—	·10	·13	—	24
25	—	—	·23	—	·05	—	·03	·61	—	·58	·04	·03	25
26	—	—	·11	—	—	—	·06	—	—	·16	·28	·60	26
27	·05	—	—	—	—	—	—	—	—	—	·25	·53	27
28	·02	·12	·45	—	—	—	·21	—	—	·08	·20	·27	28
29	·42	—	·10	·04	·05	—	—	—	—	—	·38	·46	29
30	·06	X	·10	—	—	·08	—	—	—	·30	·69	·64	30
31		X	—	X	·04	X	·10	—	X	·26 ·60	X	·43	31
Total	·79	5·58	6·32	1·42	1·31	~~1·19~~ 1·18	4·45	3·89	1·80	3·72	~~7·62~~ 7·02	9·16	YEAR'S TOTAL ~~46·65~~ 46·64
Rain Days.	8	16	24	9	13	8	18	11	7	14	~~19~~ 18	25	171

W. 8,000. X. 14.

[illegible] 1708

FORM A.
BRITISH RAINFALL.
9 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Holme, Wareham.

in the County of Dorset

by Gerald D. Bond Esq

Lat. 50 40' Long. 2 8'

Time of Observation 9 a.m.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 3½ in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.32	.25	-	-	-	-	-	.12	.26	.30	-	.05	1
2	.70	.29	.18	.08	--	-	-	.25	-	.13	-	.51	2
3	.21	.02	.22	.09	.17	-	-	.19	-	.15	-	.50	3
4	.04	-	-	.02	-	-	-	.10	-	-	-	.32	4
5	.12	.34	-	.02	-	-	-	.35	-	-	-	.61	5
6	.77	-	-	.51	-	-	.64	.02	-	-	-	.29	6
7	.14	.71	-	.10	-	.03	.12	-	-	-	-	.34	7
8	.07	.67	-	-	-	-	-	.04	-	-	.09	.14	8
9	-	.06	-	.04	-	-	-	-	-	-	.51	.90	9
10	.24	-	.04	.02	-	-	-	-	-	-	-	.23	10
11	.10	.12	.05	.06	-	-	-	-	-	-	1.39	-	11
12	.13	.57	-	.10	.56	-	-	.02	-	.09	.35	-	12
13	.01	.39	-	-	1.06	-	-	-	.08	-	.04	-	13
14	.05	.01	-	-	-	-	.24	-	.04	-	-	1.60	14
15	.15	-	-	-	.16	-	.08	.20	-	-	.08	.28	15
16	-	1.24	-	-	.09	-	1.69	-	-	-	-	.33	16
17	-	.37	-	-	.18	-	-	.10	-	-	-	-	17
18	-	.27	-	-	-	-	-	-	-	-	-	-	18
19	-	-	-	-	.25	-	.08	-	-	-	-	-	19
20	.19	-	-	.08	-	-	-	-	-	.04	-	.07	20
21	.04	.35	.01	-	-	-	.31	-	.09	.33	-	.09	21
22	.06	.16	.35	.03	-	-	.93	-	.02	-	-	.28	22
23	-	.01	.06	-	-	-	-	-	.45	1.20	-	.53	23
24	-	-	-	.06	-	-	.10	-	.55	1.46	-	.40	24
25	-	-	-	.03	-	.20	-	-	-	-	-	.32	25
26	-	.13	-	-	-	.05	.18	-	-	-	-	1.16	26
27	-	.03	-	-	-	.06	-	-	-	.46	-	-	27
28	-	-	-	-	-	.17	.04	-	.46	.09	.02	.06	28
29	-	-	-	-	-	.15	-	-	-	.08	.34	.21	29
30	.20	╳	-	-	-	.02	-	.01	-	.48	.44	.42	30
31	-	╳	-	╳	-	╳	.04	.12	╳	1.34	╳	.33	31
Total	3.54	6.09	.91	1.24	2.47	.68	4.45	1.52	1.95	6.15	3.25	10.07	YEAR'S TOTAL 42.33
Rain Days.	18	19	7	14	7	7	12	12	8	13	9	24	150

W. 8,000. X. 15.

1677

FORM A.
BRITISH RAINFALL

18. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at East Holme

in the County of Dorset

by G. D. Bond.

Lat. 50 Long. 40

Time of Observation 9 A.M.

Nearest Railway Station Wareham 3½ Miles N.E.

Diameter of Funnel of Rain Gauge ~~3½~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14	–	.27	–	.55	.03	.01	–	.55	.21	.43	–	1
2	.25	.20	–	–	–	–	–	–	–	.20	.06	–	2
3	.05	.95	–	–	–	–	–	–	.05	.85	.23	–	3
4	.12	.12	–	–	.08	.43	–	–	.09	.05	.51	–	4
5	.05	.05	.05	–	.19	.09	–	–	–	.11	.44	–	5
6	–	.08	.02	–	.04	.30	.59	–	–	.04	.92	–	6
7	–	.06	.45	–	.10	.07	–	–	–	.02	.95	.13	7
8	–	.08	.35	–	.42	.09	–	–	–	–	.03	.30	8
9	–	.04	.04	–	.03	.01	.01	–	–	–	.01	.33	9
10	–	.65	–	.04	.05	.05	–	–	–	–	.08	.38	10
11	–	–	.03	.09	–	.13	–	–	–	–	–	.04	11
12	.04	.10	.24	.01	.12	–	.15	.04	–	.03	–	–	12
13	–	.25	.19	.02	–	–	.01	–	–	.01	–	–	13
14	–	.70	.05	.01	.09	–	–	–	–	.02	–	–	14
15	–	.55	.20	.03	–	–	–	.01	–	–	–	–	15
16	.17	.06	–	.12	–	–	–	.57	–	.03	–	.43	16
17	.23	.13	–	.08	–	–	–	.01	.22	.80	.61	–	17
18	.22	-.07	.17	.01	–	–	–	.31	.19	.03	.15	.20	18
19	.13	–	.54	.03	–	–	–	–	.02	–	.16	.28	19
20	.10	.36	.26	–	–	–	–	–	–	–	.15	1.76	20
21	–	.20	.22	–	.04	–	.04	–	–	–	.01	.35	21
22	–	–	.01	–	–	.03	–	–	–	.23	.03	.74	22
23	.02	.01	–	–	–	.05	–	.15	–	.12	.20	–	23
24	–	.03	–	.05	.16	–	–	.17	–	.34	.12	.43	24
25	–	.32	.19	–	–	–	–	.69	–	.16	.11	–	25
26	.02	.44	.02	–	–	.10	.	.03	.58	.72	.01	.03	26
27	–	–	.90	–	–	.04	.90	–	.66	.20	–	–	27
28	–	.25	.02	.19	–	–	–	.22	.28	.29	–	.42	28
29	–	.58	–	–	–	.52	–	2.43	.38	.26	.01	.46	29
30	–	╳	–	–	–	–	–	.02	.02	.40	–	–	30
31	--	╳	–	╳	–	╳	–	.10	╳	.31	╳	.01	31
Total	1.54	6.28	4.22	.68	1.87	1.94	1.81	4.75	3.04	5.43	5.32	6.29	YEAR'S TOTAL 43.17
Rain Days.	13	24	20	12	12	14	7	13	11	23	21	16	186

[illegible] ~~W.~~ C75 1605

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18 JAN 1918

Kept at Holme, Wareham.

in the County of Dorset.

by G. D. Bond Esq

Lat. 50 40' Long. 2 8'
Time of Observation 9 A.M.
Nearest Railway Station Wareham.
Diameter of Funnel of Rain Gauge 3½" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.13	.17	–	.07	–	.87	.01	–	.06	–	1
2	–	–	–	.39	–	–	–	.06	–	–	–	–	2
3	.05	–	–	.14	–	–	.32	.03	–	.16	.45	–	3
4	–	–	.48	–	–	–	.01	.01	–	.21	–	–	4
5	.08	–	.09	.16	–	.11	–	–	.16	.11	.07	–	5
6	–	–	.08	–	–	–	–	–	–	.16	.10	.07	6
7	.42	–	–	–	–	–	.40	.15	–	.14	–	.14	7
8	.41	–	–	–	–	–	.19	.88	.04	.39	.25	.20	8
9	—	–	.33	–	.04	–	–	–	–	.04	.06	–	9
10	.14	–	.33	.31	–	–	–	.49	–	–	–	–	10
11	.02	–	.41	.24	.08	–	–	–	–	.51	.02	–	11
12	.03	–	.05	–	.33	–	–	–	–	–	–	–	12
13	–	–	.19	–	–	–	–	.18	.03	.06	–	–	13
14	–	–	.21	.07	–	–	–	.05	–	–	–	–	14
15	–	–	–	–	–	–	–	.15	.01	.29	–	.55	15
16	–	.41	–	.07	–	–	–	–	.01	1.92	–	.30	16
17	–	.02	–	.10	.02	.10	.23	.29	.59	.16	–	–	17
18	–	.07	–	–	–	.25	.14	–	.40	–	–	–	18
19	–	.36	.06	–	–	–	–	–	.30	–	–	–	19
20	.02	–	.07	–	.34	.12	–	–	–	–	–	–	20
21	.01	–	.41	–	–	–	–	–	–	.06	–	–	21
22	–	–	–	–	–	.08	–	.03	–	.07	–	–	22
23	–	–	–	–	.09	–	–	.20	–	.11	–	–	23
24	–	.41	.02	–	–	.04	.39	–	–	.32	.05	.03	24
25	–	–	–	–	–	–	–	–	.03	.03	–	–	25
26	–	–	.04	–	.53	–	–	.55	.10	.03	.02	–	26
27	–	–	–	–	1.50	.26	–	.93	–	–	–	–	27
28	–	–	–	–	.08	.61	–	.12	–	–	–	–	28
29	–	–	.05	–	.16	.11	.06	.01	–	.50	–	.10	29
30	–	✕	.34	–	–	–	.57	.31	–	.25	–	–	30
31		✕	-62	✕		✕	(.10)	(.05)	✕		✕		31
Total	1.18	1.27	3.31	1.65	3.17	1.75	2.41 ~~2.21~~	5.37	1.68	5.52	1.09	1.39	YEAR'S TOTAL 28.79
Rain Days.	9	5	18	9	10	10	10	19	11	20	9	7	137

W. 8,000, IX. 17.

C.Y.E. ently own stats

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 1 1 18

Kept at Holme, Wareham.

in the County of Dorset

by Gerald D. Bond Esq

Lat. 50 40' Long. 2 8"

Time of Observation 9 A.M.

Nearest Railway Station Wareham L & S.W.R

Diameter of Funnel of Rain Gauge ~~8½~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.14			.03			.70			.50	.08	1
2	.02	.20		.01				.12		.01	.17	.25	2
3		.09		.33	(.32)					.03	.07	.02	3
4		.11						.10	.10		1.05	.12	4
5		.05	.26	.02	.42			.33	.07	.37	.02	.04	5
6	.22	.20		.28				.14	.03	.12		.16	6
7		.21		.03				.03	.23		.27	.05	7
8		.05				.02			.08	.21		.02	8
9				.21		.04	.18		.52	.19	.03	.62	9
10	.03			.16		.03	.71		.09	.44	.01	.51	10
11				.04			.21		.16	.07	.04	.04	11
12		.14			.40				.03	.04			12
13							.76		.58	.05		.01	13
14	.37		.01		.01	.02	.04		.40	.33		.07	14
15	1.17			.43	.05	.33	.17					.15	15
16	.46		.03	.04		.02			.21				16
17	.21			.19			.50		.06			.30	17
18	.78		.01			.85	.03		.69			.17	18
19	.07		.14	.01			.36		.01	.03		.01	19
20		.27		.16			.07		.55	.05			20
21	.18	.02							.81	.14		.35	21
22	.06				.47		.51		.21			.07	22
23	.24				.04		.17		.04		.10	.01	23
24		.22							.20		.08		24
25				.05	.18		.10	.73			.04		25
26	.01						.14		.04	.02	.11	.30	26
27		.08						.08	.38	.01	.12		27
28			.27	.04					.02		.01		28
29			.24						(1.62)		.01	.01	29
30		X	.54							.05	.10	.05	30
31		X	..07	X		X			X	.10	X		31
Total	3.82 ✓	1.78 ✓	1.57 ✓	2.00 ✓	1.82 ✓	1.31 ✓	3.95 ✓	2.23	7.13 ✓	2.26 ✓	2.73 ✓	3.41 ✓	YEAR'S TOTAL 34.01
Rain Days.	13 ✓	13 ✓	9 ✓	15 ✓	9 ✓	7 ✓	14 ✓	8	24	18 ✓	17 ✓	23 ✓	170 ✓

W, 6,500, VII. 18. W W &

1570

JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Holme, Wareham.

in the County of Dorset.

by G. D. Bond Esq

Lat 50 40' Long 2 8'

Time of Observation 9 a.m.

Nearest Railway Station Wareham L & S.W.R.

Diameter of Funnel of Rain Gauge 3½ 7.5 in.

Height of top of Gauge above Ground 1 ft - in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	-	.09	.03	-	-	.19	-	-	.19	-	1.17	1
2	.34	-	.01	-	.02	-	.02	-	.41	-	-	.10	2
3	1.05	-	.76	-	.08	-	.07	-	.38	-	.01	.05	3
4	.83	.22	.30	-	-	-	-	.02	.18	-	.07	.09	4
5	.09	.35	.49	-	.03	-	-	-	.01	.01	.05	.05	5
6	.56	.18	.16	-	.12	-	-	-	-	-	.02	.28	6
7	.25	-	.52	.07	-	-	-	-	-	-	-	-	7
8	.31	-	.24	-	-	-	-	-	-	-	.06	-	8
9	.27	-	.04	.27	.04	-	-	-	-	-	.50	-	9
10	.23	-	.17	-	.02	-	-	-	-	-	-	.45	10
11	.12	-	.05	.20	.19	-	.24	-	-	.14	-	.05	11
12	.18	-	-	-	-	-	.03	-	-	.02	-	.01	12
13	.09	-	.10	.63	-	-	.02	-	-	.04	-	.07	13
14	.61	.13	-	.23	.21	-	.15	-	.07	.03	-	.07	14
15	.51	.10	-	.05	-	-	-	-	-	-	-	.63	15
16	.01	1.04	-	-	.01	-	-	-	-	-	.11	-	16
17	.02	.34	-	-	-	-	-	-	-	-	.09	.05	17
18	.03	.07	.54	-	-	-	.09	.04	-	-	.12	-	18
19	1.19	.38	.63	-	-	.13	.99	.25	.15	-	.07	.06	19
20	.33	-	.09	-	-	.50	-	.26	-	-	-	-	20
21	-	.75	-	-	-	-	.01	-	.05	-	.01	.02	21
22	-	-	-	-	-	-	.09	-	.25	-	-	.02	22
23	-	-	-	-	-	-	-	-	-	-	.02	-	23
24	-	.02	-	.05	-	.15	.25	.08	-	.20	.10	.34	24
25	.07	.11	-	.07	-	.02	-	.69	-	1.10	-	.08	25
26	-	.23	.12	.04	-	-	-	-	.07	-	.11	.63	26
27	.14	-	.06	.43	-	-	.12	.30	-	-	-	.02	27
28	-	-	.48	-	-	-	-	.26	-	-	.77	.61	28
29	-	-	-	-	-	-	-	.08	-	.05	-	.07	29
30	-		-	.10	-	.09	-	.20	-	-	.80	.89	30
31	-		.08		-		-	-		-		.61	31
Total	7.85	3.92	4.93	2.17	.72	.89	2.27	2.18	1.57	1.78	2.91	6.42	Year's total 37.61
Days with ·01 in. or more	22	13	19	12	9	5	13	10	9	9	16	24	161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

392

Ch/Cw 1424

30 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Holme, Wareham

in the County of Dorset

by Gerald D. Bond Esq

Lat. 50 40' Long. 2 8'

Time of Observation 9 a.m.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge ~~5~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 23 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	–	.03	.13	.31	–	.72	.02	.02	.21	.27	.60	1
2	.24	–	–	.10	–	–	.08	.37	.07	.16	–	.18	2
3	.03	.05	–	.18	–	–	.36	–	–	.41	–	.02	3
4	–	.09	–	–	–	–	.07	.45	–	.21	–	–	4
5	–	–	.21	.07	–	–	.42	.12	–	.27	–	–	5
6	–	–	.10	–	.33	–	.32	–	–	–	–	–	6
7	.03	–	.02	.21	.09	–	.48	–	–	–	–	–	7
8	.08	.05	–	.10	.02	–	.29	.05	–	–	–	–	8
9	.61	.01	.02	.08	–	.09	.03	–	–	–	–	–	9
10	.83	.05	.19	.17	–	.50	.65	–	–	–	–	–	10
11	.34	–	.15	.52	.27	.29	.23	–	–	–	–	–	11
12	.18	–	–	.26	–	.48	–	–	–	–	.15	.02	12
13	.17	.02	.50	.14	–	–	–	–	–	–	.04	–	13
14	.04	.01	.52	.55	–	–	–	–	.33	.43	.57	.08	14
15	.06	.05	.04	.09	.09	.11	–	–	.05	.74	.04	–	15
16	–	–	.04	.03	–	.03	.09	–	.39	.01	–	–	16
17	–	–	–	.07	.33	–	.07	–	.37	–	–	–	17
18	.16	–	.01	.04	.17	.09	.01	.51	.01	–	–	–	18
19	.02	–	–	.37	–	.20	–	–	–	–	–	.01	19
20	.01	.07	–	.26	–	.63	–	–	–	–	–	.18	20
21	–	–	–	–	–	–	.37	–	–	.05	–	.34	21
22	.10	–	–	.25	–	–	.02	–	.05	–	–	.42	22
23	–	–	–	–	–	–	.15	.01	–	–	–	.59	23
24	.04	.04	.20	–	–	–	–	–	–	–	.02	.25	24
25	.03	–	–	–	.17	–	.53	–	–	–	–	–	25
26	.12	–	.27	–	–	–	–	–	–	–	.10	.12	26
27	.50	–	.02	.06	–	.08	.02	–	–	–	.13	.26	27
28	.66	.01	.07	.05	.03	–	.20	–	–	–	–	.08	28
29	.49	–	.29	.21	–	.02	–	–	–	–	.24	.57	29
30	.11	✕	–	–	–	.14	.02	–	.34	–	.49	.58	30
31	.03	✕	.20	✕	–	✕	–	–	✕	.45	✕	.28	31
Total	4.98	.45	2.88	3.94	1.81	2.66	5.14	1.53	1.63	2.94	2.05	4.58	Year's Total 34.59
Days with ·01 in. or more	24	11	18	22	10	12	21	7	9	10	10	17	171
Days with ·04 in. or more	18	7	13	21	8	10	16	5	7	9	9	14	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

WAREHAM.

"SOUTH STREET"

1911 – 1920

REGIS 11

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at South Street

in the County of Do

by Stephen W Bu

p 5 in.

ove Ground 2 ft. 6 in.

„ Sea Level 18 ft.

9 a.m

Name Wareham

Distance ½ mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	—	—	—	—	—	—	—	.04	.07	1
2	.01	—	—	.04	.33	—	—	.05	—	.20	.20	.27	2
3	—	—	—	—	.18	—	—	—	.01	—	.11	.07	3
4	.01	—	.06	—	—	—	—	—	.12	.03	.24	.43	4
5	.03	—	—	.02	—	—	—	.09	.21	.31	.09	—	5
6	.81	—	.10	—	—	—	—	—	—	.13	.33	.84	6
7	.03	—	—	—	—	—	—	—	—	—	.30	.05	7
8	.01	.02	.14	—	—	—	—	—	—	—	.18	.63	8
9	.05	—	.01	—	—	—	—	—	—	—	.07	.40	9
10	.06	.05	.55	—	—	—	—	—	—	—	—	.30	10
11	.43	—	.05	—	—	—	—	—	—	—	1.30	—	11
12	—	—	1.05	—	—	—	—	—	—	—	.03	.25	12
13	—	—	.01	—	—	—	—	—	—	—	—	.48	13
14	—	.11	.02	—	—	—	—	—	—	—	—	.32	14
15	—	—	—	—	—	.04	—	—	—	—	.19	.05	15
16	—	—	—	—	—	.14	—	—	—	—	.40	.25	16
17	.01	.02	.19	—	.15	.09	.01	—	—	—	.66	.33	17
18	—	.11	.13	.05	—	.25	—	—	—	.09	.10	.42	18
19	—	.07	—	—	—	.16	—	—	.26	.12	.07	.44	19
20	.04	.03	.25	—	—	—	—	.01	.07	.07	—	.85	20
21	.06	.25	.04	—	—	—	—	—	.10	.71	—	.12	21
22	.21	.02	.04	.01	—	.22	—	—	.01	.41	—	.70	22
23	—	.31	.04	—	—	.30	—	—	.09	.37	.13	.40	23
24	.02	.18	—	—	—	.26	—	.20	.08	.48	—	.30	24
25	—	.02	—	.09	—	.04	—	—	.04	.04	—	.04	25
26	—	.02	—	.38	—	—	—	—	—	.42	—	.42	26
27	—	.37	.04	—	—	—	—	—	.09	1.14	.15	.15	27
28	—	.18	—	.63	—	—	—	.17	—	—	.12	—	28
29	—	—	—	.46	.29	.21	.32	—	.16	.39	—	—	29
30	—	—	—	—	—	.01	.03	.17	—	.32	.02	—	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.79	1.76	2.72	1.68	.95	1.72	.36	.69	1.24	5.23	4.73	8.58	TOTAL for year 31.45
No. of Rain Days.	15	15	16	8	4	11	3	6	12	16	20	25	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REGIS 11

Kept at South Street Wareham

in the County of Dorset 3

by Stephen W Bennett

RAIN GAUGE	Pattern —
	Diameter of top 5 in.
	Height of top above Ground 2 ft. 6 in.
	„ „ „ Sea Level 18 ft.
Time of Observation	9 a.m
Nearest Railway Station	Name Wareham
	Distance ¼ mile Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	—	—	—	—	—	—	—	—	.04	.07	1
2	.01	—	—	.04	.33	—	—	.05	—	.20	.20	.27	2
3	—	—	—	—	.18	—	—	—	.01	—	.11	.07	3
4	.01	—	.06	—	—	—	—	—	.12	.03	.24	.43	4
5	.03	—	—	.02	—	—	—	.09	.21	.31	.09	—	5
6	.81	—	.10	—	—	—	—	—	—	.13	.33	.84	6
7	.03	—	—	—	—	—	—	—	—	—	.30	.05	7
8	.01	.02	.14	—	—	—	—	—	—	—	.18	.63	8
9	.05	—	.01	—	—	—	—	—	—	—	.07	.40	9
10	.06	.05	.55	—	—	—	—	—	—	—	—	.30	10
11	.43	—	.05	—	—	—	—	—	—	—	1.30	—	11
12	—	—	1.05	—	—	—	—	—	—	—	.03	.25	12
13	—	—	.01	—	—	—	—	—	—	—	—	.48	13
14	—	.11	.02	—	—	—	—	—	—	—	—	.32	14
15	—	—	—	—	—	.04	—	—	—	—	.19	.05	15
16	—	—	—	—	—	.14	—	—	—	—	.40	.25	16
17	.01	.02	.19	—	.15	.09	.01	—	—	—	.66	.33	17
18	—	.11	.13	.05	—	.25	—	—	—	.09	.10	.42	18
19	—	.07	—	—	—	.16	—	—	.26	.12	.07	.44	19
20	.04	.03	.25	—	—	—	—	.01	.07	.07	—	.85	20
21	.06	.25	.04	—	—	—	—	—	.10	.71	—	.12	21
22	.21	.02	.04	.01	—	.22	—	—	.01	.41	—	.70	22
23	—	.31	.04	—	—	.30	—	—	.09	.37	.13	.40	23
24	.02	.18	—	—	—	.26	—	.20	.08	.48	—	.30	24
25	—	.02	—	.09	—	.04	—	—	.04	.04	—	.04	25
26	—	.02	—	.38	—	—	—	—	—	.42	—	.42	26
27	—	.37	.04	—	—	—	—	—	.09	1.14	.15	.15	27
28	—	.18	—	.63	—	—	—	.17	—	—	.12	—	28
29	—	—	—	.46	.29	.21	.32	—	.16	.39	—	—	29
30	—	—	—	—	—	.01	.03	.17	—	.32	.02	—	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1.79	1.76	2.72	1.68	.95	1.72	.36	.69	1.24	5.23	4.73	8.58	TOTAL for year 31.45
No. of Rain Days.	15	15	16	8	4	11	3	6	12	16	20	25	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

18 JAN 1913

Kept at South Street Wareham
in the County of Dorset 3
by Stephen W Bennett

Lat. 50.42 Long. 2 S.W
Time of Observation 9 a.m
Nearest Railway Station Wareham ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	.03	–	.02	.22	.01	–	.01	.85	–	.28	1
2	–	–	.13	–	–	.02	.53	–	–	.01	–	–	2
3	–	–	.07	–	–	.37	.03	.74	–	–	.01	.01	3
4	.26	.05	.60	–	–	.23	–	.03	–	–	.31	.01	4
5	.67	.23	.19	–	–	–	–	.48	–	–	.01	.24	5
6	.49	.01	–	–	.19	.06	–	.28	–	–	–	.07	6
7	.03	.53	.15	–	.16	1.19	.02	.01	–	–	–	.09	7
8	–	.25	.27	.04	–	.02	–	.16	–	–	–	.01	8
9	.57	.04	.26	.03	–	.01	–	.16	–	–	–	.39	9
10	–	.08	–	–	–	.03	.01	.17	–	–	.01	.44	10
11	.08	.10	.01	–	–	.13	–	.05	–	.01	.01	.37	11
12	–	.39	.13	.01	.65	.18	.02	.19	–	.02	–	–	12
13	.02	.01	.03	–	–	–	–	.04	–	.01	–	.07	13
14	.22	–	.24	–	.01	–	–	.19	–	–	–	.01	14
15	.29	.17	.03	–	.06	.54	–	.03	–	–	–	.39	15
16	.81	.02	.58	–	.06	–	–	.39	–	.08	.21	–	16
17	.86	–	.38	–	.01	–	–	.89	–	–	–	.12	17
18	.06	–	.25	–	–	–	–	.13	–	.02	–	.01	18
19	–	.05	.30	–	–	.03	.07	.45	–	–	.01	–	19
20	.03	.05	.56	–	.03	–	.09	.13	–	.40	.02	–	20
21	–	.30	.41	–	.24	–	–	.15	–	.13	–	–	21
22	.40	.49	.04	–	–	.10	–	.14	–	.04	.01	.05	22
23	.23	.18	.32	–	–	–	–	.61	–	.24	.10	.22	23
24	.30	.07	–	–	–	.22	.03	.16	–	–	–	.20	24
25	.10	–	–	–	–	.26	–	.22	–	.11	.39	.65	25
26	–	.05	.01	–	–	–	.43	.07	–	.41	.48	.33	26
27	–	.07	–	–	–	.19	.91	–	–	.76	–	.41	27
28	–	.11	–	–	–	.22	.10	.59	.11	.68	.61	.46	28
29	–	.15	–	–	–	.02	.29	.03	1.58	.13	.01	.01	29
30	–	–	.64	–	.03	.03	.03	.02	.88	.18	–	–	30
31	–	–	–	–	–	–	.22	.02	–	–	–	.06	31
Total	5.42	3.40	5.63	.08	1.46	4.07	2.79	6.53	2.58	4.08	2.19	4.90	YEAR'S TOTAL 43.13
Rain Days.	17	22	23	3	11	20	15	28	4	17	14	24	198

W. 7,500, XI. 12

6

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at South Street Wareham

in the County of Dorset 3

by Stephen W Bennett

Lat. 50.42 Long. 2.8.W

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·31	·20	·42	—	·02	—	—	·52	·03	·25	—	1
2	·03	·17	—	—	—	—	—	—	—	·14	·11	·01	2
3	·13	—	·04	·06	·25	—	—	—	·01	—	—	·09	3
4	·95	—	·13	—	·25	—	—	—	·20	·73	·05	·02	4
5	·31	·15	·03	—	·05	·10	·01	—	1·06	·19	·19	·13	5
6	·01	·13	·05	—	·02	·20	·06	—	—	1·27	·03	·74	6
7	—	·34	·01	—	·41	—	·34	—	—	·39	·25	·02	7
8	·01	·27	—	—	·16	·07	—	·01	—	—	·01	·08	8
9	—	·05	—	—	·11	—	·02	·62	·02	·01	·16	·01	9
10	·23	·01	—	—	—	—	—	·01	—	·10	·65	—	10
11	1·00	·01	—	·14	·19	—	—	—	—	—	·71	·02	11
12	—	—	—	—	·40	—	—	—	·01	·01	·47	·01	12
13	·06	—	·04	—	—	—	—	·03	·31	—	·20	—	13
14	·30	·01	·12	—	·15	—	—	—	·26	—	·01	—	14
15	·23	·08	·37	·53	—	—	·39	·13	·20	—	·04	—	15
16	·18	·01	·43	·13	—	·07	—	—	·04	—	—	·01	16
17	·13	—	—	·07	—	—	—	—	—	—	·03	·01	17
18	—	—	·20	·10	—	—	—	—	·01	—	·08	—	18
19	·73	—	·04	—	·02	·01	—	—	·47	—	—	—	19
20	·09	—	·37	·11	—	—	—	—	—	·37	·10	—	20
21	—	—	·18	·39	—	—	·09	—	—	·16	·69	—	21
22	·32	—	·09	—	—	—	—	·16	·16	·08	—	·09	22
23	·01	—	·01	—	—	·10	—	·02	—	—	·08	·70	23
24	·05	·01	—	·20	—	·03	—	—	—	—	·01	—	24
25	—	·18	—	·27	—	—	—	—	—	·01	—	—	25
26	—	—	—	·30	—	—	—	·25	—	·08	—	·15	26
27	·05	·01	·23	·08	—	—	—	·02	—	·02	—	—	27
28	·18	—	·04	·22	—	—	—	—	—	·38	—	—	28
29	·16		·45	·45	·11	—	—	·05	—	·58	—	—	29
30	·70		—	—	·04	—	—	—	—	·49	—	—	30
31	·11				—		·01	·65		·03		—	31
Total	5·99	1·74	3·03	3·47	2·16	·60	·92	1·95	3·27	5·07	4·12	2·09	YEAR'S TOTAL 34.41
Rain Days.	24	15	19	15	13	8	7	11	13	19	20	15	179

✓

W.7,000, XI. 13

~~Card Dorset~~ [illegible] 19. [illegible]

V MiL

FORM A.
BRITISH RAINFALL.
- 3 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Wareham

in the County of Dorset 3

by Stephen W Bennett

Lat. 50.42 Long. 2.1 W

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1915 0.38

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	.45	—	—	.16	.14	1
2	—	—	—	—	—	.03	.10	—	—	—	1.65	.32	2
3	—	—	.02	.16	.43	.03	.10	.15	—	—	.01	.06	3
4	.06	—	.01	.39	.06	—	.19	1.08	—	—	.38	—	4
5	.06	—	.08	.20	.03	—	.36	.27	—	—	.46	.58	5
6	—	.24	—	.18	.06	.01	.11	.03	—	—	.05	.49	6
7	.02	.57	.16	.14	.01	—	.19	.03	.02	—	.01	.28	7
8	.05	.30	.75	.02	.02	.07	—	.32	—	—	.01	.18	8
9	—	.01	.79	.18	.03	.02	—	.02	.45	—	—	.58	9
10	.07	.37	—	.11	.11	—	—	—	.34	—	—	.01	10
11	—	.29	.62	—	.02	.02	—	—	—	—	.04	.65	11
12	—	.03	.15	—	.01	—	.47	—	.49	.22	.07	.31	12
13	—	.59	.53	—	—	—	—	—	.10	.04	.15	.46	13
14	—	.29	.22	—	—	.69	.19	.61	—	.45	.64	.34	14
15	—	—	.20	—	—	—	.06	.49	—	.24	.66	.01	15
16	.02	—	—	—	—	—	.03	—	.43	.01	—	—	16
17	—	1.10	.16	—	—	—	—	—	.02	—	—	.62	17
18	—	.03	.18	—	—	—	.12	—	.03	—	—	.73	18
19	—	.16	.62	—	—	—	1.11	—	.02	—	.11	.12	19
20	—	.65	.26	—	—	.15	—	.01	—	—	—	.37	20
21	—	.77	.01	—	—	—	—	—	—	.29	—	—	21
22	—	.03	.01	—	.29	.06	.22	.03	—	.15	—	—	22
23	—	.20	.47	—	—	.02	.02	—	—	.16	—	—	23
24	.01	.01	.01	—	—	—	—	—	—	.13	.10	.02	24
25	—	—	.23	—	.01	—	.08	.53	—	.57	.03	.57	25
26	—	.01	.09	—	—	—	.06	—	—	.16	.31 }	.37	26
27	.02	—	—	—	—	—	.01	—	—	—		.32	27
28	.02	.10	.40	—	.01	—	.25	—	—	.05	.24	.49	28
29	.33		.12	.03	.04	—	—	.02	—	.34	.23	.01	29
30	.03	✕	.08	—	—	.24	—	—	—	.26	.69	.75	30
31	.05	✕	—	✕	.03	✕	.09	—	✕	.62	✕	.06	31
Total	.74	5.75	6.17	1.41	1.16	1.34	3.76	4.04	1.90	3.69	6.00	8.84	YEAR'S TOTAL 44.80
Rain Days.	12	19	24	9	15	11	19	14	9	15	21	26	194

W. 8,000. X. 14.

Exe 8

1710

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
14. JAN 1916

Kept at Wareham
in the County of Dorset 3
by Stephen W. Bennett

Lat. 50.42 Long. 2.5.W
Time of Observation 9 a.m
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .09

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.23	—	—	.02	—	—	.03	.14	.28	—	.13	1
2	.70	.24	.14	.05	—	.01	—	.25	—	.08	—	.34	2
3	.34	.01	.16	.08	.11	—	—	.20	—	.09	—	.54	3
4	.04	—	—	.02	—	—	—	.02	—	—	—	.43	4
5	.10	.39	—	.01	—	—	—	.35	—	—	—	.62	5
6	.74	.28	—	.46	—	—	.46	.02	—	—	—	.35	6
7	.13	.68	.01	.06	—	—	.14	—	—	—	—	.33	7
8	.05	.68	—	—	—	—	—	.04	—	—	.07	.09	8
9	—	.06	—	.05	—	—	—	—	—	—	.56	.87	9
10	.21	—	.04	.02	—	—	—	—	—	.02	—	.22	10
11	.07	.11	.05	.06	—	—	—	—	—	.01	1.20	.02	11
12	.13	.52	—	.17	.53	—	—	.01	—	.07	.37	—	12
13	.01	.42	—	—	1.12	—	—	—	.08	—	.06	—	13
14	.06	—	—	—	—	—	.19	—	.03	—	—	1.52	14
15	.13	—	—	—	.14	—	.16	.18	—	—	.09	.21	15
16	—	1.29	—	—	.16	—	1.57	—	—	—	—	.26	16
17	—	.47	—	—	.19	—	.01	.06	—	—	—	—	17
18	—	.19	—	—	.03	—	—	.01	.01	—	—	—	18
19	—	—	—	—	.20	—	.08	—	—	—	—	—	19
20	.19	—	—	.07	.03	.02	—	—	—	—	—	.05	20
21	.05	.26	—	—	—	—	.16	—	.07	.40	—	.09	21
22	.07	.17	.27	.08	—	—	.93	—	.03	.01	—	.30	22
23	—	.01	.10	—	—	—	—	—	.37	.92	—	.60	23
24	—	—	—	.08	—	—	.02	—	.64	1.78	—	.52	24
25	—	—	.03	.02	—	.11	—	—	—	—	—	.27	25
26	.05	.11	—	—	—	.04	.16	—	.01	—	—	1.15	26
27	—	.02	—	—	—	.04	—	—	—	.47	—	—	27
28	—	.04	—	—	—	.24	.07	—	.50	.06	.01	—	28
29	—		—	—	—	.08	—	.01	—	.07	.32	.08	29
30	.16	✕	—	—	—	.07	—	—	—	.61	.88	.29	30
31	—	✕	—	✕	—	✕	.03	.09	✕	1.45	✕	.47	31
Total	3.61	6.18	.80	1.23	2.53	.61	3.98	1.27	1.88	6.32	3.56	9.75	YEAR'S TOTAL 41.72
Rain Days.	19	20	8	14	10	8	13	13	10	15	9	24	163

W. 8,000. X. 15.

1679

FORM A.
BRITISH RAINFALL.

FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Wareham
in the County of Dorset
by Stephen W Bennett

Lat. 50.42 Long. 2.1 W
Time of Observation 9 a.m
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	–	.20	–	.56	.01	–	–	.56	.17	.49	–	1
2	.33	.22	.06	–	–	–	–	–	–	.28	.12	–	2
3	.06	.97	–	–	–	–	–	–	–	.78	.19	–	3
4	.13	.09	–	–	–	.32	–	–	.15	.04	.48	–	4
5	–	.10	.03	–	.08	.11	–	–	–	.07	.57	–	5
6	.07	.07	–	–	.05	.18	.68	–	–	.02	.91	–	6
7	–	–	.44	–	.13	.02	–	–	–	.02	1.03	.12	7
8	–	.06	.25	–	.37	.06	–	–	–	–	.01	.32	8
9	–	.06	–	–	.02	.01	.02	–	–	–	.02	.18	9
10	–	.61	–	–	.03	.04	–	–	–	–	.08	.20	10
11	–	–	.05	.13	–	.10	–	–	–	–	–	–	11
12	.05	.08	.40	–	.12	–	.17	.01	–	.01	–	–	12
13	–	.22	.18	.02	–	–	.61	–	–	–	–	–	13
14	–	.61	.06	–	.08	–	–	–	–	.01	–	–	14
15	.01	.54	.18	–	–	–	–	–	–	.02	–	–	15
16	.14	–	–	.12	–	–	.01	.29	–	.01	–	–	16
17	.23	.06	–	.12	–	–	–	.06	.19	.70	.55	–	17
18	.10	.08	.15	–	–	–	–	.26	.22	.04	.12	–	18
19	.16	–	.57	–	–	–	–	–	.04	–	.16	.48	19
20	.10	.34	.23	.04	–	–	–	–	–	–	.11	.31	20
21	–	.19	.27	–	–	–	–	–	–	–	.01	1.54	21
22	–	–	–	.02	.04	.02	–	–	–	.27	.01	.35	22
23	–	.05	–	–	–	.03	–	.14	–	.09	.15	.83	23
24	–	–	–	.05	.14	.06	–	.15	–	.31	.07	.41	24
25	–	.70	.17	–	–	–	–	.67	–	.19	.07	–	25
26	–	.19	–	–	–	.16	–	–	.33	.64	.01	–	26
27	–	.05	.97	.14	–	.09	.75	.02	.84	.18	–	–	27
28	–	.22	–	–	–	–	–	.13	.12	.30	–	.39	28
29	–	.57	–	.07	–	.44	–	2.24	.43	.30	–	.47	29
30	–	✕	–	–	–	–	–	.01	–	.40	–	.01	30
31	–	✕	–	✕	–	✕	–	.08	✕	.36	✕	.01	31
Total	1.47	6.02	4.21	.71	1.62	1.65	2.24	4.06	2.88	5.21	5.16	5.62	YEAR'S TOTAL 40.85
Rain Days.	12	22	16	9	11	15	6	12	9	23	20	14	169

W. 8,000, VIII. 16

1607

FORM A.
BRITISH RAINFALL.

11 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Wareham

in the County of Dorset

by Stephen W. Bennett

Lat. 50.42 Long. 2. S.W.

Time of Observation 9. a.m.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.s

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	.16	—	.08	—	.92	—	—	.04	—	1
2	—	—	.01	.53	—	—	—	.05	—	—	—	—	2
3	.02	—	—	.01	—	—	.34	.03	—	.13	.48	—	3
4	—	—	.48	—	—	—	.03	—	.02	.24	—	.02	4
5	.08	—	.08	.15	—	.10	—	.01	.15	.10	.09	—	5
6	—	—	.09	—	—	—	—	—	—	.13	.08	.02	6
7	.39	—	—	.09	—	—	.30	.05	—	.18	—	.13	7
8	.44	—	—	—	—	—	.33	.90	.03	.36	.21	.20	8
9	—	—	.18	.01	.04	—	—	—	.01	.04	.08	—	9
10	.10	—	.33	.35	—	—	—	.64	—	—	—	—	10
11	.02	—	.40	.15	.72	—	—	—	—	.48	—	—	11
12	.07	—	.08	—	.79	—	—	—	—	.07	—	—	12
13	.05	—	.17	—	—	.01	—	.15	.02	—	—	—	13
14	—	—	.10	.04	—	—	—	.04	—	—	—	—	14
15	—	—	—	—	—	—	—	.17	—	.25	—	.25	15
16	—	.21	—	.05	—	—	—	—	—	—	—	.54	16
17	—	—	—	.10	.02	.11	.24	.27	.52	1.57	—	—	17
18	—	.08	—	—	—	.23	.13	—	.37	.14	—	—	18
19	—	.34	.03	—	—	—	—	—	.32	—	—	—	19
20	—	—	.10	—	.34	.02	—	—	—	—	—	—	20
21	—	—	.28	—	—	—	—	—	—	.04	—	—	21
22	—	—	.03	—	—	.26	—	.03	—	.07	—	—	22
23	—	.25	—	—	.05	—	—	.20	—	.09	—	—	23
24	—	.19	—	—	—	.03	.40	—	—	.24	.05	—	24
25	—	.09	.05	—	—	—	—	—	.02	.02	—	—	25
26	—	—	—	—	.44	—	—	.48	.08	.05	.02	—	26
27	—	—	—	—	1.58	.24	—	.97	—	—	—	—	27
28	—	—	.05	—	.11	.61	—	.10	—	—	—	.02	28
29	—		.09	—	.36	.09	.07	—	—	.49	—	.07	29
30	—		.29	—	—	—	.64	.31	.02	—	—	—	30
31	—		.03		—		.09	.06		.24		.01	31
Total	1.17	1.16	2.99	1.64	3.25	1.78	2.57	5.38	1.56	4.93	1.05	1.26	YEAR'S TOTAL 28.74
Rain Days.	8	6	20	11	10	11	10	18	11	20	8	9	142

W. 8,000, IX. 17.

1.80

24

FORM A.
BRITISH RAINFALL.
25.1.19

REGISTER OF RAINFALL IN 1918

Kept at Wareham
in the County of Dorset.
by Stephen W Bennett

Lat. 50. 42 Long. 2. S.W.
Time of Observation 9. a.m
Nearest Railway Station Wareham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·49

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.10	–	–	.02	–	–	.66	–	–	.50	.01	1
2	*.01	.16	–	–	–	–	–	.17	–	–	.23	.21	2
3	.01	.11	.01	.34	.24	–	–	.02	–	.03	.07	.01	3
4	–	.09	–	–	–	–	–	.06	.05	–	.38	.11	4
5	–	.04	.32	–	.43	–	–	.27	.02	.22	–	.09	5
6	.17	.17	–	.27	–	–	–	.20	.03	.06	–	.13	6
7	.01	.17	–	–	.21	–	–	.02	.32	.02	.28	.07	7
8	–	.04	–	–	–	–	–	–	.08	.18	–	.04	8
9	–	–	–	.19	–	.05	.18	–	.64	.24	.02	.52	9
10	.05	–	–	.15	–	–	.63	–	.10	.44	.02	.46	10
11	–	–	–	.62	–	–	.17	–	.13	.18	.67	.04	11
12	.07	.13	–	–	.39	–	.01	–	.05	.06	–	–	12
13	.11	–	–	–	.02	–	.58	–	.49	–	–	–	13
14	.22	–	–	–	.01	.03	.03	–	.36	.30	–	.08	14
15	1.23	–	–	.44	.04	.12	.15	–	–	–	–	.14	15
16	.45	–	.02	.04	–	–	–	–	.18	–	–	.30	16
17	.20	–	–	.33	–	–	.55	–	.04	–	–	.16	17
18	.76	–	–	–	–	.87	–	–	.61	–	–	–	18
19	.09	–	.12	.01	–	–	.41	–	.03	–	–	–	19
20	–	.21	–	.19	–	–	.07	–	.53	.07	–	–	20
21	.18	–	–	–	–	–	–	–	.76	.20	–	.23	21
22	.06	–	–	–	.29	–	.67	–	.26	–	–	.08	22
23	.23	–	–	–	.01	–	.18	–	.09	–	.07	–	23
24	–	.22	–	–	–	–	–	–	.16	–	.07	–	24
25	–	–	–	.04	.25	–	.09	.68	–	–	.04	–	25
26	–	–	–	–	–	–	.14	–	.04	.03	.10	.28	26
27	–	.09	–	–	–	–	.06	.05	.43	01	.13	.01	27
28	–	–	.25	.03	–	–	–	–	.01	–	.02	–	28
29	–		.15	–	–	–	–	–	1.50	–	–	.02	29
30	–	✕	.53	–	–	–	–	–	–	.05	.07	.04	30
31	.01	✕	.04	✕	–	✕	–	.02	✕	.08	✕	.08	31
Total	3.86	1.53	1.44	2.05	1.91	1.07	3.92	2.15	6.91	2.17	2.67	3.11	YEAR'S TOTAL 3279
Rain Days.	17	12	8	12	11	4	15	10	24	16	15	22	166

W, 6,500, VII. 18. w w c

Ex Rh

1511

15 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Bridge House, Wareham

in the County of Dorset

by Stephen W. [illegible]

Lat. 50. 42 Long. 2. S.W.

Time of Observation 9 a.m

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	—	.07	—	.09	—	.21	—	—	.15	—	1.19	1
2	.30	—	.01	—	.03	—	—	—	.41	—	—	.09	2
3	.92	—	.58	—	.11	—	.04	—	.38	—	.01	.06	3
4	.80	.19	.36	—	.09	—	—	.02	.17	—	.04	.09	4
5	.14	—	.45	—	.07	—	—	—	—	—	.02	.08	5
6	.49	.15	.14	—	.22	—	—	—	—	—	.03	.24	6
7	.23	—	.50	.08	—	—	—	—	—	—	—	—	7
8	.30	—	.22	—	—	—	—	—	—	—	—	—	8
9	.35	—	—	.15	.07	—	—	—	—	—	.60	—	9
10	.24	—	.19	—	—	—	—	—	—	.03	—	.45	10
11	.11	—	.07	.20	.18	—	.17	—	—	—	—	.04	11
12	.13	—	.01	—	—	—	.09	—	—	.11	.08	.02	12
13	.06	.06	.08	.57	—	—	.03	—	—	.04	—	.23	13
14	.53	.04	—	.19	.19	—	.13	—	.08	.06	—	.06	14
15	.34	.20	—	.07	—	—	—	—	—	.06	—	.55	15
16	—	.87	—	—	.02	—	—	—	—	—	.13	—	16
17	.05	—	—	—	—	—	—	—	—	—	.08	.04	17
18	—	.04	.58	—	—	—	.03	.03	—	—	.10	—	18
19	.95	.[illegible]1	.55	—	—	.10	1.10	.22	.13	—	.11	.05	19
20	.47	—	.08	—	—	.55	—	.26	—	—	—	.25	20
21	—	.75	—	—	—	—	.02	—	.04	—	—	.01	21
22	—	—	—	—	—	—	.09	—	.30	—	—	.03	22
23	—	—	.01	—	—	—	—	—	—	.11	—	—	23
24	—	—	—	—	—	.15	.31	.04	—	.82	.12	.28	24
25	—	.09	—	.06	—	.14	—	.50	—	—	—	.20	25
26	—	.26	.08	.03	—	—	—	.12	.08	—	.14	.56	26
27	.23	—	—	.34	—	—	.21	1.10	—	—	—	—	27
28	—	—	.55	—	—	—	—	.47	—	—	.62	.55	28
29	—		—	—	—	—	—	.06	—	.04	—	.07	29
30	—		.01	—	—	.09	—	.19	—	—	.78	.55	30
31	—		.05		—		—	—		—		.59	31
Total	7.13	296	4.59	169	1[illegible]7	103	2.43	3.01	1.59	1.42	2.86	6.28	Year's Total 36.06
Days with ·01 in. or more	19	11	20	9	10	5	12	11	8	9	14	24	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1425

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

21 JAN 1921

Kept at Wareham
in the County of Dorset
by Stephen White Bennett

Lat. 50.42 Long 2. S.W.
Time of Observation 9 a.m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·39

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	—	.09	.28	—	.65	—	.03	.33	.26	.56	1
2	.18	—	—	.08	—	—	.08	.37	.09	.09	—	.17	2
3	.03	.03	—	.10	—	—	.73	—	—	.32	—	—	3
4	—	.10	.01	.01	—	—	.11	.51	—	.20	—	—	4
5	—	—	.21	.07	—	—	.36	.08	—	.25	—	—	5
6	—	—	.10	—	.33	—	.32	—	—	—	—	—	6
7	.03	—	—	.18	.05	—	.38	—	—	.02	—	—	7
8	.08	.05	—	.09	.01	—	.39	.05	—	—	—	—	8
9	.47	—	.02	.06	—	.06	.06	—	—	—	—	—	9
10	.76	.07	.12	.14	—	.41	.67	—	—	—	.01	—	10
11	.40	—	.12	.56	.25	.29	.18	—	—	—	—	—	11
12	.16	—	—	.24	—	.52	—	—	—	—	.11	—	12
13	.16	.02	.51	.10	—	—	—	—	—	—	.03	—	13
14	.01	.01	.44	.52	—	—	—	—	.27	.40	.56	.02	14
15	.04	.04	.04	.07	.06	.18	—	—	.05	.71	.05	—	15
16	—	—	.02	—	—	.13	.07	—	.48	.01	—	—	16
17	—	—	—	.04	.31	—	.01	—	.35	—	—	—	17
18	.15	.05	.02	.09	.17	.08	—	.48	—	—	—	—	18
19	.03	—	—	.41	—	.22	—	—	.04	—	—	.01	19
20	—	.06	—	.19	—	.57	—	—	—	—	—	.16	20
21	—	—	—	—	—	—	.44	—	.03	—	—	.37	21
22	.06	—	—	.24	—	—	—	—	—	—	—	.36	22
23	—	—	—	—	—	—	.15	.02	—	—	—	.51	23
24	.03	.02	.19	—	—	—	—	—	—	—	.01	.23	24
25	.02	—	.03	—	.11	—	.37	—	—	—	—	—	25
26	.13	.05	.26	—	—	—	—	—	—	—	.09	.13	26
27	.54	—	.02	.05	—	.06	.09	—	—	—	.01	.27	27
28	.67	.01	.06	.05	—	—	.15	—	—	—	—	.06	28
29	.44	—	.31	.33	—	—	—	—	—	—	.31	.45	29
30	.10		—	—	—	.12	.02	—	.31	—	.39	.54	30
31	.03		.13		—		—	—		.49		.26	31
TOTAL	461	51	261	371	157	264	543	151	185	282	183	410	YEAR'S TOTAL 3299
Days with ·01 in. or more	23	12	18	22	9	11	19	6	9	10	11	15	165
Days with ·04 in. or more	16	7	12	21	8	11	17	5	7	8	7	13	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WAREHAM
TRIGON

DORSET

1911 - 1920

911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Tr

in the County of

by Mrs Lee

op 8 in.

above Ground 1 ft. 4 in.

" Sea Level 60 ft.

g. a.m.

on { Name Wareham
Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the g year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are give on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	–	–	–	–	–	–	–	·04	·06	1
2	–	–	–	·10	·33	–	–	·02	–	·15	·16	·30	2
3	–	–	–	–	·16	–	–	·02	·01	–	·09	·10	3
4	·01	–	·03	–	–	–	–	–	·06	·05	·26		4
5	·03	–	–	–	–	–	–	–	–	·39	·09		5
6	1·10	–	·14	–	–	–	–	–	–	·07	·47		6
7	–	–	–	–	–	–	–	–	–	–		1·14	7
8	·04	·03	–	–	–	–	–	–	–	–	·61	·73	8
9	·62	–	·11	–	–	–	–	–	–	–	·07	·43	9
10	–	·06	–	–	–	–	–	–	–	–	–	·25	10
11	·61	–	–	–	–	–	–	–	–	–	1·37	–	11
12	–	–	·92	–	–	–	–	·01	–	–	·03	·22	12
13	–	–	–	–	–	–	–	–	·28	–	–	·44	13
14	–	·11	–	–	–	–	–	–	–	–	–	·40	14
15	–	·01	·05	–	–	·05	–	–	–	–	–	·05	15
16	–	–	–	–	·33	·31	–	–	–	–	·54	·29	16
17	–	·09	·16	–	–	·05	–	–	–	–	·73	·33	17
18	–	·04	·10	·05		·24	–	–	–	·09			18
19	–	·06	–	–	–	·13	–	–	·25	·11	·09	1·00	19
20	·04	·04	·25	–		–	–	–	·10	·09	–	·63	20
21	–	·16	–	·01	–	–	–	–	·17	·35	–	·03	21
22	·02		–	–	–	·21	–	–	·03	·22	–	·59	22
23	·04	·25	·14	–	–	·40	–	–	·09	·57	·13	·37	23
24		·13	–	–	–	·23	–	·22		·62	–	·24	24
25	·01	–	–	·03	–	–	–	–	·04	·12	–	·05	25
26	–	·05	–	·33	–	–	–	·62	–		–	·36	26
27	–		–	·03	–	–	–	–	·09	1·25	–	·15	27
28	–	1·20	–	·55	–	–	–	·17	–	–	·20	–	28
29	–	–	–	·55	·20	·03	·20	–	·16	·40	–	–	29
30	–	–	–	–	–	·18	·07	·18	–	·28	–	–	30
31	–		–		–					–		–	31
Total	1·93	2·23	1·90	1·65	1·02	1·83	·21	·64	1·28	4·76	4·58	8·16	TOTAL for year 30·19 in
No. of Rain Days.	11	15	9	8	4	10	2	7	11	16	17	25	138 days 135

W. 8,000, X. '11.

911

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

Kept at Trigon Wareham

in the County of Dorset.

by Mrs Leonard Sturdy

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 60 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Wareham
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	–	–	–	–	–	–	–	·04	·06	1
2	–	–	–	·10	·33	–	–	·02	–	·15	·16	·30	2
3	–	–	–	–	·16	–	–	·02	·01	–	·09	·10	3
4	·01	–	·03	–	–	–	–	–	·06	·05	·26		4
5	·03	–	–	–	–	–	–	–	–	·39	·09		5
6	1·10	–	·14	–	–	–	–		–	·07	·47		6
7	–	–	–	–	–	–	–	–		–		1·14	7
8	·04	·03	–	–	–	–	–	–	–	–	·61	·73	8
9	·62	–	·11	–	–	–	–	–	–	–	·07	·43	9
10	–	·06	–	–	–	–	–	–	–	–	–	·25	10
11	·61	–	–	–	–	–	–	–	–	–	1·37	–	11
12	–	–	·92	–	–	–	–	·01	–	–	·03	·22	12
13	–	–	–	–	–	–	–	–	·28	–	–	·44	13
14	–	·11	–	–	–	–	–	–	–	–	–	·40	14
15	–	·01	·05	–	–	·05	–	–	–	–	–	·05	15
16	–	–	–	–	·33	·31	–	–	–	–	·54	·29	16
17	–	·09	·16	–	–	·05	–	–	–	–	·73	·33	17
18	–	·04	·10	·05	–	·24	–	–	–	·09			18
19	–	·06	–	–	–	·13	–	–	·25	·11	·09	1·00	19
20	·04	·04	·25	–	–	–	–	–	·10	·09	–	·63	20
21	–	·16	–	·01	–	–	–	–	·17	·35	–	·03	21
22	·02		–	–	–	·21	–	–	·03	·22	–	·59	22
23	·04	·25	·14	–	–	·40	–	–	·09	·57	·13	·37	23
24		·13	–	–	–	·23	–	·22	–	·62	–	·24	24
25	·01	–	–	·03	–	–	–	–	·04	·12	–	·05	25
26	–	·05	–	·33		–	–	·62	–		–	·36	26
27	–		–	·03	–	–	–	–	·09	1·25	–	·15	27
28	–	1·20	–	·55	–	–	–	·17	–	–	·20	–	28
29	–	–	–	·55	·20	·03	·20	–	·16	·40	–	–	29
30	–	–	–	–	–	·18	·01	·18	–	·28	–	–	30
31	–		–		–					–		–	31
Total	1·93	2·23	1·90	1·65	1·02	1·83	–·21	–·64	1·28	4·76	4·58	8·16	TOTAL for year 30·19 in
No. of Rain Days.	11	15	9	8	4	10	2	7	11	16	17	25	138 days 135

W. 8,000, X. '11.

✓ corᵈ 27·11·13 Ex. J. C.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
JAN 1913

Kept at Trigon Wareham
in the County of Dorset 3
by Mr. Leonard Sturdy

Lat. 50° 42 Long. 2° 9' 40" W
Nearest Railway Station Wareham
Time of Observation 9. a. m
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " Sea Level 60 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	–	–	·18	–	–	–	– 81	–	·30	1
2	–	–	·22	·02	–	·01	·34	–	·01	{	–	–	2
3	–	–	·12	–	–	·46	·02	·57	·01	{1·00	·01	·01	3
4	·20	–	·59	–	–	·26	–	·02	–	–	·27	–	4
5	·62	–	·25	–	·01	·05	–	·48	–	–	–	·18	5
6	·42	·26	–	–	·22	–	–	·38	–	–	–	·02	6
7	·03	·46	·16	–	·11	·87	–	·01	–	–	–	·09	7
8	·56	·25	·25	·02	–	–	–	·12	–	–	–	·01	8
9	·03	·03	–	–	–	·40	·01	·13	–	–	–	·37	9
10	–	·07	–	–	–	·05	–	·14	–	–	·01	·44	10
11	–	·12	–	–	–	·05	–	·03	–	–	–	·42	11
12	·05	·42	–	·02	·87	–	·02	·23	–	·02	–	–	12
13	·01	–	·42	–	–	–	·01	·07	–	–	–	·03	13
14	·20	·26	–	–	–	–	–	·22	–	–	–	·01	14
15	·30	·14	·27	–	–	·53	–	·07	–	–	–	·02	15
10.30 a.m. 16	·94	·01	·44	–	·08	–	–	·28	–	·06	·30	–	16
9. a.m 17	·65	–	·33	–	–	·05	–	·83	–	–	–	·06	17
18	·09	–	·25	–	–	–	–	·11	–	–	–	·02	18
19	·01	·02	{	–	–	·04	·05	·59	–	–	–	–	19
20	·02	·04	{·84	–	·03	–	·06	·03	–	·39	·02	–	20
21	{	·27	·35	–	·19	–	–	·10	–	·11	–	–	21
22	{	·52	·03	–	–	·07	–	·11	–	·06	{	·07	22
23	{·63	·16	·27	–	–	·05	·01	·55	–	·23	{·10	·22	23
24	{	·04	–	–	–	·24	·01	·15	–	–	–	·33	24
25	{·38	–	–	–	–	·18	–	·18	–	–	–	·63	25
26	–	·03	–	–	–	–	·37	·08 ×	–	·16	·42	·25	26
27	–	·04	–	–	–	·21	1·37		–	·39	–	·34	27
28	–	·11	–	–	–	·38	·25	·55	·08	·71	·56	·60	28
29	–	·13	–	–	–	·02	·28	·02	1·87	·83	–	·01	29
30	–		·06	·02	·04	·01	·02	×	·85	·21	–	–	30
31	–		·50				·21	·02		–		·05	31
Total	5·17	3·38	5·38	·08	1·55	4·05	3·03	5·95	2·82	4·17	1·69	4·48	TOTAL for year 41·75
No. of Rain Days	20 19	20	19	4	8	20	3·03 15	29	5	13	9	23	41·75 184

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

P. T. O.

Price 2d.

Writer 14·3·14 ✓

Card for writer 16·III·14

DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at Trigon Wareham

in the County of Dorset

by Mrs Leonard Sturdy

3

Lat. 50° 42' Long. 2° 9' 40"

Time of Observation 9 a m

Nearest Railway Station Wareham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·34	·18	·31	–	–	–	–	·43	–	–	·01	1
2	·01	·13	–	–	–	–	–	–	–	·30	·01	·02	2
3	·08	·01	·03	·06	·25	–	–	–	·01	–	–	·11	3
4	·81	–	·07	–	·24	–	–	–	·25	·52	·04	–	4
5	·35	·13	–	–	·06	·09	–	–	·78	·20	·20	{	5
6	·01	·15	·05	–	·02	·17	·05	–	–	1·03	·01	·81	6
7	·01	·38	·01	–	·40	·07	·44	–	–	·34	·25	–	7
8	·01	·29	–	–	·20	–	–	–	–	–	{	·08	8
9	–	·03	–	–	·02	–	·02	·73	–	×	·21	·01	9
10	·20	·01	–	–	·02	–	–	–	–	} ·10	·42	–	10
11	·96	·01	–	·15	·15	·01	–	–	·02	·03	·29	·03	11
12	–	–	–	–	·34	–	–	–	–	–	·35	–	12
13	·04	–	–	–	–	–	–	·04	·28	–	·18	–	13
14	·27	–	{	·02	·23	–	–	–	–	–	·01	–	14
15	·26	·08		·58	–	–	–	·08	–	–	·05	–	15
16	{	–	·95	·12	–	–	–	–	–	–	–	–	16
17	·25	–	–	–	–	–	·18	–	–	–	·04	·02	17
18	·01	–	·29	·08	–	–	–	–	–	–	·06	–	18
19	·62	–	·01	·08	–	–	·01	–	·44	–	–	–	19
20	·14	–	·40	·12	–	–	·06	–	–	·37	·08	–	20
21	–	–	·01	·35	–	–	·02	–	–	·06	·70	–	21
22	·34	–	·14	–	–	–	–	·18	–	·01	–	·10	22
23	·01	–	·02	–	–	–	–	·02	·22	·01	·06	·72	23
24	·03	·01	–	·14	–	–	–	–	–	–	–	–	24
25	–	·10	–	·42	–	–	–	–	–	{	–	–	25
26	–	·01	–	·27	–	–	–	·27	–	·05	–	·01	26
27	·04	–	·21	·09	–	–	–	–	–	·07	–	·19	27
28	·17	–	·05	·19	–	–	–	–	–	·31	–	·01	28
29	·26	–	·41	·65	·19	–	–	·08	–	·26	–	–	29
30	·71		–	–	·02					·82	·01	–	30
31	·09		–		–		·02	·61		·07		–	31
Total	5·72	1·68	2·83	3·63	2·14	·34	·80	2·01	2·43	4·55	2·97 ~~2·93~~	2·12 2·12	YEAR'S TOTAL 31·22 ~~39·22~~
Rain Days.	26	14	17	16	13	4	8	8	8	19	19	14	166 ✓

W.7,000, XI. 13

Ex L145C

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Trigon Wareham

in the County of Dorset 3

by Mr Leonard Sturdy

Lat. 50° 42' Long. 2° 9' 40" W
Nearest Railway Station Wareham
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " Sea Level 60 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	–	·38	–	–	·58	·10	1
2	–	–	–	–	–	·01	·21	–	–	–	1·55	·35	2
3	·01	–	·02	·19	·43	–	·11	·02	–	–	·02	–	3
4	·08	–	·02	·17	·05	–	·18	·83	–	–	·62	·50	4
5	·06	–	–	·29	·02	–	·40	·13	–	–	·94	–	5
6	–	·20	·08	·26	·06	–	·11	·02	–	–	·02	·53	6
7	·02	·50	·14	·09	·02	–	·18	·03	·01	–	–	·24	7
8	·04	·22	·57	·04	·03	·03	–	·28	–	–	·01	·18	8
9	·01	×	·67	·21	·03	·05	–	·02	·37	–	–	·53	9
10	·06	·37	·01	·10	·10	–	–	·01	·28	–	–	·02	10
11	–	·14	·57	–	·02	·02	·41	–	–	–	·03	·68	11
12	–		·15	–	–	–	–	–	–	·30	·06	·30	12
13	–	·56	·60	–	–	–	–	–	·58	·04	·13	·50	13
14	–	·36	·24	–	–	·70	·14	·58	–	·51	·47	·45	14
15	–	–	·21	–	–	–	·05	·36	–	·18	·41	–	15
16	–	–	–	–	–	–	·04	–	·45	·01	–	–	16
17	–	·95	·17	–	–	–	–	–	–	–	–	·85	17
18	–	·04	·12	–	–	–	·09	–	·03	–	–	·66	18
19	·01	·15	·68	–	–	–	·28	–	·04	–	·11	·21	19
20	–	·54	·17	–	–	·13	–	–	–	–	–	·43	20
21	–	·67	·02	–	–	–	–	–	–	·34	–	–	21
22	–	·04	–	–	·39	–	·18	·02	–	·10	–	–	22
23	–	–	·47	–	·02	–	·03	–	–	·15	–	·02	23
24	–	–	·02	–	·01	·04	·07	–	–	·10	·11	·05	24
25	–	–	·20	–	–	–	–	·42	–	·52	·03	·50	25
26	–	–	·20	–	–	–	·04	·11	–	·10	–	·47	26
27	·03	–	–	–	–	–	–	–	–	–	–	·45	27
28	·01	–	·35	–	–	–	·49	–	–	·08	·52	·54	28
29	·30	×	·12	–	·05	–	–	–	–	·28	·33	·01	29
30	–	×	·10	–	–	–	–	–	–	·38	·78	·57	30
31	·03	×	–	×	·01	×	·08	–	×	·58	×	·09	31
Total	·66	4·74	5·87	1·35	1·24	·98	4·09	3·21	1·76	3·67	6·72	9·18	TOTAL for year 43·47
No. of Rain Days	12	14	24	8	14	8	18	14	8	15	20	25	190

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, IX. '10.

Price 2d.

1712

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

3

Kept at Tugon, Wareham
in the County of Dorset.
by Mr Leonard Sturdy

Lat. 50° 42' Long. 2° 9' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·16	–	–	·02	–	–	·14	·18	– x	–	·24	1
2	·50	·25	·10	·04	·02	–	–	·22	–	– x	–	·37	2
3	·28	·04	·15	·09	·13	·02	–	·17	–	·33 x	–	·60	3
4	·05	–	–	–	·01	–	–	·01	–	–	–	·38	4
5	·11	·50	–	·01	–	–	–	·34	–	–	–	·58	5
6	·75	·13	–	·41	–	–	·58	·02	–	–	–	·23	6
7	·16	·66	–	–	–	–	·16	–	–	–	–	·49	7
8	·05	·67	–	–	–	–	·07	–	–	~~·03~~	·03	–	8
9	–	·07	–	·03	–	–	–	–	–	–	·55	·85	9
10	·20	·01	·04	x	–	–	–	–	–	·02	–	·20	10
11	·07	·11	·10	·07	–	–	–	·02	–	–	1·24	·02	11
12	·13	·54	–	·07	·54	–	–	–		·08	·36	–	12
13	·07	·34	–	–	·95	–	–	–	·10 x	–	·06	–	13
14	·05	·02	–	–	–	–	·22	–	– x	–	·01	1·50	14
15	·07	–	–	–	·13	–	·28	–	–	–	–	·30	15
16	–	1·30	–	–	·14	–	1·40	–	–	–	–	·25	16
17	–	·44	–	–	·18	–	·02	·16	–	–	–	–	17
18	–	·21	–	–	·03	–	–	–	–	–	–	–	18
19	–	–	–	–	·20	–	·09	–	–	–	–	–	19
20	·21	·01	–	·07	–	·02	·16	–	–	x	–	·06	20
21	x	·30	–	–	–	–	·75	–	·10	·45	–	·08	21
22	·10	·13	·33	·07	–	–	–	–	·03	·03	–	·31	22
23	–	–	·05	–	–	–	–	–	·35	·84	–	·76	23
24	–	–	–	·07	–	–	·01	–	·56	1·72	–	·45	24
25	–	–	·04	·03	–	·27	–	–	–	–	–	·36	25
26	–	·09	–		–	·03	·12	–	–	–	–	1·00	26
27	–	·82	–		–	·05	–	–	–	·46	–	–	27
28	–	·04	–		–		·02	–	·50	·06	–	·06	28
29	–		–		–	·20	–	–	–	·12	·37	·09	29
30	–		–		–	–	–	·01	–	·40	·74	·40	30
31	·17		–		–		·04	·11		1·25		·35	31
Total	3·16	6·04	·81	·96	2·35	·60	3·86	1·20	1·82	5·76	3·36	9·93	YEAR'S TOTAL 39·85
Rain Days.	16	22	7	12	11	7	14	10	9	15	8	24	156

W. 8,000. X. 15.

1681

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Trigon Wareham
in the County of Dorset
by Mrs Leonard Sturdy

Lat. 50° 42′ Long. 2° 9′ 40″ W
Time of Observation 9. a.m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·03	·27	–	·60	–	–	–	·52	·20°	·77	–	1
2	·25	·16	·03	–	·01	–	–	–	–	·12	·08	–	2
3	·04	·57	·01	–	{ –	–	–	–	–	·63	·22	–	3
4	·10	·10	–	–	·08	·33	–	–	·14	·03	·61	–	4
5	·06	–	·03×	–	·10	·10	–	–	–	·08	·45	–	5
6	*	·07	·01×	–	·06	·25	·64	–	–	–	·87	–	6
7	·02	–	·42×	–	·08	–	–	–	–	{ –	·83	·13	7
8	*	·06	·26×	–	·35	·03	–	–	–	·08	·06	·24	8
9	·01	·06	–	–	·03	–	·02	–	–	–	·02	{	9
10	–	·60	·01	·04	·04	{	·02	–	–	–	·23	·55	10
11	–	–	·03	·09	·10	·13	–	–	–	{	{	–	11
12	·05	·07	·36	·01	·08	–	·15	–	–		·07	–	12
13	–	{	·19	·02	–	–	–	–	–	·04	–	–	13
14	–	·78	·05	·01	–	–	–	–	–	–	·02	–	14
15	·01	·40	·03	·02	–	–	–	–	–	–	–	–	15
16	·11	·06	–	·14	–	·02	–	·50	–	{	–	·33×	16
17	·15	·14	–	·09	–	–	–	·02	·17	·68	·54	–	17
18	·09	·06	·16	–	–	–	–	·40	·25	·03	·13×	·19	18
19	·17	–	·55	·04	–	–	–	–	–	–	·11	{	19
20	{	·26	·23	–	–	–	–	–	–	–	·09	1·82	20
21	·08	·32	·36	–	·04°	–	·01	–	–	–	·01	·30	21
22	–	–	·01	–	–	·04	–	–	–	·39	*	·72	22
23	·01	·08×	·01	–	–	·03	–	·18	–	{	·18	{	23
24	–	·04×	–	·05	·20	–	–	·12	–		·10	·39	24
25	–	·52×	·20	–	–	–	–	·64	–	·41	·01	–	25
26	·02	·06×	{	–	·01	·08	–	–	·53	·70	–	–	26
27	*	·03×	·97	–	–	·06	·41	·02	·70	·39	–	–	27
28	–	·21×	·02	·10	–	–	–	·12	·15	{	~~·40~~ ·01	{	28
29	–	·50×	·02	–	–	·39	–	2·36	·41	·48	–	·81	29
30	–	✕	–	–	–	–	–	–	–	·37	–	*	30
31	–	✕	–	✕	–	✕	–	·08	✕	·34	✕	·03	31
Total	1·27	5·18	4·23	·61	1·78	1·46	1·25	4·44	2·87	4·97	5·41	5·51	YEAR'S TOTAL 38·98
Rain Days.	17	24	24	11	15	12	6	10	8	23	22	15	187

J 1609

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Trigon, Wareham

in the County of Dorset

by Mrs L. Sturdy

Lat. 50° 42' Long. 2° 9' 40" W

Time of Observation 9 am

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. 31st	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-		-	·8	-	~~·40~~ ·80	-	-	·05	-	1
2	-	-	·12		-	-	-	·05	-	-	-	-	2
3	·03	-	-	·74	-	-	·37	·03	-	·11	·42	-	3
4	-	-		-	-	-	·02	~~·12~~	-	·20	-	·01	4
5	·09	-	·54	·10	-	·11	-	-	-	·10	·08	-	5
6	-	-		-	-	-	-	-	-		·10	-	6
7		-	·08	-	-	-	·42	-	-		-	·10	7
8		-	·10	·02	-	-	·28	-	-	·70	·21	·20	8
9		-		-	-	-	-	-	·05	-	·09	-	9
10	1·05	-		·31	-	-	-	-	-	-	-	-	10
11		-	·87	·18	·15	-	-	-	-	·40	-	-	11
12	·09	-	·03	-	·33	-	-	-	-	·13	-	-	12
13	-	-	·17	·01	-	-	-	1·60	-	-	-	-	13
14	-	-	·18	-	-	-	-	·03	-	-	-	-	14
15	-	-	-	·03	-	-	-	·43	-	·29	-	-	15
16	·01	(·18)	-	·07	·01	-	-	-	·05	1·67	-	·86	16
17	-	·02	-	·11	·03	-	·25	·26	·66	·17	-	-	17
18	-	·09	-	-	-	·18	-	-	·35	-	-	-	18
19	-	·35		-	-	·23	-	-	·25	-	-	-	19
20	-	·01	·20	-	·30	-	-	-	·02	·04	-	-	20
21	-	-	·36	-	-	-	-	-	-	·09	-	-	21
22	·09	·02	-	-	-	·32	-	·04	-	-	-	-	22
23	-	-	-	-	·10	·05	-	·15	-		-	-	23
24	-		-	-	-	·02	·24	-	-		·09	-	24
25	-	·20		-	-	-	-		-	·36	-	-	25
26	-	-		-	·44	·03	·20	·59	·11	·03	·02	-	26
27	-	-		-	1·60	·22	-		-	-	-	·04	27
28	·01	-		-	·13	·65	-	1·05	-	-	-	·03	28
29	-	X		-	·34	·10	·05	-	-	·55	-	·09	29
30	-	X	·45	-	-	-	·58	·22	-	-	-	-	30
31	-	X	-	X	-	X	(·70)	·06	X	·32	X	·02	31
Total	1·37	·87	3·10	1·56	3·46	1·99	2·51 2·41	5·31 5·41	1·49	5·16	1·06	1·35	YEAR'S TOTAL 29·23
Rain Days.	11	8	11 12	10	10	11	9	16	7	15 19	8	8	124

W. 8,000, IX. 17.

CXM

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

7.1.19

Kept at Tryon Wareham ~~Dorset~~

in the County of Dorset

by Mrs Leonard Sturdy

Lat. 50°42' Long. 2°09'40"

Time of Observation 9. am.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
						-	-			-	~~·67~~ ·2		
1	·02	·10	-	-	·03	-	-	·67	·02	-	·61	·24	1
2	-		-	·03	-	-	-	·15	-	-	·26	·10	2
3	-	·30	-	·40	·20	-	-	-	-	-			3
4	-	·08	-	·02	-	-	-	·06	-	-	1·17	·11	4
5	-	·04	·36	·01	·41	-	-	·34	-	-	-	·10	5
6	·18		-	·24	-	-	-	·12	-	-	-	·15	6
7	-		-	·01	·19	·01	-	·01	·57	·25	·27	·05	7
8	-		-	-	-	-	-	-	·04	·10	-	·02	8
9	-		-	·18	-	·02	·13	-			-	·45	9
10	-		-	·17	-	·08	·53	-	-	·78	·02	·42	10
11	·03		-	·02	-	-	·13	-	-	·02	·05	·04	11
12	-	·49	-	-	·37	-	·03	-	-	-	-	-	12
13	·15	-	-	-	·01	-	·77	-	1·33	-	-		13
14	·21	-	-	-	-	·04	·03	-	-	·30	[illegible]	-	14
15	1·34	-	-	·30	-	·07	·18	-	·37	·01	-	·19	15
16		-	·03	·05	-	-	-	-	·27	-	-		16
17	·61	-	·02	·19	-	-	·60	-	-	-	-	·30	17
18		-	-	-	-	·81	·03	-	·90	-	-	-	18
19		-	·13	·01	-	-	·33	-	·02	-	-	-	19
20		·20	-	·17	-	-	·03	-	·53	·09	-	·02	20
21		·02	-	-	-	-	-	-		·19	-	·15	21
22	1·01	-	-	-	·40	-	·73	-	·84	-	-	-	22
23	-	-	-	-	-	-	-	-	·05	-	·07	·10	23
24	·21	·26	-	-	-	-		-	·15	-		-	24
25	-	-	-	-	·31	-	·35	·55	-	-	·10	-	25
26	-	-	-	-	-	-	·13	-	·04		·10	·31	26
27	-	·12	-	-	-	-	-	·03	·53	·05	·10	-	27
28	-	-	-	·05	-	-	-	-	-	·02		·01	28
29	·01	X	·42	-	-	-	-	-	1·57*	-	·10	-	29
30	-	X	-	·04	-	-	-	-	·01	·04			30
31	-	X	·55	X		X	-		X	·06	X	·07	31
Total	3·77	1·61	1·51	1·89	1·92	1·03	4·00	1·93	7·24	1·91	2·86	2·83	YEAR'S TOTAL 32.50
Rain Days.	15	-	7	16	8	6	~~14~~	8	17	12	14	22	
							15			14			

*all fell after 10 a.m.

W. 6,500, VII. 18. W W C

~~W.~~ [illegible] cord for auth

1513

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Trigon Wareham

in the County of Dorset

by Mr Leonard Sturdy

Lat. 50°42′ Long. 2°9′40″

Time of Observation 9 a.m.

Nearest Railway Station Wareham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	–	·08	·25*	–	–	·23	–	·02	·24	·04	1·20	1
2	·23	–	·02	–	–	–	·02	–	·38	–	–	·08	2
3	1·08	·20	·74	–		–	·07	–	·31	–	–	·08	3
4	·75	–	·45	–	·14}	–	–	trace	·22	–	·		4
5	–		·30	–	–	–	–	–	·03	–	·13}	·16}	5
6	·48	·56}	–	–	·11	–	–	–	–	–	·03	·26	6
7	·05	–	–	·01	–	–	–	–	–	–	–	–	7
8	·46	–	·21}	–	–	–	–	–	–	–	–	–	8
9	·22	–	·20	–	–	–	–	–	–	–	·07	–	9
10	·18	–	·54	·19}	–	–	–	–	–	·01	·44	·42	10
11	·12	–	·01	·21	·25	–	·20	–	–	–	–	·02	11
12	·20	–	·08	–	–	–	–	–	–	+	·08	–	12
13	·21	–	–	·56	–	–		–	–	+·16}	–	–	13
14			–	·19	·13	–	·18}	–	·07	·07	–	·10	14
15	1·19}	·26}	–	–	–	–	–	–	–	·07	–	·56	15
16	–	–	–	–	–	–	–	–	–	–	·16	·61	16
17	–		–	–	–	–	–	–	–	–	·10	·02	17
18	–	·99}	·58	–	–	–	–	·02	–	–	·10	·05	18
19	1·06	·30	·49	–	–	·09	·04	·21	·10	–	–	–	19
20	·37	–	·09	–	–	·55	1·00	·24	–	–	–		20
21	–	·73	·01	–	–	–	·03	–	·05	–	–	·04}	21
22	–	–	·01	–	–	–	·09	–	·42	–	·02	·04	22
23	–	–	–	–	–	–	–	·04	–	–	·03	–	23
24	–	·02	–	·05	–	·14	·19	·20	–	·10	·10		24
25	·10	·09	–	·08	–	·02	–	·43	–	·95	–	·31}	25
26	–	·23	·10	·65	–	–	–		–	–	·14	·56	26
27	–	·02	·06	·28	–	–	·14	1·42}	–	–	·01	·02	27
28	–	–	·47	–	–	–	–	·08	–	–	·73	·50	28
29	–	–	–	–	–	–	–		–	–	–		29
30	–	✕	–	·10	–	·10	–	·24}	–	–	·65	1·04}	30
31	–	✕	·14	✕	–	✕	–	–	✕	–	✕	·53	31
Total	7·22 ~~7·42~~	3·40 3·40	4·58 ~~3·98~~	1·97 ~~2·03~~	·13	·90	2·19 ~~2·18~~	2·88	1·60	1·60	2·83 ~~2·84~~	6·00 ~~5·80~~	YEAR'S TOTAL 35·80 ~~34·76~~
Rain Days.	17	13	20	11	6	5	12	12	9	~~7~~ 8	17	24	152

W. 6,500, VII. 18. w w c

W Word [illegible]

1427

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Trigon - Wareham
in the County of Dorset
by Mr Leonard Sturdy

Lat. 50° 42' Long 20" 9' 40"
Time of Observation 9 a.m.
Nearest Railway Station Wareham
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 4 in.
„ „ „ „ Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	·04	·11	·32	-	·72		-	·26	·43	·57	1
2	·20	-	·00	·07	-	-	-		·10	·12	-	·16	2
3	·04	·11	-	·17	-	-	·75		·01	·43	-	-	3
4	-	-	·01	·12	-	-	·24		-	·22	-	-	4
5	-	-		-	-	-	·36		-	·24	-		5
6	-	-	·33	-	·30	-	·40		-	·02	-		6
7	·02	·05	-		·05	-	·40	1·00	-	·01	-		7
8	·08	-	-	·27	·02	-	·20	·06	-	-	-		8
9	·44	·01	-	·04	-	·06	·04	-	-	-	-		9
10	·80	·65	·72	·13	-	·45	·63	-	-	-	-		10
11	·26	·04	·11	·45	·27	·16	-	-	-	-	#		Snow 11
12	·16	·01	-	·24	-	·54	-	-	-	-	·11	·05	12
13	·21	-	·45	·02	-	-	-	-	-	-	·02	-	13
14	·02	-	·44	·53	-	-	-	-	-	-	·57	-	14
15	·04	-	·05	·14	-	·14	-	-			·03	-	15
16	-	·06	·02	·05	-	-	·08	-	·56	·80	-	-	16
17	·01	-	·62	·10	·33	-	·02	-	·38	-	-	-	17
18	·11	-	-	·02	·11	·09	-	·41	·01	-	-	-	18
19	·04	-	-	-	-		-	-	-	-	-	·01	19
20	·02	·05	-	·18	-	·75	-	-	·11	-	-	·07	20
21	-	-	-	·28	-	-	·26	-	·06	-	-		21
22	·06	-	-	·19	-	-	·01	·01	·03	-	-	·57	22
23	-	-	-	·02	-	-	·18	-	-	-	-		23
24	·03	·03	·20	-	-	-	·56	-	-	-	·03	·60	24
25	·03	·01	·06	-	·10	-	-	-	-	-	·00	·02	25
26	·15	-	·24	-	-	-	-	-	-	-	·09	·11	26
27	·45	-	·03		-	·07	-	-	-	-	·03		27
28	·50	-	·29	·11	·03	-	·12	-	-	-	-	·32	28
29	·47	-	-	·27	-	-	-	-	-	-	·33	·45	29
30	·10	✕	-	-	-	·18	-	-	·31	-	·60	·57	30
31	·04	✕	·18	✕	-	✕	-	-	✕	·25	✕	·22	31
TOTAL	4·40	·42	2·59	~~3·44~~ 3·51	1·53	2·44	4·97	1·48	~~1·27~~ 1·57	2·35	2·18	~~3·92~~ 3·82	YEAR'S TOTAL ~~30·96~~ 31·26
Days with ·01 in. or more	25	10	18?	23?	9	10?	16	10?	10?	10?	11	11?	169?
Days with ·04 in. or more	19	6	13?	18?	7	9?	14	?	7?	7?	6	11?	

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

DORSET.

WAREHAM.

WORGATE HILL
W/W.

1911 – 1913

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

RE 1911

Kept at Water Works Wo

in the County of —

by William Sarg

of top 5 in.
top above Ground 1 ft. 1
„ „ Sea Level 108 ft.
ion 9 a.m

Station { Name Wareham
Distance 1½ mile Direction North East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	—	—	—	—	—	.01	—	—	—	.04	1
2	.01	—	.01	—	.45	—	—	.01	—	.18	20	.17	2
3	.01	—	—	.09	.30	—	—	—	.02	.01	.04	.07	3
4	—	—	.05	—	—	—	—	—	.16	.03	.09	.37	4
5	.03	—	—	.02	—	—	—	.08	—	.47	.08	—	5
6	.60	—	.15	—	—	—	—	.01	—	.12	.08	.63	6
7	.02	—	.08	—	—	—	—	.01	—	.01	.34	.03	7
8	.01	.01	.09	—	—	—	—	—	—	—	.29	.63	8
9	.06	—	.10	—	—	—	—	—	—	—	.05	.40	9
10	.07	.04	.11	—	—	—	—	—	—	—	—	.25	10
11	.36	.01	.02	—	—	—	—	—	—	—	1.23	—	11
12	.01	—	.96	—	—	—	—	.01	—	—	.05	.21	12
13	.01	.01	.02	—	—	—	—	—	—	—	—	.45	13
14	.01	.10	—	—	—	.04	—	—	.21	—	—	.30	14
15	—	.03	.02	—	—	.18	—	—	.01	—	.14	.04	15
16	.01	—	—	—	—	.04	—	—	—	—	.40	.20	16
17	—	.01	16	—	.09	.24	—	—	—	—	.60	.20	17
18	—	.07	.17	.05	—	—	—	—	—	.09	.12	.35	18
19	—	.03	—	—	—	—	—	—	.28	.12	.08	.60	19
20	—	.02	.09	—	—	.03	—	.01	.11	.07	—	.65	20
21	.15	.16	.20	—	—	.01	—	—	.09	.50	—	.45	21
22	.25	.19	.05	—	—	.14	—	—	.01	.35	—	.35	22
23	.01	.17	.03	—	—	.43	—	—	.08	.30	.14	.35	23
24	.01	.03	.04	—	—	.27	—	.24	—	.50	.01	.25	24
25	.01	.02	—	.04	—	.04	—	.01	—	.08	—	.43	25
26	—	.03	—	.40	—	—	—	.01	.09	.32	.01	.40	26
27	—	.23	.04	.01	—	—	—	.01	.03	1.03	.12	.15	27
28	—	.26	—	.56	—	—	.01	.18	—	.01	.10	.02	28
29	—	—	—	.57	—	.19	.25	—	.16	.37	.01	—	29
30	—	—	—	.01	—	.01	.04	.27	—	.33	.06	—	30
31	—	—	—	—	—	—	.01	—	—	.01	—	—	31
Total	1.65	1.42	2.39	1.75	.84	1.62	.31	.86	1.25	4.90	4.24	7.59	TOTAL for year 28.82
No. of Rain Days.	19	18	19	9	3	12	4	13	12	20	22	26	177

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

RE 1911

Kept at Water Works Worgate Hill Wareham

in the County of Dorset 3

by William Sargent

Rain Gauge
Pattern ——
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 108 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wareham
Distance 1½ mile Direction North East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N,W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	—	—	—	—	—	.01	—	—	—	.04	1
2	.01	—	.01	—	.45	—	—	.01	—	.18	.20	.17	2
3	.01	—	—	.09	.30	—	—	—	.02	.01	.04	.07	3
4	—	—	.05	—	—	—	—	—	.16	.03	.09	.37	4
5	.03	—	—	.02	—	—	—	.08	—	.47	.08	—	5
6	.60	—	.15	—	—	—	—	.01	—	.12	.08	.63	6
7	.02	—	.08	—	—	—	—	.01	—	.01	.34	.03	7
8	.01	.01	.09	—	—	—	—	—	—	—	.29	.63	8
9	.06	—	.10	—	—	—	—	—	—	—	.05	.40	9
10	.07	.04	.11	—	—	—	—	—	—	—	—	.25	10
11	.36	.01	.02	—	—	—	—	—	—	—	1.23	—	11
12	.01	—	.96	—	—	—	—	.01	—	—	.05	.21	12
13	.01	.01	.02	—	—	—	—	—	—	—	—	.45	13
14	.01	.10	—	—	—	.04	—	—	.21	—	—	.30	14
15	—	.03	.02	—	—	.18	—	—	.01	—	.14	.04	15
16	.01	—	—	—	—	.04	—	—	—	—	.40	.20	16
17	—	.01	16	—	.09	.24	—	—	—	—	.60	.20	17
18	—	.07	.17	.05	—	—	—	—	—	.09	.12	.35	18
19	—	.03	—	—	—	—	—	—	.28	.12	.08	.60	19
20	—	.02	.09	—	—	.03	—	.01	.11	.07	—	.65	20
21	.15	.16	.20	—	—	.01	—	—	.09	.50	—	.45	21
22	.25	.19	.05	—	—	.14	—	—	.01	.35	—	.35	22
23	.01	.17	.03	—	—	.43	—	—	.08	.30	.14	.35	23
24	.01	.03	.04	—	—	.27	—	.24	—	.50	.01	.25	24
25	.01	.02	—	.04	—	.04	—	.01	—	.08	—	.43	25
26	—	.03	—	.40	—	—	—	.01	.09	.32	.01	.40	26
27	—	.23	.04	.01	—	—	—	.01	.03	1.03	.12	.15	27
28	—	.26	—	.56	—	—	.01	.18	—	.01	.10	.02	28
29	—	—	—	.57	—	.19	.25	—	.16	.37	.01	—	29
30	—	—	—	.01	—	.01	.04	.27	—	.33	.06	—	30
31	—	—	—	—	—	—	.01	—	—	.01	—	—	31
Total	1.65	1.42	2.39	1.75	.84	1.62	.31	.86	1.25	4.90	4.24	7.59	TOTAL for year 28.82
No. of Rain Days.	19	18	19	9	3	12	4	13	12	20	22	26	177

W. 8,000, X. '11.

[illegible] 27·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
18 JAN 1913

Kept at Water Works Worgate Hill Wareham
in the County of Dorset 3
by William Sargent

Lat. 50-42 Long. 2 S.W
Time of Observation 9 Am
Nearest Railway Station Wareham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.01	—	.01	.21	.02	.32	.03	.81	—	.24	1
2	—	—	.15	—	—	.02	.03	—	.02	.04	—	.01	2
3	—	—	.06	01	—	.39	.34	.65	.01	—	—	.01	3
4	.27	.01	.52	—	—	.30	.03	.03	—	—	.29	—	4
5	.65	.20	.16	—	—	—	—	.45	—	—	.01	.22	5
6	.36	.04	.03	—	.22	—	—	.35	—	—	—	.12	6
7	.65	.49	.17	—	.15	.82	—	.14	—	—	—	.07	7
8	.49	.24	.23	01	—	.03	—	.03	—	—	—	.02	8
9	—	.04	.27	.02	—	—	.01	.16	—	—	—	.44	9
10	.01	.07	.01	—	—	—	.01	.20	—	.03	.02	.45	10
11	.06	10	.01	—	—	—	—	.02	—	.02	.02	—	11
12	.03	37	.08	.01	.53	—	—	.22	—	.02	—	.30	12
13	.01	.02	.03	—	—	—	—	.06	—	.01	.01	.05	13
14	.20	—	.24	—	—	—	—	.22	.01	—	—	.01	14
15	.30	.17	.04	—	.06	—	—	.20	.01	—	.01	—	15
16	.78	.03	.40	—	.05	—	—	.27	—	.08	.22	—	16
17	.80	—	.30	—	.01	—	—	.71	—	.01	—	—	17
18	.05	—	.21	—	—	—	—	.09	—	—	.01	.03	18
19	—	.02	.35	—	—	.03	—	.61	—	—	.01	.02	19
20	—	.05	.39	—	.05	—	—	.11	—	.38	.02	—	20
21	.03	.30	.45	—	.46	—	—	.12	—	.13	.01	.02	21
22	.44	.45	.05	—	—	.06	—	.13	—	.07	.02	.06	22
23	.24	.17	.29	—	—	—	—	.45	—	.21	.18	.29	23
24	.30	.05	—	—	—	.27	—	.15	—	—	.01	.15	24
25	.11	.01	—	—	—	.06	—	.20	—	.14	.34	.50	25
26	—	.04	—	—	—	.18	.51	.12	—	.35	.40	.21	26
27	—	.05	—	—	—	.26	162	—	—	.56	—	.30	27
28	—	.10	—	—	—	.03	08	.45	.04	.66	.52	41	28
29	—	.15	—	—	—	.02	35	.03	161	—	—	01	29
30	—		.04	—	—	—	01	.01	.81	—	—	—	30
31	—		.58		—		.32	.02		—		07	31
Total	578	317	507	05	154	268	~~301~~ 333	~~652~~ 6.20	254	352	200	401	YEAR'S TOTAL 39.89
Rain Days.	19	23	25	4	9	14	12	28	8	16	17	24	190

W. 7,500, XI. ·12

Cwd by Dorset TC 16.4.'4

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL.

16 JAN 1914

Kept at Worgate Wareham Water works
in the County of Dorset 3
by William Sargent

Lat. 50.42 Long. 2 S.W
Time of Observation 9 a.m
Nearest Railway Station Wareham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 108 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.35	.14	.35	—	.02	—	—	.46	.02	.18	—	1
2	.01	.12	—	.03	—	—	—	—	.01	.23	.08	.01	2
3	.07	—	—	.03	.25	—	—	—	.01	.05	.01	.09	3
4	.65	—	.10	.03	.20	—	—	—	.20	.52	.05	.01	4
5	.30	.08	—	—	—	.13	.03	—	.71	.21	.22	.15	5
6	.16	.09	.06	—	.05	.12	.05	—	—	.98	.02	.70	6
7	.01	.27	.01	—	.37	.07	.29	—	—	.34	.22	.02	7
8	.01	.25	—	—	.16	—	.04	—	.01	—	—	.07	8
9	.01	.25	.01	—	.06	—	—	.76	.01	.03	.18	.02	9
10	.21	.02	.01	—	.02	—	—	—	.01	.13	.57	.01	10
11	.95	.01	—	.13	.38	—	—	.01	—	.07	.50	.85	11
12	.02	.01	—	—	.28	—	—	—	.04	.01	.35	—	12
13	.06	.01	.03	—	.17	—	—	.02	.40	.40	.15	—	13
14	.03	.01	.07	.02	.22	—	—	.02	.26	.06	.01	.01	14
15	.37	.04	.35	.50	—	—	.28	.09	.18	—	.05	.02	15
16	.17	.04	.40	—	—	—	.02	.01	.02	.10	.01	—	16
17	.13	.01	.03	.08	—	—	—	—	—	.02	.01	—	17
18	.01	—	.13	.07	—	—	—	—	.01	.01	.08	.02	18
19	.70	—	.05	.03	—	—	—	—	.40	—	.01	—	19
20	.07	—	.25	.20	.02	—	—	—	—	—	.04	—	20
21	.01	—	.30	.29	.01	—	.06	—	—	—	.69	—	21
22	.34	—	.12	.20	—	—	.06	.16	.20	—	—	.11	22
23	.01	—	—	—	—	—	—	.03	.06	—	.06	.70	23
24	.05	.01	.01	.16	.01	—	—	—	—	—	.01	—	24
25	—	.12	—	.32	—	—	—	—	—	.01	.01	—	25
26	—	—	—	—	—	—	.01	.25	—	.07	—	.13	26
27	.05	—	.25	.06	—	—	—	—	—	.05	—	—	27
28	.15	—	—	.77	.35	—	—	—	—	.30	—	—	28
29	.17		.40	—	.02	—	—	.09	—	.33	—	—	29
30	.63		—	—	.02	—	—	.02	.01	.73	—	—	30
31	.10		—		—		—	.63		.08		—	31
Total	5.50	1.69	2.72	3.27	2.59	.34	.84	2.09	3.00	4.75	3.45	2.12	YEAR'S TOTAL 32.36
Rain Days.	29	17	19	17	17	4	9	12	18	23	23	16	204

W.7,000, XI. 13

DORSET.

WARMWELL.

"BEECH"

1917

REGIST 17

FORM A. BRITISH RAINFALL.

12 JAN

Kept at Beech - W

in the County of Do

Miss

by H-G- Wil

ong.

9. a.m.

ion Moreton

f Rain Gauge .... in.

ge above Ground .... ft. .... in.

„ Sea Level approx 200 ft.

IMPORTANT NOTE. . and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·23				·65			·06		1
2				·19				·05		·03			2
3	·02		·62				·35			·08	·70		3
4				·15		·33		·08					4
5	·13	-	·10						·12	·38	·07		5
6			·06							·12	·07		6
7	·50		–				·64	·25		·17	·06	·17	7
8	·35		·39				·22		·06	·47	·25	·21	8
9										·04	·04		9
10	·23		·43	·30	·30			·17	·05				10
11	·03		·44		·25					·40	·03		11
12			·04	·06	·23		—			·19			12
13			·23							·03			13
14			·07	·07				·17	·02				14
15			–						·02	·30		·15	15
16		·31	–					·03		1·33		·17	16
17		·03	–	·19		·12		·26	·93	·12			17
18			–			·17	·46		·43	·01			18
19		·64	·03		·50				·32				19
20	·					·18			·03				20
21	·06									·12			21
22	·03							·21		·09			22
23		·26				·06							23
24		·20					·25	·26		·27	·03		24
25		·01				·01	~~·25~~		·07	·01			25
26					·33			·43	·16	·08	·03		26
27			{·55		·52	·22		1·05					27
28						·40	·01	·16			·01		28
29						·06	·21	·01		·40		·16	29
30		╳	·33				·38	·22		·05			30
31		╳		╳		╳		·02	╳	·35	╳		31
Total	1·35	1·45	3·29	1·19	2·13	1·55	2·52	3·92	2·21	~~5·12~~ 5·04	1·35	·86	YEAR'S TOTAL 26·96
Rain Days.	8	6	13	7	6	9	8	4·02 16	11	22	11	5	122

W. 8,000. X. 15.

1.29

5 made ✓

REGIS 17

FORM A.
BRITISH RAINFALL.

12 JAN 191

Kept at Beech - Warmwell

in the County of Dorset

by Miss H. G. Williams

ong.

Time of Observation 9 a.m.

Nearest Railway Station Moreton

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level approx. 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·23				·65			·06		1
2				·19				·05		·03			2
3	·02	–	·62				·35			·08	·70		3
4				·15		·33		·08					4
5	·13	– –	·10						·12	·38	·07		5
6			·06							·12	·07		6
7	·50		–				·64	·25		·17	·06	·17	7
8	·35		·39				·22		·06	·47	·25	·21	8
9										·04	·04		9
10	·23		·43	·30	·30			·17	·05				10
11	·03		·44		·25					·40	·03		11
12			·04	·06	·23					·19			12
13			·23							·03			13
14			·07	·07				·17	·02				14
15			–						·02	·30		·15	15
16		·31	–					·03		1·33		·17	16
17		·03	–	·19		·12		·26	·93	·12			17
18			–			·17	·46		·43	·01			18
19		·64	·03		·50				·32				19
20						·18			·03				20
21	·06									·12			21
22	·03							·21		·09			22
23		·26				·06							23
24		·20					·25	·26		·27	·03		24
25		·01				·01	~~·25~~		·07	·01			25
26					·33			·43	·16	·08	·03		26
27			·55		·52	·22		1·05					27
28						·40	·01	·16			·01		28
29						·06	·21	·01		·40		·16	29
30		X	·33				·38	·22		·05			30
31		X		X		X		·02	X	·35	X		31
Total	1·35	1·45	3·29	1·19	2·13	1·55	2·52	~~3·92~~ 4·02	2·21	~~5·12~~ 5·04	1·35	·86	YEAR'S TOTAL 26·96
Rain Days.	8	6	13	7	6	9	8	16	11	22	11	5	122

W. 8,000. X. 15.

1·29

Stilwell & a

REGIS 011

DORSET.

WEST LULWORTH
VICARAGE.

1911 – 1915

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at West Lu
W
in the County of
by W. Percy J

retti & Zambra
p 5 in.
bove Ground 1 ft. — in.
„ Sea Level 127 ft. 9 in.
9 a.m.
Name Wool
Distance 5 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01										·04	·02	1
2	·02			·38	·34			·01		·16	·16	·19	2
3					·15			·01			·14	·05	3
4	·02		·09						·07	·02	·24	·31	4
5	·04			·02					·02	·62	·04		5
6	·48		·13					·07		·12	·17	·78	6
7	·04										·33	·02	7
8	·03	·04	·16								·14	·56	8
9	·04		·04								·07	·38	9
10	·07		·53									·21	10
11	·34	·11	·05								1·22		11
12			1·10								·05	·18	12
13								·03				·49	13
14									·15			·36	14
15		·08	·06			·03					·17	·02	15
16		·02	·02			·27					·50	·20	16
17		·01	·32		·57	·03					·70	·27	17
18		·15	·04	·03		·29				·07		·33	18
19		·03				·09			·19	·03	·05	·69	19
20	·02	·02	·18						·07	·06		·63	20
21	·03	·17				·03			·06	·35		·16	21
22	·13	·01	·02	·03		·13			·02	·50		·69	22
23	·01	·21	·05	·17		·31			·20	·49	·06	·26	23
24	·02	·16		·34		·37				·62		·27	24
25		·02	·03	·04		·10		·25		·16		·02	25
26		·03		·45						·26		·40	26
27		·45	·04	·35					·11	1·15	·05	·15	27
28		·32				·28					·13		28
29					·19	·01		·20	·14	·44			29
30					·05		·33			·26	·03		30
31								·18					31
Total	1·30	1·83	2·86 2·86	1·81	1·30	1·94	·33	·75	1·03	5·31	4·29	7·64 7·64	TOTAL for year 30·39
No. of Rain Days	15	16	16	9	5	12	1	7	10	16	19	25	151

9,000, IX. '10.

Stilwell c a

REGIS 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at West Lulworth Vicarage

in the County of Dorset 3

by W. Percy Schuster

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 127 ft. 9 in.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wool
Distance 5 m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01										·04	·02	1
2	·02			·38	·34			·01		·16	·16	·19	2
3					·15			·01			·14	·05	3
4	·02		·09						·07	·02	·24	·31	4
5	·04			·02					·02	·62	·04		5
6	·48		·13					·07		·12	·17	·78	6
7	·04										·33	·02	7
8	·03	·04	·16								·14	·56	8
9	·04		·04								·07	·38	9
10	·07		·53									·21	10
11	·34	·11	·05								1·22		11
12			1·10								·05	·18	12
13								·03				·49	13
14									·15			·36	14
15		·08	·06			·03					·17	·02	15
16		·02	·02			·27					·50	·20	16
17		·01	·32		·57	·03					·70	·27	17
18		·15	·04	·03		·29				·07		·33	18
19		·03				·09			·19	·03	·05	·69	19
20	·02	·02	·18						·07	·06		·63	20
21	·03	·17				·03			·06	·35		·16	21
22	·13	·01	·02	·03		·13			·02	·50		·69	22
23	·01	·21	·05	·17		·31			·20	·49	·06	·26	23
24	·02	·16		·34		·37				·62		·27	24
25		·02	·03	·04		·10		·25		·16		·02	25
26		·03		·45						·26		·40	26
27		·45	·04	·35					·11	1·15	·05	·15	27
28		·32				·28					·13		28
29					·19	·01		·20	·14	·44			29
30					·05		·33			·26	·03		30
31								·18					31
Total	1·30	1·83	2·86 2·80	1·81	1·30	1·94	·33	·75	1·03	5·31	4·29	7·64 7·54	TOTAL for year 30·39
No. of Rain Days	15	16	16	9	5	12	1	7	10	16	19	25	151

9,000, IX. '10.

Dorset co

copy Dorset F.C. 27·11·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at West Lulworth

in the County of Dorset 3

by W. Percy Schuster

RAIN GAUGE
Pattern negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 128 ft.

Time of Observation 9 A.M

Nearest Railway Station
Name Wool
Distance 5m Direction north

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	~~·95~~				·15	·01	1·09		·32	1
2						·13			~~·00~~	·02			2
3			·25			·32	·28		·04		·04	·01	3
4	·25		·07			·12		·49			·30		4
5	·61		·44					·70				·14	5
6	·53	·24	·20					·10				·02	6
7		·02			·30	·05		·50				·10	7
8	·01	·44	·10		·42	·50		·04					8
9	·51	·19	·22									·40	9
10			·30	·04		·04		·28				·44	10
11	·05	·04				·12					·01	·44	11
12	·03	·00				·05		·14			·02		12
13		·35	·17		·70			·25		·04		·04	13
14	·03		·05				·02						14
15	·12		·25					·03				·39	15
16	·16	·18				·60				·08	·14		16
17	1·00		·30		·20			·29				·06	17
18	·79		·40			·14		·82		·03			18
19	·18	·02	·23				·10	·09					19
20			·58			·03		·20		·50	·04		20
21		·03	·50		·03			·22		·07			21
22		·30	·44		·20			·12		·09		·05	22
23	·45	·48	·06			~~·18~~	·08	·16		·28		·19	23
24	·38	·20	·31			·24		·93			·14	·29	24
25	·19	·04						·24		·23	·02	·62	25
26	·07	·						·14		·28	·30	·27	26
27		·05					·43	·04		·52	·42	·45	27
28		·08				·24	·68	·05	·03	·74		·46	28
29		·10				·49		·56	1·78	·21	·45	·01	29
30						·02	·35		·75	·11			30
31			·95					~~·05~~		·02		·03	31
Total	5·36	2·84 2·84	~~4·86~~ 5·91	~~·99~~ ·04	1·85	3·27	1·94	6·36 6·34	2·61 ✓	4·31	1·88	4·73	TOTAL for year 41·08
No. of Rain Days.	17	17	~~19~~ 20	~~2~~ 1	6	16	7	23	5	16	11	20	~~40·98~~ 159

W. 8,000, X. '11.

Dorset 7C.a

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at West Lulworth Vicarage

in the County of Dorset

by W. Percy Schuster

3

Lat. 50" 37' 30" Long. 2° 14' 50"

Time of Observation 9 A.M.

Nearest Railway Station Wool

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·36	·14	·16					·26	·05	·17		1
2		·11			·01					·05	·04	·02	2
3	·02		·04	·04	·25							·03	3
4	·56		·07	·01	·27				·11	·38	·02	·03	4
5	·25	·16	·01		·06	·13			·95	·19	·27	·17	5
6		·12	·02		·02	·15	·16			1·15	·04	·62	6
7	·01	·35	·02		·26	·06	·25			·33	·14	·02	7
8		·25			·19		·01			·03		·14	8
9		·03			·01		·03	·11	·09		·14	·01	9
10	·17									·08	·38		10
11	·88			·09	·28				·01		·12	·04	11
12					·32						·50		12
13	·04		·02	·01	·				·35		·17		13
14	·25		·11		·20				·45	·01	·01		14
15	·11	·07	·32	·38	·01		·20	·03	·12			·01	15
16	·15		·44	·16		·02	·02		·04				16
17	·11		·01	·01				·			·01		17
18			·14	·07							·01		18
19	·56		·03		·03				·37				19
20	·07		·33	·13		·				·45	·02		20
21			·20	·29	·01	·02				·21	·80		21
22	·38		·08					·18	·16	·01		·12	22
23			·0									·65	23
24	·10			·11							·06		24
25		·12		·25							·02		25
26				·18				·28		·03		·14	26
27	·05		·18	·06								·01	27
28	·35		·04	·15						·21			28
29	·21		·37	·47	·18			·02		·12			29
30	·55							·07		·50			30
31	·03							·80		·03			31
Total	4·86	1·57	2·57	2·57	2·10	·38	·67	1·49	2·91	3·83	2·92	2·01	YEAR'S TOTAL 27·88
Rain Days.	21	9	19	17	15	5	6	7	11	17	18	14	159

W. 7,500, XI. ·12

cf Dorset

and by Dorset F.C. 19.IV.15

~~WLMcC~~

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

18 JAN 1915

Kept at West Lulworth

in the County of Dorset 3

by the late W. Percy Schuster

Lat. 50° 37' 30" Long. 2° 14' 50"

Time of Observation 9 A M

Nearest Railway Station Wool

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 128 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										~~·54~~	·54	·80	1
2						·02	·40	·25		~~·13~~	·13	·04	2
3			·04	·25	·39		·05			~~1·67~~	1·67	·29	3
4	·02			·27	·03		·21	·40				·06	4
5	·06		·07	·17	·01		·51	·95				·50	5
6		·15		·16	·05		·07					·06	6
7	·02	·46	·21	·08			·21					·40	7
8	·03	·30	·56	·09		·15		·05				·28	8
9	·01		·60	·10	·02	·02		·12				·48	9
10	·14	·30		·13	·18				·30				10
11		·06	·52				·55		·33			·60	11
12		·03	·29			·45						·42	12
13		·45	·45						·30	·18	·25	·34	13
14		·33	·17						·18	·05		·53	14
15			·25				·24			·49	·45	·30	15
16	·01							·65	·22	·30	·46		16
17		·88	·13					·46					17
18		·02	·16			·11						·20	18
19		·09	·73				·25					·55	19
20		·50	·26			·02	·98		·10		·10	·18	20
21		·62	·09									·60	21
22		·03	·02		·40					·38			22
23		·15	·43							·08			23
24		·01	·02		·03					·28			24
25			·23		·03					·03	·18		25
26			·04				·09	·48		·40	·04	·70	26
27	·02							·03		·18	·30	·42	27
28	·01	·08	·31		·01		·05				·10	·20	28
29	·28		·09	·10	·07					·10	·04	·50	29
30	·01		·06	·03						·22	·40		30
31	·08				·01		·02			·40		·50	31
Total	·69	4·46	5·73 ✓	1·38	1·23 ✓	·77 ✓	3·63 ✓	3·39 ✓	1·43 ✓	3·09 ✓	4·66 ✓	8·95	YEAR'S TOTAL 39·41 ✓
Rain Days.	12	17	23 ✓	10	12	6	13	9	6	13	13	23	157 ✓

W.7,000, XI. 13

DORSET.

WESTMOORS.

1914- 1915

REGI… 9 14

FORM A2.
BRITISH RAINFALL.
5 - JAN 1915

…ymma…

Kept at Inglewood Nur… …op 5 in.

…above Ground 1 ft. in.

in the County of Dorse… „ Sea Level 110 ft.

9.a.m

by F. J. Lansde… …Railway Station { Name West Moors

Distance 440 yards Direction S. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.50		1
2					.03						.75		2
3				.15								.70	3
4	.08		.01	.30				.49			85	.48	4
5				.35				58			.30		5
6		.28		.10								.75	6
7	.06	.63	.11	.12								.35	7
8		.32	.52	.06	.10							.21	8
9		.03	.52	.21	.11				.45			.85	9
10		.50	.04	07	.15			.45	.30		.10	01	10
11		.27	.65				.50		.05			40	11
12		.11	.17				.45					53	12
13		.58	.40			1½ hours Thunder-storm				.36	.65	50	13
14		.28	.42			.70			.45	50		41	14
15								.40			.12	0	15
16			.23						.35				16
17		.51	20				15					.83	17
18		.30					1.20					.85	18
19		.06	.62				.15					.21	19
20		.92	.08				.13					.10	20
21		60								35			21
22		.05											22
23		.08			.25			.08		.27		.03	23
24		.05	.36								.10	.03	24
25			21					.40		.35	.15	.13	25
26	.08		.03							.06		36	26
27	.05		35							.05			27
28		.12					.02	.22		30	.65	.53	28
29	.26		.15				.60					.90	29
30			.15	.02			~~.48~~			.15	.95	.23	30
31												.13	31
Total	.53	5.69	5.22	1-38	.64	.70	3.22	2.54	1-60	2.89	5.12	9.52 9.52	TOTAL for year 38.55 38.55
No. of Rain Days.	5	18	19	9	5	1	8	7	5	9	11	23	

W. 8,000, X. '11.

REG 914

FORM A2.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Inglewood Nursery West Moors

in the County of Dorset

by F. J. Lansdell

RAIN GAUGE
Pattern Symonds
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name West Moors
Distance 440 yards Direction S. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·50		1
2					·03						·75		2
3				·15								·70	3
4	·08		·01	·30				·49			85	·48	4
5				·35				50			·30		5
6		·28		·10								·75	6
7	·06	·63	·11	·12								·35	7
8		·32	·52	·06	·10							·21	8
9		·03	·52	·21	·11				·45			·85	9
10		·50	·04	07	·15			·45	·30		·10	01	10
11		·27	·65				·50		·05			40	11
12		·11	·17				·45					53	12
13		·58	·40							·36	·65	50	13
14		·28	·42			½ hour Thunderstorm ·70			·45	50		41	14
15								·40			·12	0	15
16			·23						·35				16
17		·51	20				·15					·83	17
18		·30					1·20					·85	18
19		·06	·62				·15					·21	19
20		·92	·08				·13					·10	20
21		60								35			21
22		·05											22
23		·08			·25			·08		·27		·03	23
24		·05	·36								·10	·03	24
25			21					·40		·35	·15	·13	25
26	·08		·03							·06		36	26
27	·05		35							·05			27
28		·12					·02	·22		30	·65	·53	28
29	·26		·15				·60					·90	29
30			·15	·02			~~·48~~			·15	·95	·23	30
31												·13	31
Total	·53	5.69	5·22	1-38	·64	·70	3·22	2·54	1-60	2·39	5·12	9·52 9·52	TOTAL for year 38·55 38·55
No. of Rain Days.	5	18	19	9	5	1	8	7	5	9	11	23	

W. 8,000, X. '11.

1756

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
24 JAN 1916

Kept at Westmoors
in the County of Dorset
by F. J. Lansdell

4

Lat. 51·75 Long. 1·90 W
Time of Observation 9 a.m
Nearest Railway Station Westmoors
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·30	0·25	0·04			0·		0·43	0·65	0·42			1
2	0·12	0·34	0·22	0·04		0·15		0·03				0·50	2
3	0·70	0·01	0·01	0·02	0·11					0·49		0·25	3
4	0·38							0·18				0·37	4
5	0·05	0·78						0·04				0·45	5
6	0·06	0·73		0·50			0·48					0·46	6
7	0·65	0·76		0·07			0·22	0·50				0·44	7
8	0·20			0·02			0·02					0·05	8
9		0·10		0·23							0·15	0·65	9
10	0·05			0·02						0·03			10
11	0·20		0·05	0·06							0·60		11
12	0·10	0·45		0·22	0·50					0·09	0·73		12
13	0·02	0·55			1·08				0·15		0·05		13
14	0·04	0·03					0·35		0·07			0·95	14
15	0·11				0·17		0·10	0·25		0·03	0·15	0·30	15
16	0·02	1·11			0·33		1·15						16
17		0·46			0·38			0·02				0·32	17
18		0·27			0·03			0·02					18
19		0·02			0·15		0·13						19
20	0·32			0·11	0·19								20
21		0·37	1·02			0·02	0·08		0·02	0·73		0·09	21
22	0·22	0·17	0·27	0·01			0·83		0·02			0·51	22
23		0·02	0·23			0·02	0·11		0·25	1·00		0·05	23
24							(in 1/2 hr) 1·38		0·88	2·95		0·80	24
25		0·15				0·03			0·03	0·33		0·23	25
26	0·01	0·10					0·24		0·04			0·80	26
27		0·05				0·03				0·36		0·03 gale	27
28		0·11				0·11			0·55	0·06		0·10	28
29		X				0·20	0·21	0·03		0·05	0·56		29
30		X				0·04		~~0·32~~		0·45	0·45	0·45	30
31	0·02	X		X		X	0·02	0·32	X	0·85	X	0·23	31
Total	3·57	6·83	1·84	1·30	2·94	0·60	5·32	1·82	2·66	7·84	2·69	8·03	YEAR'S TOTAL 45·44
Rain Days.	19	21	7	11	9	8	14	10	10	14	7	21	- 152

W. 8,000. X. 15.

DORSET

WEYMOUTH.

"FLEET HOUSE"

1911 – 1916.

REGI 911

arith II.12

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Fleet House,

in the County of Dorset

by Mrs C. E. A. Ge

p 5 in.

bove Ground 14 ft. in.

„ Sea Level 40 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.03								.08	1
2	—	—		.29	.27					.05	.20	.01	2
3					.14							.23	3
4			.09						.05		.20	.11	4
5	.15							.09		.09		.18	5
6	.40		.15								.61	.79	6
7	.03												7
8	.03		—								.23	.48	8
9	.03										.08	.50	9
10	.09	.10	.65								1.02 ?	.20	10
11	.28	.11											11
12			.05									.17	12
13			.97						.12			.42	13
14												.53	14
15						.33					.21	.02	15
16											.54	.28	16
17						.08					.64	.28	17
18		.15	.20	.05						.03	.05	.23	18
19		.02	.15			.16		.02	.22	.05		.45	19
20		.02	.18						.10	.15		.55	20
21		.16								.55		.13	21
22	.30					.03		.02	.03	.40		.36	22
23			.03	.06		.13			.12	.34		.27	23
24	.03	.11				.22				.47		.20	24
25		.11		.15	.16			.15		.15			25
26		.03		.31						.12	.04	.25	26
27		.50	.10						.09	1.00		.10	27
28		.30		.55							.10		28
29				.17	.08	.26	.18	.25	.10	.40			29
30						.02				.25	.20	.07	30
31													31
Total	1.37	1.61	2.57	1.61	.65	1.23	.18	.53	.83	4.05 4.05	4.12	6.89 6.89	Total for year 25.64 25.64
No. of Rain Days	10	11	10	8	4	8	1	5	8	14	13	25	187

9,000, IX. '10.

arith II-12

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGI 911

Kept at Fleet House, near Weymouth

in the County of Dorset 3

by Mrs C. E. A. George (H Stilwell)

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 14 ft. in.
	" " " Sea Level 40 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.03								.08	1
2				.29	.27					.05	.20	.01	2
3					.14							.23	3
4			.09						.05		.20	.11	4
5	.15							.09		.09		.18	5
6	.40		.15								.61	.79	6
7	.03												7
8	.03										.23	.48	8
9	.03										.08	.50	9
10	.09	.10	.65								1.02	.20	10
11	.28	.11									?		11
12			.05									.17	12
13			.97						.12			.42	13
14												.53	14
15						.33					.21	.02	15
16											.54	.28	16
17						.08					.64	.28	17
18		.15	.20	.05						.03	.05	.23	18
19		.02	.15			.16		.02	.22	.05		.45	19
20		.02	.18						.10	.15		.55	20
21		.16								.55		.13	21
22	.30					.03		.02	.03	.40		.36	22
23			.03	.06		.13			.12	.34		.27	23
24	.03	.11				.22				.47		.20	24
25		.11		.15	.16			.15		.15			25
26		.03		.31						.12	.04	.25	26
27		.50	.10						.09	1.00		.10	27
28		.30		.55							.10		28
29				.17	.08	.26	.18	.25	.10	.40			29
30						.02				.25	.20	.07	30
31													31
Total	1.37	1.61	2.57	1.61	.65	1.23	.18	.53	.83	4.05 4.06	4.12	6.89 6.89	Total for year 25.64 26.64
No. of Rain Days	10	11	10	8	4	8	1	5	8	14	13	25	107

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Copy from A ret'd to

REGISTER OF RAINFALL IN 1912

Kept at Weymouth Fleet House
in the County of Dorset 3
by Mr C. E. a George
Dorset Field Club

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.02	.02		.15		.14	.04	1.27		.28	1
2			.50						.05			.03	2
3			.12			.40	.08	.49			.10		3
4	.22	.05	.38			.30	.07						4
5	.75	.25	.20					.44			.45	.10	5
6	.42		.02		.05	.20		.49				.03	6
7	.02	.25	.25		.50	1.00						.26	7
8	.48	.35	.03	.04								.09	8
9	.16		.16					.20				.42	9
10		.07						.10				.34	10
11	.10	.05						.07					11
12	×	.33	.16					.30				.42	12
13					.25					.02		.05	13
14	×		.30										14
15	×	.14										.32	15
16	1.35×		.42					.21					16
17	.85		.36				.04	.54			.06		17
18	.60		.07			.60					.04		18
19	.02	.04	.33					.30					19
20	.03	.03	.48		.04			.05		.40			20
21		.25	.42		.92			.30					21
22	.46	.47	.10				.15	.17				.16	22
23	.03	.22	.30					70		.45	.15		23
24	.08	.05	.02					.10				.37	24
25	.36					.20		.15		.10	.50	.45	25
26		.04						.05		.40		.35	26
27		.05				.12	.46	.04		.45		.38	27
28		.10				.12	.15	.44	.12	.64	.45	.77	28
29		.09						.25	.56	.54			29
30									.65				30
31			.55				.15					.10	31
Total	5.93	2.83	5.19	.06	1.76	3.09	1.10	5.53	1.42	4.27	1.75	4.92	YEAR'S TOTAL 37.85
Rain Days.	16	18	21	2	5	9	7	21	5	9	7	18	138

W. 7,500, XI. ·12

Copied from ~~Dorset~~ Field Club.

Dorset Field Club.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Esc. MG

Kept at Fleet House. Nr Weymouth.

in the County of Dorset. 3

by Mrs C. E. A. George.

R. Stevensons Henshaw.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·37	·11	·04	–	–	–	·01	·25	–	·21	–	1
2	·03	·07	–	·10	–	–	–	–	–	–	–	–	2
3	·11	–	–	–	·16	–	–	–	–	·09	·10	–	3
4	·50	–	–	–	·23	–	–	–	–	·20	–	·05	4
5	·42	·10	–	–	–	·10	–	–	1·19	·07	·25	·35	5
6	·19	·19	·09	–	·16	·12	–	–	–	1·11	·08	·05	6
7	–	·37	·08	–	·37	–	–	–	–	·17	·04	·15	7
8	–	·09	–	–	·12	·04	–	–	–	–	–	–	8
9	–	·20	–	–	·09	–	·32	·10	–	–	·22	–	9
10	·41	–	–	–	–	–	–	–	–	–	·25	–	10
11	·51	–	–	–	·33	–	–	–	–	–	·31	–	11
12	·10	–	–	·05	·27	–	–	–	–	–	·35	–	12
13	–	–	–	–	–	–	–	·03	·40	·09	·15	–	13
14	·25	–	·12	–	·37	–	–	–	·54	–	–	–	14
15	·37	·03	·37	–	–	–	–	–	–	–	–	–	15
16	·32	–	·30	·45	–	–	·07	·03	·45	–	–	–	16
17	·20	–	–	·06	–	–	–	–	–	–	–	–	17
18	·07	–	–	–	–	·04	·02	–	–	–	–	–	18
19	·90	–	–	–	–	·07	–	–	·33	–	–	–	19
20	·13	–	·16	·21	–	–	–	–	–	–	–	–	20
21	–	–	·25	·22	–	–	–	–	–	·22	·70	·10	21
22	·30	–	·18	–	–	–	–	·07	·35	·16	–	·52	22
23	–	–	–	–	–	–	–	–	–	–	·03	·13	23
24	·03	–	–	–	–	–	–	–	·16	–	–	–	24
25	–	–	–	·25	–	–	–	–	–	–	–	–	25
26	–	·15	–	·16	–	–	–	·27	–	–	–	–	26
27	·10	–	·20	·32	–	–	–	–	–	·05	–	–	27
28	·30	–	·06	·30	–	–	–	–	–	·20	–	–	28
29	·19	–	·36	·25	–	–	–	·08	–	·30	–	–	29
30	·48		–	–	–	–	–	–	–	·25	–	–	30
31	·07		–		–		–	1·04		·16		–	31
Total	6·07	1·57	2·28	2·41	2·10	·37	·41	1·63	3·67	3·07	2·69	1·35	YEAR'S TOTAL 27·62
Rain Days.	23	9	12	12	9	5	3	8	8	13	12	7	121

✓

copied from ~~[illegible] to obs~~ Dorset 7C

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 APR 1915

Kept at Fleet House, Near Weymouth

in the County of Dorset 3 Ex LM.

by C. E. A. George (Dorset 7C)

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	-	-	-	-	·50	-	-	·54	·10	1
2	-	-	-	-	-	-	·35	-	-	-	·46	·08	2
3	-	-	·06	·10	·47	-	-	-	-	-	·09	·09	3
4	-	-	-	·20	·07	-	·24	·65	-	-	·98	·52	4
5	·14	-	·05	·12	·08	-	·36	-	-	-	·55	-	5
6	-	·20	-	·15	-	-	-	-	-	-	-	·29	6
7	-	·44	·10	·04	-	·04	·34	-	-	-	-	·26	7
8	-	·14	·45	·13	-	·05	-	·11	-	-	-	-	8
9	-	-	·34	·05	-	·06	-	-	·75	-	-	-	9
10	-	·14	·56	-	·27	-	-	-	·30	-	-	·05	10
11	-	·30	·25	-	-	-	·12	-	-	-	-	·53	11
12	-	·06	·23	-	-	-	-	-	·35	·04	-	·51	12
13	-	·42	·25	-	-	-	-	-	·17	·10	·10	·58	13
14	-	·25	-	-	-	1·30	·19	-	-	-	·20	·22	14
15	-	-	·06	-	-	-	-	·90	-	-	·30	·02	15
16	-	-	-	-	-	-	-	-	·35	·32	-	-	16
17	-	-	·20	-	-	-	-	-	·08	-	-	·73	17
18	-	·03	·16	-	-	-	·14	-	-	-	-	-	18
19	-	·15	·60	-	-	-	1·60	·30	-	-	·10	·28	19
20	-	·30	-	-	-	-	-	-	-	-	-	·30	20
21	-	·69	·25	-	-	-	-	-	-	-	-	-	21
22	-	·07	·14	-	·38	-	-	-	-	·05	-	-	22
23	-	·25	·36	-	-	-	-	-	-	·02	-	-	23
24	-	-	·04	-	-	-	-	-	-	·50	·08	-	24
25	-	-	·25	-	·04	-	-	-	-	·02	·06	·51	25
26	-	·07	·05	-	-	-	·14	-	-	·40	·17	·50	26
27	-	-	-	-	·04	-	-	-	-	·05	·35	·20	27
28	·23	-	·32	-	-	-	12	-	-	-	·17	·45	28
29	·05	-	·12	-	·22	-	·06	-	-	·25	·27	·05	29
30	·25	×	·10	·10	-	-	-	-	-	·13	·84	·70	30
31	·05	×	-	×	-	×	·04	-	×	·34	×	·19	31
Total	·72	3·42	4·99	·89	1·57	1·45	3·70	2·46	2·00	2·22	5·26	7·16	YEAR'S TOTAL 35·84
Rain Days.	5	15	23	8	8	4	12	5	6	12	16	22	136

W. 8,000. X. 14.

1700

FORM A.
BRITISH RAINFALL.

6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fleet House, near Weymouth
in the County of Dorset
by Mr. C. P. C. George

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weymouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·31	–	–	·11	–	–	–	–	·05	–	·12	1
2	·23	·18	·05	·06	–	·06	–	–	·03	·35	–	·38	2
3	·32	–	·10	·04	·26	–	–	–	–	·10	–	·64	3
4	·05	–	–	–	–	–	–	–	–	–	–	·31	4
5	·10	·30	–	–	–	–	–	·45	–	·04	–	·32	5
6	·80	·17	–	·40	–	–	·62	·7	–	–	–	·12	6
7	·05	·50	–	·04	–	–	·17	–	–	–	–	·42	7
8	·02	·60	–	–	–	–	–	–	–	–	·40	·12	8
9	–	·07	–	–	–	–	–	–	–	–	–	·70	9
10	·16	–	–	–	–	–	–	·05	–	–	–	·20	10
11	·04	–	·07	–	–	–	–	–	–	–	·65	–	11
12	·17	·55	–	–	·63	–	–	–	–	–	·42	–	12
13	–	·35	–	–	·80	–	–	–	·03	–	·03	–	13
14	·02	–	–	–	–	–	·22	–	·07	–	–	·95	14
15	–	–	–	–	·17	–	·08	–	–	–	–	·29	15
16	–	·83	·48	–	21	–	1·00	–	–	–	–	·17	16
17	–	·40	·04	–	05	–	–	–	–	–	–	–	17
18	–	·22	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	·20	–	·02	–	–	–	–	–	19
20	·27	–	–	·14	–	·12	·24	–	–		–	–	20
21	·24	·40	–	–	–	–	–	–	·15	·26	–	·15	21
22	·12	·05	–	–	–	–	·70	–	·02	–	–	·25	22
23	–	–	–	–	–	–	·15	–	·20	1·00	–	·72	23
24	–	–	–	·10	–	–	–	–	·65	·46	–	·75	24
25	–	–	–	·04	–	·20	–	–	–	–	–	·32	25
26	–	–	–	–	–	–	·23	–	–		–	1·04	26
27	–	·10	–	–	–	·07	–	–	·02	·46	–	–	27
28	–	·07	–	–	–	·25	–	–	·37	·08	–	·06	28
29	–	–	–	–	–	·06	–	·04	·03	·03	·45	·15	29
30	·13	✕	–	–	–	–	–	–	–	·48	·26	·35	30
31	–	✕		✕	–	✕		·03	✕	1·65	✕	·15	31
Total	2·92	5.10	·74	·82	2·43	·76	3·43	·64	1·57	4·96	2·21	8·68	YEAR'S TOTAL 34·26
Rain Days.	16	16	5	7	8	6	10	5	10	12	6	23	124

W. 8,000. X. 15.

1669

FORM A.
BRITISH RAINFALL.

~~18~~ 20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Fleet House Near Weymouth

in the County of Dorset

by Mrs. C. E. A. George

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Weymouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10		·17						·60	·65	·25		1
2	·15								·05	·45			2
3	·04	·60			·05				·10	·55			3
4	·06	·40				·17					·65		4
5		·04			·04	·07			·05		·16		5
6		·03	·06		·14	·05	·60				·80		6
7		·07	·36								·74	·02	7
8		·05	·32								·08	·36	8
9					·21						·04	·08	9
10		·60								·13		·17	10
11	·03		·05			·08							11
12		·06	·08		·15		·15						12
13		·20					·03	·05		·05	·06		13
14		·09	·15					·05					14
15		·70						·02					15
16	·06		·08	·30				·20	·21	·04		1·05	16
17	·16							·40	·19	·58	·69		17
18		·20	·10									·22	18
19	·10		·55	·05		·08					·20	·12	19
20	·10	·62	·19			·17					·04	1·65	20
21		·12	·15								·04	·25	21
22		·09			·10		·06			·08		·50	22
23								·15			·10		23
24					·27			·10		·40	·06	·40	24
25		·40						·17			·11		25
26		·36	·09					·03					26
27			1·07					·15		·55		·05	27
28		·17		·17					·21	·25		·40	28
29		·30				·34		2·90	·21	·05	·04	·43	29
30		X								·20			30
31		X		X		X			X	·65	X		31
Total	·80	5·10	3·42	·52	·96	·96	·84	4·22	1·62	4·63	4·06	5·70	YEAR'S TOTAL 32·83
Rain Days.	9	19	14	3	7	7	4	11	8	14	16	14	~~126~~

W. 8,000, VIII. 16

13 APR 1915

FORM A.
BRITISH RAINFALL.

WEYMOUTH

SPRINGFIELD

DORSET

1914 — 1920

RE

° 27'

Kept at Springfield AM

Rodwell nr Weymouth

in the County of Dor

five in.

by Major J. H. C

re Ground 1 ft. 9 in.

Sea Level 90 ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the r r in the space provided for it at the end of t ment of rain, the selection and plac itish Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·02	-	-	-	-	·56	-	-	·17	·06	1
2	-	-	-	·01	·01	-	·45	·02	-	-	1·05	·25	2
3	-	-	·04	·17	·47	-	·01	·12	-	-	-	·05	3
4	·05	-	·01	·20	·04	-	·25	1·02	-	-	·60	·41	4
5	·08	-	·04	·09	·06	-	·40	-	-	-	·37	-	5
6	-	·18	-	·14	·04	-	·15	-	-	-	-	·30	6
7	·01	·40	·11	·05	-	·09	·21	·06	·02	-	·02	·33	7
8	·03	·16	·55	·03	·06	·08	-	·07	·02	-	-	·02	8
9	·01	·01	·44	·18	·02	·02	-	-	·74	-	-	·05	9
10	·07	·27	-	·06	·14	·01	-	-	·34	-	-	-	10
11	-	·20	·55	-	·05	·04	·12	-	·06	-	·02	·56	11
12	-	·04	·28	-	-	-	-	-	·33	·02	·01	·35	12
13	-	·39	·40	-	-	-	-	-	·12	·08	·15	·63	13
14	-	·24	·30	-	-	·59	·38	1·02	-	·14	·35	·35	14
15	-	-		-	-	-	-	·17	-	·21	·43	-	15
16	-	-	-	-	-	-	·02	-	·33	-	-	-	16
17	-	·68	·14	-	-	-	-	-	-	-	-	·61	17
18	-	·04	·16	-	-	-	·17	-	·07	-	-	·38	18
19	-	·06	·63	-	-	-	·78	-	·03	-	·08	·10	19
20	-	·35	·16	-	-	·04	-	-	-	-	-	·38	20
21	-	·58	·11	-	-	-	-	-	-	·26	-	-	21
22	-	·03	·04	-	·45	·01	·11	·03	-	-	-	-	22
23	-	·63	·25	-	-	-	-	-	-	·14	-	·01	23
24	-	·42	-	-	·03	-	-	-	-	·06	·11	-	24
25	-	-	·25	-	-	-	-	·38	-	·35	·04	·39	25
26	·03	·01	·08	-	-	-	·09	-	-	·08	·20	·52	26
27	·04	·01	-	-	-	-	-	-	-	·03	·12	·22	27
28	·01	·06	·31	-	·07	-	·03	-	-	·03	·14	·53	28
29	·28	✕	·08	-	·19	-	·03	-	-	·14	·34	·04	29
30	-	✕	·06	·09	-	-	-	-	-	·13	·63	·44	30
31	·02	✕	-	✕	·01	✕	·04	-	✕	·41	✕	·10	31
Total	·63	4·76	5·01	1·02	1·64	·88	3·24	3·45	2·06	2·08	4·83	7·08	YEAR'S TOTAL 36·68 ✓
Rain Days.	11	20	24	10	14	8	16	10	10	14	18	24	179 ✓

W. 8,000. X. 14.

RE[illegible] IN 1914

FORM A.
BRITISH RAINFALL.
13 APR 1915

Kept at Springfield - Weymouth
in the County of Dorset
by Major J. H. C. Devenish

Lat. 50° 35′ Long. 2° 27′
Time of Observation 9 AM
Nearest Railway Station Rodwell m Weymouth
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.02	-	-	-	-	.56	-	-	.17	.06	1
2	-	-	-	.01	.01	-	.45	.02	-	-	1.05	.25	2
3	-	-	.04	.17	.47	-	.01	.12	-	-	-	.05	3
4	.05	-	.01	.20	.04	-	.25	1.02	-	-	.60	.41	4
5	.08	-	.04	.09	.06	-	.40	-	-	-	.37	-	5
6	-	.18	-	.14	.04	-	.15	-	-	-	-	.30	6
7	.01	.40	.11	.05	-	.09	.21	.06	.02	-	.02	.33	7
8	.03	.16	.53	.03	.06	.08	-	.07	.02	-	-	.02	8
9	.01	.01	.44	.18	.02	.02	-	-	.74	-	-	.05	9
10	.07	.27	-	.06	.14	.01	-	-	.34	-	-	-	10
11	-	.20	.55	-	.05	.04	.12	-	.06	-	.02	.56	11
12	-	.04	.28	-	-	-	-	-	.33	.02	.01	.35	12
13	-	.39	.40	-	-	-	-	-	.12	.08	.15	.63	13
14	-	.24	.30	-	-	.59	.38	1.02	-	.14	.35	.35	14
15	-	-		-	-	-	-	.17	-	.21	.43	-	15
16	-	-	-	-	-	-	.02	-	.33	-	-	-	16
17	-	.68	.14	-	-	-	-	-	-	-	-	.61	17
18	-	.04	.16	-	-	-	.17	-	.07	-	-	.38	18
19	-	.06	.63	-	-	-	.78	-	.03	-	.08	.10	19
20	-	.35	.16	-	-	.04	-	-	-	-	-	.38	20
21	-	.58	.11	-	-	-	-	-	-	.26	-	-	21
22	-	.03	.04	-	.45	.01	.11	.03	-	-	-	-	22
23	-	.63	.25	-	-	-	-	-	-	.14	-	.01	23
24	-	.42	-	-	.03	-	-	-	-	.06	.11	-	24
25	-	-	.25	-	-	-	-	.38	-	.35	.04	.39	25
26	.03	.01	.08	-	-	-	.09	-	-	.08	.20	.52	26
27	.04	.01	-	-	-	-	-	-	-	.03	.12	.22	27
28	.01	.06	.31	-	.07	-	.03	-	-	.03	.14	.53	28
29	.28		.08	-	.19	-	.03	-	-	.14	.34	.04	29
30	-		.06	.09	-	-	-	-	-	.13	.63	.44	30
31	.02		-		.01		.04	-		.41		.10	31
Total	.63	4.76	5.01	1.02	1.64	.88	3.24	3.45	2.06	2.08	4.83	7.08	YEAR'S TOTAL 36.68
Rain Days.	11	20	24	10	14	8	16	10	10	14	18	24	179

W. 8,000. X. 14.

1697

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Springfield" - Weymouth

in the County of Dorset

3

by Major J. H. C. Devenish

Lat. 50° 35′ Long. 2° 27′

Time of Observation 9 AM

Nearest Railway Station Rodwell

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24	.31	-	-	.03	-	-	.11	.03	.21	.01	.05	1
2	.38	.23	.09	.05	-	.03	-	.24	.01	.21	-	.44	2
3	.34	.03	.10	.07	.24	.01	-	-	-	.24	-	.45	3
4	-	-	-	.01	.01	-	-	-	-	-	-	.41	4
5	.03	.35	-	-	-	-	-	.42	-	-	-	.37	5
6	.81	.10	-	.43	-	.01	.51	.03	-	-	-	.27	6
7	.14	.37	-	-	-	.01	.07	-	-	-	.01	.37	7
8	.01	.50	-	-	-	-	-	.02	-	-	.02	.14	8
9	.14	.06	-	.02	-	-	-	-	-	-	.42	.70	9
10	.03	.02	.04	.04	-	-	.01	-	-	.03	-	.23	10
11	.15	.07	.09	.01	-	-	-	-	-	-	.65	-	11
12	.03	.46	-	.03	.61	-	-	.03	-	.02	.38	-	12
13	.01	.34	-	-	1.01	-	-	-	.05	-	.03	-	13
14	.01	.01	-	-	.01	-	.31	.03	.05	-	-	.86	14
15	.04	.01	-	-	.13	-	.08	-	.01	-	.04	.13	15
16	-	.83	-	-	.33	-	1.09	.02	.01	-	-	.32	16
17	-	.53	-	-	.03	-	-	-	.01	-	-	-	17
18	-	.26	-	-	.01	-	.02	-	-	-	-	-	18
19	-	-	-	-	.13	-	.10	-	-	-	-	-	19
20	.27	-	-	.05	-	.11	-	-	-	.01	-	.05	20
21	.10	.09	-	-	-	-	.13	-	.17	.27	-	.04	21
22	.16	.07	.51	.03	-	.06	.69	-	.01	-	-	.21	22
23	-	-	.10	-	-	-	-	-	.35	1.53	-	.64	23
24	-	-	-	.08	-	-	-	-	.53	.36	-	.33	24
25	.01	-	.01	.03	-	.12	-	-	-	-	-	.49	25
26	-	.11	-	-	-	-	.26	-	.02	-	-	.98	26
27	-	.01	-	-	-	.08	-	-	.01	.45	-	.03	27
28	-	.06	-	-	-	.09	-	-	.48	.03	-	.04	28
29	-		-	-	-	.06	-	.01	.01	.02	.21	.08	29
30	.17		-	-	-	-	-	-	-	.46	.53	.39	30
31	-		-		-		.03	.09		1.49		.17	31
Total	3.07	4.82	.94	.85	2.54	.58	3.30	1.00	1.75	5.33	2.30	8.19	YEAR'S TOTAL 34.67
Rain Days.	19	22	7	12	11	10	12	10	15	14	10	25	167

W. 8,000. X. 15.

1667

FORM A.
BRITISH RAINFALL.

4 JAN 1917

July

REGISTER OF RAINFALL IN 1916

Kept at Springfield . Weymouth

in the County of Dorset

by Major J. H. C. Devenish

Lat. 50° 35' Long. 2° 27'

Time of Observation 9 AM

Nearest Railway Station Rodwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	-	·12	-	·36	·01	-	-	·43	·63	·30	-	1
2	·16	·07	-	-	-	-	-	-	·	·35	·04	-	2
3	·01	·59	-	-	·02	·01	-	·	·14	·48	·18	-	3
4	·07	·21	-	-	·01	·21	-	·	·01	·09	·42	-	4
5	·01	·01	·01	·01	·13	·05	-	-	-	·07	·33	-	5
6	-	·06	·01	-	·09	·03	·67	-	-	·03	·71	-	6
7	-	·08	·38	-	·04	-	-	-	-	·01	·80	·13	7
8	-	·07	·19	-	·18	-	-	-	-	-	·05	·27	8
9	-	·01	-	-	·02	-	·02	-	·	-	·02	·21	9
10	-	·64	-	·03	·02	-	-	-	-	·01	·01	·04	10
11	-	-	·02	·04	·01	·06	-	-	-	-	-	·14	11
12	·03	·06	·09	·03	·05	-	·15	·05	-	·07	·01	-	12
13	-	·19	·18	·02	-	-	-	·01	·	·01	·01	-	13
14	-	·48	·01	-	·06	-	-	·01	·	-	-	-	14
15	·01	·26	·07	·01	-	-	-	·02	·03	·02	-	·18	15
16	·07	·01	-	·19	-	-	·02	·30	·01	·04	-	·94	16
17	·12	·10	-	·08	-	-	-	·16	·25	·44	·68	-	17
18	·07	·17	·12	·01	-	-	-	-	·08	·	·06	·15	18
19	·04	-	·54	·07	-	-	-	-	-	-	·14	·12	19
20	·08	·40	·23	-	-	-	-	-	·	-	·13	1·72	20
21	-	·13	·12	-	·09	-	·03	-	·	-	·02	·28	21
22	-	-	·01	-	-	·07	-	-	-	·22	·01	·70	22
23	-	·03	-	·01	-	·03	-	·11	-	·02	·10	-	23
24	-	·01	-	·01	·33	-	-	·04	-	·39	·07	·37	24
25	·	·47	·16	-	-	·01	-	·23	·01	·06	·12	-	25
26	·02	·14	·04	-	-	·03	-	·01	·90	·57	·01	·03	26
27	-	·01	·91	-	-	·14	-	-	·34	·40	-	·01	27
28	·01	·16	·01	·06	-	-	-	·13	·21	·27	·01	·30	28
29	-	·33	-	-	-	·33	-	2·32	·20	·08	-	·45	29
30	-		-	-	-	-	-	-	·04	·46	-	-	30
31	-		-		-		-	·04		·45		·01	31
Total	·76	4·69	3·22	·57	1·41	·98	·89	3·43	2·65	5·14	4·23	6·05	YEAR'S TOTAL 34·02
Rain Days.	14	25	19	13	14	12	5	13	13	23	23	18	192

W. 8,000, VIII. 16

1592

FORM BRITISH RAINFALL 2 JAN 1918

REGISTER [illegible] OF RAINFALL IN 1917

Kept at Springfield - Weymouth

in the County of Dorset

by Major J. H. C. Deverish

Lat. 50° 35′ Long. 2° 27′

Time of Observation 9 AM (summer time 10 AM)

Nearest Railway Station Radipole

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	-	.05	.11	-	.09	-	.57	-	-	.09	-	1
2	-	-	-	.17	-	-	-	.02	-	-	-	-	2
3	.03	.01	-	.05	-	-	.59	-	-	.02	.89	-	3
4	-	.05	.32	-	-	-	.01	-	.01	.23	-	-	4
5	.05	-	.05	.07	-	.19	-	-	.15	.16	.03	-	5
6	-	-	.01	-	-	.11	-	-	-	.09	.09	-	6
7	.32	-	-	-	-	-	.10	.50	-	.17	-	.04	7
8	.25	-	.13	.05	-	-	.20	.70	.14	.28	.15	.27	8
9	-	-	.10	.03	.09	-	.01	-	.09	.08	.08	-	9
10	.18	-	.28	.30	-	-	-	.09	-	-	-	-	10
11	.02	-	.48	.06	.07	-	-	-	-	.28	.04	-	11
12	.08	-	.04	-	.28	-	-	.01	-	.04	.02	-	12
13	-	-	.18	-	-	.01	-	.09	.02	.03	-	-	13
14	-	-	.06	.06	-	-	-	-	.01	-	-	-	14
15	.01	-	-	-	-	-	.02	.02	-	.24	-	.28	15
16	-	.22	-	.03	.01	-	-	.01	.01	1.11	-	.34	16
17	-	.02	-	.20	.01	.19	.25	.25	.67	.16	-	-	17
18	-	.11	-	-	-	.06	.05	-	.27	.04	-	-	18
19	-	.44	.04	-	-	.04	-	-	.22	-	-	-	19
20	-	.01	.03	-	.23	.01	-	-	-	-	-	.02	20
21	-	-	.27	-	-	.01	-	-	-	.11	-	-	21
22	.03	-	.06	-	.01	-	-	.06	-	.11	-	-	22
23	-	.22	-	-	.09	-	-	.12	-	.06	-	-	23
24	-	.06	-	-	-	.01	.38	-	-	.14	.01	-	24
25	-	.01	.02	-	-	-	-	26th .32	.03	.04	-	-	25
26	-	-	.02	-	.23	.03	-	27 .73	.11	-	.02	-	26
27	-	-	-	-	.72	.28	-	28 .22	-	-	-	-	27
28	-	-	.09	-	.06	.38	-	25 .01	-	-	-	.02	28
29	-	✕	.01	-	.26	.02	.12	-	-	.34	-	.04	29
30	-	✕	.24	-	-	-	.50	.18	-	-	-	-	30
31	-	✕	.04	✕	-	✕	.12	.01	✕	.25	✕	-	31
Total	.98 √	1.15 1.~~6~~5	2.52 √	1.13 √	2.06 √	1.43 √	2.35 √	3.91 √	1.73 √	3.98 √	1.42 √	1.01 √	YEAR'S TOTAL 23.~~5~~67
Rain Days.	10 √	10 √	21 √	11 √	12 √	14 √	12 √	18 √	12 √	21 √	10 √	7 √	158 √

W. 8,000, IX. 17.

1.33

[illegible] ~~W~~ M&S

11

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
3. 1. 19

Kept at Springfield - Weymouth

in the County of Dorset

by Major J. H. C. Devenish

Lat. 50° 35′ Long. 2° 27″

Time of Observation 9 AM. (10 Summer time)

Nearest Railway Station Rodwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
·49

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·11	·	·01	·06	·	-	·59	-	-	·54	·03	1
2	-	·10	·	·05	-	·	-	·02	·	·	·08	·09	2
3	·	·05	·	·37	·18	·	·	·01	·	·04	·08	·02	3
4	-	·03	·	·	·	·	·	·10	·31	-	·67	·07	4
5	-	·07	·12	·03	·62	·	·	·41	·09	·13	·01	·02	5
6	·34	·08	·	·15	·	·	·	·	·04	·05	·	·14	6
7	·01	·22	·	·	·15	·	·	·03	·24	·03	·23	·01	7
8	·01	·04	·	·	-	·	·	-	·06	·23	-	·01	8
9	·04	·	·	·11	·	·08	·28	·	·41	·08	·	·40	9
10	·02	·	·	·18	-	·	·38	-	·14	·15	·01	·36	10
11	·	·	·	·06	·	·	·13	-	·10	·01	·05	·04	11
12	·	·06	·	-	·52	·	·	-	·10	·02	·08	·01	12
13	·05	·	-	-	-	-	·66	-	·44	·04	·	·	13
14	·16	·	·	-	·01	·05	·01	-	·52	·13	·	·02	14
15	·90	·	·	·24	·01	·	·15	-	·01	·03	·	·07	15
16	·41	·	·01	·02	·	·	·01	-	·23	·	·	·01	16
17	·19	·	·01	·08	:	·	·40	-	·08	·	-	·08	17
18	·62	·	·	-	·	·45	·04	-	·30	·	·	·17	18
19	·04	·01	·13	-	·	·	·41	·	·01	·	·	·02	19
20	·03	·11	·	·10	·	·01	·06	·02	·40	·05	-	·	20
21	·05	·01	·01	·01	·	·	·01	·	·48	·10	-	·24	21
22	·03	·	·	-	·	·	·44	-	·08	~~·10~~ ·01	-	·12	22
23	·13	·	·	-	·13	·	·23	-	·10	-	·06	·02	23
24	-	·13	·	-	·	·	·	·	·26	-	·09	·05	24
25	·01	-	·	·	·03	-	·06	·33	·	-	·07	·	25
26	-	·01	·	·	·	·	·16	·	-	·04	·09	·30	26
27	-	·10	·	·	·	-	·01	·07	·09	·01	·18	·	27
28	·	·07	·20	·03	·	·	·	-	·04	·02	·	·02	28
29	·01	✕	·13	-	·	·	·	·	1·44	-	·01	·02	29
30	·01	✕	·36	·01	·	·	·	-	·09	·03	·07	·03	30
31	·01	✕	·08	✕	·	✕	·	·	✕	·07	✕	-	31
Total	3·07 ✓	1·20 ✓	1·05 ✓	1·45 ✓	1·71 ✓	·59 ✓	3·44 ✓	1·58 ✓	6·06 ✓	1·27 ✓	2·32 ✓	2·37 ✓	YEAR'S TOTAL 26·11 ~~25·91~~
Rain Days.	20 ✓	16 ✓	9 ✓	15 ✓	9 ✓	4 ✓	17 ✓	9 ✓	25 ✓	20 ✓	16 ✓	26 ✓	186 ✓

W, 6,500, VII. 18. W W C

2 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Springfield, Weymouth
in the County of Dorset
by Major J. H. C. Devenish

Lat. 50° 35' Long. 2° 27'
Time of Observation 9 am. (10 am Summer time)
Nearest Railway Station Radwell
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .27

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	-	.12	.	.	.	.31	.	.02	.08	.01	.91	1
2	.21	-	.	.	.03	.	.10	.	.20	.	.	.02	2
3	.68	-	.74	.	.16	.	.	.	.30	.	.01	.03	3
4	.69	.27	.39	.	.	.	.	.15	.27	.	.06	.02	4
5	.03	.44	.54	.	.01	-	.	.	.02	.	.16	.04	5
6	.40	.37	.18	.	.	.	.	.	.	.	.	.23	6
7	.20	.	.36	.10	.	.	.	.	.	.	.	.	7
8	.18	.	.31	.	.	.	.	.	.	.	.01	.	8
9	.11	-	.01	.15	.08	.	.	.	.01	.	.95	.	9
10	.08	.	.15	.	.03	.	.	.	.	.01	.01	.05	10
11	.15	.	.02	.23	.19	.	.	.	.	.	.	.08	11
12	.26	.	.	.	.	.	.11	.	.	.	.03	.	12
13	.05	.13	.10	.23	.	.	.01	.	.	.	.	.08	13
14	.45	.13	.	.05	.21	.	.09	.	.02	.	.	.10	14
15	.33	.12	.	.05	.02	.	.	.	.	.04	.	.24	15
16	.07	1.02	.	.	.03	.	.	.	.	.	.15	.01	16
17	.	.17	.	.	.	.	.	.	.	.	.04	.02	17
18	.	.09	.72	.	.	.	.12	.03	.	.	.16	.	18
19	.62	.36	.41	.	.	.15	1.07	.14	.06	.	.03	.05	19
20	.13	.01	.05	.	.	.41	.	.20	.	.	.02	.	20
21	.	.65	.	.	.	.	.01	.	.03	.	.01	.04	21
22	.	.	.	.	.	.	.05	.	.23	.	.	.02	22
23	.	.	.	.	.	.	.	.01	.	.58	.01	.06	23
24	.	.01	.	.	.	.08	.	.	.	1.16	.08	.14	24
25	.12	.01	.	.02	.	.04	.	.39	.	.	.01	.14	25
26	.05	.11	.07	.06	.	.01	.	.	.10	.	.02	.45	26
27	.08	.01	.03	.22	.	.	.17	1.50	.	.	.02	.11	27
28	.	.	.41	.	.	.	.	.04	.	.	.50	.63	28
29	.	.	.	.01	.	.	.	.06	.	.05	.01	.11	29
30	.		.	.08	.	.10	.	.15	.	.	.62	.63	30
31	.01		.		.		.	.		.		.43	31
Total	5.39	3.90	4.59	1.20	.76	.79	2.04	2.67	1.26	1.92	2.92	4.64	Year's Total 32.08
Days with .01 in. or more	22	16	17	11	9	6	10	10	11	6	22	25	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1415

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Springfield - Weymouth

in the County of Dorset

by Major J. H. C. Deverish

Lat. 50° 35′ Long 2° 27′

Time of Observation 9 am (10 summer time)

Nearest Railway Station Rodwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	–	·02	·08	·31	·	·38	·	·03	·58	·25	·80	1
2	·24	-	·	·15	·	·	·07	·35	·04	·03	-	·08	2
3	·05	·04	·	·05	·	·	·21	·	·	·21	·	·01	3
4	·	·04	·01	·	·	·	·13	·48	·	·08	·	·	4
5	·	·	·15	·08	·05	·	·51	·16	·	·17	·	·	5
6	·	·	·14	·	·35	·	·17	·	·	·08	·	·	6
7	·01	·05	·	·33	·05	·	·23	·	·	·	·	·	7
8	·02	·	·	·11	·02	·	·20	·03	·	·	·	·	8
9	·63	·03	·04	·02	·01	·17	·03	·	·	·	·	·	9
10	·65	·05	·12	·16	·	·41	·47	·	·	·	·06	·	10
11	·28	·	·14	·44	·21	·02	·25	·	·	·	·	·	11
12	·23	·02	·	·25	·	·11	·	·	·	·	·04	·18	12
13	·18	·01	·54	·	·	·	·	·	·	·01	·04	·02	13
14	·11	·02	·31	·53	·	·	·01	·	·48	·07	·25	·	14
15	·09	·03	·07	·08	·07	·08	·	·	·01	·72	·03	·	15
16	·	·	·01	·14	·02	·01	·15	·	·15	·02		·	16
17	·	·	·	·05	·18	·	·02	-	·37	·	·	·	17
18	·12	·01	·	·01	·09	·20	·	·48	·04	·		·	18
19	·02	·	·	·22	·	·23	·	·	·29	·	·	·	19
20	·02	·03	·	·08	·	·67	·	·01	·	·	·	·14	20
21	·	·	·	·01	·	·	·22	·	·01	·04	-	·22	21
22	·08	·	·	·20	·	·	·01	·	·	·	·	·37	22
23	·01	·	·	·	·	·	·09	·02	·	·	·	·31	23
24	·01	·	·12	·	·	·	·	·	·	·	·19	·09	24
25	·	·02	·13	·	·19	·	·47	·	·	·	·	·	25
26	·08	·	·25	·	·	·	·01	·	·	·	·07	·10	26
27	(·33)	·	·06	·09	·01	·14	·	·	·	·	·	·20	27
28	·73	·01	·06	·12	·01	·	·11	-	·	·	·	·07	28
29	·31	·01	·34	·10	·	·	·	·	·	·	·11	·25	29
30	·05	✕	·	·	·	·15	·02	·	·43	·	·28	·31	30
31	·02	✕	·23	✕	·	✕	·	·	✕	·85	✕	·19	31
TOTAL	4.54	·37	2.74	3.30	1.57	2.19	3.76	1.53	1.85	2.86	1.32	3.34	YEAR'S TOTAL 29.37
Days with ·01 in. or more	24	14	18	22	14	11	21	7	10	12	10	16	179
Days with ·04 in. or more	17	4	15	19	9	9	15	4	7	9	9	14	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WEYMOUTH

WESTHAM

THE NOTHE

DORSET

1911 — 1920

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Weym

in the County of D

by J. J. B

5 in.

Ground 2 ft. in.

Sea Level 22 ft.

AM

Name Weymouth

Distance Direction

IMPORTANT NO … the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of t … ment of rain, the selection and pla … tish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.03								.01	.02	1
2	.01		.01	.17	.27			.01		.10	.20	.24	2
3					.10						.05	.09	3
4			.08	.01					.02		.15	.29	4
5	.02		.01	.01				.08	.05	.29	.07		5
6	.42		.16							.08	.27	.70	6
7	.04										.45	.02	7
8	.02		.10								.18	.61	8
9	.02										.18	.36	9
10	.08	.10	.41									.27	10
11	.22		.03								1.10		11
12			.69								.02	.11	12
13			.06						.16			.47	13
14		.08	.01									.43	14
15	.02	.02	.02			.02					.22	.05	15
16						.28					.50	.24	16
17			.17		.12	.05				.02	.45	.25	17
18		.14	.06	.06	.05	.09				.04	.01	.27	18
19		.04			.02	.11			.20	.05		.58	19
20			.15	.02				.02	.05	.12		.61	20
21		.14	.09						.14	.36		.05	21
22	.13	.02				.06			.06	.35		.47	22
23	.02	.06	.07			.22			.12	.27	.03	.23	23
24	.02	.11				.22		.15		.47		.26	24
25		.02		.08		.03			.02	.11			25
26		.04		.27						.36		.25	26
27		.44	.05	.15						.65	.19	.09	27
28		.28		.35					.12	—	.10	.01	28
29				.24	.04	.17	.12	.25	.11	.36		.01	29
30				.03						.20	.08	.03	30
31			.03										31
Total	1.06	1.49	2.23	1.39	0.60	1.25	0.12	0.51	1.05	3.03	4.26	7.01	TOTAL for year 2480
No. of Rain Days.	13	13	19	11	6	10	1	5	11	16	19	27	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Weymouth

in the County of Dorset 3

by J. J. Browne

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 22 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Weymouth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.03								.01	.02	1
2	.01		.01	.17	.27			.01		.10	.20	.24	2
3					.10						.05	.09	3
4			.08	.01					.02		.15	.29	4
5	.02		.01	.01				.08	.05	.29	.07		5
6	.42		.16							.08	.27	.70	6
7	.04										.45	.02	7
8	.02		.10								.18	.61	8
9	.02										.18	.36	9
10	.08	.10	.41									.27	10
11	.22		.03								1.10		11
12			.69								.02	.11	12
13			.06						.16			.47	13
14		.08	.01									.43	14
15	.02	.02	.02			.02					.22	.05	15
16						.28					.50	.24	16
17			.17		.12	.05				.02	.45	.25	17
18		.14	.06	.06	.05	.09				.04	.01	.27	18
19		.04			.02	.11			.20	.05		.58	19
20			.15	.02				.02	.05	.12		.61	20
21		.14	.09						.14	.36		.05	21
22	.13	.02				.06			.06	.35		.47	22
23	.02	.06	.07			.22			.12	.27	.03	.23	23
24	.02	.11				.22		.15		.47		.26	24
25		.02		.08		.03			.02	.11			25
26		.04		.27						.36		.25	26
27		.44	.05	.15						.65	.19	.09	27
28		.28		.35					.12	—	.10	.01	28
29				.24	.04	.17	.12	.25	.11	.36		.01	29
30				.03						.20	.08	.03	30
31			.03										31
Total	1.06	1.49	2.23	1.39	0.60	1.25	0.12	0.51	1.05	3.03	4.26	7.01	TOTAL for year 2480
No. of Rain Days.	13	13	19	11	6	10	1	5	11	16	19	27	151

W. 8,000, X. '11.

8L wrote for Dec. 28 II 13 H.

Ex

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Weymouth

in the County of Dorsetshire 3

by J. H. Bolam

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·13			·02	1·29		·32	1
2			·27	·01			·09			·03			2
3			·07			·46	·03	·29	·04			·02	3
4	·22	·04	·31			·21		·02			·48		4
5	·53	·20	·29		·03			·43			·01	·22	5
6	·49		·01		·32	·12		·35				·02	6
7	·02	·40	·12		·26	·73		·13				·08	7
8	·46	·15	·26									·02	8
9	·03	·02	·14	·02		·10	·01	·22				·41	9
10		·01		·04		·08		·10			·01	·40	10
11	·09	·03						·03			·01	·41	11
12	·01	·28	·17		·95		·02	·27			·02		12
13	·01	·01	·01					·05			·01	·03	13
14	·06		·29		·16			·02					14
15	·25	·13		·01	·03	·68						·38	15
16	1·20	·01	·27		·05			·17		·10	·15	·01	16
17	·85		·30			·11		·59				·03	17
18	·13		·17					·18				·01	18
19	·01	·01	·21			·01	·05	·20			·01		19
20		·03	·37		·11			·08		·33	·01		20
21		·23	·25		·81			·17		·17			21
22	·45	·43	·12		·01		·18	·19		·06	·01	·06	22
23	·14	·20	·24					·68		·25	·12	·25	23
24	·19	·06				·13		·15		·06		·26	24
25	·24		·01			·08		·20		·18	·24	·41	25
26		·01					·17	·03		·23	·37	·26	26
27		·02				·11	·73	·02		·55		·29	27
28		·09				·01	·10	·55	·05	·64	·24	·53	28
29		·08	·05			·06	·12	·04	1·14	·50	·01	·01	29
30			·03		·06	·14	·07	·04	·65	·10			30
31			·49				·13	·01		·03		·11	31
Total	5·38	2·44	4·45	·08	2·79	3·16	1·70	5·21	1·90	4·52	1·70	4·54	TOTAL for year 37·87
No. of Rain Days.	19	21	23	4	11	16	12	27	5	15	15	23	191

W. 8,000, X. '11.

Writer 1st Sep 18·3·13

cordly c ~paulh } 16.11.14

~~W~~ DL

REGISTER OF RAINFALL IN 1913

26

FORM A. BRITISH RAINFALL. 30 JAN 1914

Kept at Weymouth

in the County of Dorset 3

by Jos. H Bolam MSc. M.I.E.E.

Lat. 50°36'20" Long. 2°26'50" W.

Time of Observation 9 a.m.

Nearest Railway Station 1 mile, Weymouth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·29	0·11	0·07	–	–	–	–	0·19	0·02	0·16	–	1
2	0·03	0·06	–	0·04	0·08	–	–	–	–	0·03	0·05	0·01	2
3	0·02	–	0·03	0·03	0·17	–	–	–	–	–	–	0·07	3
4	0·57	–	0·03	0·01	0·17	0·02	–	–	0·08	0·44	0·01	0·10	4
5	0·16	0·16	–	–	0·08	0·14	–	–	1·10	0·03	0·22	0·21	5
6	0·01	0·16	0·02	–	0·02	0·10	–	–	–	1·02	0·07	0·56	6
7	–	0·30	0·11	–	0·28	0·05	0·07	–	–	0·17	0·16	0·01	7
8	–	0·28	–	–	0·12	0·03	0·01	–	–	–	0·01	0·12	8
9	–	0·03	–	–	0·06	–	0·01	0·11	–	–	0·09	–	9
10	0·21	–	–	–	0·01	–	–	–	–	0·18	0·34	–	10
11	0·61	–	–	0·08	0·38	–	–	–	–	0·05	0·45	0·01	11
12	0·01	–	–	–	0·22	0·01	–	–	–	–	0·72	–	12
13	0·14	–	0·02	–	–	–	–	0·02	0·38	–	0·14	–	13
14	0·21	–	0·10	–	0·41	–	–	–	0·36	–	–	–	14
15	0·33	–	0·30	0·32	–	–	0·10	0·03	0·37	–	0·01	–	15
16	0·12	0·02	0·35	0·03	–	–	0·01	–	0·05	–	–	–	16
17	0·20	–	–	0·03	–	–	–	–	–	–	0·01	–	17
18	–	–	0·10	0·06	–	–	–	–	–	–	0·01	–	18
19	0·72	–	0·04	~~0·11~~	0·02	0·18	0·02	–	0·37	0·01	–	–	19
20	0·08	–	0·21	0·11	–	0·01	–	–	–	0·27	0·02	–	20
21	–	–	0·20	0·23	0·01	–	0·01	–	–	0·20	0·68	–	21
22	0·28	–	0·11	–	–	–	–	0·09	0·13	0·09	–	0·11	22
23	0·03	–	–	~~0·03~~	–	0·02	–	–	–	–	0·04	0·49	23
24	0·05	–	–	0·33	–	–	–	–	–	–	–	–	24
25	–	0·14	–	0·22	–	–	–	–	–	–	0·01	–	25
26	–	0·02	–	0·15	–	–	–	0·31	–	–	–	0·16	26
27	0·04	–	0·18	0·08	–	–	–	–	–	0·01	–	–	27
28	0·21	–	0·03	0·31	–	–	–	–	–	0·16	–	–	28
29	0·18		0·28	0·25	0·03	–	–	0·08	–	0·16	–	–	29
30	0·42		–	–	–	–	–	0·21	–	0·18	–	–	30
31	0·09		–		–		–	0·81		–		–	31
Total	4·72 ✓	1·46	2·22	2·05	2·06	0·56	0·23	1·66	3·03 3·03	3·02	3·20	1·85	YEAR'S TOTAL 26·06
Rain Days.	23	10	17	17	15	9	7	8	9	16	19	11	161

W.7,000, XI, 13

Ex LMcC

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.

9 JAN 1915

Kept at Weymouth

in the County of Dorset 3

by Jos. H. Bolam M.Sc.

Lat. 50°36'20" N Long. 2°26'50"

Time of Observation 9 a.m.

Nearest Railway Station Weymouth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·01	—	—	—	—	0·62	—	—	0·09	0·03	1
2	—	—	—	—	—	—	0·43	0·01	—	—	1·08	0·20	2
3	—	—	0·03	0·17	0·47	—	0·01	0·08	—	—	0·01	0·03	3
4	0·04	—	—	0·23	0·04	—	0·23	1·01	—	—	0·60	0·36	4
5	0·07	—	0·03	0·09	0·06	—	0·43	—	—	—	0·41	—	5
6	—	0·19	0·01	0·13	0·03	—	0·10	—	—	—	—	0·27	6
7	0·01	0·53	0·16	0·04	—	0·08	0·22	0·05	0·02	—	—	0·32	7
8	0·03	0·12	0·52	0·02	0·05	0·07	—	0·07	0·01	—	—	0·02	8
9	0·01	0·01	0·43	0·22	0·01	0·01	—	0·01	0·75	—	—	0·05	9
10	0·06	0·34	—	0·05	0·15	0·01	—	—	0·31	—	—	—	10
11	—	0·16	0·53	—	0·05	0·04	0·11	—	0·04	—	—	0·49	11
12	—	0·04	0·26	—	—	—	—	—	0·29	0·01	—	0·33	12
13	—	0·42	0·42	—	—	—	—	—	0·12	0·08	0·13	0·56	13
14	—	0·23	0·16	—	—	0·68	0·37	1·02	—	0·17	0·40	0·44	14
15	—	—	0·14	—	—	—	—	0·17	—	0·19	0·39	0·01	15
16	—	—	—	—	—	—	0·01	—	0·34	—	—	—	16
17	—	0·63	0·17	—	—	—	—	—	0·01	—	—	0·58	17
18	—	0·02	0·16	—	—	—	0·18	—	0·06	—	—	0·40	18
19	—	0·08	0·60	—	—	—	0·71	—	0·02	—	0·07	0·10	19
20	—	0·36	0·21	—	—	0·03	—	—	—	—	—	0·33	20
21	—	0·54	0·04	—	—	—	—	—	—	0·23	—	—	21
22	—	0·01	0·03	—	0·43	—	0·09	0·01	—	0·01	—	—	22
23	—	0·52	0·28	—	—	—	—	—	—	0·13	—	—	23
24	—	0·36	0·01	—	0·03	—	—	—	—	0·04	0·09	—	24
25	—	—	0·28	—	—	—	—	0·43	—	0·39	0·04	0·59	25
26	0·02	—	0·07	—	—	—	0·08	—	—	0·08	0·20	0·57	26
27	0·03	0·01	—	—	—	—	—	—	—	0·02	0·11	0·38	27
28	0·01	0·07	0·29	—	0·04	—	0·03	—	—	0·01	0·10	0·58	28
29	0·25		0·07	—	0·15	—	0·01	—	—	0·18	0·38	0·04	29
30	—		0·07	0·07	—	—	—	—	—	0·15	0·61	0·53	30
31	0·02		—		0·01		0·03	—		0·35		0·06	31
Total	0·55	4·64	4·98	1·02	1·51	0·92	3·04	3·48	1·97	2·04	4·71	7·21	YEAR'S TOTAL 36·07
Rain Days.	11	19	25	9	13	7	16	11	11	15	16	24	177

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.**......

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at WEYMOUTH

in the County of......

Diameter of funnel of gauge...... in.

Height of top of gauge above ground...... ft. ...... in.

Height of ground above sea level...... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
mms	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	5.3	8.1			0.8			2.6	0.9	5.1	0.3	1.4		1
2	16.8	5.3	2.3	1.0		0.8		6.2	0.1	5.1		11.5		2
3	2.6	0.8	3.1	1.5	5.6	0.3				5.3		14.4		3
4				0.3	0.3							6.9		4
5	0.7	10.1		0.3				10.2				9.0		5
6	20.1	3.3		10.9			13.0	0.5				6.8		6
7	2.6	11.7					2.3				0.3	10.1		7
8	0.3	13.5						0.5			10.7	3.0		8
9		2.8		0.3								18.6		9
10	3.6	0.3	1.0	0.8						0.6	15.4	5.3		10
11	0.8	2.0	1.8	0.3							10.4			11
12	4.3	7.6		0.8	16.0			0.6		0.5	0.9			12
13	0.3	8.9			25.1				1.1					13
14	0.3	0.5					7.4	2.2	1.3		2.0	24.0		14
15	0.8				3.3		1.5					4.3		15
16		25.7			8.6		30.2	0.4				8.6		16
17		13.7			0.8							0.1		17
18		6.9			0.3									18
19		0.3			3.5		2.3							19
20	6.6			1.3		2.8				0.5		1.3		20
21	4.6	2.8					2.5		4.0	7.9		1.0		21
22	2.8	2.0	13.0	0.8		1.3	19.1		0.2			5.5		22
23	0.3		2.5			0.3			8.0	39.2		16.2		23
24				2.0					15.3	9.7		9.3		24
25	0.3			1.3		3.5						11.4		25
26		2.5					8.4		0.5			26.4		26
27						1.3				12.0				27
28		2.0				2.8			13.5	0.7		1.4		28
29		X				1.5			0.3	0.6	3.8	1.4		29
30	3.8	x				0.3				8.0	15.6	10.0		30
31		x		x		x	0.8	2.3	x	38.1	x	6.8		31
TOTAL	76.9	130.8	23.7	21.6	64.3	14.9	87.5	25.5	45.2	133.3	59.4	214.7	Year's Total 897.8	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)...... (P.T.O.)

8L [illegible] 5.V.16

cnd pr auth 4.V.16 obs conforms 8.V.16

1696
291

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Weymouth ~~No~~ 88

in the County of Dorsetshire 3

by J. H. Bolam

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. mm	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1	.21	.32			.03			2.6	0.9	5.1	0.3	1.4	1
2	.66	.21	.09	.04		.03		6.2	0.1	5.1		11.5	2
3	.10	.03	.12	.06	.22	.01				5.3		14.4	3
4				.01	.01							6.9	4
5	.03	.40		.01				10.2				9.0	5
6	.79	.13		.43			.57	0.5				6.8	6
7	.10	.46					.09				0.3	10.1	7
8	.01	.53						0.5			10.7	3.0	8
9		.11		.01								18.6	9
10	.14	.01	.04	.03						0.6	15.4	5.3	10
11	.03	.08	.07	.01							10.4		11
12	.17	.30		.03	.63			0.6		0.5	0.9		12
13	.01	.35			.99				1.1				13
14	.01	.02					.29	2.2	1.3		2.0	24.0	14
15	.03				.13		.06					4.3	15
16		1.01			.34		1.19	0.4				8.6	16
17		.54			.03							0.1	17
18		.27			.01								18
19		.01			.14		.09						19
20	.26			.05		.11				0.5		1.3	20
21	.18	.11					.10		4.0	7.9		1.0	21
22	.11	.08	.51	.03		.05	.75		0.2			5.5	22
23	.01		.10			.01			8.0	1.54 39.2		16.2	23
24				.08					15.3	9.7		9.3	24
25	.01			.05		.14						11.4	25
26		.10					.33		0.5			26.4	26
27						.05				12.0			27
28		.08				.11			13.5	0.7		1.4	28
29						.06			0.3	0.6	3.8	1.4	29
30	.15					.01				8.0	15.6	10.0	30
31							.03	2.3		38.1		6.8	31
Total	3.01	5.15 4.15	.93	.84	2.53	.58	3.44	25.5	45.2	133.3	59.4	214.7	YEAR'S TOTAL
Rain Days.	19	21	6	13	10	10	10	1.01 9	1.77 10	5.25 14	2.34 9	8.46 25·4	35.31 156

W. 8,000. X. 14.

82

4 87

1664
~~260~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Weymouth
in the County of Dorsetshire
by J. H. Bolam

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb. m·m	March. m·m	April. m·m	May.	June. m·m	July. m·m	Aug. m·m	Sept. m·m	Oct. m·m	Nov. m·m	Dec. m·m	*Date.*
1	2·0	0·1	3·3		8·7	0·2			10·9	14·0	8·0		1
2	0·8	2·2	0·1						0·1	8·2	1·0		2
3	0·2	18·8			0·2	0·2			5·4	14·0	4·1		3
4	1·8	5·4			0·9	4·9			0·1	2·5	8·9		4
5	0·3	0·4		0·3	5·4 ~~[illegible]~~	0·9				1·9	13·3		5
6		1·2	0·3		3·4	0·8	18·2			0·7	21·2		6
7		2·3	9·6		0·6					0·2	20·4	3·3	7
8		1·2	4·1		5·5						1·2 ~~[illegible]~~	7·8	8
9		0·3			0·5		0·5				0·3	2·7	9
10		16·4	0·2	0·6	0·7						0·3	2·8	10
11		0·2	0·7	0·9		1·7						4·0	11
12	0·2	1·2	2·0	0·9	1·3		4·1	0·9		2·0			12
13		5·0	4·3	0·5			0·1	0·2		0·1			13
14		11·3	0·2		1·6			0·4		0·5			14
15		3·9	1·9	0·4				0·6	0·8	0·2		9·0	15
16	2·4	0·3	0·1	5·6			0·4	6·3	0·3	0·7		10·8	16
17	4·5	2·6		2·4				4·4	5·9	12·7	13·3		17
18	2·0	4·5	2·8						3·5		1·8	3·8	18
19	1·1	0·2	13·8	1·8							4·0	3·0	19
20	2·0	10·1	5·7								3·3	49·0	20
21	0·2	3·8	3·4		1·8		1·1				0·4	7·5	21
22		0·1	0·5		0·4	1·7				4·6	0·4	15·2	22
23		1·5				0·7		3·0		0·9	2·5	6·8	23
24		0·2		0·2	7·2			1·3		8·5	1·7	8·5	24
25		13·5	2·9					6·7	0·3	1·8	2·6		25
26	0·4	2·7	0·8			0·6		0·3	22·5	8·5		0·8	26
27		0·7	21·0			3·6			8·3	8·7			27
28	0·2	4·2	0·4	0·8				2·9	5·0	6·0	0·2	7·5	28
29		8·3				9·4		62·7	5·3	3·0		11·5	29
30		✕						0·1	1·3	11·0			30
31		✕		✕		✕		1·1	✕	11·0	✕	0·3	31
Total	18·1	122·6	78·1	14·4	382 36·2	24·7	24·4	90·9	69·7	121·7	108·9	154·3	YEAR'S TOTAL 864·0 8860
Rain Days.	14	27 ~~29~~	19 ~~21~~	11	14	11	~~6~~ 15	13 ~~12~~	12 ~~14~~	22 23	20 19	18	186

W. 8,000. X. 15.

1591

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 191

Kept at Weymouth
in the County of Dorset
by Jos H Bolam

Lat. N 50°36'20" Long. 2°26'50" W
Time of Observation 9 a-m
Nearest Railway Station Weymouth 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·4	–	1·5	3·4	–	2·4	–	16·8	0·1	–	2·6	–	1
2	0·1	–	–	4·6	–	–	–	0·6	–	–	0·4	–	2
3	0·9	–	–	1·2	–	–	18·0	–	–	0·3	21·4	–	3
4	–	1·4	6·8	–	–	–	–	0·2	0·1	5·0	–	–	4
5	1·5	–	1·4	1·7	–	4·3	–	–	3·7	4·0	0·7	–	5
6	–	–	0·3	–	–	2·1	–	–	0·1	1·0	2·0	–	6
7	8·5	–	–	–	–	–	2·8	13·0	–	4·2	0·2	1·1	7
8	7·8	–	5·4	1·0	–	–	5·3	18·5	3·5	6·3	3·8	7·0	8
9	–	–	0·5	0·9	2·0	–	0·1	0·2	1·8	3·3	2·1	–	9
10	4·8	–	7·4	8·0	–	–	–	2·4	–	–	–	–	10
11	0·9	–	12·2	2·1	1·7	–	–	–	–	5·6	1·2	–	11
12	2·3	–	1·6	–	6·6	–	–	0·3	–	1·5	0·4	–	12
13	–	–	4·2	–	0·1	–	–	3·2	0·5	1·0	–	–	13
14	–	–	1·6	1·5	–	–	–	0·1	0·3	–	–	–	14
15	0·4	–	–	–	–	–	0·6	0·3	0·2	5·6	–	2·8	15
16	–	5·5	–	0·8	0·3	–	–	–	0·1	26·3	–	13·1	16
17	–	0·9	–	5·0	–	4·6	6·3	5·6	15·2	4·0	–	–	17
18	–	2·9	–	–	0·1	2·0	1·7	–	7·3	0·2	–	–	18
19	–	12·0	1·0	–	–	0·9	–	–	5·1	–	–	–	19
20	–	0·5	0·8	–	5·5	0·3	–	–	–	–	–	0·3	20
21	0·5	–	7·8	–	–	0·1	–	–	–	2·4	–	–	21
22	–	–	1·8	–	–	–	–	2·0	–	2·3	–	–	22
23	–	8·2	–	–	2·0	–	–	2·4	–	1·1	–	–	23
24	–	2·1	–	–	–	–	8·7	–	–	2·8	0·2	–	24
25	–	0·4	0·4	–	–	–	–	–	0·1	1·5	–	–	25
26	–	–	–	–	3·8	0·6	–	8·4	3·1	–	0·5	–	26
27	–	–	–	–	15·4	6·5	–	19·5	–	–	0·1	–	27
28	–	–	3·3	–	5·1	10·0	–	5·3	–	–	–	0·2	28
29	–		0·5	–	6·5	0·5	2·7	0·2	–	9·3	–	1·6	29
30	–		6·5	–	–	–	14·3	4·4	–	–	–	–	30
31	–		2·3		–		4·3	0·3		6·6		–	31
Total	28·1 ✓	33·9 ✓	67·3 ✓	30·2 ✓	49·1 ✓	34·3 ✓	64·8 ✓	103·7 ✓	41·2 ✓	94·3 ✓	35·6 ✓	26·1	YEAR'S TOTAL 608·6
Rain Days.	~~11~~ 10	9 ✓	20 ✓	11 ✓	~~12~~ 10	~~12~~ 11	~~11~~ 10	~~20~~ 19	~~15~~ 10	21 ✓	~~13~~ 12	7 ✓	16.2

150

W. 8,000, IX. 17.

82

~~W 86~~

10 ~~2/18~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

28.1.19

Kept at Weymouth

in the County of ~~Wiltshire~~ ~~Dorset~~

by J. H. Bolam G. Nicolson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. m.m	Feb. m.m	March. m.m	April. m.m	May. m.m	June. m.m	July. m.m	Aug. m.m	Sept. m.m	Oct. m.m	Nov. m.m	Dec. m.m	*Date.*
1		3.1		1.6	1.5			14.8			10.8	1.2	1
2		2.9		0.3				0.6			1.9	2.4	2
3		1.8	0.2	6.4	4.0			0.3	0.2	1.1	1.4	0.9	3
4		0.3	0.1	0.2				2.2	7.8		17.7	1.9	4
5		2.8	1.7	1.0	17.9			9.1	2.0	2.5	0.3	0.8	5
6	8.7	1.8		3.5				0.3	0.9	1.2		4.0	6
7	0.2	5.7			4.5			0.8	4.0	0.5	6.5	0.5	7
8		2.1							1.9	6.5	0.1	0.4	8
9	1.4			2.8		2.2	7.0		10.1	2.0	0.3	11.0	9
10	0.4			4.5		0.3	11.8		1.8	3.3	1.4	9.5	10
11				1.2			3.2		1.7	0.2	1.6	1.2	11
12		2.0			13.3		0.3		3.4	0.7		0.2	12
13	1.2				0.2		15.4		11.6	1.2			13
14	6.0				0.3	0.8	0.3		11.9	3.6		1.0	14
15	21.2			6.8		0.1	3.8		0.2	1.0		2.3	15
16	10.2		0.4	1.0			0.2		5.9			0.4	16
17	5.8		0.4	1.1			10.4		1.4			1.8	17
18	16.9			0.2		12.3	1.8		6.6			4.8	18
19	2.0		3.7				10.4		0.8	0.1		1.0	19
20	0.3	3.3		2.5		0.2	1.2	0.4	8.1	1.6			20
21	1.3	0.3	0.3	0.4			0.2		13.8	2.6		5.6	21
22	1.0		0.1				12.0		2.1	0.2		3.1	22
23	3.6				4.0		6.8		2.5		2.0	0.6	23
24	0.1	3.6					0.2		5.8		2.2	1.6	24
25	0.2						2.8	9.5			1.9		25
26		0.5			1.0		3.0		0.2	1.2	2.7	6.8	26
27		2.6					0.5	1.2	2.9	0.5	4.5	0.1	27
28		(1.5)	5.1	0.8					1.5	0.7	0.1	0.5	28
29		×	3.5						35.5	0.1	0.4	0.7	29
30		×	9.9	0.1					2.0	1.3	2.1	1.6	30
31	0.3	×	1.0	×		×			×	1.6	×		31
Total	80.8	34.3	26.4	34.4	46.7	15.9	91.3	39.2	146.6	33.7	57.9	65.9	YEAR'S TOTAL 673.1
Rain Days.	17 ~~18~~	15	10 ~~12~~	16 ~~17~~	9	5 ~~6~~	19	10	27	20 ~~22~~	16 ~~18~~	26 ~~27~~	190

W. 8,000, VIII. 16

1499

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Weymouth

in the County of Dorset

by Geo. Nicolson

Lat. 50° 36' 20N Long. 2° 26' 50W

Time of Observation 9.am

Nearest Railway Station Weymouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12.0	-	3.2	-	-	-	8.5	-	0.7	1.8	0.4	21.2	1
2	5.3	-	0.3	-	0.4	-	3.5	-	5.3	0.3	-	0.7	2
3	18.5	-	17.5	-	4.2	-	0.2	-	7.5	-	0.3	1.3	3
4	14.7	-	12.2	-	0.2	-	-	3.5	7.7	-	1.4	0.5	4
5	1.0	10.6	13.9	-	0.2	-	-	-	0.6	-	3.7	1.4	5
6	6.9	8.4	3.5	-	0.2	-	-	-	-	-	0.2	6.2	6
7	4.7	-	7.5	2.3	-	-	-	-	-	-	-	-	7
8	5.9	-	8.4	-	-	-	-	-	-	-	0.3	-	8
9	3.7	-	0.6	4.1	2.4	-	-	-	-	-	24.1	-	9
10	3.2	-	3.7	0.2	0.4	-	-	-	-	0.2	0.3	1.9	10
11	3.4	-	0.9	5.3	5.5	-	2.9	-	-	-	-	2.3	11
12	6.4	-	0.2	-	0.2	-	0.2	-	-	0.1	1.0	-	12
13	1.7	3.0	2.8	9.4	-	-	0.3	-	-	0.1	-	2.5	13
14	12.5	3.7	-	1.6	5.2	-	2.2	-	0.8	-	-	2.3	14
15	8.2	3.1	-	2.1	0.8	-	-	-	-	0.6	-	6.0	15
16	1.2	25.7	-	-	0.8	-	-	-	-	-	3.6	-	16
17	0.1	4.8	-	-	-	-	-	0.5	-	-	1.6	0.7	17
18	1.0	2.4	18.7	-	-	-	3.7	0.3	-	-	3.6	-	18
19	16.8	10.6	10.6	-	-	3.4	27.7	3.1	2.0	-	1.4	1.4	19
20	4.1	0.3	1.4	-	-	9.9	-	4.7	-	-	0.6	0.3	20
21	-	17.1	-	-	-	-	0.5	-	0.7	-	0.4	1.1	21
22	-	0.3	-	-	-	-	1.6	-	5.2	-	0.2	0.8	22
23	-	-	0.2	-	-	-	-	0.4	-	14.4	0.4	2.1	23
24	-	0.2	-	-	-	1.8	-	0.2	-	28.2	2.0	5.3	24
25	2.8	0.3	-	0.6	-	1.0	-	9.7	-	-	0.4	2.8	25
26	1.3	2.8	1.5	2.3	-	0.1	-	0.9	2.8	-	0.3	12.6	26
27	2.1	0.1	1.0	5.7	-	-	3.7	35.3	-	-	0.4	2.6	27
28	-	-	10.7	0.2	-	-	-	1.6	-	-	12.0	15.8	28
29	2.0		-	0.5	-	-	-	1.6	-	1.3	-	3.0	29
30	-		-	2.0	-	2.5	-	3.3	-	-	16.6	16.8	30
31	-		-		-		-	-		-		9.0	31
TOTAL	139.5	93.4	118.8	36.3	20.5	18.7	55.0	65.1	33.3	47.0	75.2	120.6	YEAR'S TOTAL 823.4
Days with 0·2 mm. or more	23	15	20	13	12	5	12	13	10	7	23	25	178 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1414

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weymouth (MO)
in the County of Dorset
by G. Nicolson, for the Corporation

Lat. 50° 36′ N Long. 2° 27′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.0	-	0.7	2.0	8.0	-	9.9	-	0.9	17.8	5.0	17.2	1
2	5.2	-	0.3	3.6	-	-	1.2	8.1	1.2	0.7	-	2.0	2
3	1.5	1.0	-	1.3	-	-	7.7	-	0.2	5.2	-	0.5	3
4	-	1.4	0.3	0.2	-	-	3.1	13.5	-	2.3	-	-	4
5	-	-	3.9	2.0	1.7	-	13.3	3.9	-	6.9	-	-	5
6	-	-	3.8	0.3	8.4	-	4.6	-	-	0.2	-	-	6
7	0.4	-	0.2	8.5	1.5	-	4.8	-	-	-	-	0.2	7
8	0.7	0.9	-	2.8	0.8	-	4.9	0.5	-	-	-	-	8
9	16.2	1.0	0.9	0.8	-	4.0	0.6	-	-	-	-	-	9
10	12.9	1.3	2.8	4.0	-	10.1	13.0	-	-	-	1.5	-	10
11	6.3	-	3.5	10.7	5.0	0.8	7.2	-	-	-	-	-	11
12	6.1	0.6	0.4	6.6	-	2.7	0.2	-	-	-	0.8	5.5	12
13	3.5	0.3	14.0	0.2	-	0.2	-	-	-	0.2	1.0	1.0	13
14	3.2	0.6	8.5	13.1	-	-	0.3	-	11.6	1.6	5.9	0.2	14
15	2.7	0.8	2.1	2.2	1.7	2.3	-	-	0.4	16.7	1.0	-	15
16	0.2	0.2	0.3	3.6	0.5	0.3	4.0	-	3.2	0.6	-	-	16
17	-	-	-	1.7	4.6	-	0.7	-	8.6	-	-	-	17
18	2.9	0.4	-	0.5	1.6	4.5	-	12.6	1.6	-	-	-	18
19	0.4	-	-	5.7	-	6.4	-	-	2.4	-	-	-	19
20	0.8	0.9	-	1.8	-	16.5	-	0.2	-	-	-	3.8	20
21	-	-	-	0.7	-	-	6.1	-	0.2	0.8	-	5.2	21
22	2.0	-	-	5.8	-	-	0.3	-	-	-	-	9.3	22
23	0.2	-	-	-	-	-	2.0	0.5	-	-	-	8.7	23
24	0.3	-	3.1	-	-	-	-	-	-	-	5.5	2.4	24
25	-	0.8	4.1	-	3.6	-	12.7	-	-	-	0.2	-	25
26	2.3	-	6.3	-	0.2	-	-	-	-	-	1.9	3.1	26
27	12.4	0.2	2.1	2.0	0.3	2.7	-	-	-	-	0.2	5.2	27
28	17.3	0.6	1.8	5.0	0.4	0.2	2.6	-	-	-	0.2	2.0	28
29	7.8	0.3	9.0	1.4	-	-	-	-	0.1	-	3.4	6.2	29
30	1.5		0.2	-	-	4.2	0.6	-	10.0	-	7.6	9.3	30
31	1.0		5.4		-		-	-		21.5		4.5	31
Total	113.8 ✓	11.3 ✓	73.7 ✓	86.5 ✓	38.3 ✓	54.9 ✓	99.8 ✓	39.3 ✓	40.4 ✓	74.5 ✓	34.2 ✓	86.3 ✓	Year's Total 753.0
Days with 0·2 mm. or more	25 ✓	16 ✓	22 ✓	25 ✓	14 ✓	13 ✓	21 ✓	7 ✓	11 ✓	12 ✓	13 ✓	18 ✓	197

+1.0 (44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from 18 Bk 3203. 14 14 9 9 15 4 7 7 9 15 13.0

DORSET.

WEYMOUTH.

"MASSANDRA"

1911 – 1913

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REG 1911

Snowdon

Kept at Mass-an

in the County of Dors

by Herbert

f top 5 in.

op above Ground 1 ft. 6 in.

„ „ Sea Level 40 ft.

on 9. 0 a m

Station { Name Weymouth
Distance 3/4 mile Direction S.WW

IMPORTANT NOTE.—Rain should be m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	–	·02	–	–	–	·01	–	–	·03	·02	1
2	·01	–	·02	·18	·29	–	–	·03	–	·08	·25	·29	2
3	–	–	–	–	·15	–	–	·01	·02	–	·07	·10	3
4	–	–	·11	–	·02	–	–	–	·04	·02	·18	·30	4
5	·12	–	·01	·02	–	–	–	·10	–	·36	·10	–	5
6	·41	–	·23	–	–	–	–	–	–	·08	·33	·77	6
7	·05	–	·02	–	–	–	–	–	–	–	·50	·02	7
8	·03	–	·13	–	–	–	–	–	–	–	·23	·65	8
9	·04	–	·01	–	–	–	–	–	–	–	·14	·38	9
10	·12	·18	·56	–	–	–	–	–	–	–	·01	·30	10
11	·28	·02	·04	–	–	–	–	–	–	–	1.25	·03	11
12	–	–	·95	–	·01	–	–	–	–	–	·06	·17	12
13	–		·01	–	–	–	–	–	·15	–	·01	·52	13
14	–	·12	–	–	–	–	–	–	–	·02	–	·48	14
15	–	·02	·05	–	–	·05	–	–	–	–	·27	·04	15
16	–	–	·01	–	–	·40	–	–	–	–	·50	·25	16
17	·02	–	·28	–	·18	·07	–	–	–	·01	·63	·27	17
18	·01	·17	·07	·07	·05	·14	–	–	–	·08	·03	·29	18
19	–	·05	–	·01	·03	·12	–	–	·20	·06	·02	·67	19
20	·02	·03	·20	·02	–	·01	–	·03	·05	·13	–	·62	20
21	·01	·16	·10	·02	–	·03	–	–	·07	·40	–	·11	21
22	·18	·03	·01	·03	–	·11	–	–	·08	·42	–	·52	22
23	·04	·12	·11	–	–	·25	–	–	·17	·34	·04	·27	23
24	·02	·16	–	–	–	·25	–	·20	–	·54	–	·28	24
25	–	·03	·01	·12	–	·03	–	–	·04	·14	–	·02	25
26	–	·07	·01	·36	–	–	–	·02	–	·46	·01	·29	26
27	–	·48	·07	·10	–	–	–	–	·11	·72	·21	·11	27
28	–	·28	·02	·42	–	–	–	·25	–	–	·13	·02	28
29	–	–	·01	·35	·10	·28	·14	–	·14	·48	·02	·01	29
30	–	–	–	·01	–	·03	–	–	–	·25	·09	·04	30
31	–	–	·10	–	–	–	–	–	–	–		·01	31
Total	1.39	1.92	3.14	1.73	·83	1.77	·14	65	1.07	4.59	5.11	7.85	TOTAL for year 30.19
No. of Rain Days.	16	15	25	14	8	13	1	8	11	18	24	30	183

W. 8,000, X. '11.

Total Rain 30.19

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REC 1911

Snowdon

Kept at Moss-an-ara
in the County of Dorset Weymouth 3
by Herbert W. Green

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 40 ft.
Time of Observation 9. 0 a m
Nearest Railway Station Name Weymouth
Distance ¾ mile Direction S W W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	— —	— —	·02	— —	— —	— —	·01	— —	— —	·03	·02	1
2	·01	— —	·02	·18	·29	— —	— —	·03	— —	·08	·25	·29	2
3	— —	— —	— —	— —	·15	— —	— —	·01	·02	— —	·04	·10	3
4	— —	— —	·11	— —	·02	— —	— —	— —	·04	·02	·18	·30	4
5	·12	— —	·01	·02	— —	— —	— —	·10	— —	·36	·10	— —	5
6	·41	— —	·23	— —	— —	— —	— —	— —	— —	·08	·33	·44	6
7	·05	— —	·02	— —	— —	— —	— —	— —	— —	— —	·50	·02	7
8	·03	— —	·13	— —	— —	— —	— —	— —	— —	— —	·23	·65	8
9	·04	— —	·01	— —	— —	— —	— —	— —	— —	— —	·14	·38	9
10	·12	·18	·56	— —	— —	— —	— —	— —	— —	— —	·01	·30	10
11	·28	·02	·04	— —	— —	— —	— —	— —	— —	— —	1.25	·03	11
12	— —	— —	·95	— —	·01	— —	— —	— —	— —	— —	·06	·17	12
13	— —	— —	·01	— —	— —	— —	— —	— —	·15	— —	·01	·52	13
14	— —	·12	— —	— —	— —	— —	— —	— —	— —	·02	— —	·48	14
15	— —	·02	·05	— —	— —	·05	— —	— —	— —	— —	·27	·04	15
16	— —	— —	·01	— —	— —	·40	— —	— —	— —	— —	·50	·25	16
17	·02	— —	·28	— —	·18	·07	— —	— —	— —	·01	·63	·27	17
18	·01	·17	·07	·07	·05	·14	— —	— —	— —	·08	·03	·29	18
19	— —	·05	— —	·01	·03	·12	— —	— —	·20	·06	·02	·67	19
20	·02	·03	·20	·02	— —	·01	— —	·03	·05	·13	— —	·62	20
21	·01	·16	·10	·02	— —	·03	— —	— —	·07	·40	— —	·11	21
22	·18	·03	·01	·03	— —	·11	— —	— —	·08	·42	— —	·52	22
23	·04	·12	·11	— —	— —	·25	— —	— —	·17	·34	·04	·27	23
24	·02	·16	— —	— —	— —	·25	— —	·20	— —	·54	— —	·28	24
25	— —	·03	·01	·12	— —	·03	— —	— —	·04	·14	— —	·02	25
26	— —	·07	·01	·36	— —	— —	— —	·02	— —	·46	·01	·29	26
27	— —	·48	·07	·10	— —	— —	— —	— —	·11	·72	·21	·11	27
28	— —	·28	·02	·42	— —	— —	— —	·25	— —	— —	·13	·02	28
29	— —	— —	·01	·35	·10	·28	·14	— —	·14	·48	·02	·01	29
30	— —	— —	— —	·01	— —	·03	— —		— —	·25	·09	·04	30
31	— —	— —	·10	— —	— —		— —	— —		— —		·01	31
Total	1.39	1.92	3.14	1.73	·83	1.77	·14	65	1.07	4.59	5.11	7.85	TOTAL for year 30.19
No. of Rain Days.	16	15	25	14	8	13	1	8	11	18	24	30	183

W. 6,000, X. '11.

Total Rain 30.19

Ex IL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

31 JAN 1913

Kept at Massandra

in the County of Weymouth Dorset 3

by H. W. Green

RAIN GAUGE
Pattern Snowdon
Diameter of top Five in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 40 ft.

Time of Observation 9. 0 am

Nearest Railway Station
Name Weymouth
Distance 3/4 mile Direction S. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	--	--	·02	--	--	·15	--	--	02	1·52	--	·30	1
2	--	--	·28	·02	--	·01	·11	--	--	·03	--	·01	2
3	--	--	·09	--	--	·48	·03	·37	·08	--	·03	·03	3
4	·21	·03	·36	--	--	·23	--	·05	--	--	·48	--	4
5	·60	·20	·26	--	·04	--	--	·41	--	--	·02	25	5
6	·46	--	·03	--	·35	·11	--	·36	--	--		03	6
7	·02	·46	·02	--	·24	·77	--	·13	--	--		08	7
8	·53	·15	·23	--	·01	--	--	--	--	--		03	8
9	·09	·02	·18	·04	—	·16	·02	·20	--	--		44	9
10	--	·04	·01	·02	--	·08	--	·16	--	--	·01	40	10
11	·10	·04	--	--	·01		--	·03	--	--	--	43	11
12	·03	·30	·20	·01	·87		·03	·20	--	--	·03	--	12
13	--	--	·02	--	--	·01	·01	--	--	·01	·02	04	13
14	·06	--	·30	--	·09	--	--	·07	--	--	--	--	14
15	·26	·15	--	·01	·05	·65	--	--	--	--	--	37	15
16	1·37	·01	·30	--	·07	·01	--	·22	--	·10	·18	--	16
17	·79	·01	·33	--	--	·12	--	·65	--	--		·05	17
18	·30	--	·20	--	--	--	--	·19	--	·02		·01	18
19	·03	·02	·19	--	--	·03	·06	·18	--	--		--	19
20	·01	·05	·38	--	·14	·01	--	·06	--	·30	·02	--	20
21	--	·27	·28	--	·80	--	--	·13	--	·11	--	--	21
22	·43	·43	·14	--	--	--	·16	·20	--	·07	01	·08	22
23	·16	·22	·25	--	--	--	--	·75	--	·26	14	·24	23
24	·19	·06	--	--	--	·15	·01	·20	--	·11	--	·30	24
25	·25	--	--	--	--	·10	--	·18	--	·15	·24	·42	25
26	--	·02	·01	--	--	--	·18	·07	--	·27	·37	·32	26
27	--	·04	--	--	--	·16	·65	·03	--	·57	--	·35	27
28	--	·10	--	--	--	·02	·08	·60	·04	·69	·27	·53	28
29	--	·08	·02	--	--	·02	·10	·10	1·30	·57	·02	·02	29
30	--	--	·05	--	08	·13	·10	·02	·65	·14	--	--	30
31	--	--	·34	--	--		·16	·02	--	·05	--	11	31
Total	5·89	2·70	4·69	·10	2·75	3·40	1·70	5·58	2·09	4·97	1·84	4·64	TOTAL for year 40·55
No. of Rain Days.	19	21	25	5	12	20	14	26	5	17	14	23	201

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Massandra Weymouth
in the County of Dorset 3
by Herbert W. Green

Lat. Long.
Time of Observation 9. 0. a. m
Nearest Railway Station Weymouth
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	- -	30	12	07	- -	- -	- -	- -	22	03	18	- -	1
2	05	07	- -	05	11	- -	- -	- -	01	03	08	03	2
3	04	- -	04	06	21	- -	- -	- -		- -	- -	09	3
4	60	- -	0·4	02	15	- -	- -	- -	17	·35	04	10	4
5	16	13	- -	- -	11	20	- -	- -	95	05	24	17	5
6	02	20	04	- -	02	13	- -	- -	- -	90	03	56	6
7	01	34	08	- -	36	09	05	- -	- -	23	21	02	7
8	- -	31	- -	- -	18	03	- -	- -	- -	03	- -	10	8
9	- -	04	- -	- -	06	- -	04	08	- -	- -	10	02	9
10	29	- -	- -	- -	02	- -	- -	- -	- -	18	35	- -	10
11	80	01	- -	08	27	01	- -	- -	01	06	50	02	11
12	01	- -	- -	- -	32	02	- -	- -	- -	- -	70	- -	12
13	16	- -	04	01	- -	- -	- -	·04	40	- -	18	- -	13
14	28	- -	10	- -	53	- -	- -	- -	24	- -	- -	- -	14
15	40	03	35	36	- -	- -	·09	05	38	- -	- -	·01	15
16	13	- -	38	07	- -	- -	·02	- -	03	- -	01	- -	16
17	27	02	- -	05	- -	- -	- -	- -	- -	- -	02	- -	17
18	01	- -	12	06	- -	- -	- -	- -	- -	- -	03	- -	18
19	82	- -	03	- -	05	- -	·01	- -	40	- -	- -	- -	19
20	11	- -	27	13	- -	07	- -	- -	- -	31	06	- -	20
21	- -	- -	22	25	02	- -	- -	01	- -	11	77	- -	21
22	33	- -	11	- -	- -	- -	·01	10	16	03	- -	12	22
23	03	- -	- -	- -	- -	03	- -	- -	- -	- -	06	51	23
24	07	- -	- -	05	- -	- -	- -	- -	- -	- -	02	- -	24
25	- -	15	- -	23	- -	- -	- -	- -	- -	- -	01	01	25
26	- -	01	- -	15	- -	- -	- -	31	- -	- -	- -	14	26
27	05	- -	18	08	- -	- -	- -	- -	- -	03	- -	- -	27
28	21	- -	05	30	- -	- -	- -	- -	- -	17	- -	- -	28
29	18		30	24	06	- -	- -	12	- -	16	- -	- -	29
30	46		- -	01	- -	- -	- -	32	- -	20	- -	- -	30
31	10		- -	- -	- -	- -	01	88	- -	02	- -	- -	31
Total	5·59	1·61	2·47	2·27	2·47	·58	·23	1·91	2·97	2·89	3·59	1·90	YEAR'S TOTAL 28·48
Rain Days.	25	12	17	19	15	8	7	9	11	17	19	14	173

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

1

WIMBORNE

CODFORD HOUSE

DORSET

1911 — 1920.

Kept at Codford

in the County of D

by Geo. H. B

5 in.

Ground ft. 10 in.

Sea Level 68 ft.

9 a.m.

Name Wimborne

Distance 1 mile Direction S.E.

IMPORTANT N … the result entered to the previous day. If an … versal rule, he is earnestly requested to add the … ear in the space provided for it at the end of … ment of rain, the selection and pl… ritish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	—	.02	—	—	—	—	—	—	.02	.16	1
2	—	—	—	.30	.40	—	—	.02	—	.07	.19	.30	2
3	—	—	—	—	.19	—	—	—	—	—	.18	.13	3
4	.01	—	.06	snow .01	—	—	—	—	—	.08	.31	.37	4
5	.02	—	—	—	—	—	—	.08	—	.22	.02	—	5
6	.57	—	.12	—	—	—	—	—	—	.25	.05	.93	6
7	.06	—	.01	—	—	—	—	—	—	.01	.43	.01	7
8	.01	—	.20	—	—	—	—	—	—	—	.15	.61	8
9	.06	—	—	—	—	—	—	—	—	—	.01	.46	9
10	.05	.03	.40	—	.43	—	—	—	—	—	—	.28	10
11	.45	.03	.02	—	—	—	—	—	.01	—	1.25	—	11
12	—	—	.96	—	.01	—	—	.09	—	—	.02	.22	12
13	—	—	—	—	—	—	—	—	.29	—	—	.40	13
14	—	.09	—	—	—	—	—	—	—	—	—	.34	14
15	—	.02	—	—	—	.01	—	—	—	—	.21	.02	15
16	—	—	.02	—	—	.15	—	—	—	—	.47	.36	16
17	—	—	.05	—	—	.08	—	—	—	—	.74	.42	17
18	—	.11	.08	.05	—	.30	—	—	—	.07	.09	.48	18
19	—	.14	—	.01	—	.30	—	—	—	.32	.01	.45	19
20	.03	.02	.19	.02	—	—	—	.22	.25	.04	—	.79	20
21	.02	.29	.11	—	—	—	—	—	.11	.70	—	.19	21
22	.17	.01	.17	—	—	.11	—	—	.01	.31	—	.50	22
23	—	.18	.02	—	—	.12	—	—	.15	.33	.12	.43	23
24	.01	.13	—	—	—	.37	—	.13	.01	.53	—	.33	24
25	—	.03	snow .01	.09	—	.04	—	—	.06	.10	—	.09	25
26	—	—	—	.29	—	—	—	.01	—	.32	—	.34	26
27	—	.50	.08	.11	—	—	—	—	.07	.74	.10	.18	27
28	—	.29	—	.48	—	—	—	.17	—	—	.08	—	28
29	—		—	.43	—	.22	.16	—	.15	.37	.01	—	29
30	—		—	—	—	.02	—	.20	—	.25	.01	.01	30
31	—		—		—		—	—		—		—	31
Total	1.47	1.87	2.50	1.81	1.03	1.72	.16	.92	1.09	4.71	4.47	8.80	TOTAL for year
No. of Rain Days.	13	14	16	11	4	11	1	8	10	17	21	26	30.55 152

W. 8,000, X. '11.

1

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Codford House, Wimborne

in the County of Dorset 4

by Geo. H. Batterbury M.D.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 69 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wimborne
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	—	—	.02	—	—	—	—	—	—	.02	.16	1
2	—	—	—	.30	.40	—	—	.02	—	.07	.19	.30	2
3	—	—	—	—	.19	—	—	—	—	—	.18	.13	3
4	.01	—	.06	Snow .01	—	—	—	—	—	.08	.31	.37	4
5	.02	—	—	—	—	—	—	.08	—	.22	.02	—	5
6	.57	—	.12	—	—	—	—	—	—	.25	.05	.93	6
7	.06	—	.01	—	—	—	—	—	—	.01	.43	.01	7
8	.01	—	.20	—	—	—	—	—	—	—	.15	.61	8
9	.06	—	—	—	—	—	—	—	—	—	.01	.46	9
10	.05	.03	.40	—	.43	—	—	—	—	—	—	.28	10
11	.45	.03	.02	—	—	—	—	—	.01	—	1.25	—	11
12	—	—	.96	—	.01	—	—	.09	—	—	.02	.22	12
13	—	—	—	—	—	—	—	—	.29	—	—	.40	13
14	—	.09	—	—	—	—	—	—	—	—	—	.34	14
15	—	.02	—	—	—	.01	—	—	—	—	.21	.02	15
16	—	—	.02	—	—	.15	—	—	—	—	.47	.36	16
17	—	—	.05	—	—	.08	—	—	—	—	.74	.42	17
18	—	.11	.08	.05	—	.30	—	—	—	.07	.09	.48	18
19	—	.14	—	.01	—	.30	—	—	—	.32	.01	.45	19
20	.03	.02	.19	.02	—	—	—	.22	.25	.04	—	.79	20
21	.02	.29	.11	—	—	—	—	—	.11	.70	—	.19	21
22	.17	.01	.17	—	—	.11	—	—	.01	.31	—	.50	22
23	—	.18	.02	—	—	.12	—	—	.15	.33	.12	.43	23
24	.01	.13	—	—	—	.37	—	.13	.01	.53	—	.33	24
25	—	.03	Snow .01	.09	—	.04	—	—	.06	.10	—	.09	25
26	—	—	—	.29	—	—	—	.01	—	.32	—	.34	26
27	—	.50	.08	.11	—	—	—	—	.07	.74	.10	.18	27
28	—	.29	—	.48	—	—	—	.17	—	—	.08	—	28
29	—		—	.43	—	.22	.16	—	.15	.37	.01	—	29
30	—		—	—	—	.02	—	.20	—	.25	.01	.01	30
31	—		—		—		—	—		—		—	31
Total	1.47	1.87	2.50	1.81	1.03	1.72	.16	.92	1.09	4.71	4.47	8.80	TOTAL for year
No. of Rain Days.	13	14	16	11	4	11	1	8	10	17	21	26	30.55 152

W. 8,000, X. '11.

[illegible]

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at Codford House, Wimborne
in the County of Dorset 4
by Dr. Geo. H. Batterbury

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	.27	.42	—	.01	.80	—	.31	1
2	—	—	.16	.01	—	.03	.36	—	—	.02	.01	—	2
3	—	—	.05	—	—	.48	.01	.72	.01	—	.02	.03	3
4	~~.03~~ .61	.03	.70	—	—	.37	—	.03	—	—	.24	—	4
5	~~.48~~ .47	.18	.25	—	—	.01	—	.63	.02	—	.04	.24	5
6	~~.01~~ .58	.01	—	—	.17	.02	.20	.27	—	—	—	.07	6
7	~~.44~~ .01	.44	.10	—	.18	.52	.02	.03	—	—	—	.11	7
8	~~.78~~ .49	.18	.28	.02	—	.02	.02	.03	—	—	—	.01	8
9	~~.08~~ .01	.06	.14	.07	—	.07	.01	.06	—	—	—	.36	9
10	~~.09~~ —	.09	.02	—	—	.06	.01	.29	—	.02	.03	.40	10
11	~~.16~~ .01	.16	—	—	.01	.23	—	.23	—	.01	—	.41	11
12	~~.31~~ .06	.31	.07	.01	.75	.36	.05	.28	—	.01	.02	.01	12
13	~~.02~~ —	.02	.01	—	.01	—	.03	—	—	.01	.01	.05	13
14	.20	—	.22	—	—	—	—	.13	—	.02	—	.01	14
15	~~.22~~ .21	.22	.07	—	.10	.59	—	.01	—	—	—	.30	15
16	.90	.01	.41	—	.12	.01	—	.08	—	.08	.08	—	16
17 .91	~~.9~~ .91	—	.34	—	.01	.03	—	.88	—	.01	—	.07	17
18	.12	—	.28	—	—	—	—	.20	—	.01	.01	.02	18
19	~~.08~~ .02	.06	.27	—	—	.02	.07	.31	—	.01	.01	—	19
20	.02	.03	.41	—	.05	.05	.08	.05	—	.35	.03	—	20
21	—	.21	.34	—	.22	—	—	.36	—	.10	—	—	21
22	.32	.47	.11	—	.01	—	.04	.19	—	.02	.01	.10	22
23	.26	.29	.22	—	—	—	—	.70	—	.09	.14	.30	23
24	.26	.05	—	—	—	.20	.02	.16	—	—	.01	.23	24
25	.12	—	—	—	—	.21	—	.26	—	.15	.43	.61	25
26	—	.07	—	—	—	—	.52	.22	—	.46	.39	.35	26
27	—	.02	—	—	—	.14	.19	.01	—	.78	—	.36	27
28	—	.10	—	—	—	.29	.12	.56	.12	.85	.53	.57	28
29	—	.12	—	—	—	.04	.17	.05	1.44	.27	.04	.01	29
30	—		.07	—	—	.10	.12	.01	.66	.18	—	—	30
31	—		.40		—		.24	.05		.07		.07	31
Total	5.14	3.13	4.97	0.11	1.63	4.12	2.70	6.80	2.26	4.32	2.05	5.00	YEAR'S TOTAL 42.23
Rain Days.	19	22	23	4	11	23	20	28	6	22	18	24	220

W. 7,500, XI. 12

Ex Dd

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Codford House, Wimborne

in the County of Dorset 4

by Geo. H. Batterbury M.D.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.29	.14	.13	—	—	—	—	.54	—	.35	.02	1
2	.03	.09	.01	.01	—	—	—	—	.04	.24	.14	.03	2
3	.20	—	.02	.16	.32	—	—	—	.06	.02	.01	.07	3
4	.83	—	.08	.01	.45	—	—	—	1.17	.35	.08	.04	4
5	.27	.04	.01	—	.04	.05	.07	—	.74	.08	.10	.12	5
6	.01	.16	.05	—	.07	.17	.12	—	.01	.92	.01	.56	6
7	—	.39	.02	—	.43	.10	.03	—	—	.58	.22	.01	7
8	—	.20	—	—	.18	.01	.02	—	—	.01	—	.06	8
9	—	.07	—	—	.01	—	.12	.22	.05	.01	.17	.01	9
10	.16	.01	—	.01	.03	—	.31	.02	—	.07	.58	—	10
11	.92	.02	—	.19	.16	—	—	—	—	.08	.58	—	11
12	—	.01	—	—	.65	—	—	—	.01	.01	.38	—	12
13	.13	.01	.05	—	—	—	—	.01	.23	.01	.19	—	13
14	.26	.01	.16	.04	—	—	—	—	.06	—	.03	—	14
15	.36	.11	.34	.72	—	—	.43	.03	.29	—	—	.01	15
16	.13	—	.31	.07	—	.03	.01	.01	.03	—	.01	—	16
17	.03	.03	.01	.11	—	—	—	—	.01	—	.03	.02	17
18	.01	—	.27	.08	.03	.01	.02	—	—	—	.08	—	18
19	.67	—	.03	—	.04	.23	.02	—	.39	—	.01	—	19
20	.08	—	.34	.13	—	.01	—	—	—	.38	.16	—	20
21	—	—	.20	.47	.01	—	.03	—	—	.04	.66	—	21
22	.46	—	.24	.04	—	—	.01	.15	.27	.01	—	.07	22
23	.01	—	.03	—	—	.06	—	—	—	—	.05	.77	23
24	.02	.03	—	.17	—	.01	—	—	—	—	.01	.02	24
25	—	.15	—	.26	—	—	—	—	—	.01	—	.01	25
26	—	.01	—	.41	—	—	—	.22	—	.11	—	.35	26
27	.03	—	.24	.06	—	—	—	.01	—	.03	—	—	27
28	.15	—	.15	.13	—	—	—	—	—	.52	—	.01	28
29	.15		.31	.58	.11	—	—	.06	—	.72	—	—	29
30	.64		—	—	.01	—	—	.01	—	.64	—	—	30
31	.04		.03		.01		—	.72		.03		—	31
Total	5.61	1.63	3.04	3.78	2.55	.68	1.19	1.46	3.90	4.87	3.85	2.18	YEAR'S TOTAL 34.74
Rain Days.	24	17	22	20	16	10	12	11	15	22	21	17	207

W.7,000, XI. 13

Ese 8L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Codford House, Wimborne

in the County of Dorset 4

by Geo. H. Batterbury M.D.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	—	—	—	.01	.44	—	—	.61	.08	1
2	—	—	.01	—	.01	.04	.19	—	—	—	1.47	.36	2
3	—	—	.03	.08	.46	.01	.05	.01	—	—	.05	.05	3
4	.07	—	.01	.27	.08	—	.12	.87	—	—	.64	.43	4
5	.02	.01	.04	.18	.10	.01	.37	.13	—	—	.79	.02	5
6	—	.25	.02	.10	.05	—	.12	.03	—	—	.03	.50	6
7	.02	.56	.05	.07	.03	.03	.17	.04	.01	—	.03	.18	7
8	.04	.25	.53	.06	.02	.03	—	.27	—	—	—	.14	8
9	.01	.01	.48	.28	.02	.06	—	—	.65	—	.02	.69	9
10	.04	.48	—	.07	.09	—	—	.02	.36	—	—	.02	10
11	—	.21	.61	—	.03	—	.44	—	.01	—	.11	.68	11
12	—	.04	.11	—	—	—	—	—	.40	.21	.06	.56	12
13	—	.62	.53	—	—	—	—	—	.09	.02	.10	.53	13
14	—	.40	.26	—	—	.80	.24	.45	.02	.36	.44	.29	14
15	.01	—	.22	—	—	—	.25	.31	—	.10	.24	—	15
16	—	—	.01	—	—	—	.15	—	.39	—	—	—	16
17	—	.50	.16	—	—	—	—	—	.06	—	—	.69	17
18	—	.05	.12	—	—	.01	.12	—	—	—	—	.73	18
19	—	.08	.09	—	—	—	1.15	—	—	—	.09	.11	19
20	—	.81	.11	—	—	.07	—	—	—	—	—	.25	20
21	—	.65	.01	—	—	—	—	.32	—	.30	—	.01	21
22	—	.05	—	—	.24	.02	.13	.02	—	.12	—	—	22
23	—	.06	.28	—	—	.14	.01	—	—	.13	—	.01	23
24	—	.27	.05	—	.03	—	—	—	—	.10	.10	—	24
25	.05	.01	.25	—	—	—	.20	.36	—	.31	.03	.27	25
26	.01	.01	.59	—	—	—	.05	.34	—	.04	.23	.48	26
27	.03	.01	—	—	—	—	—	—	—	—	.18	.40	27
28	.01	.12	.40	—	.04	—	—	—	—	.10	.17	.45	28
29	.22		.13	—	.04	—	—	.01	—	.30	.50	.02	29
30	.01	×	.12	—	—	.30	—	—	—	.14	.83	.71	30
31	.03	×	—	×	.01	×	.09	—	×	1.04	×	.07	31
Total	.57	5.46	5.22	1.11	1.25	1.52	3.86	3.62	1.99	3.27	6.72	8.73	YEAR'S TOTAL 43.32
Rain Days.	14	23	26	8	15	12	18	15	9	14	21	27	202

W. 8,000. X. 14.

1754

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

4

Kept at Codford House, Wimborne

in the County of Dorset

by Geo. H. Batterbury M.D.

Lat. .... Long. ....

Time of Observation 9

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.23	—	—	.03	—	—	—	.59	.33	—	.20	1
2	.43	.26	.17	.04	—	.04	—	.45	.03	.25	—	.39	2
3	.35	.01	.11	.05	.11	.01	—	.01	—	.15	—	.46	3
4	.02	—	—	—	.01	—	—	—	—	—	—	.34	4
5	.04	.60	.01	.04	—	—	—	.10	—	—	—	.58	5
6	.61	.22	—	.43	—	—	.51	.03	—	—	—	.30	6
7	.11	.68	—	.07	—	—	.17	—	—	.01	—	.41	7
8	.02	.65	—	.02	—	—	.01	.05	—	—	.06	.07	8
9	—	.05	—	.15	—	.05	—	—	—	—	.37	.83	9
10	.28	.01	.05	.03	—	—	—	—	—	.01	—	.17	10
11	.02	.03	.02	.12	—	—	—	.01	—	.01	1.25	.03	11
12	.12	.60	—	.13	.54	—	—	—	—	.09	.36	—	12
13	.01	.35	—	—	.96	—	—	—	.11	.01	.06	.01	13
14	.06	.01	—	—	—	—	.28	—	.02	—	—	1.09	14
15	.09	.03	—	—	.15	—	.12	.09	—	.01	.12	.31	15
16	—	1.03	—	.01	.24	—	1.17	.04	—	—	—	.21	16
17	—	.46	—	—	.30	—	.01	.15	—	—	—	.01	17
18	—	.33	—	—	.02	—	—	.05	—	—	.01	—	18
19	—	.05	—	—	.19	—	.11	—	—	—	—	—	19
20	.23	—	—	.15	.17	—	—	—	—	.01	—	.04	20
21	.03	.28	—	—	—	—	.12	—	.06	.48	—	.21	21
22	.11	.16	.30	.09	—	—	.77	—	.01	.07	—	.31	22
23	—	.01	.13	—	—	.03	.02	—	.28	.93	.01	.35	23
24	—	—	.01	.05	—	—	.07	—	.58	1.70	—	.58	24
25	—	—	—	.04	—	.01	—	—	.01	—	—	.18	25
26	.02	.16	—	—	—	.02	.12	—	.12	—	—	.88	26
27	—	.02	—	—	—	.04	.01	—	—	.49	—	.01	27
28	—	.05	—	—	—	.08	1.00	.01	.50	.06	.01	.02	28
29	—	×	—	—	—	.22	—	.02	—	.01	.30	.17	29
30	.22	×	—	—	—	.03	—	—	—	.56	.80	.43	30
31	.01	×	—	×	—	×	.01	.20	×	1.41	×	.29	31
Total	3.14	6.28	.80	1.42	2.72	.53	4.50	1.21	2.31	6.59	3.35	8.88	YEAR'S TOTAL 41.73
Rain Days.	20	24	8	15	11	10	16	13	11	19	11	28	186

W. 8,000. X. 15.

1715

Entd Copy

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Codford House, Wimborne

in the County of Dorset

by Geo. H. Battersby M.D.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.05	.07	—	.54	.01	—	—	.50	.12	.52	—	1
2	.37	.21	.04	—	.01	—	—	—	.01	.22	.12	—	2
3	.03	.97	.01	—	.01	—	—	—	.01	.69	.28	—	3
4	.32	.09	—	—	.08	.19	.07	—	.23	—	.61	—	4
5	.06	.05	.02	—	.18	.07	—	—	—	.11	.37	—	5
6	—	.05	.01	—	.06	.21	.50	—	—	.10	.84	—	6
7	.03	.01	.39	—	.07	.20	—	—	—	.04	.79	.10	7
8	—	.07	.01	—	.31	.08	—	—	—	—	.03	.27	8
9	—	—	—	—	.01	.32	.01	—	—	—	.01	.30	9
10	—	.62	.01	.04	.03	.02	.11	—	—	—	.02	.11	10
11	.01	.01	.02	.10	.01	.13	—	—	—	—	.01	.08	11
12	.02	.04	.09	.06	.13	.01	.08	.01	—	.07	.01	—	12
13	—	.20	.15	.01	.01	—	—	.01	—	.01	.01	—	13
14	.01	.58	.01	.01	.03	—	—	.01	—	.02	—	—	14
15	—	.16	.07	.01	—	—	—	.16	—	—	—	—	15
16	.07	.07	—	.13	—	—	.02	.87	—	.06	—	.04	16
17	.20	.20	—	.10	—	—	—	.09	.19	.75	.56	—	17
18	.05	.02	.12	.03	—	.01	—	.01	.11	.04	.15	.15	18
19	.15	—	.50	.05	—	—	—	—	.01	—	.14	.15	19
20	.14	.18	.44	.17	—	—	—	—	—	—	.04	1.70	20
21	.01	.27	.28	.01	.06	—	.01	—	—	—	—	.15	21
22	—	.01	.07	—	.01	.01	—	—	—	.25	.02	.65	22
23	.03	.08	.01	—	—	.09	—	.12	—	.06	.31	.01	23
24	—	—	—	.01	.22	—	—	.08	—	.36	.10	.45	24
25	—	.40	.11	—	—	—	—	.67	.01	.08	.13	.01	25
26	.01	.17	.02	—	—	.14	—	.05	.17	.69	—	—	26
27	—	—	1.03	—	—	.24	.24	.02	.75	.44	—	—	27
28	—	.31	.02	.04	—	—	— ~~.24~~	.12	.29	.31	.02	.20	28
29	—	.58	.02	—	—	.36	—	1.95	.42	.30	.01	.22	29
30	—	X	.01	—	—	.02	—	.01	—	.45	—	.01	30
31	—	X	—	X	—	X	—	.04	X	.32	X	.04	31
Total	1.72	5.40	3.47	.77	1.77	2.11	1.04	4.22	2.70	5.49	5.10	4.64	YEAR'S TOTAL 38.43
Rain Days.	17	25	25	14	17	17	8	16	12	22	23	18	214

W. 8,000, VIII. 16

16242

FORM A.
BRITISH RAINFALL.

7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Codford House, Wimborne

in the County of Dorset

by Geo. H. Battersby M.D.

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ___ ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.07	.12	—	.07	—	1.04	.01	—	.08	—	1
2	—	—	.01	.63	—	—	—	.06	—	.02	.01	—	2
3	.01	—	—	.03	—	—	.34	.05	—	.14	.23	—	3
4	—	.03	.46	—	—	—	.01	.01	—	.21	—	.02	4
5	.08	—	.09	.16	—	.06	—	.02	.17	.13	.15	—	5
6	—	—	.30	—	—	—	—	.01	—	.11	.13	.01	6
7	.42	—	—	—	—	—	.20	.09	—	.23	.01	.06	7
8	.40	—	.16	.02	—	—	.29	.78	.06	.45	.22	.16	8
9	—	—	.07	—	—	—	.01	.06	.02	.03	.08	—	9
10	.12	—	.44	.31	.01	—	.01	.50	—	—	—	—	10
11	.03	—	.43	.22	.04	—	—	—	.11	.32	—	—	11
12	—	—	.04	.01	.10	—	—	.02	—	.17	—	—	12
13	—	—	.21	.01	—	—	—	.21	.02	.03	—	—	13
14	—	—	.07	.03	—	—	—	.03	—	—	—	.01	14
15	—	—	—	—	—	—	—	.11	.02	.30	—	.30	15
16	—	.11	.01	.15	.01	—	.01	—	—	1.64	—	.65	16
17	—	.02	—	.10	.01	.09	.33	.23	.60	.21	—	.01	17
18	—	.06	—	.01	.02	.20	.18	.01	.49	.01	—	—	18
19	—	.31	.08	—	—	.06	—	.04	.28	—	—	—	19
20	.01	.02	.09	—	.69	.01	—	.06	.05	—	.01	.01	20
21	—	—	.23	—	—	.12	—	.01	—	.02	—	—	21
22	.09	—	.06	—	—	—	—	.10	—	.08	—	—	22
23	—	.17	—	—	.04	.01	—	.09	—	.01	—	.02	23
24	—	.25	.01	—	—	.02	.10	—	—	.22	.02	—	24
25	—	.08	.02	—	—	—	.06	.03	.02	.02	.01	—	25
26	—	.01	—	—	.70	—	—	.64	.07	—	.01	—	26
27	—	—	—	—	1.15	.08	—	1.18	—	—	.01	.01	27
28	—	—	.03	—	.15	1.07	—	.16	—	—	—	.03	28
29	—	×	—	—	.15	.15	.08	.01	—	.66	—	.10	29
30	—	×	.18	—	—	.01	.47	.21	.01	—	—	—	30
31	—	×	.06	×	—	×	.04	.06	×	.22	×	.01	31
Total	1.16	1.06	3.12	1.80	3.07	1.95	2.13	5.82	1.93	5.23	.97	1.40	YEAR'S TOTAL 29.64
Rain Days.	8	10	22	13	12	13	14	28	14	22	13	14	183

W. 8,000, IX. 17.

1.74

60

FORM A.
BRITISH RAINFALL

6. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Codford House, Wimborne

in the County of Dorset

by Geo. H. Batterbury M.D.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.08	—	.01	.06	—	—	.85	—	—	.65	.03	1
2	—	.23	—	.12	—	—	—	.29	—	.01	.25	.24	2
3	—	.11	.01	.22	.28	—	—	.03	.01	.02	.08	.02	3
4	.01	.09	—	—	—	—	—	.08	.06	.02	1.28	.15	4
5	—	.07	.15	—	.31	—	—	.29	.15	.28	.01	.04	5
6	.15	.06	—	.23	—	—	—	.09	.05	.07	—	.13	6
7	—	.21	—	.02	.33	—	—	.01	.23	.07	.35	.09	7
8	—	.11	—	—	—	—	—	—	.07	.20	—	.05	8
9	.01	—	—	.22	—	.08	.30	—	.61	.22	.01	.42	9
10	.02	—	—	.13	—	.02	.91	—	.28	.27	—	.49	10
11	—	—	—	.02	—	—	.08	—	.08	.08	.02	.06	11
12	—	.12	—	—	.39	—	.07	—	.05	.01	—	.01	12
13	Snow .21	.01	—	—	.03	—	.63	—	.38	—	—	.01	13
14	.22	—	.01	—	.01	.10	.04	—	.37	.25	—	.10	14
15	1.48	—	—	.47	.02	.02	.19	—	.01	.02	—	.15	15
16	.47	—	.04	.10	—	.04	.01	—	.21	.01	—	.02	16
17	.15	—	.01	.16	—	—	.73	.01	.07	—	—	.30	17
18	.73	—	—	—	—	.61	.01	—	.48	—	—	.15	18
19	.11	.01	.11	.01	—	—	.36	—	.02	.01	—	.02	19
20	.01	.15	—	.18	—	.01	.05	.01	.28	.08	.01	—	20
21	.23	.02	—	.01	—	—	—	—	.59	.19	—	.25	21
22	.10	—	—	—	—	—	.50	—	.16	.01	—	.20	22
23	.21	.02	—	—	.10	—	.41	.01	.07	—	.09	.01	23
24	.01	.30	—	—	.07	—	—	—	.14	—	.08	.01	24
25	—	.01	—	—	—	—	.01	.54	.01	.01	.03	—	25
26	—	.01	—	—	—	—	.47	—	.01	.02	.11	.35	26
27	—	.04	.02	—	—	—	.10	.10	.16	.01	.12	.01	27
28	.01	—	.28	.02	—	.01	—	—	—	.01	.03	.01	28
29	.01	×	.12	.01	—	—	—	—	1.41	—	.01	.02	29
30	.01	×	.49	—	—	—	—	—	.02	.05	.07	.01	30
31	.01	×	.10	×	—	×	—	—	×	.05	×	—	31
Total	4.16	1.65	1.34	1.93	1.60	.89	4.87	2.31	5.98	1.97	3.20	3.35	YEAR'S TOTAL 33.25
Rain Days.	20	18	11	16	10	8	17	12	27	24	17	28	208

W. 6,500, VII. 18. W W C

CX 912

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Codford House, Wimborne
in the County of Dorset
by Geo. H. Batterbury M.D.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	—	.10	.03	.01	—	.09	—	—	.08	.04	1.29	1
2	.23	—	.01	—	.18	—	.02	—	.35	—	.01	.05	2
3	1.18	—	.53	—	.05	—	.01	—	.45	—	.01	.13	3
4	.53	.24	.75	—	—	.03	—	.04	.22	—	.06	.10	4
5	.01	.46	.45	—	.06	—	—	—	.02	—	.15	.16	5
6	.55	.13	.12	—	.16	—	—	—	.01	—	.02	.20	6
7	.30	—	.44	.08	—	—	—	—	.01	—	—	.02	7
8	.31	—	.24	.01	—	—	—	—	—	—	—	—	8
9	.25	—	.02	.12	.01	—	—	—	—	—	.30	—	9
10	.14	—	.35	.05	.03	—	—	—	—	.07	.01	.35	10
11	.13	—	.09	.18	.16	—	.14	—	—	.01	—	.07	11
12	.08	—	.01	—	.01	—	.12	—	—	.03	.02	—	12
13	.09	.03	.05	.53	—	—	.01	—	.01	.05	—	.09	13
14	.73	.05	—	.27	—	—	.04	—	.01	.06	—	.14	14
15	.76	.07	—	.04	—	—	—	—	—	.01	—	.56	15
16	.05	1.08	—	—	.01	—	—	.05	—	—	.12	—	16
17	.03	.12	—	—	—	—	—	—	—	—	.09	.04	17
18	.01	.03	.60	—	—	—	.02	.07	—	—	.24	.01	18
19	.75	.42	.83	—	—	.12	.89	.18	.14	—	.06	.02	19
20	.39	.01	.01	—	—	.48	.01	.23	.01	.01	.01	.02	20
21	.18	.78	—	—	—	—	.04	.01	.01	—	.01	.04	21
22	—	.01	—	—	—	—	.11	—	.44	—	.01	.12	22
23	—	—	.01	—	—	—	—	.04	—	.11	.04	.01	23
24	—	.02	—	—	—	.16	.15	.01	—	.84	.11	.13	24
25	.09	.11	—	.04	—	.05	—	.29	—	.01	—	.14	25
26	.02	.18	.09	.02	—	—	—	.02	.09	—	.08	.47	26
27	.11	.02	.01	.33	—	—	—	1.11	—	—	—	.03	27
28	.01	—	.42	.01	—	—	—	.61	—	—	.58	.38	28
29	—		—	—	—	—	—	.16	—	.04	—	.05	29
30	—		—	.09	—	—	—	.21	—	—	.74	.83	30
31	—		.01		—		—	—		—		.41	31
TOTAL	7.31	3.76	5.14	1.80	.68	.84	1.65	3.03	1.77	1.32	2.71	5.86	YEAR'S TOTAL 35.87
Days with ·01 in. or more	25	17	21	14	10	5	13	14	13	12	21	27	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1462

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Codford House, Wimborne
in the County of Dorset
by Geo. H. Battersbury M.D.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.01	.16	.28	—	.51	.01	.08	.22	.18	.56	1
2	.23	—	.01	.12	.01	—	.15	.26	.15	.10	—	.20	2
3	.01	.04	—	.01	—	—	.77	—	.02	.45	—	.03	3
4	—	.03	.03	.02	—	—	.18	.47	—	.19	—	—	4
5	—	—	.19	.08	—	—	.40	.20	—	.30	—	.01	5
6	—	—	.15	—	.19	—	.31	—	—	.02	—	—	6
7	.02	—	.01	.17	.04	—	.43	—	—	.02	—	—	7
8	.02	.04	—	.12	.02	—	.60	.04	—	—	—	—	8
9	.34	.01	.04	.03	—	.05	.01	—	—	—	—	—	9
10	.82	.03	.08	.11	—	.46	.55	—	—	—	—	—	10
11	.14	—	.10	.58	.23	.04	.17	—	.01	—	—	.03	11
12	.15	.09	—	.20	—	.68	.01	—	—	.01	.03	.01	12
13	.17	.01	.51	.02	—	—	—	—	—	—	.03	.02	13
14	.08	.04	.38	.52	—	—	.01	—	.17	.30	.48	.01	14
15	.04	.05	.06	.16	.05	.13	—	—	.05	.46	.06	—	15
16	—	.01	.02	.07	—	.01	.06	—	.14	.01	—	—	16
17	.01	—	—	.44	.34	—	.02	—	.31	—	—	—	17
18	.11	.01	.03	.06	.03	.08	.01	.37	.01	—	—	—	18
19	.02	—	—	.22	—	.12	—	—	.16	—	.01	—	19
20	.01	.08	—	.20	—	.48	—	—	—	—	—	.15	20
21	—	—	—	—	—	—	.35	—	.03	—	—	.26	21
22	.07	—	.01	.24	—	.01	.01	—	.04	.01	—	.35	22
23	.01	—	—	—	—	—	.33	—	—	—	—	.43	23
24	.03	.01	.24	.01	.01	—	—	—	—	—	.04	.15	24
25	.03	.03	.07	—	.07	—	.51	—	—	—	.01	.01	25
26	.12	—	.24	—	.01	.02	.04	—	—	.01	.08	.14	26
27	.50	.01	.04	.08	—	.08	.12	—	—	—	.02	.25	27
28	.53	.01	.03	.01	.05	.01	.10	—	—	—	—	.05	28
29	.61	.01	.17	.06	.02	.02	.01	—	.01	—	.25	.35	29
30	.10		.01	—	—	.13	.09	—	.32	.01	.54	.60	30
31	.03		.11		—		—	—		.46		.32	31
Total	4.22	.51	2.54	3.69	1.35	2.32	5.75	1.35	1.50	2.57	1.73	3.93	Year's Total 31.46
Days with ·01 in. or more	26	17	23	24	14	15	25	6	14	15	12	20	211
Days with ·04 in. or more	15	6	14	18	8	10	18	5	9	8	7	13	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG 1911

DORSET.

WIMBORNE.
"ROYSTON"
1911 – 1917

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Royston,
in the County of Dorse
by E. H. Widn

oppu cylinder
of top 5 in.
op above Ground 1 ft. — in.
„ Sea Level 150 ft.
n 9. am.

ation Name Wimborne
Distance 1200 yards Direction S. E from gauge.

IMPORTANT NOTE. should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—		·01			·03	·76	1
2	—	—	—	·31	·36	—		·02		·08	·20	·29	2
3	—	—	—	—	·19	—					·17	·12	3
4	—	—	·08	—	—	—				·09	·26	·42	4
5	·09	—	—	—	—	—		·07		·21	·03	·01	5
6	·50	—	·11	—	—	—				·26	·47	·90	6
7	·05	—	—	—	—	—					·17		7
8	·02	—	·21	—	—	—					·02	·59	8
9	·07	—	·01	—	—	—						·42	9
10	·06	·05	·39	—	·45	—						·32	10
11	·44	·04	·03	—	—	—					1·07		11
12	—	—	·95	—	·02	—		·17			·09	·20	12
13	—	—	·01	—	—	—			·26			·40	13
14	—	·10	—	—	—	—						·29	14
15	—	·03	·03	—	—	·01					·21	·64	15
16	—	—	·03	—	—	·19					·43	·32	16
17	—	—	·07	—		·09					·66	·42	17
18	—	·11	·07	·06	—	·29				·07	·10	·47	18
19	—	·14	—	—	—	·29			·23	·22	·01	·47	19
20	·05	·03	·20	·04	—	—		·20	·13	·04		·87	20
21	—	·26	·12	—	—	—				·69		·16	21
22	·20	·03	·27	—	—	·11				·30		·46	22
23	—	·17	·02	—	—	·12			·17	·33	·13	·39	23
24	·01	·13	—	—	—	·39		·15		·54		·34	24
25	—	·04	—	·10	—	·05		·02	·07	·08		·10	25
26	—	·01	—	·29	—					·31		·34	26
27	—	·46	·10	·12	—				·07	·72	·12	·18	27
28	—	27	—	·48	—			·19			·08		28
29	—		—	·45	—	·22	·17		·13	·35			29
30	—		—	—	·01	·03		·16		·26	·02	·01	30
31	—		—		—								31
Total	1·49	1·87	2·70	1·85	1·03	1·79	·17	·99	1·06	4·55	4·27	8·69	TOTAL for year 30·46
No. of Rain Days	10	15	17	8	5	11	1	9	7	16	19	26	144

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

RE 1911

Kept at Royston,

in the County of Dorset 4

by E. H. Widnell

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 150 ft.

Time of Observation 9. am.

Nearest Railway Station Name Wimborne
Distance 1200 yards Direction S. E from Gauge.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—		·01			·03	·76	1
2	—	—	—	·31	·36	—		·02		·08	·20	·29	2
3	—	—	—	—	·19	—					·17	·12	3
4	—	—	·08	—	—	—				·09	·26	·42	4
5	·09	—	—	—	—	—		·07		·21	·03	·01	5
6	·50	—	·11	—	—	—				·26	·47	·90	6
7	·05	—	—	—	—	—					·17		7
8	·02	—	·21	—	—	—					·02	·59	8
9	·07	—	·01	—	—	—						·42	9
10	·06	·05	·39	—	·45	—						·32	10
11	·44	·04	·03	—	—	—					1·07		11
12	—	—	·95	—	·02	—		·17			·09	·20	12
13	—	—	·01	—	—	—			·26			·40	13
14	—	·10	—	—	—	—						·29	14
15	—	·03	·03	—	—	·01					·21	·64	15
16	—	—	·03	—	—	·19					·43	·32	16
17	—	—	·07	—	—	·09					·66	·42	17
18	—	·11	·07	·06	—	·29				·07	·10	·47	18
19	—	·14	—	—	—	·29			·23	·22	·01	·47	19
20	·05	·03	·20	·04	—	—		·20	·13	·04		·87	20
21	—	·26	·12	—	—	—				·69		·16	21
22	·20	·03	·27	—	—	·11				·30		·46	22
23	—	·17	·02	—	—	·12			·17	·33	·13	·39	23
24	·01	·13	—	—	—	·39		·15		·54		·34	24
25	—	·04	—	·10	—	·05		·02	·07	·08		·10	25
26	—	·01	—	·29	—					·31		·34	26
27	—	·46	·10	·12	—				·07	·72	·12	·18	27
28	—	27	—	·48	—			·19			·08		28
29	—		—	·45	—	·22	·17		·13	·35			29
30	—		—	—	·01	·03		·16		·26	·02	·01	30
31	—		—		—								31
Total	1·49	1·87	2·70	1·85	1·03	1·79	·17	·99	1·06	4·55	4·27	8·69	TOTAL for year 30·46
No. of Rain Days	10	15	17	8	5	11	1	9	7	16	19	26	144

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
17 JAN 1913

Kept at Royston, Wimborne

in the County of Dorset 4

by E H Widnell

RAIN GAUGE
Pattern Copper cylinder
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 146 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Wimborne
Distance 1 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·04	–	·01	·28	·42	–	·01	·85	–	·32	1
2	–	–	·15	–	–	·03	·37	·01	–	·02	–	–	2
3	–	–	·05	–	–	·43	–	·72	·02		·02	·04	3
4	·13	·03	·66	–	–	·62	–	·02	–		·24	–	4
5	·50	·17	·27	–	–	–	–	·56	·01		·05	·16	5
6	·57	·01	✓–	–	·18	·02	·20	·29	–		–	·12	6
7	–	·46	·12	–	·20	·54	·01	·04	–		–	·10	7
8	·49	·19	·28	·03	–	·03	·08	·04	–		–	·01	8
9	·03	·06	·14	·07	–	·08	–	·08	–		–	·37	9
10		·07	·01	–	–	·09	·02	·19	–		·04	·48	10
11	·08	·17	–	–	–	·26	–	·23	–		–	·40	11
12		·31	·07	·01	·77	·40	·06	·29	–		·02	–	12
13		·02	–	–	–	–	·02	·01	–	·03	·01	·07	13
14	·22	–	·23	–	–	–	–	·13	–	·02	–	–	14
15	·22	·24	·07	–	·10	·55	–	·02	–		–	·30	15
16	·85	–	·41	–	·12	·03	–	·19	–	·08	·09	–	16
17	·80	–	·30	–	–	·04	–	·92	–		–	·08	17
18	·09	·01	·23	–	–	–	–	·28	–		–	·03	18
19	·02	·07	·26	–	–	–	·07	·32	–		·03	–	19
20	·02	·03	·42	–	·04	·03	·06	·05	–	·38	·03	–	20
21	–	·23	·43	–	·23	–	~~·07~~	·35	–	·10	·01	–	21
22	·29	·46	·12	–	–	–	·04	·18	–	·02	–	·11	22
23	·24	·33	·20	–	–	·01	·02	·78	–	·09	·17	·30	23
24	·20	·06	–	–	–	·15	·02	·17	–	–	–	·22	24
25	·12	–	–	–	–	·26	–	·26	–	·15	·47	·65	25
26	–	·08	–	–	–	–	·45	·25	–	·49	·38	·34	26
27	–	·02	–	–	–	·15	·12	–	–	·77	–	·35	27
28	–	·10	–	–	–	·29	·20	·59	·08	·78	·55	·60	28
29	–	·13	–	–	–	·03	·19	·06	1·47	·24	·04	–	29
30	–	–	·03	–	–	·09	·14	·01	·71	·16	–	·01	30
31	–	–	·48		–		·22	·05		·06		·08	31
Total	4·87	3·25	4·97	·11	1·65	4·41	2·71	7·09	2·30	4·24	2·15	5·17	TOTAL for year Rain
No. of Rain Days.	17	22	22	3	8	22	19	29	6	16	15	22	42·92

W. 8,000, X. '11.

Total Rain Days · 201

82 ✓

REGISTER OF RAINFALL IN 1913

8X·HG

4

311

27 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Royston, Wimborne

in the County of Dorsetshire

by E. H. Widnell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.03	.32	.15	.16		.02			.59		.36	.02	1
2	.04	.10							.05	.21	.14	.05	2
3	.20		.03	.16	.31				.05	.01	.01	.08	3
4	.84		.09	.01	.44				1.12	.38	.08	.04	4
5	.25	.06			.03	.06	.08		.70	.11	.12	.13	5
6		.16	.06		.08	.18	.05			.86	.03	.55	6
7		.37	.02		.38	.10	.03			.66	.23	.01	7
8		.20			.20		.03			.01		.08	8
9		.10					.10	.26	.07	.01	.20	.01	9
10	.16				.04		.24	.02		.04	.58		10
11	.96			.22	.13					.09	.61	.01	11
12					.61				.01	.01	.37		12
13	.15		.06					.01	.26		.22		13
14	.26	.03	.16	.04					.06	.02	.04	.01	14
15	.45	.11	.35	.63			.61	.03	.29				15
16	.16		.36	.09		.02			.04		.01	.01	16
17	.03	.02		.12							.03	.03	17
18	.01		.29	.07	.03		.03				.10		18
19	.66		.02		.04	.26	.01		.45			.01	19
20	.10		.35	.12						.46	.20	.01	20
21			.24	.42	.01		.03			.06	.70	.01	21
22	.48		.29	.04				.17	.28	.01	.02	.07	22
23			.02			.06			.01		.05	.81	23
24	.03			.18							.02		24
25		.17		.31						.02			25
26		.02		.36				.21		.13		.37	26
27	.04		.27	.06						.05			27
28	.15		.12	.13					.01	.53	.01		28
29	.16		.30	.55	.15			.11		.56		.01	29
30	.62									.61			30
31	.05		.04					.75		.05			31
Total	5.83	1.66	3.22	3.67	2.45	.70	1.21	1.56	3.99	4.89	4.13	2.32	YEAR'S TOTAL 35.63
Rain Days.	22	12	19	18	13	7	10	8	15	22	22	20	188

W. 7,500, XI. ·12

81

2/18

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Royston, Wimborne, St John's Hill
in the County of Dorsetshire 4
by E. H. Widnell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01					·49			·55	·09	1
2			·01		·01	·04	·19				1·34	·41	2
3	·01		·04	·08	·45		·06	·02			·13	·06	3
4	·07		·01	·29	·09		·13	·90			·61	·44	4
5	·03		·05	·21	·12	·01	·42	·26			·73	·03	5
6		·25	·03	·11	·06		·05	·04			·03	·53	6
7	·03	·57	·06	·10	·02	·02	·19	·03	·02		·01	·22	7
8	·05	·28	·56	·07	·02	·06		·28	·01			·17	8
9	·02	·01	·50	·27		·07		·01	·61		·02	·76	9
10	·04	·49	·03	·08	·12			·01	·33			·02	10
11		·23	·60		·03		·52		·02		·10	·55	11
12		·05	·13						·44	·18	·04	·51	12
13		·58	·49						·10	·03	·14	·47	13
14		·35	·28			·78	·27	·46	·01	·35	·50	·33	14
15	·01		·21				·25	·33	·01	·12	·23	·01	15
16			·01				·16		·38				16
17		·49	·21						·06			·67	17
18		·08	·16			·13	·12					·76	18
19		·10	·48				1·14				·12	·14	19
20		·78	·31			·07						·29	20
21		·59	·03					·28		·34		·03	21
22		·07			·23	·03	·18	·02		·12			22
23		·07	·30			·18	·01			·12			23
24		·22	·06		·01					·11	·12		24
25	·06	·01	·25				·20	·32		·33	·04	·22	25
26			·09				·06	·31		·06	·25	·57	26
27	·04	·01	·01								·19	·40	27
28	·01	·12	·38		·08					·10	·22	·50	28
29	·24		·16		·06					·33	·47	·02	29
30	·02		·12			·28				·16	·83	·83	30
31	·04						·10			1·07		·07	31
Total	·67	5·35	5·56	1·21	1·30	1·67	4·05	3·76	1·99	3·42	6·67	9·10	YEAR'S TOTAL 4477
Rain Days.	14	20	29	8	13	11	17	15	11	14	21	27	200

W.7,000, XI. 13

82

1753

2/18

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Royston, Wimborne

in the County of Dorsetshire

by E. H. Widnell

4 Dorset

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·37	·25			·03			·03	·63	·35		·25	1
2	·40	·30	·20	·05		·09		·43	·02	·24		·38	2
3	·44	·02	·12	·07	·09	—				·18		·47	3
4	·04											·39	4
5	·06	·58		·03				·21				·59	5
6	·62	·19		·44			·45	·03				·26	6
7	·14	·70	·02	·08			·20					·48	7
8	·03	·74		·03		·03		·07			·06	·08	8
9		·12		·18							·39	·84	9
10	·35		·02	·03						·04	—	·20	10
11	·02	·07	·06	·15						·01	1·24	·06	11
12	·14	·48		·16	·54					·09	·44	·02	12
13	·02	·40			1·02		·01		·13		·07		13
14	·07	·02					·30		·03			1·08	14
15	·11	·03			·16		·14	·13			·14	·42	15
16		1·01			·28		1·09	·04			—	·23	16
17		·44	—		·32		·01	·14				·02	17
18		·30	·01		·04			·05			·03		18
19		·05			·19		·11						19
20	·27			·15	·13					·02		·07	20
21	·02	·41	·01			·01	·13		·04	·48		·25	21
22	·16	·18	·29	·07			·82		·02	·05		·33	22
23		·01	·11				·02		·29	·85		·38	23
24				·05		·03	·13		·58	1·78		·58	24
25			·02	·04		·01			·04			·26	25
26	·02	·16				·06	·15		·12			·89	26
27		·03				·04				·47		·02	27
28		·07				·08			·50	·07	·03	·03	28
29						·19	·92	·03		·02	·28	·08	29
30	·24	╳				·04				·56	·82	·36	30
31		╳		╳		╳	·01	·21	╳	1·32	╳	·54	31
													YEAR'S TOTAL
Total	3·52	6·56	·86	1·53	2·80	·58	4·49	1·37	2·40	6·53	3·50	9·56	43·70
Rain Days.	19	23	10	14	10	10	15	11	11	16	10	28	177

W. 8,000. X. 14.

8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

2/18

Kept at Royston Wimborne

in the County of Dorsetshire

by E. H. Widnell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	07	·06		·59	·01			·51	·17	·54		1
2	·42	·25	·05		·03				·01	·22	·12		2
3	·04	99	·01		·01					·72	·32		3
4	·44	·06			·07	·20	·03		·25		·59		4
5	·07	·06	·03		·21	·08				·13	·54		5
6		·08	·05		·06	·24	·51			·10	·90		6
7	·04	·02	·43		·09	·23				·05	·81	·13	7
8		·09	·02		·29	·04					·05	·29	8
9		01			·03	·27					·02	·14	9
10		·65	·01	·06	·05	·05	·12				·04	·19	10
11	·03		·04	·10		·09						·11	11
12	·04	06	·09	·08	·14	·03	·10			·08			12
13		·23	·18	·02				·03					13
14	·02	·59	·01	·01	·05			·02		·05			14
15		·20	·08					·16		·01			15
16	·08	·09	·01	15			·03	·67		·07		·06	16
17	·22	·22		·11				·09	·18	·79	·47		17
18	·06	·06	14	·04				·01	·15	·06	·16	·15	18
19	·17		·47	·07		·02			·01		·20	·13	19
20	·17	17	·45	·16							·06	1·56	20
21	·01	·28	·30	·03	·04		·05					·18	21
22			·01		·03	·01				·31	·03	·57	22
23	05	·11	·01	·01		·11		·16		·07	·36	·02	23
24				·02	·14			·09		·34	·11	·42	24
25		·62	·12					·64	·02	·09	·11	·03	25
26	·01	·19	·02			·14		·05	·21	·73			26
27		·04	·86			·29	·16	·09	·75	·38			27
28		·31	·04	·04				·15	·30	·27	02	·23	28
29		·61	·03			·37		2·14	·42	·35	·03	·34	29
30		X				·04		·01		·42		·02	30
31		X		X		X		·06	X	·34	X	·06	31
Total	2·03	6·06	3·52	·90	1·83	2·22	1·00	4·37	2·81	5·75	5·48	4·63	YEAR'S TOTAL 40·60
Rain Days.	17	25	25	14	15	17	7	15	11	22	20	18	206

16+1
2/18

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Royston, Wimborne
in the County of Dorsetshire
by E. H. Widnell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-										1
2													2
3	·02												3
4		·05											4
5	·11	-											5
6													6
7	·46												7
8	·48												8
9													9
10	·14												10
11	·04												11
12	·02												12
13													13
14													14
15													15
16	·01	·12											16
17		·01											17
18		·06											18
19		·31											19
20	·06	·03											20
21	·05												21
22	·02												22
23		·18											23
24		·31											24
25		·10											25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	1·41	1·17											YEAR'S TOTAL
Rain Days.	11	9											

W. 8,000, VIII. 16

WIMBORNE

ST GILES HSE

DORSET

1911 – 1920

---

19 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at St G

in the County of

by The Earl of

f top 5 in.
p above Ground 1 ft. 6 in.
„ Sea Level 165 ft.
9 am
ation Name Verwood
Distance 3½ Direction E.

IMPORTANT , and the result entered to the previous day. If a universal rule, he is earnestly requested to add th ng year in the space provided for it at the end asurement of rain, the selection and he British Rainfall Organization are giv e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·07							·01		1
2	·01			·19	·44			·02		·05	·27	·27	2
3					·19						·14	·11	3
4	·01		·06							·02	·26	·44	4
5	·03							·08		·13	·02		5
6	·49		·13							·16	·01	1·02	6
7	·08										·54		7
8	·02		·29								·12	·62	8
9	·07										·02	·50	9
10	·05	·08	·88		·78							·25	10
11	·56				·15						1·07		11
12			·82		·02			·08			·11	·24	12
13									·37	·01		·34	13
14		·04										·45	14
15		·02	·06			·01					·25	·02	15
16						·11					·66	·39	16
17						·12					·59	·60	17
18		·14	·07	·04		·18				·03	·04	·53	18
19		·14				·38			·22	·36		·82	19
20	·05		·24					·03	·05	·04		·74	20
21	·01	·30	·07	·01					·01	·68		·15	21
22	·13		·25			·13				·18		·43	22
23		·26	·06			·19			·22	·13	·05	·38	23
24	·01	·15				·45		·12		·55		·26	24
25		·05		·10		·05		·10	·07	·02		·08	25
26				·32	27					·26		·48	26
27		·64	·18	·14				·01	·08	·30	·01	·21	27
28		·23		·35				·12		·01	·08		28
29		✗		·26		·20	·10		·16	·37			29
30		✗				·05				·23	·14	·01	30
31		✗		✗		✗			✗	·03	✗		31
Total	1·55	2·05	2·51	1·48	1·85	1·87	0·10	0·56	1·18	3·56	4·39	8·84	TOTAL for year
No. of Rain Days.	14	11	12	9	[illegible]	11	1	8	8	19	19	24	29·94 142

W. 8,000, X. '11.

19 11

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at St G

in the County of Dorset 4

by The Earl of Shaftesbury

RAIN GAUGE
f top 5 in.
Height of top above Ground 1 ft. 6 in.
„ „ „ Sea Level 165 ft.

Time of Observation 9 am

Nearest Railway Station
Name Verwood
Distance 3½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·07							·01		1
2	·01			·19	·44			·02		·05	·27	·27	2
3					·19						·14	·11	3
4	·01		·06							·02	·26	·44	4
5	·03							·08		·13	·02		5
6	·49		·13							·16	·01	1·02	6
7	·08										·54		7
8	·02		·29								·12	·62	8
9	·07										·02	·50	9
10	·05	·08	·38		·78							·25	10
11	·56				·15						1·07		11
12			·82		·02			·08			·11	·24	12
13									·37	·01		·34	13
14		·04										·45	14
15		·02	·06			·01					·25	·02	15
16						·11					·66	·39	16
17						·12					·59	·60	17
18		·14	·07	·04		·18				·03	·04	·53	18
19		·14				·38			·22	·36		·82	19
20	·05		·24					·03	·05	·04		·74	20
21	·01	·30	·07	·01					·01	·68		·15	21
22	·13		·25			·13				·18		·43	22
23		·26	·06			·19			·22	·13	·05	·38	23
24	·01	·15				·45		·12		·55		·26	24
25		·05		·10		·05		·10	·07	·02		·08	25
26				·32	27					·26		·48	26
27		·64	·18	·14				·01	·08	·30	·01	·21	27
28		23		·35				·12		·01	·08		28
29		X		·26		·20	·10		·16	·37			29
30		X				·05				·23	·14	·01	30
31		X		X		X			X	·03	X		31
Total	1·55	2·05	2·51	1·48	1·85	1·87	0·10	0·56	1·18	3·56	4·39	8·84	TOTAL for year 29·94
No. of Rain Days.	14	11	12	9	[illegible]	11	1	8	8	19	19	24	142

W. 8,000, X. '11.

cor by Dorset Jl. 27.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
2 JAN 1913

Kept at St Giles House

in the County of Dorset 4

by W E Oxford. for the Earl of Shaftesbury

Lat. 50°53'N. Long. 2°W

Time of Observation 9 a.m.

Nearest Railway Station Verwood L&SWR.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			11			·23	·24			·78		·35	1
2			·26	·01		·03	·28				·02		2
3			·06			·41	·02	·85	·01		·03	·07	3
4	·12		·87			·43		·02			·23		4
5	·44	·16	·21					·84			·08 ·98	·12	5
6	·61	·03	·06		·14	·01	·15	·80				·04	6
7	·01	·42	·18		·35	·48		·08				·10	7
8	·66	·27	·36			·55		·21				·04	8
9	·03	·05	·12	·05		·04	·03	·08				·53	9
10		·12	·02			·05	·02	·42			·09	·35	10
11	·07	·11				·15		·18				·38	11
12		·39	·09	·03	·89	·25	·05	·80					12
13	·09	·02	·01				·02	·07			·02	·09	13
14	·19		·31					·23		·31			14
15	·22	·25			·03	·58		·01				·31	15
16	·88	·01	·45		·06			·13		·08	·02	·05	16
17	·65 snow		·33		·01	·04		·92				·03	17
18	·43 snow		·26					·26				·04	18
19	·08	·11	·34				·09	·79					19
20	·04	·03	·43		·03	·04	·12	·15		·29	·03		20
21		·17	·35		·19			·11		·15			21
22	·24	·50	·06				·16	·12		·03		·06	22
23	·17	·28	·25				·01	·80		·10	·26	·43	23
24	·35	·03	·01			·05		·23		·03		·24	24
25	·15					·36		·22		·11	·28	·64	25
26		·07					·27	·19		·54	·51	·84	26
27		·02				·09	·12			·71		·44	27
28		·07				·10	·30	·71	·09	·84	·58	·65	28
29		·15				·18	·13	·08	1·55	·45	·03	·01	29
30			·11			·25	·05		·56	·33			30
31			61				·33	·02		·01		·06	31
Total	5·38	3·26	5·86	0·09	1·70	4·32	2·39	8·32	2·21	4·41	2·18 ✓	5·37	YEAR'S TOTAL 45·49 ✓
Rain Days.	19	21	24	3	8	20	18	27	4	15	13	23	195 ✓

W. 7,500, XI. 12

✓ Exe Ds

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at St Giles
in the County of Dorset 4
by the Earl of Shaftesbury

Lat. 50° 53' N. Long. 1° 58' W
Time of Observation 9 a.m.
Nearest Railway Station Verwood L.S.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 165 ft.

JAN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·22	·15	·09	·02				·55		·32	·14	1
2	·05	·08		·01					·02	·18	·19	·02	2
3	·19		·03	·05	·45					·28		·11	3
4	1·08		·05		·50				1·58	·42	·08	·07	4
5	·17	·05			·03	·08	·15		·50		·27	·11	5
6	·02	·12	·06		·16	·15	·19			·62	·05	·59	6
7		·41	·06		·28	·14	·02			·64	·23	·01	7
8	·01	·10			·38		·62			·03		·06	8
9		·11				·02	·09	·21	·05		·15	·01	9
10	·12			·02	·03		·24	·03		·17	·50		10
11	1·05	·02		·25	·10					·13	·42	·01	11
12					·73					·01	·55	·01	12
13	·14		·10			·03			·18		·20		13
14	·36		·19			·01			·20		·13		14
15	·34	·10		·60			·34		·26		·02		15
16	·19		·29	·08		·02			·02		·01		16
17	·02		·01	·03							·01		17
18	·02		·34	·09	·05						·08		18
19	·70		·02						·39				19
20	·09		·09	·15						·34	·17		20
21			·32	·39			·02			·03	·91		21
22	·60		·19				·01	·18	·26			·02	22
23			·14			·03			·02		·04	·80	23
24	·05	·03		·17		·01		·02					24
25		·25		·44								·02	25
26		·02		·52				·23		·12		·30	26
27	·04		·22	·05						·05			27
28	·16		·17	·13						·50			28
29	·14	.....	·29	·43	·04					·48			29
30	·57	.....			·07			·08		·81			30
31	·03	.....	·04	.....		.....		1·45	.....	·03	.....		31
Total	6·16	1·51	2·76	3·50	2·84	·49	1·08	2·20	4·03	4·84	4·33	2·28	YEAR'S TOTAL 36·02
Rain Days.	24	12	19	17	13	9	9	7	12	17	19	15	173

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at St Giles House

in the County of Dorset

4

by The Earl of Shaftesbury

Lat. 50°53 N. Long. 2° W.

Time of Observation 9 am

Nearest Railway Station Verwood

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07					·39			·21	·04	1
2					·01		·16	·05			1·77	·17	2
3			·08	·10	·48		·02				·05	·02	3
4	·11		·02	·24	·12		·09	·89			·74	·36	4
5	·07		·08	·28	·13		·33	·61			·75		5
6		·29	·01	·06	·03	·02	·01	·05			·02	·42	6
7	·01	·66	·05	·11		·01	·12	·07				·27	7
8	·04	·20	·49		·07	·03		·29	·04			·05	8
9	·04	·01	·47	·30	·01	·17		·02	·31			·63	9
10	·04	·66	·02	·06	·09				·31			·02	10
11		·27	·71		·13		·32		·09		·05	·48	11
12		·10	·20						·36	·13		·48	12
13		·63	·37						·07		·19	·51	13
14		·39	·35			·30	·23	·42		·27	·43	·30	14
15	·02		·25				·25	·28		·05	·38		15
16			·01				·10		·34				16
17		·45	·23						·03			·76	17
18			·09			·38	·09					·56	18
19		·08	·42				1·18				·09	·22	19
20		·86	·20			·05						·33	20
21		·70				·03				·31		·03	21
22		·08	·01		·32		·07	·02		·16			22
23		·17	·28		·01	·17	·04			·12		·02	23
24		·04	·04		·01		·04			·07	·08		24
25	·06	·01	·29				·12	·28		·30	·06	·27	25
26							·05	·15		·03	·39	·70	26
27	·06		·01				·07				·17	·37	27
28	·02	·09	·25		·07					·01	·23	·91	28
29	·38		·21		·05					·31	·53	·02	29
30	·01	×	·14							·15	·84	·79	30
31	·13	×		×	·03	×			×	·68	×	·08	31
Total	·99	5·69	5·35	1·15	1·56	1·16	3·29	3·52	1·55	2·59	6·89	8·81	YEAR'S TOTAL 42·55 ✓
Rain Days.	13	18	27	7	15	9	18	13	8	13	18	26	185 ✓

W. 8,000. X. 14.

Ed Lst.

1762

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wimborne St Giles

in the County of Dorset

by Earl of Shaftesbury

4

Lat. 50° 53′ N. Long. 1° 58′ W.

Time of Observation 9·0 a.m

Nearest Railway Station Verwood L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·29			·04				·44	·29	·01	·24	1
2	·40	·18	·29	·06		·07		·63		·34		·38	2
3	·39	·03	·12	·03						·05		·34	3
4	·01	·01	·01									·31	4
5	·13	·90	·01	·03				·15				·65	5
6	·65	·08		·55			·62	·03				·23	6
7	·36	·88		·05	·01		·28					·27	7
8	·05	·70						·05			·04	·03	8
9		·05		·23		·01		·02			·46	·71	9
10	·28	·01	·01	·02								·15	10
11	·06		·15	·10						·01	·94	·03	11
12	·13	·71		·10	·53					·05	·36		12
13	·01	·47			·83			·08	·13		·04		13
14	·04	·03					·80	·38	·07			1·04	14
15	·16				·17		·04	·40		·02	·11	·41	15
16		1·18			·38		1·06	·01				·18	16
17		·51			·36			·04				·01	17
18		·20			·02		·01						18
19		·01			·15		·13						19
20	·28			·12	·18					·01		·03	20
21	·03	·30			·01		·08		·05	·53		·39	21
22	·12	·15	·38	·04			·75		·02			·30	22
23		·03	·23				·09		·31	1·22		·33	23
24			·01	·02			·47		·57	2·06		·46	24
25				·03		·05				·01		·15	25
26		·20				·03	·31					·86	26
27		·04				·29				·50		·02	27
28		·11				·07		·02	·58	·06		·02	28
29		✗				·17	·03				·24	·08	29
30	·20	✗				·04				·70	·94	·36	30
31	·01	✗		✗		✗		·02	✗	1·23	✗	·53	31
Total	3·73	7·07	1·21	1·38	2·68	0·73	4·67	1·83	2·17	7·08	3·14	8·51	YEAR'S TOTAL 44·20
Rain Days.	19	23	9	13	11	8	13	12	8	15	9	27	167

W. 8,000. X. 15.

Note.

167 days the number of days rain fell is the exact average for the past – ten years.

Hours of bright sunshine	1753
Average Temperature in Screen	49·279
Maximum " " "	82°
Minimum " " "	16°
Maximum in Sun. black bulb in vacuum	146
Minimum on grass	9°
Bar Highest	30·52
Bar Lowest	28·40
Bar Mean	29·759

W E Cayford

1723

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
3 JAN 1917

Kept at Wimborne St. Giles
in the County of Dorset
by Earl of Shaftesbury

Lat. 50° 53' Long. 1° 58' W.
Time of Observation 9 a.m.
Nearest Railway Station Verwood. L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·14	·03		·78	·02			·76	·17	·38		1
2	·28	·36	·04		·05				·04	·24	·05		2
3	·02	1·19	·02						·01	·66	·39		3
4	·31	·19			·05	·28			·29	·04	·75		4
5	·13	·09	·02		·32	·19	·10			·15	·6~~8~~7		5
6		·19	·03		·07	·01	·72			·20	1·00		6
7	·02	·01	·30		·03	·07				·06	·82	·15	7
8		·01	·05		·21						·02	·21	8
9		·03			·02	·07	·01				·01	·24	9
10	·02	·65		·06	·01	·06	·18				·03	·04	10
11	·01		·02	·07		·08						·02	11
12	·08	·02	·02	·11	·15		·08			·08			12
13		·27	·15	·09				·08					13
14		·55		·01	·09			·13		·07			14
15		·14	·04					·20					15
16	·03	·05	·01	·18			·02	·64		·02			16
17	·25	·14		·12				·16	·17	·95	·24		17
18	·02	·08	·12	·11					·08	·05	·17	·22	18
19	·12		·49	·09							·09	·07	19
20	·36	·06	·52	·16							·03	2·10	20
21	·01	·07	·22		·04							·19	21
22					·04					·30	·02	·50	22
23	·02	·02		·01	·20	·14		·17		·02	·26	·05	23
24		·03		·01				·05		·53	·07	·34	24
25		·61	·13					·85	·03	·02	·09		25
26		·15	·05			·17		·05	·15	·70			26
27		·04	·96				·02	·08	·63	·57			27
28		·27	·07	·42				·05	·37	·34	·02	·24	28
29		·49				·34		2·20	·46	·18	·05	·25	29
30								·05		·64		·05	30
31								·04		·29		·03	31
Total	1·82	5·85	3·29	1·44	2·06	1·43	1·13	4·75	2·99	6·28	5·13	4·70	YEAR'S TOTAL 40·87
Rain Days.	16	26	20	13	14	11	7	14	11	22	20	16	190

W. 8,000, VIII. 16

1648

FORM A.
BRITISH RAINFALL.
2 JAN 1918

REGISTER OF RAINFALL IN 19 17

Kept at St Giles' House Garden

in the County of Dorset

by W E Oxford for The Earl of Shaftesbury K.P.

Lat. 50° 53' N Long. 1° 58' W

Time of Observation 9 AM

Nearest Railway Station Verwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March. 13	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			13	17		08		94	04		50		1
2			02	86		06		02		01	02		2
3				01			26	03		15	14		3
4			38							28			4
5	·16		10	37		10		16	24	17	13		5
6	01		36							13	10	02	6
7	45		—				35	06		36		05	7
8	57			07			40	68	05	31	18	15	8
9			27		02		02	01	04		16		9
10	13		42	32				48					10
11	03		45	18						31	02		11
12	01		03		06					28			12
13			17					16	01	05			13
14			07	05				07				01	14
15				01			17	02		14		19	15
16		13		05	01					1·35		64	16
17		03		11	11	04	46	23	67	15			17
18		04			02	22	25		54	02			18
19		32	11			02		15	28		01		19
20		06	11		31	02			05				20
21		01	10			05				05	01		21
22			12					06		08			22
23		20	01		03	01		22				01	23
24		25	02				09	07		20	06		24
25		06	05				02	06	03	03			25
26					35			51	08	03	01		26
27					82	13		1·09				01	27
28			04		01	1·21		23					28
29			10		03	05	06			79		13	29
30		╳	26				53	10					30
31		╳	11	╳		╳	02	07	╳	28	╳	02	31
Total	1·36 ✓	1·10 ✓	3·43 ✓	2·20 ✓	1·77 ✓	1·99 ✓	2·73 ✓	5·42 ✓	2·03 ✓	5·17 ✓	1·34 ✓	1·23 ✓	YEAR'S TOTAL 29·77 ✓
Rain Days.	7 ✓	9 ✓	22 ✓	11 ✓	11 ✓	12 ✓	12 ✓	22 ✓	11 ✓	21 ✓	12 ✓	10 ✓	160 ✓

W. 8,000, IX. 17.

Exd M.O.S

66

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at St Giles' House

in the County of Dorset

by Earl of Shaftesbury

Lat. 50·53 N Long. 1 58 W

Time of Observation 9 am

Nearest Railway Station Verwood. LSW

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	Date
		·04											
1		·23		·03	·05			·60			·80	03	1
2		·11		·13				·41		·01	·14	14	2
3		·14	·02	·19	·30			·19	·01	·02	·06	02	3
4		·14						·13	·10	·02	1·30	13	4
5		·15	·10		·14			·32	·09	·25	·	10	5
6	·15	·21		·22				·09	·01	·01	·	11	6
7		·34		·10	·41				·25	[illegible]	·38	14	7
8		·02							·15	·28	·05	02	8
9				·26		·14	·12		·58	·24		35	9
10	·05			·10		·04	·30		·14	·19		43	10
11				·01			·26		·07	·04	06	07	11
12		·10			·45		·03		·20			02	12
13		·02			·05		·69		·35			01	13
14	60		·02		·02	·11	·04		·33	·30		10	14
15	1·40			·51	·02	·06	·23		·11			14	15
16	·30		·05	·13		·02			·25			01	16
17	·45			·16			·73	·01	·14			19	17
18	·76			·01		·65	·09		·52			19	18
19	·15			·02			·26		·03	·03		12	19
20	·02	·11		·14		·02	·01		·31	·11			20
21	·23	·04							·67	·20		25	21
22	·09				·07		·40		·14			20	22
23	·26				·10	·01	·38		·04		·08	·	23
24		·28				·01	·02		·11		·12	·	24
25	·01						·13	·72		·02	·02	·	25
26							·36			·02	·13	35	26
27			·13					·13	·06		·16	03	27
28			·27	·02		·02				·01	·09	14	28
29			·08						1·21		·01	·	29
30		X	·50						·02	·05	·12	01	30
31		X	·26	X		X		07	X	·06	X		31
Total	4·47	1·93	1·33	2·03	1·61	1·08	4·05	2·67	5·79	1·98	3·52	3·30	YEAR'S TOTAL 33·76
Rain Days.	13	14	9	15	10	10	16	10	25	19	15	25	181

read one day down

W. 6,500, VII. 18. w w c

ext p. 1553

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wimborne St Giles

in the County of Dorset.

by Earl of Shaftesbury

Lat. 50° 53′ N Long. 1° 58′ W.

Time of Observation 9 a.m.

Nearest Railway Station VERWOOD. LSWR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·01	·11		·04		·18			·04	·10	1·15	1
2	·23		·02		·02		·02		·32		·02	·03	2
3	1·25		·37		·06				·60		·01	·23	3
4	·27	·23	·85			·03		·04	·26		·02	·07	4
5	·02	·47	·58		·10		·30		·10		·10	·25	5
6	·62	·08	·16		·24						·01	·21	6
7	·32		·49	·04								·02	7
8	·37		·25	·06									8
9	·13		·05	·12	·07						·05		9
10	·04		·49	·06							·01	·53	10
11	·14		·09	·22	·16		·22					·08	11
12	·08			·01	·01		·12			·02			12
13	·08		·02	·74						·03	·08	·09	13
14	·73	·06		·26	·03		·09		·03	·09		·24	14
15	·43	·03		·03						·02		·66	15
16	·10	·95						·15			·14		16
17		·23									·15	·02	17
18		·15	6 ·~~3~~3					·04	·01		·24	·04	18
19	·69	·42	1·07			·07	·86	·16	·10		·12	·03	19
20	·46	·03	·02			·42		·46				·02	20
21	·12	·86					·11		·01			·05	21
22		·02					·11		·28		·01	·28	22
23										·12	·04	·01	23
24				·03		·04	·04			·43	·06	·23	24
25	·06	·11		·04		·05		·30				·32	25
26	·08	·19	·13	·03				·03	·03		·14	·40	26
27	·14	·02	·07	·27			·02	·85				·05	27
28			·35					·74			·64	·54	28
29			·11					·15		·04		·09	29
30			·03	·11		·12		·31			·63	·88	30
31			·02									·32	31
TOTAL	6·89	3·86	5·91	2·02	0·73	0·73	2·07	3·23	1·74	0·79	2·57	6·84	YEAR'S TOTAL 37·38
Days with ·01 in. or more	22	16	21	14	9	6	11	11	10	8	19	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

K67

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at St Giles

in the County of Dorset

by Earl of Shaftesbury.

Lat. 50° 53′ N. Long. 1° 58′ W

Time of Observation 09.00 hrs.

Nearest Railway Station Verwood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·01	·13	·30		·36	·09	·02	·29	·48	·60	1
2	·35			·09	·01		·03	·19	·07	·21		·20	2
3	·07	·04		·10			·33		·02	·68		·03	3
4		·07	·02				·53	·44		·33		·03	4
5		·01	·13	·26	·02		·36	·46		·39		·05	5
6		·01	·20		·20		·43			·02			6
7	·02		·01	·33	·04		·26						7
8	·11	·04		·14	·13		·74	·03					8
9	·42	·05	·01	·04		·05	·01						9
10	·65	·08	·09	·06		·46	·51						10
11	·20		·09	·74	·14	·01	·19						11
12	·24	·12	·01	·23		·81	·02				·01		12
13	·27	·01	·50	·06							·02		13
14	·05	·02	·34	·52			·03		·21	·55	·44	·02	14
15	·05	·04	·07	·14	·04	·25			·05	·38	·12		15
16		·01	·03	·07	·14		·08		·08	·03			16
17	·03			·07	·29		·02		·48				17
18	·13		·01	·03		·07	·02	·35	·03				18
19	·03			·43		·14			·03		·01		19
20	·02	·10		·20		·70	·01		·03			·15	20
21							·27					·12	21
22	·08			·23								·36	22
23	·01						·34					·43	23
24	·02	·01	·23								·16	·12	24
25	·03	·02	·20		·13		·53				·02	·02	25
26	·17		·36			·02	·08				·07	·13	26
27	·74	·04	·05	·14		·17					·08	·31	27
28	·59	·03	·04	·04	·16	·01	·09					·08	28
29	·77	·01	·12		·03	·01					·22	·44	29
30	·11					·09	·10		·36		·48	·46	30
31	·07		·20				·01			·85		·28	31
Total	5.32	0.71	2.72	4.05	1.63	2.79	5·35	1.56	1.38	3·73	2.11	3.83	Year's Total 35.18
Days with ·01 in. or more	26	18	21	21	13	13	24	6	11	10	12	18	193
Days with ·04 in. or more	19	9	14	20	10	9	16	5	6	8	8	14	138

DORSET.

WIMBORNE,
"STONEHAM"
1911–1914

REGIS 911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Stoneham
in the County of Dorse
by Horace J. T

p 3 in.
bove Ground 1 ft.
„ Sea Level 200 ft.
8 am.

n { Name Wimborne
Distance ¾ m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.02							.03	.18	1
2	*			.30	.38				.02	.07		.28	2
3	.01				.28			.02			.14	.13	3
4			.06							.08	.22	.43	4
5								.07		.14	.03		5
6	.57		.11							.31		.87	6
7	.04										.47		7
8			.21								.15	.73	8
9	.06										.01	.52	9
10	.03	.03	.42		.41							.33	10
11	.45	.04	.02								1.11	.20	11
12			.82		.03			.17			.10		12
13									.25			.40	13
14											.01	.32	14
15			.10			.01					.21	.01	15
16						.19					.45	.30	16
17						.10					.65	.47	17
18			.04			.26				.06	.15	.51	18
19				.04		.33			.22	.23		.10	19
20			.16	.03				.17	.13	.03		1.16	20
21			.10			.10				.71		.26	21
22	.22		.30			.09				.29		.48	22
23						.12			.14	.26	.10	.31	23
24	.01					.39		.10		.61		.42	24
25	.01			.09		.04		.05	.04	.07		.08	25
26		×		.28						.32		.32	26
27		1.60	.07	.13					.07	.71	.11	.18	27
28				.50				.18			.09		28
29				.48		.21	.16	.18	.13	.33			29
30						.03				.25			30
31												.01	31
Total	1.42	1.67	2.41	1.87	1.10	1.87	.16	.94	1.00	4.47	4.03	9.00	TOTAL for year 29.94
No. of Rain Days	10	? 6	12	9	4	12	1	8	8	16	17	25	128

9,000, IX. '10.

I have marked Dec 20 as greatest fall as that on Feb 27 was apparently on 4 days

REGIS 911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Stoneham, Wimborne

in the County of Dorset

by Horace J. Tuck

RAIN GAUGE
Pattern
Diameter of top 3 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 200 ft.

Time of Observation 8 am.

Nearest Railway Station
Name Wimborne
Distance 3/4 m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.02							.03	.18	1
2	*			.30	.38				.02	.07		.28	2
3	.01				.28			.02			.14	.13	3
4			.06							.08	.22	.43	4
5								.07		.14	.03		5
6	.57		.11							.31		.87	6
7	.04										.47		7
8			.21								.15	.73	8
9	.06										.01	.52	9
10	.03	.03	.42		.41							.33	10
11	.45	.04	.02								1.11	.20	11
12			.82		.03			.17			.10		12
13									.25			.40	13
14											.01	.32	14
15			.10			.01					.21	.01	15
16						.19					.45	.30	16
17						.10					.65	.47	17
18			.04			.26				.06	.15	.51	18
19				.04		.33			.22	.23		.10	19
20			.16	.03				.17	.13	.03		1.16	20
21			.10			.10				.71		.26	21
22	.22		.30			.09				.29		.48	22
23						.12			.14	.26	.10	.31	23
24	.01					.39		.10		.61		.42	24
25	.01			.09		.04		.05	.04	.07		.08	25
26		×		.28						.32		.32	26
27		1.60	.07	.13					.07	.71	.11	.18	27
28				.50				.18			.09		28
29				.48		.21	.16	.18	.13	.33			29
30						.03				.25			30
31												.01	31
Total	1.42	1.67	2.41	1.87	1.10	1.87	.16	.94	1.00	4.47	4.03	9.00	TOTAL for year 29.94
No. of Rain Days	10	? 6	12	9	4	12	1	8	8	16	17	25	128

9,000, IX. '10.

I have marked Dec 20 as heaviest fall as Feb 27 was apparently on 4 days

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

3 - JAN 1913

Kept at Stoneham, Wimborne

in the County of Dorset 4

by Horace J. Fuck

Lat. 50.48 Long. 1.59 W

Time of Observation 8 am

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06 nothing measurable after 8 am

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·46	·01	·26	·46		·01	·85		·36	1
2			·12	·01			·36			·01			2
3			·06			·42		·76			·03	·02	3
4	·11		·67			·62		·02			·24		4
5	·21	·17	·26					·54	·01		·04	·20	5
6	·78				·09		·22	·30				·05	6
7		·38	·03		·29	·54	·01	·04		·01		·08	7
8	·49	·25	·28	·02		·02	·02	·03		·01		·01	8
9	·02	·06	·12	·07		·08		·07		·01		·37	9
10		·08	·01			·09		·18		·01	·03	·42	10
11	·09	·15			·01	·16		·22		·01		·38	11
12	·07		·06	·01	·74	·48	·07	·36		·01	·02		12
13	·01	·02					·02					05	13
14	·20		·18					·12		·04			14
15	·23	·20	·11		·08	·55		·01				·28	15
16	·93		·42		·12	·03		·05		·07	·09		16
17	·43		·18			·03		·85				·06	17
18	·29		·36					·27		·01		·01	18
19	·02	·07	·26			·03	07	·31		·01	·03		19
20	·03	·03	·41		·01	·04	·06	·05		·38	·02		20
21		·22	·42		·24			·35		·10			21
22	·29	·46	·12				·04	·16				·10	22
23	·21	·31	·21			·01		·59		·11	·16	·30	23
24	·21	·05					03	·36				·18	24
25	·11	·06				·40		·26		·08	·44	·68	25
26							·50	·28		·54	·38	·33	26
27						·15	·13			·65		·37	27
28		·11				·28	·18	·43	·07	·86	·56	·62	28
29		·11				·03	·15	·20	1·57	·21			29
30						·07	·14		62	·15			30
31			·03				·22	·05		·05		·06	31
Total	4·73	2·73	4·38	·57	1·59	4·29	2·68	6·86	2·28	4·17	2·04	4·93	YEAR'S TOTAL 41·25
Rain Days.	19	17	21	5	9	20	17	26	5	16 ~~22~~	12	21	188
										22			194

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

(no alteration

8 JAN 1914

Kept at Stoneham, Wimborne

in the County of Dorset 4

by Horace J. Tuck

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		31	14	14		2			52	1	30	4	1
2	6	8							6	20	12	1	2
3	17		1	11	28				4			5	3
4	95		4		44				122	39	6	1	4
5	25	5				4	6		65	19	10	12	5
6		11	4		11	13	1			98	1	61	6
7		36			56	4	3			65	20		7
8		16			10	2		1				4	8
9		7					9	22	6		17		9
10	11			1	4		21			3	57		10
11	109	2		20						11	54		11
12					83						32		12
13	13		5						23		11		13
14	26		10	3					4		9		14
15	45	14	26	51			65	4	17				15
16	14		32	17					11				16
17	3			10		1					1	2	17
18	1		15	4			1			1	6		18
19	65		7		5	24			44				19
20	7		30	14						45	6		20
21			20	45	1		2			3	68		21
22	48		15						28				22
23						4		15			4	88	23
24	1			20						1			24
25		17		27						1		1	25
26		2		37				20		11		26	26
27			27	5						3			27
28	20		12	13						50			28
29	15		31	57	14			5		51			29
30	53							1		57			30
31	3		3					74		3			31
Total	5.77	1.49	2.56	3.49	2.56	.56	1.08	1.42	3.82	4.82	3.44	2.05	YEAR'S TOTAL 33.06
Rain Days.	20	11	17	17	10	8	8	8	12	19	17	11	158

W.7,000, XI. 13

E/LMG

REGISTER OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
1915

Kept at Stoneham, Wimborne
in the County of Dorset 4
by Horace J. Fuck

Lat. Long.
Time of Observation
Nearest Railway Station as before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								50			49	6	1
2			1			3	13				142	35	2
3			2	7	42	1	9	1			8	4	3
4				27	5		11	82			43	39	4
5	8		3	17	9	1	40	30			94	2	5
6		25		8	4		3	2				46	6
7	2	51	5	16	1	1	17	1	2			18	7
8	2	26	42	4	1	4		21				14	8
9	2		47	23		6			63		4	71	9
10	3	36		7	10				32				10
11		29	57		2		51				8	77	11
12		3	11						41	18		55	12
13		46	39						12	2	14	48	13
14		28	27			84	26	47		26	49	35	14
15			17				27	35		17	22		15
16							16		40				16
17		50	20									57	17
18		4	14			6	10					76	18
19		8	40				122				11	10	19
20		76	30			6						28	20
21		62						28		32		2	21
22		4			21	2	19	1		11			22
23		7	29			16	1		1	10			23
24		28	18		1					11	10		24
25	5		24				17	28		31	2	27	25
26			8				7	33	2	4	21	60	26
27										1	9	37	27
28		11	35		7					8	24	47	28
29	20		28		5					26	39		29
30		✗	10			37				26	81	81	30
31	2	✗		✗		✗	5		✗	112	✗	5	31
													YEAR'S TOTAL
Total	·44	4·94	5·07	1·09	1·08	1·67	3·94	3·59	1·93	3·35	6·30	8·80	42·20
Rain Days.	8	17	22	8	12	12	17	13	8	15	18	24	174

W. 8,000. X. 14.

fm Dorset Fi

R

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

WIMBORNE

WESTFIELD

DORSET

1911 ~~1914~~, – 1916 – 1920

Kept at Wimborne

in the County of Do

by Countess

in.

e Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NO the result entered to the previous day. If an versal rule, he is earnestly requested to add the re ar in the space provided for it at the end of t ent of rain, the selection and pla itish Rainfall Organization are given in "Rules for post free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.03					.02		.05	.16	1
2				.29	.37			.04			.19	.30	2
3										.07	16	.12	3
4			.03						.02	.02	.25	.38	4
5	.03							.08		.27	.04		5
6	.53		.12							.27	.05	.96	6
7	.04										·43		7
8			.19								.15	64	8
9	.06										.01	48	9
10	.05	.03	.39	.02	.38							.28	10
11	.43	.01	.02						.01		1.16		11
12		·11	96		.02						.10	.64	12
13		.03							.29				13
14								.09	.01			.34	14
15			.03								.21	.03	15
16						.11					·41	·34	16
17		.24	.08								.68	.46	17
18		.03	.07	.05		.39			.23	.09	.09	·49	18
19		.23				.15			.12	.30		.39	19
20	.05	.04	·19			.10			.16	.05		.93	20
21	·17	.14	·11						.06	.73		.34	21
22		·14	.21			.12				.33	.14	·29	22
23	.01	.03				·15		.25		.36		.48	23
24		.03				.35				.32		·30	24
25		.59		.09		.05				.17		.09	25
26		.15		.29					.07	.28	·11	·34	26
27				.12		.21		.15		.74	.08	·18	27
28			·10	.48					.14	.37			28
29				.46			.15	.01		24			29
30								.18		–	.03	.01	30
31								·17					31
Total	1·38	1.80	2.50	1.83	.77	1.63	15	97	1.13	4.60 4·61	4.34	8.97	TOTAL for year 30·08
No. of Rain Days	10	14	13	9	3	9	1	8	11	16	19	24	137

9,000, IX. '10.

fm Dorset Fi

F

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Wimborne Westfield

in the County of Dorset

by Countess of Moray (H. Stilwell)

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.03					.02		.05	.16	1
2				.29	.37			.04			.19	.30	2
3										.07	16	.12	3
4			.03						.02	.02	.25	.38	4
5	.03							.08		.27	.04		5
6	.53		.12							.27	.05	.96	6
7	.04										.43		7
8			.19								.15	64	8
9	.06										.01	48	9
10	.05	.03	.39	.02	.38							.28	10
11	.43	.01	.02						.01		1.16		11
12		.11	96		.02						.10	.64	12
13		.03							.29				13
14								.09	.01			.34	14
15			.03								.21	.03	15
16						.11					.41	.34	16
17		.24	.08								68	.46	17
18		.03	.07	.05		.39			.23	.09	.09	.49	18
19		.23				.15			.12	.30		.39	19
20	.05	.04	19			.10			.16	.05		.93	20
21	.17	.14	.11						.06	.73		.34	21
22		.14	.21			.12				.33	.14	.29	22
23	.01	.03				.15		.25		.36		.48	23
24		.03				.35				.32		.30	24
25		.59		.09		.05				.17		.09	25
26		.15		.29					.07	.28	.11	.34	26
27				.12		.21		.15		.74	.08	.18	27
28			.10	.48					.14	.37			28
29				.46			.15	.01		24			29
30								.18		–	.03	.01	30
31								.17					31
Total	1.38	1.80	2.50	1.83	.77	1.63	15	97	1.13	4.60 4.61	4.34	8.97	TOTAL for year 30.08
No. of Rain Days	10	14	13	9	3	9	1	8	11	16	19	24	137

9,000, IX. '10.

1 made

cord for auth 27-11-13 BR

13 JAN 1913

Dorset Natural History and Antiquarian Field Club.

REGISTER OF RAINFALL IN 1912

Kept at West-field Wimborne 4 by Gertrude, Countess of Moray

Rain gauge diameter 5 inches in. Latitude .... Longitude ....

Capacity of receiver .... in. Height of top of gauge above sea level .... ft

Hour of observation 9 o'clock ,, ,, ground .... in.

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	—	—	10.	—	—	30.	42.	—	—	—	—	29	1
2	—	—	23.	—	—	0.4.	32.	—	—	—	—	—	2
3	—	—	20.	—	—	49.	—	53.	02.	—	—	03	3
4	12.	—	60.	—	—	87.	—	83	—	—	33	—	4
5	60.	21.	—	—	—	—	—	14.	—	—	—	24	5
6	44.	02	20.	—	20.	—	15.	17.	—	—	—	07	6
7	—	47.	12.	—	17.	59.	0.3.	—	—	—	—	10	7
8	51.	18.	30.	05	—	—	0.2.	—	—	—	—	—	8
9	01.	—	11.	04	—	0.9.	—	18.	—	—	—	36	9
10	—	16.	02.	—	—	—	0.1.	14.	—	—	07	45	10
11	09.	0.7.	—	08	—	28.	—	24.	—	—	—	34	11
12	—	41.	0.4	—	—	40.	0.5.	28.	—	—	—	04	12
13	—	0.2.	—	—	41.	—	—	—	—	0.8.	—	—	13
14	27.	—	22.	—	—	—	—	18.	—	—	—	—	14
15	28.	—	10.	—	11.	55.	—	—	—	—	—	30	15
16	92.	—	39.	—	10	0.3.	—	20.	—	0.9.	12.	—	16
17	81.	—	34.	—	0.2	0.3.	—	90.	—	—	—	09	17
18	12.	—	31.	—	—	—	—	24.	—	—	—	—	18
19	—	28.	26.	—	—	—	10.	34.	—	—	—	—	19
20	05	—	41.	—	—	—	0.9.	08	—	38.	—	—	20
21	—	11.	41.	—	29.	—	—	33.	—	10.	—	02	21
22	32.	60.	14.	—	—	—	—	20.	—	—	05	10	22
23	26.	31.	20.	—	—	—	—	88.	—	—	—	30	23
24	26.	0.6.	01.	—	—	46.	—	—	—	—	—	55	24
25	12.	—	—	—	—	0.3.	—	28.	—	49.	6.0.	30	25
26	—	—	—	—	—	—	61.	24.	—	25.	33	41	26
27	—	0.8	—	—	—	15.	21.	—	—	77.	—	31	27
28	—	10.	—	—	—	26.	16.	57.	11.	65.	59	54	28
29	—	—	—	—	—	0.8.	16	06.	145.	46.	—	—	29
30	—	×	—	—	—	0.4.	11.	—	65.	12	—	—	30
31	—	×	48	×	—	×	24	83.	×	—	×	13	31
Monthly Totals.	5·13	3·08	5·32 5·22	0·13	1·60	4·20 4·19	2·65	4·88 7·84	2·23	3·33	2·09	4·94	Total number of rain days. 42·46
Totals from Jan. 1.													
No. of rain days in each month	16	15	22	3	7	17	15	22	4	10	7	20	158

INSTRUCTIONS

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash —. If the gauge contains less than one-hundredth (·01) of an inch but more than half that amount, it should be entered as ·01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to H. Stilwell, Esq., Steepleton Manor, Dorchester.

Copied from Dorset Field Club.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

23 MAR 1914

Ex. M.J.

Kept at Westfield, Wimborne

in the County of Dorset. 4

by Gertrude, Countess of Moray
R. Stevenson Henshaw.

Lat. .... Long. ....
Time of Observation 10 - a.m.
Nearest Railway Station Wimborne
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·05	·14	·15	—	—	—	—	·55	—	·10	—	1
2	·05	·20	—	—	—	—	·05	—	·05	—	·35	·06	2
3	·21	·18	—	·17	·33	—	·04	—	—	·24	—	—	3
4	·84	—	·10	—	·47	—	—	—	1·24	·38	—	·04	4
5	·28	·06	·01	—	—	—	—	—	·74	·27	—	·18	5
6	—	·14	·06	—	·12	·20	·07	—	—	·70	·10	·57	6
7	—	·37	—	—	·04	·12	·15	—	—	·54	·32	—	7
8	—	—	—	—	·60	—	·03	—	—	·03	—	—	8
9	—	·28	—	—	—	—	·05	·24	·07	—	·23	—	9
10	·32	—	—	—	·04	—	·01	—	—	—	·52	—	10
11	·86	—	—	·21	—	—	·31	—	—	—	·68	—	11
12	—	—	—	—	·82	—	—	—	—	—	—	—	12
13	·43	—	—	—	—	—	—	—	·20	—	·49	—	13
14	·38	—	·10	—	—	—	—	—	·10	—	—	—	14
15	·15	—	·46	·71	—	—	·42	—	·25	—	—	—	15
16	—	·10	·10	—	—	—	—	—	·03	—	—	—	16
17	·05	·07	—	·10	—	—	—	—	—	—	—	—	17
18	—	—	·52	·04	—	—	—	—	—	—	—	—	18
19	·69	—	·20	—	—	·32	·07	—	·42	—	—	—	19
20	·09	—	·16	·13	—	—	—	—	—	·10	—	—	20
21	—	—	·25	·47	—	—	·06	—	—	·52	·78	—	21
22	·47	—	·22	·04	—	—	·08	·20	·28	—	—	—	22
23	—	—	·03	—	—	—	·07	—	—	—	·05	·94	23
24	—	·03	—	·18	—	—	—	—	—	—	—	—	24
25	—	—	—	·29	—	—	—	—	—	—	—	—	25
26	·08	·17	—	·33	—	—	—	·24	—	—	—	·37	26
27	—	—	—	·30	—	—	—	—	—	·10	—	—	27
28	·16	—	·40	·48	—	—	—	—	—	·50	—	—	28
29	·18		—	—	·20	—	—	—	—	·60	—	—	29
30	·60		—	—	—	—	—	·07	—	·77	—	—	30
31	—		·35		—		—	·74		·03		—	31
Total	5·87	1·65	3·10	3·60	2·62	·64	1·41	1·49	3·93	4·78	3·62	2·16	YEAR'S TOTAL 34·87
Rain Days.	17	11	15	14	8	3	13	5	11	13	10	6	126

W.7,000, XI. 13

Card for anith thy own stats 23.III.15 ~~W~~ LMcC

4 JAN 1915

Dorset Natural History and Antiquarian Field Club

REGISTER OF RAINFALL IN 1914

Kept at Westfield Wimborne by Gertrude, Countess of Moray

Rain gauge diameter Dorset 4 in. Latitude .... Longitude ....

Capacity of receiver .... in. Height of top of gauge above sea level .... ft.

Hour of observation 9 o'clock a.m. ,, ,, ground .... in.

	Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
		In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.		
	1	—	—	—	—	—	—	—	06					1	
	2	—	—	—	—	—	—	20.	—	—	—	90.	0.8	2	
	3	—	—	—	08	45.	—	0.6	—	—	—	1.32	85.	3	
	4	—	—	0.4	29.	0.5	—	18.	82.	—	—	—	0.4	4	
	5	—	—	—	19.	12.	—	39.	18.	—	—	91.	45.	5	
	6	0.4	0.5 1.27	—	10.	—	—	12.	—	—	—	80.	0.2	6	
	7	—	95.	20.	0.9	—	—	18.	—	—	—	—	45.	7	
	8	—	(1.20) 30.	21.	12.	—	—	—	20.	—	—	—	31.	8	
	9	—	—	81.	20.	—	—	—	—	62.	—	—	70.	9	
	10	—	54.	—	0.9	20.	—	—	—	2.9.	—	0.4	0.2	10	
	11	—	41.	59.	—	02	—	45.	—	—	—	10.	65.	11	
	12	—	38.	12.	—	—	—	—	—	40	0.6	04	55.	12	
	13	—	30.	50.	—	—	—	—	—	—	—	12.	53.	13	
	14	—	—	26.	—	—	92	25.	41.	—	84.	—	29.	14	
	15	—	0.5	21.	—	—	—	32.	41	—	—	07.	—	15	
	16	—	40.	—	—	—	—	18	—	52.	—	—	—	16	
	17	—	—	20.	—	—	—	—	—	0.2	—	—	85.	17	
	18	—	0.4	12.	—	—	—	11.	—	—	—	—	91.	18	
	19	—	90.	55.	—	—	—	1.18.	—	—	—	90.	0.5	19	
	20	—	54.	27.	—	—	0.3	—	—	—	—	—	80.	20	
	21	—	0.4	—	—	—	—	—	—	—	44.	—	—	21	
	22	—	0.9	0.8	—	25.	—	15	33.	—	10.	—	—	22	
	23	—	24.	28.	—	—	—	—	—	—	15.	—	28.	23	
	24	—	—	0.3	—	—	0.4	—	—	—	05.	10	52.	24	
	25	—	—	25.	—	—	—	20	29.	—	32.	—	40	25	
	26	—	—	14.	—	—	—	07	—	—	05+	26.	48.	26	5+
	27	0.5	—	—	—	—	—	—	—	—	25.	17.	0.2	27	—
04	28	—	—	40.	—	0.4	—	—	—	—	~~[illegible]~~	15	75.	~~28~~	25
	29	0.6	—	17.	—	—	—	—	—	—	15.	0.9	08	29	18
	30	0.2.	×	10.	—	—	—	—	—	—	15.	1.20	—	30	15
	31	—	×	0.3	×	—	×	—	—	×	100.	×	06	31	100
	Monthly Totals.	·17	5.33 ✓	~~6.13~~	1.16	1.13	99.	~~3.04~~	2.90	1.83	3.04	~~6.46~~	~~8.96~~	Total number of rain days.	
	Totals from Jan 1.			5.54				3.94				6.57	41.36		
	No. of rain days in each month	~~4~~	~~16~~	~~22~~	~~8~~	~~7~~	~~3~~	~~15~~	~~8~~	~~5~~	~~12~~	~~16~~	~~25~~	~~138~~	

INSTRUCTIONS.

The rainfall, recorded if possible at 9h. a.m., should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash—. If the gauge contains less than one-hundredth ('01) of an inch but more than half that amount, it should be entered as '01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite.

Observers are requested to send their returns as soon as possible after the end of the year to R. Stevenson Henshaw, Esq., C.E., New Road, Portland, Weymouth.

8 made ~~W~~ 032 card for month

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 15. JAN 1917

Kept at Gertrude, Countess of Moray
in the County of Westfield Wimborne Dorset
by Mr C Evans

Lat. Long. a.h.
Time of Observation 9. o'clock day
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1 50.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15.	0.8	0.6	—	56.	[illegible]	—	—	50	45.	55.	—	1
2	31	22.	—	—	0.2	[illegible] .01	—	—	—	19.	13.	—	2
3	0.2	10.3	—	—	—	—	—	—	—	64.	30.	[illegible]	— 3
4	25.	0.4	—	—	—	0.8	0.9	—	25.	02	57.	—	4
5	10.	0.4	—	—	25.	—	—	—	—	0.9	39.	—	5
6	—	0.5	—	—	0.4	24.	50.	—	—	0.4	65.	—	6
7	—	—	45.	—	—	24.	—	—	—	—	68.	[illegible]	— 7
8	—	—	—	—	35.	11.	—	—	—	—	0.4	0.5	0.5 8
9	—	—	—	—	—	55.	0.4	—	—	—	0.2	50	5.0 9
10	—	68.	—	—	[illegible]5	14.	—	—	—	—	—	1.6	1.6 10
11	—	0.1	—	15.	—	—	—	—	—	—	—	—	11
~~12~~	[illegible]	0.5	14.	—	13.	—	0.8	—	—	10.	—	—	12
13	—	20.	—	0.5	—	—	—	—	—	—	—	—	13
14	—	54.	—	—	[illegible]4	—	—	—	—	—	—	—	14
15	—	17.	22.	—	—	—	—	—	—	—	—	—	15
16	15.	0.8	48.	15.	—	—	—	10.2.	0.2	10.	—	—	16
17	14.	22.	45.	10.	—	—	—	0.9	—	48.	50.	—	17
18	0.6	0.3	24.	—	—	—	—	02	—	—	20.	25.	18
19	18.	—	—	—	—	—	—	—	—	—	15.	—	19
20	18.	25.	—	20.	—	—	—	—	—	—	0.4	1.82	20
21	0.2	22.	—	—	—	—	—	—	—	—	—	10.	21
22	—	—	—	—	—	[illegible] .06	—	—	—	30	—	55.	22
23	03	—	—	—	—	—	—	12.	—	0.4	10.	—	23
24	—	—	—	—	29.	—	—	20.	—	35.	25.	15.	24
25	—	0.5	12.	—	—	—	—	55.	—	0.9	—	—	25
26	—	—	—	—	—	—	—	0.4	0.5	75.	—	—	26
27	—	—	110.	—	—	38	24.	0.2	—	42.	—	—	27
28	—	—	—	—	—	—	—	10.	—	29.	—	08.	28
29	—	11.4	0.8	—	—	3[illegible] .31	—	20.3.	12.0.	30.	—	31.	29
30	—	X	—	—	—	—	—	—	—	45.	—	0.3	30
31	—	X	—	X	—	X	—	0.5	X	32.	X	—	31
Total	1,49	5,13	3,32	65,	1,75	~~1,85~~ 1·92	95.	4,24	2,08 2·02	5,48	4,49	4,00	YEAR'S TOTAL 35.72
Rain Days.	12	19	10	5	9	10	5	11	5	19	15	11	~~130~~

W. 8,000. X. 15.

447

P. made
check before [illegible] strip

Exd C Fl

1640

FORM A.
BRITISH RAINFALL.
21 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Westfield Wimborne

in the County of Dorset

by C. Evans Butler
to Gertrude Countess of Moray

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 8 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	15.	0.5	—	—	—	1.50	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	20.	—	—	2
3	0.3	—	—	0.5	—	—	50.	11.	—	18.	50.	—	3
4	—	—	45.	45.	—	—	—	—	—	20.	—	—	4
5	—	—	—	10.	—	10.	—	—	2.0.	11.	—	—	5
6	—	—	15.	—	—	—	—	—	—	21.	0.4	0.2	6
7	40.	—	—	—	—	—	20.	10.	—	49.	—	0.2	7
8	61.	—	0.5	—	—	—	0.5	—	—	—	—	0.5	8
9	—	—	15.	35.	—	—	—	30.	—	—	—	—	9
10	0.5	—	43.	—	—	—	—	1.00	—	—	—	—	10
11	—	—	45	—	—	—	—	—	—	30.	—	—	11
12	—	—	0.5	—	0.4	—	—	—	0.6	18.	—	—	12
13	—	—	21.	0.5	—	—	—	22.	—	—	—	—	13
14	—	—	0.6	—	—	—	—	0.4	—	—	—	—	14
15	—	—	—	—	—	—	—	0.5	—	32.	—	—	15
16	—	0.5	—	—	—	—	—	—	—	158.	—	—	16
17	—	—	—	32.	—	—	35.	25.	60.	0.3	—	—	17
18	—	—	—	—	—	35.	25.	—	35.	—	—	—	18
19	—	52.	—	—	—	—	—	0.5	—	—	—	—	19
20	0.2	—	—	—	65.	—	—	—	0.7	—	—	—	20
21	—	—	0.5	—	—	—	—	—	—	—	—	—	21
22	—	18.	40	—	—	—	—	—	—	12.	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	10.	—	—	24.	—	—	24
25	—	—	—	—	65.	—	—	20.	—	—	—	—	25
26	—	—	—	—	45.	—	—	68.	—	—	—	—	26
27	—	—	—	—	90.	25.	—	1.13	—	—	—	—	27
28	—	—	—	—	0.8	10.5.	—	—	—	—	—	—	28
29	—	—	10.	—	—	—	14.	0.6	—	65.	—	—	29
30	—	X	—	—	—	—	—	—	—	—	—	—	30
31	—	X	—	X	—	X	40.	—	X	—	X	—	31
Total	1·11	·75	2·70	1·37	2·77	1·75	1·99	5·69	1·28	4·73	·54	·09	YEAR'S TOTAL 24·77
Rain Days.	5	3	13	7	6	4	8	14	5	14	2	3	84

W. 8,000, VIII. 16

59

FORM A.
BRITISH RAINFALL.

9 JAN 1919

REGISTER OF RAINFALL IN 1918

Kept at Walford Wimborne

in the County of Dorset

by Gertrude Countess of Moray

Long.

Time of Observation 9 o'clock am

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
		12											
1	—	12	—	68	—	—		90.	—	—	43	—	1
2	—	20.	—	—	—	—		30.	—	—	95.	20	2
3	—	—	—	34.	—	—		—	—	—	—	—	3
4	—	15.	—	—	15	—		10.	0.6	—	105	—	4
5	04	05	—	20.	46			31.	0.2	10	—	20	5
6	—	—	—	—	12.	—		0.4	10.	—	—	30	6
7	—	15	—	—	20.	—		0.1	15.	0.4	34.	—	7
8	—	08		—	—	—		—	—	30.	—	25	8
9	—	—	—	—	—	—	10	—	65	20.	—	40	9
10	—	—	—	04	—	—	94	—	20.		—	—	10
11	—	—	—	—	—	—	0.4	—	—	10.	—	42	11
12	—	18	—	—	40	—	65	—	—	—	—	02	12
13	—	—	—	—	—	—	40	—	40.	—	—		13
14	90	—	—	—	—	28.	18.	—	—	—	—	—	14
15	1.42	—	—	50	—	—	20	—	0.5	—	—	—	15
16	45.	—	—	10.	—	—	05	—	10	—	—	—	16
17	18.	—	—	15	—	—	40		[illegible]	—	—	20	17
18	40.	—	—	—	—	63	02	—	40	—		25.	18
19	08		04	—	—	—	35	—	—	—	—	—	19
20	—	12	—	05	—	—	05	—	40.	—	—	—	20
21	22.	02	—	—	—	—	—	—	55.	25.	—	10.	21
22	10.	—		—	0.5.	—	45	—	15.	—	—	—	22
23	—	—		—	—	—	40	—	—	—	10.	—	23
24	02	04	—	—	—	—	—		15.	—	04	—	24
25	—	—	—	—	—	—	—	50.	—	—	—	—	25
26	08	—	—	—	—	—	05	—	—	—	—	—	26
27	—	—	—	—	—	—	40	10	14.	—	23	—	27
28	—	—	05	—	—	—	—	—	—	—	—	—	28
29	—	—	—		—	—	—	—	140	—	—	31.	29
30	—	×	—	—	—		—	—		—	—	—	30
31	—	×	10.	×	—	×	—	—	×	—	×	—	31
Total	4.19	1.03	1.9	1.49	1.67	86	4.89	2.29	3.32	1.27	2.76	2.45	YEAR'S TOTAL 25.41
Rain Days.	11	10	3	8	6	2	16	8	16	7	7	10	

W. 8,000, IX. 17.

B.made

1547

FORM A.
BRITISH RAINFALL
6 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Westfield Wimborne

in the County of Dorset

by Gertrude, Countess of Moray

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Wimborne

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	10.	—	10.	—	—	—	—	—	—	1.25.	1
2	15.	—	50.	—	—	—	—	—	46.	—	0.4	~~04~~	04 2
3	65.	—	55.	—	—	—	—	—	30.	—	—	—	3
4	49.	25.	45.	—	—	—	—	—	20.	—	0.8	~~24~~	— 4
5	—	—	0.4	—	10.	—	—	—	—	—	—	22.	5
6	50.	50.	40.	—	—	—	—	—	—	—	—	20.	6
7	25.	—	25.	—	—	—	—	—	—	—	—	—	7
8	35.	—	—	—	—	—	—	—	—	—	—	—	8
9	21.	—	—	25.	—	—	—	—	—	—	45.	—	9
10	0.4	—	15.	—	—	—	—	—	—	—	—	30.	10
11	0.5.	—	17.	—	05.	—	—	—	—	—	—	—	11
12	—	—	—	—	—	—	—	—	—	—	—	—	12
13	0.4	—	—	35.	—	—	—	—	—	—	—	10.	13
14	60.	—	—	53.	—	—	—	—	—	—	—	11.	14
15	64.	25.	—	—	—	—	—	—	—	—	—	40	15
16	0.6	90.	—	—	—	—	—	—	—	—	0.5	0.5	16
17	0.3	0.6	—	—	—	—	—	0.2	—	—	—	0.2	17
18	—	—	55.	—	—	—	×94.	—	—	—	15.	—	18
19	48.	35.	—	—	—	—	—	0.2	11.	—	—	—	19
20	30.	0.5	—	—	—	15.	—	45.	—	—	—	0.5	20
21	—	70.	—	—	—	70.	—	—	—	—	—	—	21
22	—	—	—	—	—	—	0.4	—	46.	—	—	—	22
23	—	—	—	—	—	—	—	—	—	31.	—	—	23
24	0.2	—	—	—	—	—	14.	—	—	84.	15.	25.	24
25	—	10.	—	—	—	—	—	0.6	—	—	—	—	25
26	—	19.	65.	—	—	0.5	—	—	—	—	0.4	53.	26
27	—	—	—	—	—	—	—	1.85	—	—	—	—	27
28	—	—	—	—	—	—	—	—	—	—	55.	40.	28
29	—	—	—	—	—	—	—	15	—	—	—	0.4.	29
30	—		—	—	—	—	—	0.4	—	—	62.	70.	30
31	—		—		—		—	—		—		40.	31
Total	5.16	3.35	3.81	1.13	.25	.80	1.12	2.09	1.53	1.15	2.16	5.06	YEAR'S TOTAL 27.61
Rain Days.													

W, 6,500, VII. 18. w w c

146

11 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westfield Wimborne
in the County of Dorset
by Gertrude, Countess of Moray

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	35.	40.	—	45.	—	—	0.5	0.5	45.	1
2	—	—	—	—	—	—	0.4	40.	—	0.4	—	15.	2
3	—	0.4	0.2	0.4	—	—	60.	—	0.3	35.	—	—	3
4	—	—	—	0.8	—	—	0.1	09.	—	20.	—	—	4
5	—	—	0.5	—	—	—	35.	—	—	30.	—	—	5
6	—	—	—	—	—	—	25.	—	—	—	—	—	6
7	—	—	—	0.5	—	—	35.	—	—	—	—	—	7
8	—	—	—	—	—	—	30	—	—	—	—	—	8
9	57.	0.9	—	—	25.	40.	0.5	—	—	—	—	—	9
10	88.	—	25.	45.	—	—	02	—	—	—	—	—	10
11	20.	—	—	48.	10.	—	08	—	—	—	—	0.2	11
12	0.4	10.	40.	24.	—	40.	—	—	—	—	—	—	12
13	15.	—	—	0.5	—	—	0.2	—	—	—	—	—	13
14	0.8	—	60.	54.	—	—	0.1	—	~~—~~	40.	0.5	—	14
15	0.2	—	—	10.	—	—	—	—	30.	32.	40.	—	15
16	—	0.1	—	0.5	—	—	—	—	14.	—	—	—	16
17	—	—	—	45.	—	—	—	—	31.	—	—	—	17
18	—	—	—	—	—	—	0.2	—	0.2	—	—	—	18
19	10.	—	—	80.	—	0.5	01	—	13	—	—	—	19
20	—	—	—	—	—	52	—	—	~~—~~	—	—	—	20
21	—	—	—	—	—	—	40.	—	0.4	—	—	—	21
22	0.5	—	—	—	—	—	—	—	03	—	—	—	22
23	0.3	—	—	—	—	—	35.	—	—	—	—	—	23
24	—	—	35.	—	—	—	03	—	—	—	—	—	24
25	0.2	—	0.5	—	—	—	45	—	—	—	—	—	25
26	—	—	—	—	—	—	01	—	—	—	0.8	—	26
27	50.	—	—	—	—	—	06	—	—	—	—	50.	27
28	48.	—	25.	—	—	—	—	—	—	—	—	—	28
29	52.	—	0.2	—	—	—	02	—	—	—	19.	0.4	29
30	10.	☒	—	—	—	—	01	—	25.	—	45.	—	30
31	0.4	☒	—	☒	—	☒	—	—	☒	45.	☒	25.	31
TOTAL	3.81	0.24	1.99	3.68	0.75	1.67	3.89	0.49	1.25	2.14	1.47	1.44	YEAR'S TOTAL 22.82 ?
Days with ·01 in. or more	16 13	4 3	9 7	13 13	3 3	4 4	23 13	2 2	9 6	8 8	6 6	6 5	~~103~~ ~~83~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Oct - Dec. ✓ big
[illegible]

DORSET.

WINTERBORNE.

"HERRINGSTONE"

1911

REG 1911

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Winterborne

in the County of Dorset

by R. B. Whit

top 5 in.

above Ground ft. 30 in.

„ Sea Level 200 ft.

tion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·20	1
2				·19	·42					·02	·18	·63	2
3					·20		—	·03			·08	·16	3
4		—	·10						·03	·04	·49	·43	4
5			·20					·12		·06	·08	1·33	5
6	·65		·26							·08	·05	·03	6
7											·65		7
8											·46	·85	8
9	·12											·66	9
10	·09	·04	·66		·11						·05	·54	10
11	·71	—	·01								1·94		11
12			1·14								·17	·27	12
13					·02				·20			·58	13
14		·17										·80	14
15		·03	·08								·43	·12	15
16						·30					·77	·52	16
17			·19		·10	·09				·03	1·11	·69	17
18		·15	·18	·11	·16	·09				·08		·50	18
19		·02				·30			·19	·14	·02	·49	19
20			·18			—			·11	·22		·91	20
21		·36	·01	·02					·03	·95		·14	21
22	·31					·20			·09	·69		·71	22
23		·18	·05	·08		·19			·35	·56		·72	23
24		·21				·28		·28	·05	·80		·39	24
25		·04		·26		·04				·11		·03	25
26		·05		·48	2·60					·59	·02	·68	26
27		·80	·07	·04					·07	1·06	·08	·15	27
28		·59		·68				·25			·29		28
29				·31		·25	·14		·20	·95		·04	29
30						·28				·38	·20		30
31													31
Total	1·58	2·64	3·13	2·17	3·61	2·02	·14	·68	1·32	6·76	7·07	12·57 12·58	TOTAL for year 43·99
No. of Rain Days	5	12 13	13	9	7	10	1	4	10	17	18	26	132

9,000, IX. '10.

Oct - Dec ✓ [illegible]

REG 9 11

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

Kept at Winterborne Herringstone

in the County of Dorset 3

by R. B. White (H Stilwell)

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 30 in.
" " " Sea Level 200 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·20	1
2				·19	·42					·02	·18	·63	2
3					·20			·03			·08	·16	3
4			·10						·03	·04	·49	·43	4
5			·20					·12		·06	·08	1·33	5
6	·65		·26							·08	·05	·03	6
7											·65		7
8											·46	·85	8
9	·12											·66	9
10	·09	·04	·66		·11						·05	·54	10
11	·71		·01								1·94		11
12			1·14								·17	·27	12
13					·02				·20			·58	13
14		·17										·80	14
15		·03	·08								·43	·12	15
16						·30					·77	·52	16
17			·19		·10	·09				·03	1·11	·69	17
18		·15	·18	·11	·16	·09				·08		·50	18
19		·02				·30			·19	·14	·02	·49	19
20			·18						·11	·22		·91	20
21		·36	·01	·02					·03	·95		·14	21
22	·31					·20			·09	·69		·71	22
23		·18	·05	·08		·19			·35	·56		·72	23
24		·21				·28		·28	·05	·80		·39	24
25		·04		·26		·04				·11		·03	25
26		·05		·48	2·60					·59	·02	·68	26
27		·80	·07	·04					·07	1·06	·08	·15	27
28		·59		·68				·25			·29		28
29				·31		·25	·14		·20	·95		·04	29
30						·28				·38	·20		30
31													31
Total	1·88	2·64	3·13	2·17	3·61	2·02	·14	·68	1·32	6·76	7·07	12·57 12·57	TOTAL for year 43·99
No. of Rain Days	5	13	13	9	7	10	1	4	10	17	18	26	132

9,000, IX. '10.

Esc 7. C.

Copy from original returned to owner

FORM A2.

BRITISH RAINFALL.

27 JUL 1912

REGISTER OF RAINFALL IN 1911

Kept at Winterbourne Herrington

in the County of Dorset

by Miss H. G. Williams
per. H. Stilwell

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation 10 a. m.

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	-	-	-	-	-	-	-	-	-	-	-	1
2	-	-	-	·20	·36	-	-	·04	-	·05	·13	·35	2
3	-	-	-	-	·17	-	-	-	-	-	·06	·27	3
4	-	-	·08	-	-	-	-	-	-	-	·30	·31	4
5	·18	-	-	-	-	-	-	-	-	·15	·07	-	5
6	·47	-	·21	-	-	-	-	·04	-	-	·13	·87	6
7	·06	-	-	-	-	-	-	-	-	-	·44	-	7
8	-	-	·25	-	-	-	-	-	-	-	·27	·61	8
9	·06	·02	-	-	-	-	-	-	-	-	·05	·41	9
10	·16	·06	·62	-	·16	-	-	-	-	-	1·45	·33	10
11	·53	-	·02	-	-	-	-	-	-	-	-	-	11
12	-	-	1·11	-	-	-	-	-	-	-	-	·27	12
13	-	-	-	-	-	-	-	-	·24	-	-	·49	13
14	-	·12	-	-	-	-	-	-	-	-	·03	·70	14
15	-	·02	·07	-	-	·17	-	-	-	-	·26	·05	15
16	-	-	-	-	-	·33	-	-	-	-	·59	·40	16
17	·02	-	·23	-	-	·11	-	-	-	·04	·85	·39	17
18	-	·14	·06	·13	·32	·13	-	-	-	·10	-	·29	18
19	-	-	-	-	-	·32	-	-	·14	·16	·03	·74	19
20	·04	·05	·19	·06	-	-	-	-	-	·36	-	·50	20
21	·03	·34	·03	·05	-	-	-	-	·02	·70	-	·15	21
22	·20	·04	-	-	-	·18	-	-	·15	·25	-	·50	22
23	-	·14	·06	-	-	·15	-	-	·26	·59	·05	·40	23
24	·03	·22	-	-	-	·25	-	·28	-	·62	-	·26	24
25	-	·03	-	·23	-	·05	-	-	-	·26	-	·03	25
26	-	·18	-	·45	2·85	-	-	·04	-	·44	·03	·48	26
27	-	·84	·06	·02		-	-	-	·10	·78	·26	·12	27
28	-	·25	-	·61	-	-	-	·20	-	-	·05	-	28
29	-		-	·29	-	·25	·14	-	·19	·65	-	-	29
30	-		-	-	-	·04	-	·03	-	·18	·28	·02	30
31	-		-		-		-	-		-		-	31
Total	1·82	2·45	2·99	2·04	3·86	1·98	·14	·63	1·10	5·33	5·33	8·94	TOTAL for year 36·61
No. of Rain D[ays]	12	14	13	9	5	11	1	6	7	15	19	24	136

?, X. '11.

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

WINTERBORNE
WHITCHURCH VIC.

DORSET

1911 - 1920

RE 1

Kept at Whitcharch

in the County of Dors

by H H Tinney Ba

8 in.
Ground 1 ft. in.
Sea Level 241 ft.
am
Name Blandford
Distance 5 Direction S W

IMPORTANT NOT the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											0·01	0·10	1
2								0·09		0·08	0·28	0·34	2
3					0·48						0·10	0·12	3
4	0·03			0·08	0·36				0·04	0·02	0·29	0·46	4
5	0·04				0·14	0·80		0·07		0·14	0·08		5
6	0·60		0·24							0·05	0·09	0·93	6
7	0·03										0·51		7
8	0·03										0·17	0·86	8
9	0·13	0·05	0·08								0·08	0·56	9
10	0·08		0·46		0·26							0·27	10
11	0·55	0·06	0·01		0·01						1·30		11
12			0·99		0·02			0·04			0·06	0·26	12
13									0·20			0·44	13
14										0·01		0·55	14
15		0·16	0·04								0·23	0·02	15
16						0·44					0·57	0·42	16
17			0·10		0·20	0·08					0·58	0·48	17
18			0·10	0·05		0·23			0·15	0·07	0·05	0·46	18
19		0·14							0·09	0·21	0·12	0·57	19
20	0·06	0·14	0·22					0·01	0·06	0·10		0·60	20
21		0·05	0·07	0·01					0·05	0·66		0·20	21
22	0·20	0·21	0·05			0·12			0·13	0·40		0·50	22
23		0·04				0·16				0·19	0·08	0·57	23
24	0·03	0·11				0·38		0·19		0·55		0·19	24
25		0·10				0·06				0·08		0·19	25
26		0·04		0·30	0·20			0·03	0·03	0·36		0·33	26
27		0·45	0·12	0·18					0·05	0·61	0·06	0·22	27
28		0·28		0·57				0·20			0·18		28
29				0·39		0·23	0·22		0·17 ~~0·47~~	0·33			29
30						0·01				0·23	0·11	0·01	30
31													31
Total	1·78	1·83	2·48	1·52	1·67	2·51	0·22	0·63	0·97	4·09	4·95	9·59	TOTAL for year 32·24
No. of Rain Days.	11	13	12	7	8	10	1	7	10	17	20	25	141

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

Kept at Whitchurch,

in the County of Dorset 4

by H H Tiney Bassett

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 241 ft.

Time of Observation 9 am

Nearest Railway Station
Name Blandford
Distance 5 Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											0·01	0·10	1
2								0·09		0·08	0·28	0·34	2
3					0·48						0·10	0·12	3
4	0·03			0·08	0·36				0·04	0·02	0·29	0·46	4
5	0·04				0·14	0·80		0·07		0·14	0·08		5
6	0·60		0·24							0·05	0·09	0·93	6
7	0·03										0·51		7
8	0·03										0·17	0·86	8
9	0·13	0·05	0·08								0·08	0·56	9
10	0·08		0·46		0·26							0·27	10
11	0·55	0·06	0·01		0·01						1·30		11
12			0·99		0·02			0·04			0·06	0·26	12
13									0·20			0·44	13
14										0·01		0·55	14
15		0·16	0·04								0·23	0·02	15
16						0·44					0·57	0·42	16
17			0·10		0·20	0·08					0·58	0·48	17
18			0·10	0·05		0·23			0·15	0·07	0·05	0·46	18
19		0·14							0·09	0·21	0·12	0·57	19
20	0·06	0·14	0·22					0·01	0·06	0·10		0·60	20
21		0·05	0·07	0·01					0·05	0·66		0·20	21
22	0·20	0·21	0·05			0·12			0·13	0·40		0·50	22
23		0·04				0·16				0·19	0·08	0·57	23
24	0·03	0·11				0·38		0·19		0·55		0·19	24
25		0·10				0·06				0·08		0·19	25
26		0·04		0·30	0·20			0·03	0·03	0·36		0·33	26
27		0·45	0·12	0·18					0·05	0·61	0·06	0·22	27
28		0·28		0·57				0·20			0·18		28
29				0·39		0·23	0·22		0·17 ~~0·47~~	0·33			29
30						0·01				0·23	0·11	0·01	30
31													31
Total	1·78	1·83	2·48	1·52	1·67	2·51	0·22	0·63	0·97	409	4·95	9·59	TOTAL for year 32·24
No. of Rain Days.	11	13	12	7	8	10	1	7	10	17	20	25	141

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Ex DL

REGISTER OF RAINFALL IN 1913

Kept at ~~Whitchurch~~ Winterborne Whitchurch
in the County of Dorset 4
by H H Tilney Bassett

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Blandford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.02			0.25	0.33		0.03	0.84		0.36	1
2			0.28		0.02	0.01		0.09			0.02		2
3			0.18			0.54		0.64	0.04		~~[illegible]~~	0.04	3
4	0.15		0.71			0.58		0.02			0.30		4
5	0.70		0.26					0.78	0.04			0.20	5
6	0.63				0.21	0.05	0.35	0.41					6
7		0.60	0.25		0.16	0.81	0.19	0.22				0.20	7
8		0.20	0.32			0.04		0.05					8
9	0.52	0.03				0.07	0.03	0.12				0.04	9
10	0.04	0.13						0.27	0.02	0.02		0.34	10
11	0.07	0.14	0.21	0.05				0.24				0.36	11
12	0.03	0.44	0.07		0.56	0.05		0.35				0.41	12
13		0.05					0.04	0.01		0.04	0.10		13
14	0.23	0.27	0.26					0.10		0.01		0.04	14
15	0.29				0.06	0.55		0.04					15
16	1.30		0.43		0.15	0.01		0.21		0.11	0.11	0.32	16
17	0.96		0.26			0.06		0.94					17
18	0.01		0.21					0.44		0.03	0.10	0.08	18
19		0.10	0.27			0.10	0.05	0.28		0.01		0.08	19
20		0.05	0.51		0.19		0.07			0.41			20
21	0.04	0.27	0.41		0.45			0.54		0.17	0.02		21
22	0.26	0.41	0.03		0.05	0.01		0.19		0.05	0.01	0.15	22
23	0.25	0.31	0.23				0.01	0.62		0.13	0.18	0.30	23
24	0.21	0.07				0.36		0.16				0.25	24
25	0.32	0.02				0.23		0.20		0.14	0.36	0.81	25
26		0.04					0.30	0.29		0.49	0.42	0.35	26
27		0.02				0.30	1.07			0.81		0.35	27
28		0.08				0.13	0.35	0.66	0.10	0.82	0.71	0.47	28
29		0.18	0.08			0.07	0.21	0.14	1.86	0.74			29
30					0.25	0.07	0.07		0.63	0.19			30
31			0.65				0.34	0.04				0.11	31
Total	6.01	3.41	~~5.56~~ 5.64	0.05	2.10	4.29	3.41	8.05	2.72	5.01	2.33	5.26	YEAR'S TOTAL 48.28
Rain Days.	17	19	20	1	10	20	14	27	7	17	11	20	183

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL
15 JAN 1914

REGISTER OF RAINFALL IN 1913

BLANDFORD.

Kept at Winterborne Whitchurch
in the County of Dorset 4
by H. H. Tilney Bassett

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Blandford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		0·34	0·19	0·18					0·30	0·02	0·41		1
2		0·12	0·01	0·04	0·05				0·04		0·15		2
3	0·14				0·45				0·07		0·12	0·16	3
4	0·85			0·04	0·57	0·04			0·54	0·27		0·09	4
5	0·20	0·03			0·07		0·09		0·91	0·16	0·23	0·25	5
6	0·07	0·15	0·10		0·06	0·21	0·57			1·27	0·05	0·78	6
7	0·04	0·44			0·49	0·12	0·25			0·38	0·29		7
8		0·26			0·31					0·02		0·06	8
9		0·05			0·02		0·05	0·84	0·01		0·24	0·01	9
10	0·35				0·06		0·01	0·01		0·87	0·44		10
11	0·96			0·26	0·23				0·01	0·13	0·84		11
12					0·56			0·04	0·02		0·25		12
13	0·27								0·27		0·22		13
14	0·20		0·19				0·03		0·32		0·05		14
15	0·35	0·07	0·27	0·70			0·30	0·06	0·61		0·02		15
16	0·17		0·37	0·08		0·03			0·04				16
17	0·06		0·04	0·09							0·02		17
18			0·25	0·07	0·01		0·01				0·06		18
19	0·95		0·04		0·04	0·524	0·03		0·49		0·02		19
20	0·05		0·07	0·18						0·42	0·22		20
21			0·35	0·27			0·06			0·06	0·59		21
22	0·55		0·18					0·18	0·30			0·14	22
23			0·10			0·06						0·77	23
24	0·04			0·11				0·04					24
25		0·15		0·18									25
26				0·45				0·28		0·05		0·50	26
27	0·05		0·26	0·12						0·05			27
28	0·21		0·06	0·26						0·22		0·04	28
29	0·17		0·50	0·60	0·18			0·12		0·42			29
30	0·72									0·44			30
31	0·09				0·01			0·89		0·05			31
Total	6·49	1·61	2·98	3·63	3·05	1·00	1·34	2·46	3·93	4·13	4·22	2·80	YEAR'S TOTAL 37·64
Rain Days.	21.	9	16	16	15	6	10	9	14	16	18	10	160

W. 7,500, XI. 12

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Whitchurch Blandford

in the County of Dorset 4

by H H Tilney Bassett

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·06					0·57			0·17	0·06	1
2					0·02		0·72				1·37	0·23	2
3			0·06	0·11	0·51	0·04		0·02					3
4	0·06		0·05	0·26	0·07		0·49	0·94			0·66	0·49	4
5	0·04		0·07	0·23	0·12		0·30	0·07			0·33		5
6		0·36	0·03	0·15	0·07		0·04	0·03				0·65	6
7		0·63	0·10	0·26	0·03		0·21	0·05	0·03			0·42	7
8	0·06	0·16	0·56	0·04	0·11	0·16		0·39				0·06	8
9	0·01		0·47	0·29	0·06	0·12		0·02	1·05			0·16	9
10	0·04	0·60		0·11	0·10				0·26			0·01	10
11		0·18	0·51		0·06		0·29				0·11	0·74	11
12		0·08	0·13			0·01			0·35	0·10		0·60	12
13		0·60	0·38						0·16	0·10	0·24	0·83	13
14		0·37	0·31			0·72	0·24	0·51		0·34	0·56	0·29	14
15			0·23				0·21	0·34		0·10	0·25		15
16							0·10		0·41				16
17		0·65	0·23				0·12					1·09	17
18		0·06	0·09									0·64	18
19		0·15	0·56				1·39				0·12	0·10	19
20		0·70	0·21			0·10						0·52	20
21		0·77				0·02				0·27		0·08	21
22		0·17			0·33	0·01	0·05						22
23		0·15	0·36		0·06	0·02				0·24		0·06	23
24		0·03	0·11		0·01					0·16	0·10		24
25	0·06		0·27				0·31	0·34		0·43	0·06	0·33	25
26	0·06		0·08				0·15	0·04		0·09	0·34	0·70	26
27											0·23	0·37	27
28	0·02	0·17	0·30				0·17			0·16	0·19	1·05	28
29	0·33		0·27		0·15					0·36	0·52		29
30		X	0·15			0·10				0·22	0·85	0·71	30
31	0·10	X		X	0·04	X	0·15		X	0·73	X	0·19	31
Total	·78	5·83	5·59	1·45	1·74	1·30	4·94	3·26	2·26	3·30	6·10	10·38	YEAR'S TOTAL 46·93
Rain Days.	10	17	24	8	15	10	16	12	6	13	16	24	171.

W. 8,000. X. 14.

~~4/5~~ Wnv. cnd pr auth 5.V.16

1749

FORM A. BRITISH RAINFALL.
24 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Winterborne Whitchurch

in the County of Dorset

by H. H. Tilney Bassett

4

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ~~6~~ ft. 6 in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.31	0.16			0.03			0.14	0.23	0.35		0.29	1
2	0.64	0.19	0.12	0.06		0.04		0.40		0.27		0.46	2
3	0.21		0.14	0.09	0.10					0.11		0.42	3
4	0.02				0.01			0.21				0.30	4
5	0.06	0.70		0.04				0.03				0.57	5
6	0.75	0.18		0.60			0.65					0.17	6
7	0.28	0.77		0.06			0.27					0.51	7
8	.08	0.56					0.01	0.07			0.07	0.05	8
9		0.07		0.17				0.01			0.43	0.83	9
10	0.35		0.03	0.03				0.10		0.04		0.17	10
11		0.06	0.02.	0.05							1.20	0.05	11
12		0.56		0.14	0.51			0.13		0.05	0.32		12
13		0.38			1 03				0.10		0.09		13
14	0.27						0.50		0.03			1.30	14
15	0.12				0.17		0.13	0.10		0.16		0.21	15
16		1.37			0.21		1.37	0.03	0.03			0.15	16
17		0.38			0.15		0.01	0.15					17
18		0.22			0.05								18
19					0.25								19
20	0.25			0.12		0.01						0.04	20
21	0.15	0.60					0.27		0.03	0.69		0.21	21
22	0.09	0.19	0.45	0.06			0.84					0.34	22
23		0.01	0.09				0.02		0.35	1.16		0.32	23
24				0.06			0.06		0.63	1 44		0.45	24
25				0.04		0.44						0.23	25
26		0.17				0.09	0.32					0.93	26
27		0.01				0.11				0.52			27
28		0.12				0.15			0.63	0.12		0.04	28
29						0.53	0.12				0.40	0.12	29
30	0.23	✕				0.04				0.64	0.60	0.49	30
31		✕		✕		✕	0.02	0.10	✕	1.21	✕	0.96	31
Total	3.81	6.70	0.85	1.52	2.51	1.41	4.59	1.47	2.03	6.76	3.11	9.03 ~~[illegible]~~ 9.01	YEAR'S TOTAL 43.79
Rain Days.	15	19	6	13	10	8	14	12	8	13	7	25	150

W. 8,000. X. 15.

✓

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

24. JAN 1918

Kept at Winterborne Whitchurch

in the County of Dorset

by H. H. Tilney Bassett

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·10	0·20		0·10		0·61	0·01		0·08		1
2			0·07	0·30				0·09	0·01	0·03			2
3	0·14		~~0·55~~				0·44	0·06		0·21	0·33		3
4	0·10	0·06 snow	0·55					0·02		0·24			4
5	0·15			0·23		0·09		0·05	0·16	0·16	0·10		5
6			0·14					0·02		0·06	0·22		6
7	0·32						0·39	0·25		0·23		0·10	7
8	0·65						0·24	1·05	0·06	0·51	0·18	0·18	8
9			0·45	0·10	0·01		0·09	0·01		0·06	0·05		9
10			0·05	0·23				0·25					10
11	0·13		0·50	0·21	0·06			0·01		0·32			11
12	0·10				0·25			0·02		0·33			12
13			0·21					0·14		0·06			13
14			0·11	0·04				0·44	0·02	0·24			14
15							0·01	0·14		1·22		0·24	15
16	0·01			0·10				0·01	0·01	0·14		0·64	16
17				0·13		0·14	0·44	0·25	0·79				17
18					0·02		0·23		0·66				18
19		0·16	0·11					0·06	0·24				19
20		0·45	0·11		0·55	0·10			0·05				20
21	0·06		0·42							0·01		0·01	21
22	0·04		0·01					0·07		0·10			22
23		0·19			0·13			0·24		0·14			23
24		0·20				0·07	0·44	0·04		0·32	0·14		24
25		0·07					0·88	0·05	0·07	0·01		0·05	25
26					0·31			0·61	0·09		0·02		26
27					1·33	0·05		1·31					27
28			0·12		0·06	0·90		0·24				0·05	28
29			0·33		0·07	0·08	0·07			0·63		0·10	29
30		×	0·05				0·55	0·17					30
31		×		×		×	0·02	0·06	×	0·24	×		31
Total	1·70	1·13	3·33	1·54	2·79	1·53	3·80	6·27	2·17	5·26	1·12	1·37	YEAR'S TOTAL 32·01
Rain Days.	10	6	16	9	10	8	12	27	12	27	8	8	148

1·40

W. 8,000, VIII. 16

57

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 19

Kept at the Vicarage Winterborne Whitchurch

in the County of Dorset

by H. H. Tilney Bassett

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·20		0·10		0 61	0·01		0·08		1
2			0·10	·30				·09	01	0·03			2
3	0·14	0·06	07				0·44	·06		·21	·33		3
4	·10		55					·02		·24			4
5	·15			·23		09		·05	·16	·16	·10		5
6			·14					·02		06	·22		6
7	·32						·39	·25		·23		0·10	7
8	·65						·24	1·05	·06	·57	18	18	8
9			·45	·10	0·01		·09	·01		·06	05		9
10			05	·23				·25					10
11	·13		·50	·21	·06			05		·32			11
12	·10				·25			02		·33			12
13			·21					·14		·06			13
14			·11	·04				44	02	·24			14
15							01	14		1·22		·24	15
16	01			·10				01	01	·14		·64	16
17				13		·14	·44	·25	·79				17
18					·02		·23	06	·66				18
19		·16	·11						·24				19
20		·45	·11		·55	·10			·05				20
21	06		·42							01		·01	21
22	04		·01					07		·10			22
23		·19			·13			24		·14			23
24		·20				·07	·44	04		·32	·14		24
25		07					·88	05	07	·01	02	·05	25
26					·31			61	09				26
27					1·33	05		1·31					27
28			·12		06	·90		24				05	28
29					07	08	·07	17		·63		·10	29
30		✗	·33				·55	06					30
31		✗	05	✗		✗	02		✗	·24	✗		31
Total	1·70 ✓	1·13 ✓	3·33 ✓	1·54 ✓	2·79 ✓	1·53 ✓	3·80 ✓	6·31 ✓	2·17 ✓	5·26 ✓	1·12 ✓	1·37 ✓	YEAR'S TOTAL ✓ 32·05
Rain Days.	10 ✓	6 ✓	16 ✓	9 ✓	10 ✓	8 ✓	12 ✓	27 ✓	12 ✓	21 ✓	8 ✓	8 ✓	147 ✓

W, 6,500 VII. 18. W W C

~~W~~ 02 10 1. 18 57

Dorset Natural History and Antiquarian Field Club.

REGISTER OF RAINFALL IN 1918 .

Kept at Winterborne Whitchurch *by* H. H. Tilney Bassett

Rain gauge diameter ......in. *Latitude* ...... *Longitude* ......

Capacity of receiver 10 ..in. [illegible] *Height of top of gauge above sea level* ......ft.

Hour of observation ...... ,, ,, *ground* ......in.

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.		
1		09		0·01	·09			·76			0·88		1	
2		34		·02				24		03	15	·26	2	
3		·15	0·02	·30	·20			·31			1·17		3	
4		·06						·12	·20	·04		·16	4	
5		·09	·30		·20			·42	·11	·22		06	5	
6	·16	10		·24				·20	·12	·09	·~~48~~	19	6	
7		16		03	·27				·29	·01	·46	06	7	
8		10							·06	·20			8	
9				·24		·13	·37		·76	19		45	9	
10				·21			·40		·10	·42		72	10	
11							·20		·10			05	11	
12		10			·40		·06		03		06	01	12	
13	(·19)				03		·66		48			06	13	
14	·26					·12			·58			11	14	
15	1·62			·40		·09	·26			·29		15	15	
16	16		07	11				03	33			05	16	
17	56			18			46		06			29	17	
18	88					·79	06		·42			15	18	
19	09		·24				·31		02			05	19	
20	06	·16		·21			·11		·41	·10			20	
21	16	08							·75	·42		25	21	
22	06				·10		·64		23			16	22	
23	19	·33			07		·24		13		09		23	
24									·22		·10		24	
25							·08	·54		·03	06	42	25	
26		13					·31		·01	05	16		26	
27		02					04	·10	·22	05	13		27	
28			·28										28	
29			·18						1·45		06	05	29	
30		×	·50							·14	07		30	
31		×	18	×		×			×	15	×		31	
Monthly Totals.	4·39	1·91	1·77	1·95	1·36	1·13	4·20	2·72	7·08	2·43	3·39	3·70	Total number of rain days.	36·03
Totals from Jan 1.														
No. of rain days in each month	12	14	8	11	8	4	15	9	23	16	12	20		152

INSTRUCTIONS.

The rainfall, recorded if possible at 9h. a m , should be entered to the day *previous* to that on which it is measured. If the daily record is unavoidably interrupted, the two or three days' accumulation should be bracketed. Days without rain should be marked with a dash—. If the gauge contains less than one-hundredth (·01) of an inch but more than half that amount, it should be entered as ·01, while if there is less than half that amount the few drops may be thrown away, and the day entered as if no rain had fallen, or marked with a *. Notes on Thunderstorms, Halos, and other Meteorological Phenomena of like nature are welcome, and may be inserted on the blank page opposite

Observers are requested to send their returns as soon as possible after the end of the year to

The Rev. H. H. TILNEY BASSETT, The Vicarage, Whitchurch, Blandford.

1545

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Winterborne Whitchurch

in the County of Dorset Blandford.

by H. H. Tilney Bassett

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Blandford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·39		0·06				0·35		0·27	0·22	0·05	1 05	1
2			·02				·06		·27		·01	06	2
3	·30		·55		0·06			0·01	·61			·11	3
4	1·01	·21	75								·06	·10	4
5	0·06	·41	·51		·06				62		·15	16	5
6	·64	·21	·13	0·01	·07						·04	25	6
7	·39		·45	·06									7
8	·39		·25	01	·15								8
9	06		·01	·20	·11						·31		9
10	12		·30	02						02		45	10
11	17		·05	20	·20							25	11
12	14			02			·26			06			12
13	10	06	09	55						06		09	13
14	76	10		33	·25		·12		04			23	14
15	45	09		01						16		49	15
16	16	1·04									·16		16
17	[illegible]	23						06			·04	01	17
18	01	06	·73				09	·35			30	06	18
19	1 05	·54	74			0·11	1·04	·10	12		·13	01	19
20	43	02	05			·41					01	·15	20
21	11	89					·12		02			03	21
22							·12		34				22
23			03							·28	05	25	23
24				05		·12	·10	·27		·95	03		24
25	15	04				04					·10	57	25
26	07	06	54	06			·26	2·00	06				26
27	·16	05		29								44	27
28											·92	05	28
29			~~01~~					·55		·13			29
30		X	01	·16		·11					62	·97	30
31	02	X	09	X		X		05	X		X	0 44	31
TOTAL	7·14	4·01	5·36	1·97	·90	·79	2·52	3·39	1·75	1·88	2·98	~~5·78~~ 6·22	YEAR'S TOTAL 38·~~47~~91
Days with ·01 in. or more	2~~2~~4	15	19	14	7	5	10	1~~0~~9	9	8	16	2~~1~~2	15~~0~~9

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 1921

Kept at Winterborne Whitchurch

in the County of Dorset

by H. H. Tilney Bassett

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·39			0·10	0·39		0·44	0·05		1·06	0·25	0·50	1
2				·11			02	·20		·12		·12	2
3	0·6	09					·26		0·11	·30			3
4		05		·09			·34	·70		·72			4
5				·10			·40	·60		27			5
6			0·45		·21		38			02			6
7	04		0·05	·20	·10		42	·02					7
8	·11			·13	04		40						8
9	·46	05		·05		·08	·01						9
10	·77		·10	·10		·50	·84						10
11	·27	06	·11	·55	·22	·22	·20						11
12	·20		·[illegible]	·28		·42	·02				·07	·06	12
13	·21		·53	·20								·10	13
14	05	·10	·39	·90			05		·21	20	·54	62	14
15	01	·06	·08	·21	·10	·42				50	·07		15
16			·03				·15		·19	·01			16
17				·12	·30		05		27				17
18	·15				·10	·15	06	·40	05				18
19	05			·44		·14			06				19
20	01	·16		20		·42	~~28~~					·26	20
21				~~9~~			·28			07		·06	21
22	07			24								36	22
23							·33					·53	23
24	·05	·03	·27		·02						·21	·18	24
25			24	·01	·06		·70					·01	25
26	·23		24			·11					·12	·13	26
27	·53		06	·11		·15					·04	·26	27
28	·77		09	·05	·10	·01	·08					·09	28
29	·53		·19	·33		05	10				·55	·30	29
30	·15	✕			·01	·12			20		·33	·72	30
31	04	✕	·20	✕	·10	✕	05		✕	·37	✕	·26	31
TOTAL	5·14	·60	3·06	4·52	1·75	2·79	5·52	1·97	1·09	3·64	2·18	3·96	YEAR'S TOTAL 36·22
Days with ·01 in. or more	22	8	15	21	13	13	22	6	7	11	9	17	164
Days with ·04 in. or more	20	7	14	20	11	12	19	5	7	9	9	15	148

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl ✓

REGIST

DORSET.

WINTERBOURNE STEEPLETON.

1911 – 1913

FORM A2. BRITISH RAINFALL.

20 JAN 1912

7/8

Kept at Winterbourne

in the County of Dorsetshi

by H. Stilwell

8 in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·04				·02			·02	·03	1
2	·02			·15	·49			·05		·06	·21	·47	2
3					·22						·13	·12	3
4			·08	·01					·01	·01	·24	·28	4
5	·13		·02					·13		·07	·07		5
6	·61		·17							·02	·04	·90	6
7	·09		·01					·01			·64	·01	7
8	·01	·01	·34								·22	·57	8
9	·08										·09	·37	9
10	·19	·05	·82		·03						·01	·21	10
11	·65	·01	·02		·01						1·42	·01	11
12			1·18								·13	·20	12
13									·35			·39	13
14		·15								·02		·75	14
15	·01	·02				·02					·27	·05	15
16		·01	·01			·46					·73	·40	16
17	·01	·02	·19		·13	·13				·02	·34	·39	17
18		·15	·08	·14	·03	·20				·08	·01	·38	18
19		·03				·22			·13	·14	·01	·65	19
20	·02	·03	·17	·06				·01	·06	·26		·74	20
21	·03	·45	·05	·01		·06			·06	·95		·05	21
22	·28	·03	·01	·05		·17			·14	·49		·62	22
23	·01	·15	·05			·20			·29	·46	·03	·52	23
24	·02	·25				·32		·28		·71		·23	24
25	·01	·02		·29		·05			·11	·11		·03	25
26		·15		·58	·82			·04		·43	·01	·48	26
27		·80	·09	·02					·05	·60	·22	·12	27
28		·42		·70				·19			·08	·01	28
29				·21	·02	·21	·15		·17	·64	·01		29
30						·06		·03		·18	·42	·02	30
31													31
Total	2·21	2·75	3·29	2·26	1·75	2·10	·15	·76	1·37	5·25	5·35	9·00	TOTAL for year 3624 ✓
No. of Rain Days	17	18	16	12	8	12	1	9	10	18	23	28	172 ✓

9,000, IX. '10.

Dh

3/18

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REGIST

Kept at *Winterbourne Steepleton*

in the County of *Dorsetshire* 3

by *H. Stilwell*

Rain Gauge: Pattern ......
Diameter of top 8 in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station: Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.04				.02			.02	.03	1
2	.02			.15	.49			.05		.06	.21	.47	2
3					.22						.13	.12	3
4			.08	.01					.01	.01	.24	.28	4
5	.13		.02					.13		.07	.07		5
6	.61		.17							.02	.04	.90	6
7	.09		.01					.01			.64	.01	7
8	.01	.01	.34								.22	.57	8
9	.08										.09	.37	9
10	.19	.05	.82		.03						.01	.21	10
11	.65	.01	.02		.01						1.42	.01	11
12			1.18								.13	.20	12
13									.35			.39	13
14		.15								.02		.75	14
15	.01	.02				.02					.27	.05	15
16		.01	.01			.46					.73	.40	16
17	.01	.02	.19		.13	.13				.02	.34	.39	17
18		.15	.08	.14	.03	.20				.08	.01	.38	18
19		.03				.22			.13	.14	.01	.65	19
20	.02	.03	.17	.06				.01	.06	.26		.74	20
21	.03	.45	.05	.01		.06			.06	.95		.05	21
22	.28	.03	.01	.05		.17			.14	.49		.62	22
23	.01	.15	.05			.20			.29	.46	.03	.52	23
24	.02	.25				.32		.28		.71		.23	24
25	.01	.02		.29		.05			.11	.11		.03	25
26		.15		.58	.82			.04		.43	.01	.48	26
27		.80	.09	.02					.05	.60	.22	.12	27
28		.42		.70				.19			.08	.01	28
29				.21	.02	.21	.15		.17	.64	.01		29
30						.06		.03		.18	.42	.02	30
31													31
Total	2.21	2.75	3.29	2.26	1.75	2.10	.15	.76	1.37	5.25	5.35	9.00	TOTAL for year 36.24
No. of Rain Days	17	18	16	12	8	12	1	9	10	18	23	28	172

9,000, IX. '10.

D2

Ex. JC.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

2/18

Kept at Winterbourne, Steepleton

in the County of Dorsetshire 3

by H. Stilwell

Rain Gauge:
- Pattern
- Diameter of top ____ in.
- Height of top above Ground ____ ft. ____ in.
- " " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station:
- Name
- Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03			.14	.02		.05	1.04		.33	1
2			.44	.01		.01	.15				.01		2
3			.13			.45		.81	.04			.05	3
4	.24	.01	.66		.01	.37		.04			.37		4
5	.84	.32	.29		.05			.67			.01	.28	5
6	.45	.02	.01		.45	.14	.17	.62				.05	6
7	.02	.55	.16	.01	.22	.95		.12				.37	7
8	1.05	.23	.25				.02	.13				.14	8
9	.03	.07	.17	.04		.09	.02	.17				.81	9
10	.02	.09	.01				.02	.25		.01	.03	.35	10
11	.06	.08				.01		.02				.64	11
12	.03	.40	.45	.03	.14		.03	.37			.01		12
13	.01		.02							.02	.03	.06	13
14	.14	.01	.46		.03			.05		.01		.02	14
15	.34	.45	.01		.02	.63		.01				.48	15
16	1.68	.04	.61		.09	.01		.62		.22	.11		16
17	1.10		.33			.17		1.13				.03	17
18	.46	.02	.20					.30		.02		.01	18
19	.02	.10	.26				.06	.12			.01	.01	19
20	.02	.12	.52		.21			.05		.31	.02		20
21	.01	.57	.29		.78			.17		.17			21
22	.42	.65	.15		.02		.14	.15		.11	.01	.22	22
23	.18	.41	.35					1.30		.15	.25	.32	23
24	.12	.09	.01			.30		.21		.01	.01	.30	24
25	.32	.01	.02			.25	.01	.19		.26	.36	.47	25
26		.03					.13	.08		.50	.30	.20	26
27		.13	.01			.32	.77	.03		.77		.54	27
28		.07				.05	.26	.61	.04	.79	.72	.87	28
29		.11	.01			.07	.16	.25	.94	.64	.02		29
30			.11		.04	.06	.03	.01	.65	.29			30
31	.02		.75				.27	.02		.03		.16	31
Total	7.58	4.58	6.71	.09	2.06	4.02	2.26	8.50	1.72	5.35	2.27	6.71	TOTAL for year 51.85
No. of Rain Days	23	24	28	4	12	17	16	28	5	18	16	23	214

9,000, IX. '10.

82 ✓

REGISTER OF RAINFALL IN 1913

ex. H86

FORM A.
BRITISH RAINFALL.

28 JAN 1914

2/18

Kept at Winterbourne Steepleton

in the County of Dorsetshire

3

by H. Stilwell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·44	·20										1
2	·01	·09	·02										2
3	·12		·06										3
4	1·01		·11										4
5	·22	·04											5
6	·07	·13											6
7	·01	·49	·04										7
8	·01	·34	·07										8
9		·08											9
10	·38	·01											10
11	·89												11
12		·02											12
13	·20												13
14	·30												14
15	·38	·04	·04										15
16	·18		·13										16
17	·05		·35										17
18	·02		·50										18
19	1·20		·02										19
20	·12		·17										20
21	·01		·04										21
22	·41		·11										22
23			·58										23
24	·02		·19										24
25		·16											25
26	·01	·02											26
27	·08												27
28	·42												28
29	·18		·21										29
30	·80		·13										30
31	·21		·54										31
Total	7·41	1·86	3·51										YEAR'S TOTAL
Rain Days.	27	12	19										

W. 7,500, XI. '12

REGIST… 1.

DORSET.

WITCHAMPTON.

1911 -1917

FORM A. BRITISH RAINFALL.

1 JAN 1912

Kept at Witchamp… Wimborne

in the County of Dors… a.m.

5 in.

by alice L. Ho… …e Ground 1 ft. - in.

Sea Level 130 ft.

NOTE.—Rain should be measured daily a… …l instructions for the measurement of rain and particulars as to the British Rainf… …given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.08							.02	.10	1
2	.02			.27			.02			.08	.45	.26	2
3					.50						.13	.11	3
4	.02				.10					.01		.40	4
5	.08		.06			.01		.05		.15			5
6	.43		.16							.30		1.03	6
7	.05									~~20~~	.50		7
8	.02		.21								.14	.71	8
9	.08											.50	9
10	.05	.08	.40									.35	10
11	.39				.90						1.20		11
12			.92		.27			.13				.21	12
13					.02				.36			.38	13
14		.05										.46	14
15			.04								.20 }		15
16						.27					.68 }	.39	16
17		.01	.09			.10					.55	.54	17
18		}	.04			.26				.05	.06	.49	18
19		} .25				.21				.32		.58	19
20	.05		.20					.06	.16	.08		.59	20
21		.18	.04	.04					.10	.60		.11	21
22	.15	.07	.50			.13				.13		.43	22
23		.14				.15			.14	.53		.54	23
24	.01	.17				.41		.13		.16		.20	24
25		.04		.07		.04		.74	.06	.11		.06	25
26				.30	.52					.20		.36	26
27		.55	.10	.10					.05	.49		.21	27
28								.16			.12		28
29				.38		.18	.13		.12	.36			29
30				.23						.21			30
31													31
Total	1.37	1.54	2.76	1.47	2.31	1.76	.15	1.27	.99	3.78	4.05	9.01	TOTAL for year 30.46
No. of Rain Days	13	11	12	8	6	10	2	6	7	16	11	23	125

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGIST

FORM A.
BRITISH RAINFALL.
1 JAN 1912

Kept at Witchampton
in the County of Dorset. 4
by alice L. Homer

Lat. Long.
Nearest Railway Station Wimborne
Time of Observation 10 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " Sea Level 130 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·08							·02	·10	1
2	·02			·27			·02			·08	·45	·26	2
3					·50						·13	·11	3
4	·02				·10					·01		·40	4
5	·08		·06			·01		·05		·15			5
6	·43		·16							·30		1·03	6
7	·05									8 ~~·20~~	·50		7
8	·02		·21								·14	·71	8
9	·08											·50	9
10	·05	·08	·40									·35	10
11	·39				·90						1·20		11
12			·92		·27			·13				·21	12
13					·02				·36			·38	13
14		·05										·46	14
15			·04								·20		15
16						·27					·68	·39	16
17		·01	·09			·10					·55	·54	17
18			·04			·26				·05	·06	·49	18
19		·25				·21				·32		·58	19
20	·05		·20					·06	·16	·08		·59	20
21		·18	·04	·04					·10	·60		·11	21
22	·15	·07	·50			·13				·13		·43	22
23		·14				·15			·14	·53		·54	23
24	·01	·17				·41		·13		·16		·20	24
25		·04		·07		·04		·74	·06	·11		·06	25
26				·30	·52					·20		·36	26
27		·55	·10	·10					·05	·49		·21	27
28								·16			·12		28
29				·38		·18	·13		·12	·36			29
30				·23						·21			30
31													31
Total	1·37	1·54	2·76	1·47	2·31	1·76	·15	1·27	·99	3·78	4·05	9·01	TOTAL for year 30·46
No. of Rain Days	13	11	12	8	6	10	2	6	7	16	11	23	125

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

[illegible] 27-11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Witchampton
in the County of Dorset 4
by A. L. Homer

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Wimborne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.70		.05	.65		.34	1
2			.29			.29	.37	.02		.73			2
3			.11			.04		.71				.04	3
4	.13		.70			.52		.02			.34		4
5	.71	.20	.30			.40		.76				.15	5
6	.38		.05		.32		.74	.20				.04	6
7	.01	.48	.22		.20	.05	.76					.11	7
8	.45	.20	.36			.46		.17					8
9	.02	.04	.10	.10				.24				.45	9
10		.10	.03			.24	.02	.27			.09	.33	10
11	.06					.01		.31				.36	11
12	.07	.41	.06		.84	.12		.30					12
13		.03				.26	.06					.05	13
14	.18		.28		.01					.03			14
15	.24	.21	.04					.01		.05		.30	15
16	.97		.45		.09	.57					.05		16
17	.61		.41			.02		1.03				.08	17
18	.20		.15					.24				.02	18
19		.10	.27			.09	.08	.46					19
20	.05	.03	.36		.05		.12	.01		.33	.04		20
21		.29	.35		.24			.06		.11			21
22	.28	.28	.06		.02	.05	.03	.16		.02		.10	22
23	.20	.29	.16					.65		.06	.27	.41	23
24	.47	.03				.33	.02	.21		.11		.42	24
25	.19	.04				.10		.25		.27	.30	.59	25
26							.47	.38		.35	.40	.30	26
27						.11	.14			.70		.25	27
28		.07				.11	.19	.69		.82		.57	28
29		.28					.15	.10	.15	.40			29
30			24			.11	.26		1.55	.18			30
31			.34					.01	.65	.04		.08	31
Total	5.22	3.08	5.33	.10	1.77	3.88	4.11	7.26	~~1.75~~ 2.40	~~4.85~~ 4.20	1.49	4.99	YEAR'S TOTAL 43.83
Rain Days.	18	17	22	1	8	19	15	25	5 4	16 5	7	20	171

W. 7,500, XI. '12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Witchampton
in the County of Dorset 4
by A. L. Homer

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Wimborne
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organi[illegible] are given in "*Rules for Rainfall Obser[illegible]*" [illegible]t post-free on application to Dr. H[illegible]ILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	.16	.15	.13	–	–	–	–	.55	–	.29	–	1
2	.11	.08	–	–	–	–	–	–	.01	.10	.19	.09	2
3	.33	–	–	.10	.50	–	–	–	–	–	–	.10	3
4	.88	–	.05	–	.40	–	–	–	1.91	.27	.07	.10	4
5	.18	.04	–	–	.12	.02	.10	–	.49	.36	.21	.10	5
6	–	.15	.06	–	–	.12	.06	–	–	.75	–	.48	6
7	–	.42	–	–	.55	.10	–	–	–	.47	.22	–	7
8	.01	.14	–	–	.14	–	.04	–	–	–	–	.04	8
9	–	.06	–	–	.04	–	.12	.28	.04	.03	.14	.01	9
10	.27	–	–	–	–	–	.47	–	–	.17	.65	–	10
11	.96	–	–	.25	.22	–	–	–	–	.19	.35	–	11
12	–	–	–	–	.64	–	–	–	–	–	.50	–	12
13	.21	–	.06	–	–	.02	–	–	.25	–	.20	–	13
14	.30	–	.06	–	–	–	–	–	.04	–	.09	–	14
15	.38	.11	.36	.65	–	–	.56	–	.22	–	–	–	15
16	.10	–	.29	–	–	.04	–	–	–	–	.01	–	16
17	.02	–	.02	–	–	–	–	–	–	–	.01	–	17
18	.04	–	.26	–	.02	–	–	–	–	–	–	–	18
19	.70	–	.06	–	–	.08	.01		.39	–	.05	–	19
20	.11	–	.11	.13	–	–	–	–	–	.35	.22	–	20
21	–	–	.36	.40	–	–	.09	–	–	.02	.86	–	21
22	.57	–	.16	.02	–	–	–	–	.27	–	–	.11	22
23	–	–	.24	–	–	.03	–	.20	–	–	.05	.76	23
24	.07	.02	–	.18	–	–	–	–	–	–	–	.01	24
25	–	.09	–	.26	–	–	–	–	–	–	–	–	25
26	–	–	–	.46	–	–	–	–	–	.11	–	.29	26
27	.04	–	.26	.05	–	–	–	.22		.09	–	–	27
28	.14	–	–	.16	–	–	–	–	–	.62	–	–	28
29	.14	–	.36	.47	–	–	–	.08	–	.49	–	–	29
30	.57	–	–	.01	.10	–	–	.02	–	.77	–	–	30
31	.11	–	.04	–	–	–	–	1.35	–	–	–	–	31
Total	6.24	1.27	2.90	3.27	2.73	.41	1.45	2.15	4.17	479	4.11	209	YEAR'S TOTAL
Rain Days.	22	10	17	14	10	7	8	6	10	15	17	11	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Witchampton

in the County of Dorset 4

by A. L. Homer

Lat. ________ Long. ________

Time of Observation 10 a.m.

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ___ in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	—	—	—	—	·35	—	—	·47	·06	1
2	—	—	—	—	—	·01	·27	·01	—	—	1.63	·18	2
3	—	—	·05	·13	·50	—	·05	—	—	—	·04	—	3
4	·08	—	—	·24	·09	—	·12	·82	—	—	·64	·37	4
5	—	—	·06	·23	·08	—	·36	—	—	—	·63	—	5
6	—	·27	—	—	·04	—	·01	·01	—	—	—	·47	6
7	·01	·62	·02	·01	—	—	·12	·09	—	—	—	·30	7
8	·03	·13	·48	—	—	—	—	·17	—	—	—	—	8
9	—	—	·37	·21	·06	·03	—	·01	·75	—	—	·58	9
10	—	·70	—	·05	·10	·09	—	—	·31	—	—	—	10
11	—	·20	·59	—	—	—	·50	—	—	—	—	·75	11
12	—	·05	·19	—	—	—	—	—	·35	·11	·05	·48	12
13	—	·53	·40	—	—	—	—	—	·07	—	·15	·66	13
14	—	·35	·29	—	—	—	·21	·40	—	·36	·42	·29	14
15	·03	—	·16	—	—	·85	·25	·33	—	—	·30	—	15
16	—	—	—	—	—	—	·12	—	·41	—	—	—	16
17	—	·43	·12	—	—	—	—	—	—	—	—	·76	17
18	—	—	·06	—	—	—	·12	—	—	—	—	·47	18
19	—	·04	·56	—	—	·68	1·13	—	—	—	·07	·15	19
20	—	·75	·10	—	—	—	—	—	—	—	—	·26	20
21	—	·85	—	—	—	·09	—	—	—	·28	—	—	21
22	—	·10	·03	—	·34	—	·24	·05	—	·11	—	—	22
23	—	·18	·25	—	·02	·25	—	—	—	·12	—	—	23
24	—	·06	—	—	—	·04	·04	—	—	·08	·05	—	24
25	·04	—	·24	—	—	—	·30	·30	—	·28	·05	·33	25
26	—	—	—	—	—	—	·02	·11	—	·04	·28	·60	26
27	·05	—	·01	—	—	—	—	—	—	—	·13	·49	27
28	—	·10	·31	—	·01	—	—	—	—	·02	·25	·78	28
29	·24		·17	—	·04	—	—	—	—	·33	·55	—	29
30	—		·10	—	—	—	—	—	—	·15	·76	·74	30
31	·06		—		—		·11	—		·96		·25	31
Total	·54	5·36	4·60	·87	1·28	2·04	3·97	2·65	1·89	2·84	6·47	8·97	YEAR'S TOTAL 41·48
Rain Days.	8	16	22	6	10	8	17	12	5	12	17	20	153

W.7,000, XI. 13

cord for auth 5.V.16 ~~IV~~ - L.N.

1757

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4. JAN 15

Kept at Witchampton

in the County of Dorset 4

by A. L. Homer

Lat. Long.

Time of Observation 10 a.m

Nearest Railway Station Wimborne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb:	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.25	.01	–	.03	–	–	–	.47	.31	–	.17	1
2	.56	.17	–	.06	–	.02	–	.52	.10	.25	–	.51	2
3	.30	.01	.11	.05	.09	–	–	.02	–	.04	–	.40	3
4	.02	–	–	–	–	–	–	–	–	–	–	.25	4
5	.05	.97	–	.05	–	–	–	.20	–	–	–	.56	5
6	.60	.14	–	.46	–	–	.69	.04	–	–	–	.20	6
7	.33	.68	–	.02	.03	–	.07	–	–	–	–	.40	7
8	.03	.76	–	.03	–	–	–	.05	–	–	–	.08	8
9	–	.05	–	.23	–	–	–	–	–	.01	.52	.74	9
10	.24	–	.02	.04	–	–	–	–	–	–	–	.23	10
11	.01	–	.24	.12	–	–	–	–	–	–	1.06	–	11
12	.22	.78	–	.09	.55	–	–	–	–	.26	.33	–	12
13	–	.42	–	–	.98	–	–	.02	.11	–	.03	–	13
14	.03	.01	–	–	–	–	.72	.11	.05	–	–	1.21	14
15	.07	.03	–	–	.16	–	}	–	–	.01	.01	.27	15
16	–	1.22	–	–	.26	–	} 1.15	–	–		–	.17	16
17	–	.45	–	–	.36	–	–	.15	–		–	.01	17
18	–	.19	–	–	–	–	–	.28	–		–	–	18
19	–	.02	–	–	.16	–	.10	–	–		–	–	19
20	.39	–	–	.15	.16	–	–	–	–		–	–	20
21	.04	.41	–	–	–	–	–	–	.06	.60	–	.23	21
22	.09	.16	.39	.08	–	–	.85	–	.01	–	–	.29	22
23	–	.02	.10		–	–	.31	–	.26	1.67	–	.28	23
24	–	–	–	.02	–	–	.30	–	.56	1.77	–	.63	24
25	–	–	–	.02	–	.04	–	–	–	–	–	.08	25
26	–	.15	–	–	–	.06	.26	–	–	–	–	.88	26
27	–	.07	–	–	–	.02	–	–	–	.48	–	–	27
28	–	.06	–	–	–	.06	–	.28	.52	–	–	.02	28
29	–	X	–	–	–	.25	–	–	–	.06	.26	.23	29
30	.30	X	–	–	–	.01	–	–	–	.74	.95	.41	30
31	.01	X	–	X	–	X	–	.16	X	1.31	X	.32	31
Total	3.54	7.02	.87	1.42	2.78	.46	4.45	1.83	2.14	7.51 ~~7.31~~	3.16	8.57 ~~8.67~~	YEAR'S TOTAL 43.75 ~~43.65~~
Rain Days.	18	22	6	14	10	7	10	11	9	13	7	24	151

W. 8,000. X. 14.

W Ely cond [illegible]

1717

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Witchampton

in the County of Dorset

by A. L. Homer.

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.10	.02	–	.49	.01	–	–	.75	.20	.42	–	1
2	.20	.26	.04	–	.01	–	–	–	.02	.30	.10	–	2
3	.27	1.12	–	–	–	–	–	–	.01	.65	.36	–	3
4	–	.15	–	–	.08	.16	–	–	.25	.03	1.05	–	4
5	.08	.03	.02	–	.40	.11	–	–	–	.18	.28	–	5
6	–	.07	–	–	.04	.07	.65	–	–	.15	1.07	–	6
7	.03	–	.36	–	.02	.14	–	–	–	.01	.85	.12	7
8	–	.08	.01	–	.25	.02	–	–	–	–	.03	.20	8
9	–	–	–	–	.02	.05	–	–	–	–	.01	.36	9
10	.02	.64	–	.05	.03	.02	.10	–	–	–	.03	.09	10
11	–	–	.01	.10	–	.13	–	–	–	–	–	.06	11
12	.04	.03	.07	–	.11	–	.10	.01	–	.09	–	–	12
13	–	.30	.09	.01	–	–	–	.20	–	–	–	–	13
14	–	.64	–	–	.05	–	–	.11	–	.05	–	–	14
15	–	.16	.07	.05	–	–	–	.67	–	–	–	–	15
16	.02	.09	–	.17	–	–	.01	.66	–	–	–	–	16
17	.18	.22	.03	.11	–	–	–	–	.21	1.29	.43	–	17
18	.03	.03	.60	.05	–	–	–	–	.08	.05	.19	.20	18
19	.16	–	–	.05	–	–	–	–	.01	–	.14	.10	19
20	.12	.20	–	.24	–	–	–	–	–	–	.01	2.10	20
21	.02	.05	.28	–	.07	–	–	–	–	–	–	.20	21
22	–	–	–	–	–	.01	–	–	–	.38	.01	.60	22
23	.01	.05	–	–	–	.15	–	.18	–	.05	.27	.02	23
24	–	–	–	–	.21	.15	–	.04	–	.50	.08	.38	24
25	–	.60	.20	–	–	–	–	.78	.01	.05	.14	–	25
26	–	.23	.03	–	–	–	–	.14	.29	.61	–	–	26
27	–	.03	1.10	–	–	.17	.12	.04	.55	.53	–	–	27
28	–	.30	.03	.20	–	–	–	.11	.44	.30	.02	.15	28
29	–	.64	.03	–	–	.28	–	2.40	.46	.21	.04	.28	29
30	–	X	–	–	–	–	–	–	–	.50	–	.03	30
31	–	X	–	X	–	X	–	.03	X	.33	X	.03	31
Total	1.28	6.02	2.99	1.03	1.78	1.47	.98	5.37	3.08	~~5~~6.46	5.53	4.92	YEAR'S TOTAL ~~39.91~~ 40.91
Rain Days.	14	23	17	10	13	14	5	13	12	6.46 21	20	16	178

W. 8,000. X. 15.

1143

FORM A.
BRITISH RAINFALL.

11 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Witchampton

in the County of Dorset

by A. L. Homer

Lat. Long.
Time of Observation 10 a.m
Nearest Railway Station Wimborne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	J	July.	Aug.	Sept.	Oct.	[illegible]	Dec.	*Date.*
1			.10	S.20		.07		1.00			.09		1
2				S.65				.15		.03	.01		2
3				.03			.48	.04		.42	.20		3
4		.03	.48										4
5	.12			.22		.07		.02	.20	.13	.12		5
6			.35							.33	.11		6
7	.47						.53	.75		.18			7
8	.56		.30 S	.03			.33			.28	.24	.19	8
9				S.02				.04	.10	.03	.04		9
10	.10		.33	.29		.01		.43		.01			10
11	.05		.49	S.30									11
12			.02		.11					.57			12
13			.17	.10				.18					13
14			.05	.04									14
15							.02	.18	.01	1.48		Snow rain .78	15
16		.11		.09	.05								16
17				.13	.02	.12	.40	.19	.50	.18			17
18		.05			.01	.18	.28		.79				18
19		.40	.14			.03		.16	.10				19
20		.02	.09		.42				.04				20
21		.03	.17							.02			21
22	.03		.05					.04		.06			22
23		.20			.06			.11					23
24		.23				.02	.11			.25	.05		24
25		.09	.04							.05			25
26					.57	.04		.62	.10		.01		26
27					.78	.07		.97					27
28			.06		.15	1.13		.21					28
29			.02		.06		.06			.77		.05	29
30		×	.30				.53	.11		.21		.02	30
31		×	.11	×		×		.07	×		×	S .02	31
Total	1.33	1.16	3.27	2.10 ~~2.06~~	2.23	1.74	2.74	5.27 5.47	1.84	5.00	.87	1.06	YEAR'S TOTAL 28.61 28.77
Rain Days.	6	9	19	12	10	11	10	20	8	19	9	6	139

W. 8,000, VIII. 16

1.78

✓ Copy from A ref'd to

REGISTE

DORSET.

WYNFORD EAGLE.

1912 – 1915

FORM A.
BRITISH RAINFALL.
1 MAR 1913

Kept at Wynford Eagle Maiden

in the County of Dorset

by F. M. Walter
per Dorset Fie

5 in.

ove Ground . ft. 11 in.

Sea Level ft.

IMPORTANT NOTE.—Ra and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09			.28	.01		.04	.92		.33	1
2			.33	.02			.21						2
3			.18			.56	.01	.82	.01			.06	3
4	.17		.84			.38		.06			.01	.01	4
5	.49		.34		.03			.79	.01		.24	.20	5
6	.71	.13			.16	.10	.27	.75			.05	.17	6
7	.03	.15	.12		.26	.70		.09			.01	.24	7
8	.50	.70	.38	.02		.03	.01	.01	.01		.01	.14	8
9	.06	.26	.13	.05		.11	.01	.05			.01	.46	9
10		.05					.01	.13				.47	10
11	.10	.14	.01	.04		.01		.01				.71	11
12	.02	.09	.29		.01		.05	.28			.01	.02	12
13		.45	.02								.03	.05	13
14	.16		.55					.06				.03	14
15	.45	.23	.02	.01	.12	.62		.03		.01		.33	15
16	1.12	.05	.45		.15			.21			.15		16
17	.73		.28		.02	.14		.91		.08	.01	.03	17
18	.45	.01	.31					.31			.01	.01	18
19	.04	.05	.11				.08	.07			.04		19
20	.02	.05	.56		.17	.02	.01	.09			.02		20
21		.35	.27		.65		.10	.24		.30		.22	21
22	.35	.62	.16		.01			.13		.17	.01	.24	22
23	.24	.45	22			.01		.72		.27	.18	.36	23
24	.14	.06	.01			.19		.07		.18	.01	.55	24
25	.18		.01			.25	.11	.37		.44	.31	.20	25
26		.03				.26	.58	.21		.71	.35	43	26
27		.10	.02			.05	.12	.01		.65		1.04	27
28		.06				.13	.08	.40	.13	.29	.70	.02	28
29		.08				.01	.06	.35	.84	.35	.08		29
30					.02		.33	.01	.61	.04		.13	30
31			.62					.02		.07			31
Total	5.96	4.11	6.32	.14	1.60	3.85	2.05	7.20	1.65	4.48	2.24	6.45	YEAR'S TOTAL 46.05
Rain Days.	19	21	25	5	11	18	17	28	7	14	20	25	210

W. 7,500, XI. ·12

Copy from A ref^d to

REGISTE

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Kept at Wynford Eagle Maiden Newton Dorchester

in the County of Dorset 3 E4 R

by F. M. Walter
per Dorset Field Club

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground . ft. 11 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.09			.28	.01		.04	.92		.33	1
2			.33	.02			.21						2
3			.18			.56	.01	.82	.01			.06	3
4	.17		.84			.38		.06			.01	.01	4
5	.49		.34		.03			.79	.01		.24	.20	5
6	.71	.13			.16	.10	.27	.75			.05	.17	6
7	.03	.15	.12		.26	.70		.09			.01	.24	7
8	.50	.70	.38	.02		.03	.01	.01	.01		.01	.14	8
9	.06	.26	.13	.05		.11	.01	.05			.01	.46	9
10		.05					.01	.13				.47	10
11	.10	.14	.01	.04		.01		.01				.71	11
12	.02	.09	.29		.01		.05	.28			.01	.02	12
13		.45	.02								.03	.05	13
14	.16		.55					.06				.03	14
15	.45	.23	.02	.01	.12	.62		.03		.01		.33	15
16	1.12	.05	.45		.15			.21			.15		16
17	.73		.28		.02	.14		.91		.08	.01	.03	17
18	.45	.01	.31					.31			.01	.01	18
19	.04	.05	.11				.08	.07			.04		19
20	.02	.05	.56		.17	.02	.01	.09			.02		20
21		.35	.27		.65		.10	.24		.30		.22	21
22	.35	.62	.16		.01			.13		.17	.01	.24	22
23	.24	.45	22			.01		.72		.27	.18	.36	23
24	.14	.06	.01			.19		.07		.18	.01	.55	24
25	.18		.01			.25	.11	.37		.44	.31	.20	25
26		.03				.26	.58	.21		.71	.35	43	26
27		.10	.02			.05	.12	.01		.65		1.04	27
28		.06				.13	.08	.40	.13	.29	.70	.02	28
29		.08				.01	.06	.35	.84	.35	.08		29
30					.02		.33	.01	.61	.04		.13	30
31			.62					.02		.07			31
Total	5.96	4.11	6.32	.14	1.60	3.85	2.05	7.20	1.65	4.48	2.24	6.45	YEAR'S TOTAL 46.05
Rain Days.	19	21	25	5	11	18	17	28	7	14	20	25	210

W. 7,500, XI. 12

[illegible] with 16·III·14

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.

7 JAN 1914

RJ

Kept at Wynford Eagle Maiden Newton

in the County of Dorset. 3

by F. M. Walter.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10
" " " Sea Level ft.

Time of Observation 8. a m

Nearest Railway Station
Name Maiden Newton
Distance 1¾ mile Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·44	·20	·31	—	·1	—	—	—	—	·53	·1	1
2	·3	·6	·1	·6	·13	—	·5	—	·18	·2	—	·2	2
3	·10	—	·5	·6	·26	—	—	—	·2	—	·11	·13	3
4	·93	—	·14	·1	·36	—	—	—	·1	·35	·4	·5	4
5	·33	·4	—	—	·10	·13	—	—	·7	—	·28	·21	5
6	·6	·9	·12	—	·6	—	·3	—	·96	1·65	—	·60	6
7	—	·46	·6	—	·38	·8	·26	—	—	·32	·3	·3	7
8	·1	·26	—	—	·60	·2	·3	—	—	—	—	·6	8
9	—	·6	—	—	·25	—	·1	·19	—	·17	·36	·5	9
10	·37	·1	—	·1	·11	·1	—	·3	·1	·31	·33	·2	10
11	1·48	·1	—	·12	·8	—	—	—	—	·8	·53	—	11
12	—	·1	—	·1	·18	·1	—	—	—	—	·46	—	12
13	·21	·1	·1	—	·58	—	—	·4	·1	—	·18	—	13
14	·32	—	·14	—	·1	—	—	—	·63	—	·6	—	14
15	·43	·2	·26	·1	·31	—	·4	·5	·21	—	·12	·1	15
16	·20	—	·46	·60	—	·3	—	—	·48	—	—	—	16
17	·8	—	·32	·9	—	—	—	—	·10	—	—	—	17
18	·2	—	·13	·7	—	·1	—	—	·1	—	·8	—	18
19	·70	—	·14	—	—	·1	·2	—	·81	—	·1	—	19
20	·20	—	·31	·13	—	·2	—	—	—	·18	·26	—	20
21	—	—	·61	·54	—	—	—	·7	·1	—	·62	·1	21
22	·41	—	·2	—	·2	—	—	—	—	·7	·1	·8	22
23	—	—	—	—	—	·2	—	—	·25	—	·13	·69	23
24	·6	—	—	·10	—	—	—	·10	—	—	·1	—	24
25	—	·12	—	·21	—	—	—	—	—	·1	·1	·2	25
26	—	·1	—	·23	—	—	—	·27	—	·2	·1	·17	26
27	·7	—	·31	·28	—	—	—	—	—	·25	—	—	27
28	·35	·1	·15	·31	—	—	—	—	—	—	—	6	28
29	·18		·53	·41	·3	—	—	·16	—	·44	—	—	29
30	·66		—	—	—	—	—	—	—	·38	—	—	30
31	·15		—		—		—	60		·22		—	31
Total	7·35	1·61	3·97	3.56	3·46	·35	·47	1·51	3·76	4·47	4·17	2·22	TOTAL for year 36·87 ·3697
No. of Rain Days.	23	15	19	19	16	11	7	9	15	15	21	17	187 Days.

3·46

W. 8,000, X. '11.

W L McC Cor. by [illegible] 19. IV. 15

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wynford Eagle.
in the County of Dorset. 3
by F. M. Walter.

Lat. .... Long. ....
Time of Observation 8 a. m.
Nearest Railway Station Maiden Newton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·1	—	·4	·2	—	—	—	·45	—	—	·21	·11	1
2	—	—	·1	·9	·4	·3	·33	—	—	—	1·35	·5	2
3	—	—	·8	·17	·42	—	·4	·75	—	—	·4	·10	3
4	—	—	·5	·30	·13	—	·8	—	—	—	·50	·47	4
5	—	·1	·10	·17	·20	—	·1	·5	—	—	·22	·37	5
6	·9	·33	·5	·10	·4	—	·33	·8	—	—	·3	·33	6
7	·1	·73	—	·9	·6	·2	·23	—	—	—	·2	—	7
8	·6	·8	·58	·6	·12	·1	·2	·18	·1	—	—	·1	8
9	·1	·2	·43	·40	·13	·19	—	—	·90	—	·32	·32	9
10	·12	·35	—	·10	·12	·46	—	—	·45	—	—	—	10
11	—	·30	·66	—	·3	·2	—	—	—	—	—	·74	11
12	—	·8	·15	—	—	·1	·12	—	·4	·2	—	·88	12
13	—	·65	·31	—	—	·19	·9	—	·9	·12	·2	·55	13
14	—	·40	·20	—	—	·46	·4	·84	—	·22	·43	—	14
15	·2	—	—	—	—	·12	—	·34	·1	·10	—	·2	15
16	·2	·84	·21	—	—	·10	·1	—	·49	·34	·45	—	16
17	—	—	·20	—	—	—	·4	—	·6	·12	—	·94	17
18	—	·3	·13	—	—	·62	·21	—	·10	·42	·12	·54	18
19	—	·14	·66	—	—	—	1·09	—	—	—	—	—	19
20	—	·33	·15	—	—	—	—	—	·10	—	—	·44	20
21	—	·92	·16	—	—	—	—	—	—	—	—	—	21
22	—	·24	·2	—	·22	—	·2	·2	—	·4	—	—	22
23	—	·17	·36	—	·1	—	·2	—	—	·34	·8	·2	23
24	—	·18	·5	—	—	—	—	—	—	·34	·7	—	24
25	·6	·2	·44	—	—	·1	·6	·71	—	—	·47	·10	25
26	·14	—	·16	—	·1	·2	·13	·2	—	—	—	—	26
27	·1	—	—	—	·4	—	·1	—	—	—	·65	·24	27
28	·49	·24	·50	—	·22	—	·32	—	·1	—	·7	·83	28
29	1		·28	—	—	—	·7	—	—	(·29)	·72	·6	29
30	·18		·12	—	—	—	—	—	—	·95		·71	30
31	—		—		·6		·28	—				·65	31
Total	1·23	6·06	6·10	1·50	1·85	2·26	3·55	3·44	2·26	3·30	5·77	~~8·47~~ 8·48	YEAR'S TOTAL ~~45·79~~ 45·80
Rain Days.	14	20	26	10	16	14	22	10	11	~~11~~ 13	18	22	~~194~~ 196

W.7,000, XI. 13

W M L cwd per auth 29.VI.16

1734

FORM A. BRITISH RAINFALL.

29 MAY 1916

REGISTER OF RAINFALL IN 1915.

Kept at Heynford Eagle.

in the County of Dorset.

by Frances Mary Walter.

Lat. .... Long. ....

Time of Observation 8 a.m.

Nearest Railway Station Maiden Newton.

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·94	·21	–	–	–	–	·2	·2	·20	–	·8	–	1
2	·17	·16	–	·10	–	–	–	·10	–	·10	–	·10	2
3	·3	·7	–	·8	·30	–	–	·41	–	–	–	·22	3
4	·12	·3	·20	·6	·3	–	–	–	–	–	–	·43	4
5	·84	·10	·11	·8	–	–	·1	·2	–	–	–	·50	5
6	·55	·4	·9	·14	–	–	–	·1	–	–	–	·10	6
7	·20	·75	–	–	–	–	–	·10	–	–	–	·6	7
8	·2	·75	–	–	–	–	–	–	–	–	·32	·21	8
9	·28	·4	·1	–	–	–	–	·2	–	–	–	·90	9
10	·18	·12	–	–	–	–	–	·1	–	·2	–	·25	10
11	·3	·35	–	–	·45	–	–	·3	–	–	–	·2	11
12	·3	·10	–	·2	·98	–	–	–	·8	–	–	–	12
13	·17	·3	–	–	·24	–	·23	·3	–	–	–	–	13
14	–	·4	–	–	·25	–	·12	·4	–	–	–	–	14
15	–	1·36	–	–	–	–	1·55	·1	–	·8	–	1·30	15
16	–	–	–	–	–	–	·50	–	–	–	·2	–	16
17	–	–	–	–	·2	–	·3	–	–	–	–	–	17
18	–	·2	·2	–	·31	–	·2	·20	–	–	–	–	18
19	–	·50	–	·8	–	–	–	–	–	–	–	·30	19
20	·20	·45	–	–	–	–	·3	–	–	–	·10	·10	20
21	·26	·23	–	–	–	·6	·9	–	·8	1·12	·12	·14	21
22	·11	·9	–	·8	–	–	–	–	–	1·80	·8	·10	22
23	–	–	–	·8	–	–	·50	–	–	·45	–	·36	23
24	–	–	–	–	–	·38	·12	–	·51	·6	–	·40	24
25	·1	–	–	–	–	·1	·3	–	–	·20	·46	·59	25
26	·4	·21	·20	–	–	·16	–	–	·64	·6	–	·84	26
27	–	–	–	–	–	·5	·1	–	–	–	–	·4	27
28	–	–	–	–	·4	·1	–	–	·44	–	–	·4	28
29	–		–	–	–	–	·10	–	·51	·10	–	·30	29
30	·21	╳	–	–	–	–	·13	·1	–	1·15	·12	·30	30
31	–	╳	–	╳	–	╳	–	–	╳	1·65	╳	·12	31
Total	4·39	5·65 5·45	·63	·72	2·62	·67	3·49 3·48	1·01	2·46	6·79	1·30	7·72	YEAR'S TOTAL ~~36·12~~ 37·45
Rain Days.	19	21	6	9	9	6	16	14	7	12	8	24	150

W. 8,000. X. 15.